



THE ENVIRONMENTAL QUALITY COMPANY[®]

Generator Approval Notification

December 6, 2007

Customer: EQIS-ATLANTA

Fax: (404) 494-3560

ENVIRONMENTAL MANAGER
MISSISSIPPI DEQ
PO BOX 20326
JACKSON, MS 39289

This Generator Approval Notification acknowledges the acceptability of waste material(s) into the EQ environmental protection facility identified below and ensures that this facility has the appropriate permit(s) issued by federal and state regulatory agencies to properly transport, treat, and/or dispose of the waste material(s).

EQ FACILITY: EQ Detroit, Inc. (MID980991566)
1923 Frederick, Detroit, MI 48211

Approval Number: K075175DET

Generator EPA ID: MSTMPO002452

Expires On: 11/26/2008

Waste Common Name: DINITROPHENOL LABPACK (DN-1)

Comments: UPDATED PACKING LIST MUST BE SUBMITTED TO APPROVALS PRIOR TO EACH SHIPMENT

Primary Waste Code: P048

The Approval(s) listed above are based upon characterization information supplied to EQ by the Customer and the generator (if other than the Customer). The Customer is ultimately responsible for the accuracy and completeness of all such information, whether provided by the Customer or the generator. The Customer must notify the EQ Resource Team immediately upon knowledge of any changes to this information. This Approval and all wastes which are transported, delivered, or tendered to EQ under this Approval shall be subject to the attached Standard Terms and Conditions.

The Approval(s) will expire on the date(s) noted. Any new Approvals obtained from EQ on future business will be valid for a period of one (1) year from the date of issuance. Within 60 days of the Approval Expiration Date, you will be notified of the requirements for recertification.

YOUR BUSINESS. OUR SOLUTIONS. A PRODUCTIVE PARTNERSHIP[®]

Mail or fax to: EQ Detroit, Inc., 1923 Frederick, Detroit, MI 48211, Phone: 1-800-495-6059 Fax: 1-313-923-3375



THE ENVIRONMENTAL QUALITY COMPANY[®]

Generator Approval Notification

December 6, 2007

Customer: EQIS-ATLANTA

Fax: (404) 494-3560

ENVIRONMENTAL MANAGER
MISSISSIPPI DEQ
PO BOX 20326
JACKSON, MS 39289

This Generator Approval Notification acknowledges the acceptability of waste material(s) into the EQ environmental protection facility identified below and ensures that this facility has the appropriate permit(s) issued by federal and state regulatory agencies to properly transport, treat, and/or dispose of the waste material(s).

EQ FACILITY: EQ Detroit, Inc. (MID980991566)
1923 Frederick, Detroit, MI 48211

Approval Number: K075178DET

Generator EPA ID: MSTMPO002452

Expires On: 11/26/2008

Waste Common Name: Non Hazardous Oil/Iso Lab Pack O-1

Comments: UPDATED PACKING LIST MUST BE SUBMITTED TO APPROVALS PRIOR TO EACH SHIPMENT

Primary Waste Code: 021L

The Approval(s) listed above are based upon characterization information supplied to EQ by the Customer and the generator (if other than the Customer). The Customer is ultimately responsible for the accuracy and completeness of all such information, whether provided by the Customer or the generator. The Customer must notify the EQ Resource Team immediately upon knowledge of any changes to this information. This Approval and all wastes which are transported, delivered, or tendered to EQ under this Approval shall be subject to the attached Standard Terms and Conditions.

The Approval(s) will expire on the date(s) noted. Any new Approvals obtained from EQ on future business will be valid for a period of one (1) year from the date of issuance. Within 60 days of the Approval Expiration Date, you will be notified of the requirements for recertification.

YOUR BUSINESS. OUR SOLUTIONS. A PRODUCTIVE PARTNERSHIP[®]

Mail or fax to: EQ Detroit, Inc., 1923 Frederick, Detroit, MI 48211, Phone: 1-800-495-6059 Fax: 1-313-923-3375



THE ENVIRONMENTAL QUALITY COMPANY[®]

Generator Approval Notification

December 6, 2007

Customer: EQIS-ATLANTA

Fax: (404) 494-3560

ENVIRONMENTAL MANAGER
MISSISSIPPI DEQ
PO BOX 20326
JACKSON, MS 39289

This Generator Approval Notification acknowledges the acceptability of waste material(s) into the EQ environmental protection facility identified below and ensures that this facility has the appropriate permit(s) issued by federal and state regulatory agencies to properly transport, treat, and/or dispose of the waste material(s).

EQ FACILITY: EQ Detroit, Inc. (MID980991566)
1923 Frederick, Detroit, MI 48211

Approval Number: K075182DET

Generator EPA ID: MSTMPO002452

Expires On: 11/26/2008

Waste Common Name: Hydrofluoric Acid Labpack HF-1

Comments: UPDATED PACKING LIST MUST BE SUBMITTED TO APPROVALS PRIOR TO EACH SHIPMENT

Primary Waste Code: U134

Secondary Waste Codes:

D002

The Approval(s) listed above are based upon characterization information supplied to EQ by the Customer and the generator (if other than the Customer). The Customer is ultimately responsible for the accuracy and completeness of all such information, whether provided by the Customer or the generator. The Customer must notify the EQ Resource Team immediately upon knowledge of any changes to this information. This Approval and all wastes which are transported, delivered, or tendered to EQ under this Approval shall be subject to the attached Standard Terms and Conditions.

The Approval(s) will expire on the date(s) noted. Any new Approvals obtained from EQ on future business will be valid for a period of one (1) year from the date of issuance. Within 60 days of the Approval Expiration Date, you will be notified of the requirements for recertification.

YOUR BUSINESS. OUR SOLUTIONS. A PRODUCTIVE PARTNERSHIP[®]

Mail or fax to: EQ Detroit, Inc., 1923 Frederick, Detroit, MI 48211, Phone: 1-800-495-6059 Fax: 1-313-923-3375



THE ENVIRONMENTAL QUALITY COMPANY[®]

Generator Approval Notification

December 6, 2007

Customer: EQIS-ATLANTA

Fax: (404) 494-3560

ENVIRONMENTAL MANAGER
MISSISSIPPI DEQ
PO BOX 20326
JACKSON, MS 39289

This Generator Approval Notification acknowledges the acceptability of waste material(s) into the EQ environmental protection facility identified below and ensures that this facility has the appropriate permit(s) issued by federal and state regulatory agencies to properly transport, treat, and/or dispose of the waste material(s).

EQ FACILITY: EQ Detroit, Inc. (MID980991566)
1923 Frederick, Detroit, MI 48211

Approval Number: K075179DET

Generator EPA ID: MSTMPO002452

Expires On: 11/26/2008

Waste Common Name: Flammable Paint Loosepack

Comments:

Primary Waste Code: D001

The Approval(s) listed above are based upon characterization information supplied to EQ by the Customer and the generator (if other than the Customer). The Customer is ultimately responsible for the accuracy and completeness of all such information, whether provided by the Customer or the generator. The Customer must notify the EQ Resource Team immediately upon knowledge of any changes to this information. This Approval and all wastes which are transported, delivered, or tendered to EQ under this Approval shall be subject to the attached Standard Terms and Conditions.

The Approval(s) will expire on the date(s) noted. Any new Approvals obtained from EQ on future business will be valid for a period of one (1) year from the date of issuance. Within 60 days of the Approval Expiration Date, you will be notified of the requirements for recertification.

YOUR BUSINESS. OUR SOLUTIONS. A PRODUCTIVE PARTNERSHIP[®]

Mail or fax to: EQ Detroit, Inc., 1923 Frederick, Detroit, MI 48211, Phone: 1-800-495-6059 Fax: 1-313-923-3375



THE ENVIRONMENTAL QUALITY COMPANY[®]

Generator Approval Notification

December 6, 2007

Customer: EQIS-ATLANTA

Fax: (404) 494-3560

ENVIRONMENTAL MANAGER
MISSISSIPPI DEQ
PO BOX 20326
JACKSON, MS 39289

This Generator Approval Notification acknowledges the acceptability of waste material(s) into the EQ environmental protection facility identified below and ensures that this facility has the appropriate permit(s) issued by federal and state regulatory agencies to properly transport, treat, and/or dispose of the waste material(s).

EQ FACILITY: EQ Detroit, Inc. (MID980991566)
1923 Frederick, Detroit, MI 48211

Approval Number: K075177DET

Generator EPA ID: MSTMPO002452

Expires On: 11/26/2008

Waste Common Name: Oxidizing Acid Liquid Labpack OA-1

Comments: UPDATED PACKING LIST MUST BE SUBMITTED TO APPROVALS PRIOR TO EACH SHIPMENT

Primary Waste Code: D001

Secondary Waste Codes:
D002

The Approval(s) listed above are based upon characterization information supplied to EQ by the Customer and the generator (if other than the Customer). The Customer is ultimately responsible for the accuracy and completeness of all such information, whether provided by the Customer or the generator. The Customer must notify the EQ Resource Team immediately upon knowledge of any changes to this information. This Approval and all wastes which are transported, delivered, or tendered to EQ under this Approval shall be subject to the attached Standard Terms and Conditions.

The Approval(s) will expire on the date(s) noted. Any new Approvals obtained from EQ on future business will be valid for a period of one (1) year from the date of issuance. Within 60 days of the Approval Expiration Date, you will be notified of the requirements for recertification.

YOUR BUSINESS. OUR SOLUTIONS. A PRODUCTIVE PARTNERSHIP[®]

Mail or fax to: EQ Detroit, Inc., 1923 Frederick, Detroit, MI 48211, Phone: 1-800-495-6059 Fax: 1-313-923-3375



THE ENVIRONMENTAL QUALITY COMPANY[®]

Generator Approval Notification

December 6, 2007

Customer: EQIS-ATLANTA

Fax: (404) 494-3560

ENVIRONMENTAL MANAGER
MISSISSIPPI DEQ
PO BOX 20326
JACKSON, MS 39289

This Generator Approval Notification acknowledges the acceptability of waste material(s) into the EQ environmental protection facility identified below and ensures that this facility has the appropriate permit(s) issued by federal and state regulatory agencies to properly transport, treat, and/or dispose of the waste material(s).

EQ FACILITY: EQ Detroit, Inc. (MID980991566)
1923 Frederick, Detroit, MI 48211

Approval Number: K075181DET

Generator EPA ID: MSTMPO002452

Expires On: 11/26/2008

Waste Common Name: Toxaphene Labpack TOX-1

Comments: UPDATED PACKING LIST MUST BE SUBMITTED TO APPROVALS PRIOR TO EACH SHIPMENT

Primary Waste Code: P123

Secondary Waste Codes:

D015

The Approval(s) listed above are based upon characterization information supplied to EQ by the Customer and the generator (if other than the Customer). The Customer is ultimately responsible for the accuracy and completeness of all such information, whether provided by the Customer or the generator. The Customer must notify the EQ Resource Team immediately upon knowledge of any changes to this information. This Approval and all wastes which are transported, delivered, or tendered to EQ under this Approval shall be subject to the attached Standard Terms and Conditions.

The Approval(s) will expire on the date(s) noted. Any new Approvals obtained from EQ on future business will be valid for a period of one (1) year from the date of issuance. Within 60 days of the Approval Expiration Date, you will be notified of the requirements for recertification.

YOUR BUSINESS. OUR SOLUTIONS. A PRODUCTIVE PARTNERSHIP[®]

Mail or fax to: EQ Detroit, Inc., 1923 Frederick, Detroit, MI 48211, Phone: 1-800-495-6059 Fax: 1-313-923-3375



THE ENVIRONMENTAL QUALITY COMPANY[®]

Generator Approval Notification

December 6, 2007

Customer: EQIS-ATLANTA

Fax: (404) 494-3560

ENVIRONMENTAL MANAGER
MISSISSIPPI DEQ
PO BOX 20326
JACKSON, MS 39289

This Generator Approval Notification acknowledges the acceptability of waste material(s) into the EQ environmental protection facility identified below and ensures that this facility has the appropriate permit(s) issued by federal and state regulatory agencies to properly transport, treat, and/or dispose of the waste material(s).

EQ FACILITY: EQ Detroit, Inc. (MID980991566)
1923 Frederick, Detroit, MI 48211

Approval Number: K075176DET

Generator EPA ID: MSTMPO002452

Expires On: 11/26/2008

Waste Common Name: Poison Solid Lab Pack PS-1

Comments: UPDATED PACKING LIST MUST BE SUBMITTED TO APPROVALS PRIOR TO EACH SHIPMENT

Primary Waste Code: P119

Secondary Waste Codes:

D005 U007 U204 U219

The Approval(s) listed above are based upon characterization information supplied to EQ by the Customer and the generator (if other than the Customer). The Customer is ultimately responsible for the accuracy and completeness of all such information, whether provided by the Customer or the generator. The Customer must notify the EQ Resource Team immediately upon knowledge of any changes to this information. This Approval and all wastes which are transported, delivered, or tendered to EQ under this Approval shall be subject to the attached Standard Terms and Conditions.

The Approval(s) will expire on the date(s) noted. Any new Approvals obtained from EQ on future business will be valid for a period of one (1) year from the date of issuance. Within 60 days of the Approval Expiration Date, you will be notified of the requirements for recertification.

YOUR BUSINESS. OUR SOLUTIONS. A PRODUCTIVE PARTNERSHIP[®]

Mail or fax to: EQ Detroit, Inc., 1923 Frederick, Detroit, MI 48211, Phone: 1-800-495-6059 Fax: 1-313-923-3375



THE ENVIRONMENTAL QUALITY COMPANY[®]

Generator Approval Notification

December 6, 2007

Customer: EQIS-ATLANTA

Fax: (404) 494-3560

ENVIRONMENTAL MANAGER
MISSISSIPPI DEQ
PO BOX 20326
JACKSON, MS 39289

This Generator Approval Notification acknowledges the acceptability of waste material(s) into the EQ environmental protection facility identified below and ensures that this facility has the appropriate permit(s) issued by federal and state regulatory agencies to properly transport, treat, and/or dispose of the waste material(s).

EQ FACILITY: EQ Detroit, Inc. (MID980991566)
1923 Frederick, Detroit, MI 48211

Approval Number: K075183DET

Generator EPA ID: MSTMPO002452

Expires On: 11/26/2008

Waste Common Name: Trichloroethylene Labpack TCE-1

Comments: UPDATED PACKING LIST MUST BE SUBMITTED TO APPROVALS PRIOR TO EACH SHIPMENT

Primary Waste Code: U228

Secondary Waste Codes:
D040

The Approval(s) listed above are based upon characterization information supplied to EQ by the Customer and the generator (if other than the Customer). The Customer is ultimately responsible for the accuracy and completeness of all such information, whether provided by the Customer or the generator. The Customer must notify the EQ Resource Team immediately upon knowledge of any changes to this information. This Approval and all wastes which are transported, delivered, or tendered to EQ under this Approval shall be subject to the attached Standard Terms and Conditions.

The Approval(s) will expire on the date(s) noted. Any new Approvals obtained from EQ on future business will be valid for a period of one (1) year from the date of issuance. Within 60 days of the Approval Expiration Date, you will be notified of the requirements for recertification.

YOUR BUSINESS. OUR SOLUTIONS. A PRODUCTIVE PARTNERSHIP[®]

Mail or fax to: EQ Detroit, Inc., 1923 Frederick, Detroit, MI 48211, Phone: 1-800-495-6059 Fax: 1-313-923-3375



THE ENVIRONMENTAL QUALITY COMPANY[®]

Generator Approval Notification

December 6, 2007

Customer: EQIS-ATLANTA

Fax: (404) 494-3560

ENVIRONMENTAL MANAGER
MISSISSIPPI DEQ
PO BOX 20326
JACKSON, MS 39289

This Generator Approval Notification acknowledges the acceptability of waste material(s) into the EQ environmental protection facility identified below and ensures that this facility has the appropriate permit(s) issued by federal and state regulatory agencies to properly transport, treat, and/or dispose of the waste material(s).

EQ FACILITY: EQ Detroit, Inc. (MID980991566)
1923 Frederick, Detroit, MI 48211

Approval Number: K075180DET

Generator EPA ID: MSTMPO002452

Expires On: 11/26/2008

Waste Common Name: Elemental Mercury Labpack MERC-1

Comments: UPDATED PACKING LIST MUST BE SUBMITTED TO APPROVALS PRIOR TO EACH SHIPMENT

Primary Waste Code: D009

The Approval(s) listed above are based upon characterization information supplied to EQ by the Customer and the generator (if other than the Customer). The Customer is ultimately responsible for the accuracy and completeness of all such information, whether provided by the Customer or the generator. The Customer must notify the EQ Resource Team immediately upon knowledge of any changes to this information. This Approval and all wastes which are transported, delivered, or tendered to EQ under this Approval shall be subject to the attached Standard Terms and Conditions.

The Approval(s) will expire on the date(s) noted. Any new Approvals obtained from EQ on future business will be valid for a period of one (1) year from the date of issuance. Within 60 days of the Approval Expiration Date, you will be notified of the requirements for recertification.

YOUR BUSINESS. OUR SOLUTIONS. A PRODUCTIVE PARTNERSHIP[®]

Mail or fax to: EQ Detroit, Inc., 1923 Frederick, Detroit, MI 48211, Phone: 1-800-495-6059 Fax: 1-313-923-3375



THE ENVIRONMENTAL QUALITY COMPANY[®]

Generator Approval Notification

December 19, 2007

Customer: EQIS-ATLANTA

Fax: (404) 494-3560

ENVIRONMENTAL MANAGER
MISSISSIPPI DEQ
PO BOX 20326
JACKSON, MS 39289

This Generator Approval Notification acknowledges the acceptability of waste material(s) into the EQ environmental protection facility identified below and ensures that this facility has the appropriate permit(s) issued by federal and state regulatory agencies to properly transport, treat, and/or dispose of the waste material(s).

EQ FACILITY: EQ Detroit, Inc. (MID980991566)
1923 Frederick, Detroit, MI 48211

Approval Number: L075163DET

Generator EPA ID: MSTMPO002452

Expires On: 12/17/2008

Waste Common Name: Flammable Solids Labpack FS-1

Comments: UPDATED PACKING LIST MUST BE SUBMITTED TO APPROVALS PRIOR TO EACH SHIPMENT

Primary Waste Code: D001

The Approval(s) listed above are based upon characterization information supplied to EQ by the Customer and the generator (if other than the Customer). The Customer is ultimately responsible for the accuracy and completeness of all such information, whether provided by the Customer or the generator. The Customer must notify the EQ Resource Team immediately upon knowledge of any changes to this information. This Approval and all wastes which are transported, delivered, or tendered to EQ under this Approval shall be subject to the attached Standard Terms and Conditions.

The Approval(s) will expire on the date(s) noted. Any new Approvals obtained from EQ on future business will be valid for a period of one (1) year from the date of issuance. Within 60 days of the Approval Expiration Date, you will be notified of the requirements for recertification.

YOUR BUSINESS. OUR SOLUTIONS. A PRODUCTIVE PARTNERSHIP[®]

Mail or fax to: EQ Detroit, Inc., 1923 Frederick, Detroit, MI 48211, Phone: 1-800-495-6059 Fax: 1-313-923-3375



THE ENVIRONMENTAL QUALITY COMPANY[®]

Generator Approval Notification

December 19, 2007

Customer: EQIS-ATLANTA

Fax: (404) 494-3560

ENVIRONMENTAL MANAGER
MISSISSIPPI DEQ
PO BOX 20326
JACKSON, MS 39289

This Generator Approval Notification acknowledges the acceptability of waste material(s) into the EQ environmental protection facility identified below and ensures that this facility has the appropriate permit(s) issued by federal and state regulatory agencies to properly transport, treat, and/or dispose of the waste material(s).

EQ FACILITY: EQ Detroit, Inc. (MID980991566)
1923 Frederick, Detroit, MI 48211

Approval Number: L075170DET

Generator EPA ID: MSTMPO002452

Expires On: 12/18/2008

Waste Common Name: Acid Liquids Lab Pack AL-1

Comments: UPDATED PACKING LIST MUST BE SUBMITTED TO APPROVALS PRIOR TO EACH SHIPMENT

Primary Waste Code: D002

Secondary Waste Codes:

D006 D008

The Approval(s) listed above are based upon characterization information supplied to EQ by the Customer and the generator (if other than the Customer). The Customer is ultimately responsible for the accuracy and completeness of all such information, whether provided by the Customer or the generator. The Customer must notify the EQ Resource Team immediately upon knowledge of any changes to this information. This Approval and all wastes which are transported, delivered, or tendered to EQ under this Approval shall be subject to the attached Standard Terms and Conditions.

The Approval(s) will expire on the date(s) noted. Any new Approvals obtained from EQ on future business will be valid for a period of one (1) year from the date of issuance. Within 60 days of the Approval Expiration Date, you will be notified of the requirements for recertification.

YOUR BUSINESS. OUR SOLUTIONS. A PRODUCTIVE PARTNERSHIP[®]

Mail or fax to: EQ Detroit, Inc., 1923 Frederick, Detroit, MI 48211, Phone: 1-800-495-6059 Fax: 1-313-923-3375



THE ENVIRONMENTAL QUALITY COMPANY[®]

Generator Approval Notification

December 19, 2007

Customer: EQIS-ATLANTA

Fax: (404) 494-3560

ENVIRONMENTAL MANAGER
MISSISSIPPI DEQ
PO BOX 20326
JACKSON, MS 39289

This Generator Approval Notification acknowledges the acceptability of waste material(s) into the EQ environmental protection facility identified below and ensures that this facility has the appropriate permit(s) issued by federal and state regulatory agencies to properly transport, treat, and/or dispose of the waste material(s).

EQ FACILITY: EQ Detroit, Inc. (MID980991566)
1923 Frederick, Detroit, MI 48211

Approval Number: L075136DET

Generator EPA ID: MSTMPO002452

Expires On: 12/14/2008

Waste Common Name: Sodium Hydroxide Sludge from caustic Tank

Comments:

Primary Waste Code: D002

The Approval(s) listed above are based upon characterization information supplied to EQ by the Customer and the generator (if other than the Customer). The Customer is ultimately responsible for the accuracy and completeness of all such information, whether provided by the Customer or the generator. The Customer must notify the EQ Resource Team immediately upon knowledge of any changes to this information. This Approval and all wastes which are transported, delivered, or tendered to EQ under this Approval shall be subject to the attached Standard Terms and Conditions.

The Approval(s) will expire on the date(s) noted. Any new Approvals obtained from EQ on future business will be valid for a period of one (1) year from the date of issuance. Within 60 days of the Approval Expiration Date, you will be notified of the requirements for recertification.

YOUR BUSINESS. OUR SOLUTIONS. A PRODUCTIVE PARTNERSHIP.[®]

Mail or fax to: EQ Detroit, Inc., 1923 Frederick, Detroit, MI 48211, Phone: 1-800-495-6059 Fax: 1-313-923-3375



THE ENVIRONMENTAL QUALITY COMPANY[®]

Generator Approval Notification

December 19, 2007

Customer: EQIS-ATLANTA

Fax: (404) 494-3560

ENVIRONMENTAL MANAGER
MISSISSIPPI DEQ
PO BOX 20326
JACKSON, MS 39289

This Generator Approval Notification acknowledges the acceptability of waste material(s) into the EQ environmental protection facility identified below and ensures that this facility has the appropriate permit(s) issued by federal and state regulatory agencies to properly transport, treat, and/or dispose of the waste material(s).

EQ FACILITY: EQ Detroit, Inc. (MID980991566)
1923 Frederick, Detroit, MI 48211

Approval Number: L075139DET

Generator EPA ID: MSTMPO002452

Expires On: 12/14/2008

Waste Common Name: Waste Ammonia Nitrate and Sodium Hypochlorite

Comments:

Primary Waste Code: D001

Secondary Waste Codes:

D002

The Approval(s) listed above are based upon characterization information supplied to EQ by the Customer and the generator (if other than the Customer). The Customer is ultimately responsible for the accuracy and completeness of all such information, whether provided by the Customer or the generator. The Customer must notify the EQ Resource Team immediately upon knowledge of any changes to this information. This Approval and all wastes which are transported, delivered, or tendered to EQ under this Approval shall be subject to the attached Standard Terms and Conditions.

The Approval(s) will expire on the date(s) noted. Any new Approvals obtained from EQ on future business will be valid for a period of one (1) year from the date of issuance. Within 60 days of the Approval Expiration Date, you will be notified of the requirements for recertification.

YOUR BUSINESS. OUR SOLUTIONS. A PRODUCTIVE PARTNERSHIP[®]

Mail or fax to: EQ Detroit, Inc., 1923 Frederick, Detroit, MI 48211, Phone: 1-800-495-6059 Fax: 1-313-923-3375



THE ENVIRONMENTAL QUALITY COMPANY[®]

Generator Approval Notification

December 19, 2007

Customer: EQIS-ATLANTA

Fax: (404) 494-3560

ENVIRONMENTAL MANAGER
MISSISSIPPI DEQ
PO BOX 20326
JACKSON, MS 39289

This Generator Approval Notification acknowledges the acceptability of waste material(s) into the EQ environmental protection facility identified below and ensures that this facility has the appropriate permit(s) issued by federal and state regulatory agencies to properly transport, treat, and/or dispose of the waste material(s).

EQ FACILITY: EQ Detroit, Inc. (MID980991566)
1923 Frederick, Detroit, MI 48211

Approval Number: L075144DET

Generator EPA ID: MSTMPO002452

Expires On: 12/17/2008

Waste Common Name: Non Hazardous Loose Pack

Comments:

Primary Waste Code: 029L

The Approval(s) listed above are based upon characterization information supplied to EQ by the Customer and the generator (if other than the Customer). The Customer is ultimately responsible for the accuracy and completeness of all such information, whether provided by the Customer or the generator. The Customer must notify the EQ Resource Team immediately upon knowledge of any changes to this information. This Approval and all wastes which are transported, delivered, or tendered to EQ under this Approval shall be subject to the attached Standard Terms and Conditions.

The Approval(s) will expire on the date(s) noted. Any new Approvals obtained from EQ on future business will be valid for a period of one (1) year from the date of issuance. Within 60 days of the Approval Expiration Date, you will be notified of the requirements for recertification.

YOUR BUSINESS. OUR SOLUTIONS. A PRODUCTIVE PARTNERSHIP[®]

Mail or fax to: EQ Detroit, Inc., 1923 Frederick, Detroit, MI 48211, Phone: 1-800-495-6059 Fax: 1-313-923-3375



THE ENVIRONMENTAL QUALITY COMPANY[®]

Generator Approval Notification

December 6, 2007

Customer: EQIS-ATLANTA

Fax: (404) 494-3560

ENVIRONMENTAL MANAGER
MISSISSIPPI DEQ
PO BOX 20326
JACKSON, MS 39289

This Generator Approval Notification acknowledges the acceptability of waste material(s) into the EQ environmental protection facility identified below and ensures that this facility has the appropriate permit(s) issued by federal and state regulatory agencies to properly transport, treat, and/or dispose of the waste material(s).

EQ FACILITY: EQ Detroit, Inc. (MID980991566)
1923 Frederick, Detroit, MI 48211

Approval Number: K075188DET

Generator EPA ID: MSTMPO002452

Expires On: 11/26/2008

Waste Common Name: Oxidizing Solid Labpack OS-1

Comments: UPDATED PACKING LIST MUST BE SUBMITTED TO APPROVALS PRIOR TO EACH SHIPMENT

Primary Waste Code: D001

Secondary Waste Codes:

D007 D008 D011

The Approval(s) listed above are based upon characterization information supplied to EQ by the Customer and the generator (if other than the Customer). The Customer is ultimately responsible for the accuracy and completeness of all such information, whether provided by the Customer or the generator. The Customer must notify the EQ Resource Team immediately upon knowledge of any changes to this information. This Approval and all wastes which are transported, delivered, or tendered to EQ under this Approval shall be subject to the attached Standard Terms and Conditions.

The Approval(s) will expire on the date(s) noted. Any new Approvals obtained from EQ on future business will be valid for a period of one (1) year from the date of issuance. Within 60 days of the Approval Expiration Date, you will be notified of the requirements for recertification.

YOUR BUSINESS. OUR SOLUTIONS. A PRODUCTIVE PARTNERSHIP[®]

Mail or fax to: EQ Detroit, Inc., 1923 Frederick, Detroit, MI 48211, Phone: 1-800-495-6059 Fax: 1-313-923-3375



Generator Approval Notification

December 6, 2007

Customer: EQIS-ATLANTA

Fax: (404) 494-3560

ENVIRONMENTAL MANAGER
MISSISSIPPI DEQ
PO BOX 20326
JACKSON, MS 39289

This Generator Approval Notification acknowledges the acceptability of waste material(s) into the EQ environmental protection facility identified below and ensures that this facility has the appropriate permit(s) issued by federal and state regulatory agencies to properly transport, treat, and/or dispose of the waste material(s).

EQ FACILITY: EQ Detroit, Inc. (MID980991566)
1923 Frederick, Detroit, MI 48211

Approval Number: K075185DET

Generator EPA ID: MSTMPO002452

Expires On: 11/26/2008

Waste Common Name: Quicklime

Comments:

Primary Waste Code: D002

The Approval(s) listed above are based upon characterization information supplied to EQ by the Customer and the generator (if other than the Customer). The Customer is ultimately responsible for the accuracy and completeness of all such information, whether provided by the Customer or the generator. The Customer must notify the EQ Resource Team immediately upon knowledge of any changes to this information. This Approval and all wastes which are transported, delivered, or tendered to EQ under this Approval shall be subject to the attached Standard Terms and Conditions.

The Approval(s) will expire on the date(s) noted. Any new Approvals obtained from EQ on future business will be valid for a period of one (1) year from the date of issuance. Within 60 days of the Approval Expiration Date, you will be notified of the requirements for recertification.

YOUR BUSINESS. OUR SOLUTIONS. A PRODUCTIVE PARTNERSHIP[®]

Mail or fax to: EQ Detroit, Inc., 1923 Frederick, Detroit, MI 48211, Phone: 1-800-495-6059 Fax: 1-313-923-3375



THE ENVIRONMENTAL QUALITY COMPANY[®]

Generator Approval Notification

December 6, 2007

Customer: EQIS-ATLANTA

Fax: (404) 494-3560

ENVIRONMENTAL MANAGER
MISSISSIPPI DEQ
PO BOX 20326
JACKSON, MS 39289

This Generator Approval Notification acknowledges the acceptability of waste material(s) into the EQ environmental protection facility identified below and ensures that this facility has the appropriate permit(s) issued by federal and state regulatory agencies to properly transport, treat, and/or dispose of the waste material(s).

EQ FACILITY: EQ Detroit, Inc. (MID980991566)
1923 Frederick, Detroit, MI 48211

Approval Number: K075136DET

Generator EPA ID: MSTMPO002452

Expires On: 11/16/2008

Waste Common Name: Nickel Sulphate

Comments:

Primary Waste Code: NONE

The Approval(s) listed above are based upon characterization information supplied to EQ by the Customer and the generator (if other than the Customer). The Customer is ultimately responsible for the accuracy and completeness of all such information, whether provided by the Customer or the generator. The Customer must notify the EQ Resource Team immediately upon knowledge of any changes to this information. This Approval and all wastes which are transported, delivered, or tendered to EQ under this Approval shall be subject to the attached Standard Terms and Conditions.

The Approval(s) will expire on the date(s) noted. Any new Approvals obtained from EQ on future business will be valid for a period of one (1) year from the date of issuance. Within 60 days of the Approval Expiration Date, you will be notified of the requirements for recertification.

YOUR BUSINESS. OUR SOLUTIONS. A PRODUCTIVE PARTNERSHIP[®]

Mail or fax to: EQ Detroit, Inc., 1923 Frederick, Detroit, MI 48211, Phone: 1-800-495-6059 Fax: 1-313-923-3375



THE ENVIRONMENTAL QUALITY COMPANY[®]

Generator Approval Notification

December 6, 2007

Customer: EQIS-ATLANTA

Fax: (404) 494-3560

ENVIRONMENTAL MANAGER
MISSISSIPPI DEQ
PO BOX 20326
JACKSON, MS 39289

This Generator Approval Notification acknowledges the acceptability of waste material(s) into the EQ environmental protection facility identified below and ensures that this facility has the appropriate permit(s) issued by federal and state regulatory agencies to properly transport, treat, and/or dispose of the waste material(s).

EQ FACILITY: EQ Detroit, Inc. (MID980991566)
1923 Frederick, Detroit, MI 48211

Approval Number: K075137DET

Generator EPA ID: MSTMPO002452

Expires On: 11/16/2008

Waste Common Name: Sodium Hydroxide Solid

Comments:

Primary Waste Code: D002

The Approval(s) listed above are based upon characterization information supplied to EQ by the Customer and the generator (if other than the Customer). The Customer is ultimately responsible for the accuracy and completeness of all such information, whether provided by the Customer or the generator. The Customer must notify the EQ Resource Team immediately upon knowledge of any changes to this information. This Approval and all wastes which are transported, delivered, or tendered to EQ under this Approval shall be subject to the attached Standard Terms and Conditions.

The Approval(s) will expire on the date(s) noted. Any new Approvals obtained from EQ on future business will be valid for a period of one (1) year from the date of issuance. Within 60 days of the Approval Expiration Date, you will be notified of the requirements for recertification.

YOUR BUSINESS. OUR SOLUTIONS. A PRODUCTIVE PARTNERSHIP[®]

Mail or fax to: EQ Detroit, Inc., 1923 Frederick, Detroit, MI 48211, Phone: 1-800-495-6059 Fax: 1-313-923-3375



THE ENVIRONMENTAL QUALITY COMPANY[®]

Generator Approval Notification

December 6, 2007

Customer: EQIS-ATLANTA

Fax: (404) 494-3560

ENVIRONMENTAL MANAGER
MISSISSIPPI DEQ
PO BOX 20326
JACKSON, MS 39289

This Generator Approval Notification acknowledges the acceptability of waste material(s) into the EQ environmental protection facility identified below and ensures that this facility has the appropriate permit(s) issued by federal and state regulatory agencies to properly transport, treat, and/or dispose of the waste material(s).

EQ FACILITY: EQ Detroit, Inc. (MID980991566)
1923 Frederick, Detroit, MI 48211

Approval Number: K075138DET

Generator EPA ID: MSTMPO002452

Expires On: 11/16/2008

Waste Common Name: Sulfuric Acid Solids from Nebraska Bioler

Comments:

Primary Waste Code: D002

The Approval(s) listed above are based upon characterization information supplied to EQ by the Customer and the generator (if other than the Customer). The Customer is ultimately responsible for the accuracy and completeness of all such information, whether provided by the Customer or the generator. The Customer must notify the EQ Resource Team immediately upon knowledge of any changes to this information. This Approval and all wastes which are transported, delivered, or tendered to EQ under this Approval shall be subject to the attached Standard Terms and Conditions.

The Approval(s) will expire on the date(s) noted. Any new Approvals obtained from EQ on future business will be valid for a period of one (1) year from the date of issuance. Within 60 days of the Approval Expiration Date, you will be notified of the requirements for recertification.

YOUR BUSINESS. OUR SOLUTIONS. A PRODUCTIVE PARTNERSHIP[®]

Mail or fax to: EQ Detroit, Inc., 1923 Frederick, Detroit, MI 48211, Phone: 1-800-495-6059 Fax: 1-313-923-3375



THE ENVIRONMENTAL QUALITY COMPANY[®]

Generator Approval Notification

December 6, 2007

Customer: EQIS-ATLANTA

Fax: (404) 494-3560

ENVIRONMENTAL MANAGER
MISSISSIPPI DEQ
PO BOX 20326
JACKSON, MS 39289

This Generator Approval Notification acknowledges the acceptability of waste material(s) into the EQ environmental protection facility identified below and ensures that this facility has the appropriate permit(s) issued by federal and state regulatory agencies to properly transport, treat, and/or dispose of the waste material(s).

EQ FACILITY: EQ Detroit, Inc. (MID980991566)
1923 Frederick, Detroit, MI 48211

Approval Number: K075135DET

Generator EPA ID: MSTMPO002452

Expires On: 11/16/2008

Waste Common Name: SULFURIC ACID LIQUIDS FROM NEBRASKA BOILER

Comments:

Primary Waste Code: D002

The Approval(s) listed above are based upon characterization information supplied to EQ by the Customer and the generator (if other than the Customer). The Customer is ultimately responsible for the accuracy and completeness of all such information, whether provided by the Customer or the generator. The Customer must notify the EQ Resource Team immediately upon knowledge of any changes to this information. This Approval and all wastes which are transported, delivered, or tendered to EQ under this Approval shall be subject to the attached Standard Terms and Conditions.

The Approval(s) will expire on the date(s) noted. Any new Approvals obtained from EQ on future business will be valid for a period of one (1) year from the date of issuance. Within 60 days of the Approval Expiration Date, you will be notified of the requirements for recertification.

YOUR BUSINESS. OUR SOLUTIONS. A PRODUCTIVE PARTNERSHIP[®]

Mail or fax to: EQ Detroit, Inc., 1923 Frederick, Detroit, MI 48211, Phone: 1-800-495-6059 Fax: 1-313-923-3375



THE ENVIRONMENTAL QUALITY COMPANY[®]

Generator Approval Notification

December 6, 2007

Customer: EQIS-ATLANTA

Fax: (404) 494-3560

ENVIRONMENTAL MANAGER
MISSISSIPPI DEQ
PO BOX 20326
JACKSON, MS 39289

This Generator Approval Notification acknowledges the acceptability of waste material(s) into the EQ environmental protection facility identified below and ensures that this facility has the appropriate permit(s) issued by federal and state regulatory agencies to properly transport, treat, and/or dispose of the waste material(s).

EQ FACILITY: EQ Detroit, Inc. (MID980991566)
1923 Frederick, Detroit, MI 48211

Approval Number: K075189DET

Generator EPA ID: MSTMPO002452

Expires On: 11/26/2008

Waste Common Name: POISON LIQUID LAB PACK PL-1

Comments: UPDATED PACKING LIST MUST BE SUBMITTED TO APPROVALS PRIOR TO EACH SHIPMENT

Primary Waste Code: U080

Secondary Waste Codes:

D004 D008

The Approval(s) listed above are based upon characterization information supplied to EQ by the Customer and the generator (if other than the Customer). The Customer is ultimately responsible for the accuracy and completeness of all such information, whether provided by the Customer or the generator. The Customer must notify the EQ Resource Team immediately upon knowledge of any changes to this information. This Approval and all wastes which are transported, delivered, or tendered to EQ under this Approval shall be subject to the attached Standard Terms and Conditions.

The Approval(s) will expire on the date(s) noted. Any new Approvals obtained from EQ on future business will be valid for a period of one (1) year from the date of issuance. Within 60 days of the Approval Expiration Date, you will be notified of the requirements for recertification.

YOUR BUSINESS. OUR SOLUTIONS. A PRODUCTIVE PARTNERSHIP[®]

Mail or fax to: EQ Detroit, Inc., 1923 Frederick, Detroit, MI 48211, Phone: 1-800-495-6059 Fax: 1-313-923-3375



THE ENVIRONMENTAL QUALITY COMPANY[®]

Generator Approval Notification

December 6, 2007

Customer: EQIS-ATLANTA

Fax: (404) 494-3560

ENVIRONMENTAL MANAGER
MISSISSIPPI DEQ
PO BOX 20326
JACKSON, MS 39289

This Generator Approval Notification acknowledges the acceptability of waste material(s) into the EQ environmental protection facility identified below and ensures that this facility has the appropriate permit(s) issued by federal and state regulatory agencies to properly transport, treat, and/or dispose of the waste material(s).

EQ FACILITY: EQ Detroit, Inc. (MID980991566)
1923 Frederick, Detroit, MI 48211

Approval Number: K075218DET

Generator EPA ID: MSTMPO002452

Expires On: 11/26/2008

Waste Common Name: Flammable Liquids Lab Pack (FL-1,FL-2,FL-3)

Comments: UPDATED PACKING LIST MUST BE SUBMITTED TO APPROVALS PRIOR TO EACH SHIPMENT

Primary Waste Code: U002

Secondary Waste Codes:

D001 U122 U154

The Approval(s) listed above are based upon characterization information supplied to EQ by the Customer and the generator (if other than the Customer). The Customer is ultimately responsible for the accuracy and completeness of all such information, whether provided by the Customer or the generator. The Customer must notify the EQ Resource Team immediately upon knowledge of any changes to this information. This Approval and all wastes which are transported, delivered, or tendered to EQ under this Approval shall be subject to the attached Standard Terms and Conditions.

The Approval(s) will expire on the date(s) noted. Any new Approvals obtained from EQ on future business will be valid for a period of one (1) year from the date of issuance. Within 60 days of the Approval Expiration Date, you will be notified of the requirements for recertification.

YOUR BUSINESS. OUR SOLUTIONS. A PRODUCTIVE PARTNERSHIP[®]

Mail or fax to: EQ Detroit, Inc., 1923 Frederick, Detroit, MI 48211, Phone: 1-800-495-6059 Fax: 1-313-923-3375



THE ENVIRONMENTAL QUALITY COMPANY[®]

Generator Approval Notification

December 6, 2007

Customer: EQIS-ATLANTA

Fax: (404) 494-3560

ENVIRONMENTAL MANAGER
MISSISSIPPI DEQ
PO BOX 20326
JACKSON, MS 39289

This Generator Approval Notification acknowledges the acceptability of waste material(s) into the EQ environmental protection facility identified below and ensures that this facility has the appropriate permit(s) issued by federal and state regulatory agencies to properly transport, treat, and/or dispose of the waste material(s).

EQ FACILITY: EQ Detroit, Inc. (MID980991566)
1923 Frederick, Detroit, MI 48211

Approval Number: K075190DET

Generator EPA ID: MSTMPO002452

Expires On: 11/26/2008

Waste Common Name: Acid Solids Lab Pack- AS-I

Comments: UPDATED PACKING LIST MUST BE SUBMITTED TO APPROVALS PRIOR TO EACH SHIPMENT

Primary Waste Code: D002

The Approval(s) listed above are based upon characterization information supplied to EQ by the Customer and the generator (if other than the Customer). The Customer is ultimately responsible for the accuracy and completeness of all such information, whether provided by the Customer or the generator. The Customer must notify the EQ Resource Team immediately upon knowledge of any changes to this information. This Approval and all wastes which are transported, delivered, or tendered to EQ under this Approval shall be subject to the attached Standard Terms and Conditions.

The Approval(s) will expire on the date(s) noted. Any new Approvals obtained from EQ on future business will be valid for a period of one (1) year from the date of issuance. Within 60 days of the Approval Expiration Date, you will be notified of the requirements for recertification.

YOUR BUSINESS. OUR SOLUTIONS. A PRODUCTIVE PARTNERSHIP[®]

Mail or fax to: EQ Detroit, Inc., 1923 Frederick, Detroit, MI 48211, Phone: 1-800-495-6059 Fax: 1-313-923-3375



THE ENVIRONMENTAL QUALITY COMPANY[®]

Generator Approval Notification

December 6, 2007

Customer: EQIS-ATLANTA

Fax: (404) 494-3560

ENVIRONMENTAL MANAGER
MISSISSIPPI DEQ
PO BOX 20326
JACKSON, MS 39289

This Generator Approval Notification acknowledges the acceptability of waste material(s) into the EQ environmental protection facility identified below and ensures that this facility has the appropriate permit(s) issued by federal and state regulatory agencies to properly transport, treat, and/or dispose of the waste material(s).

EQ FACILITY: EQ Detroit, Inc. (MID980991566)
1923 Frederick, Detroit, MI 48211

Approval Number: K075184DET

Generator EPA ID: MSTMPO002452

Expires On: 11/26/2008

Waste Common Name: Solids From C-15 tank

Comments:

Primary Waste Code: D007

The Approval(s) listed above are based upon characterization information supplied to EQ by the Customer and the generator (if other than the Customer). The Customer is ultimately responsible for the accuracy and completeness of all such information, whether provided by the Customer or the generator. The Customer must notify the EQ Resource Team immediately upon knowledge of any changes to this information. This Approval and all wastes which are transported, delivered, or tendered to EQ under this Approval shall be subject to the attached Standard Terms and Conditions.

The Approval(s) will expire on the date(s) noted. Any new Approvals obtained from EQ on future business will be valid for a period of one (1) year from the date of issuance. Within 60 days of the Approval Expiration Date, you will be notified of the requirements for recertification.

YOUR BUSINESS. OUR SOLUTIONS. A PRODUCTIVE PARTNERSHIP[®]

Mail or fax to: EQ Detroit, Inc., 1923 Frederick, Detroit, MI 48211, Phone: 1-800-495-6059 Fax: 1-313-923-3375



THE ENVIRONMENTAL QUALITY COMPANY[®]

Generator Approval Notification

December 6, 2007

Customer: EQIS-ATLANTA

Fax: (404) 494-3560

ENVIRONMENTAL MANAGER
MISSISSIPPI DEQ
PO BOX 20326
JACKSON, MS 39289

This Generator Approval Notification acknowledges the acceptability of waste material(s) into the EQ environmental protection facility identified below and ensures that this facility has the appropriate permit(s) issued by federal and state regulatory agencies to properly transport, treat, and/or dispose of the waste material(s).

EQ FACILITY: EQ Detroit, Inc. (MID980991566)
1923 Frederick, Detroit, MI 48211

Approval Number: K075186DET

Generator EPA ID: MSTMPO002452

Expires On: 11/26/2008

Waste Common Name: Liquids From C-15 tank

Comments:

Primary Waste Code: D007

The Approval(s) listed above are based upon characterization information supplied to EQ by the Customer and the generator (if other than the Customer). The Customer is ultimately responsible for the accuracy and completeness of all such information, whether provided by the Customer or the generator. The Customer must notify the EQ Resource Team immediately upon knowledge of any changes to this information. This Approval and all wastes which are transported, delivered, or tendered to EQ under this Approval shall be subject to the attached Standard Terms and Conditions.

The Approval(s) will expire on the date(s) noted. Any new Approvals obtained from EQ on future business will be valid for a period of one (1) year from the date of issuance. Within 60 days of the Approval Expiration Date, you will be notified of the requirements for recertification.

YOUR BUSINESS. OUR SOLUTIONS. A PRODUCTIVE PARTNERSHIP[®]

Mail or fax to: EQ Detroit, Inc., 1923 Frederick, Detroit, MI 48211, Phone: 1-800-495-6059 Fax: 1-313-923-3375



THE ENVIRONMENTAL QUALITY COMPANY[®]

Generator Approval Notification

December 6, 2007

Customer: EQIS-ATLANTA

Fax: (404) 494-3560

ENVIRONMENTAL MANAGER
MISSISSIPPI DEQ
PO BOX 20326
JACKSON, MS 39289

This Generator Approval Notification acknowledges the acceptability of waste material(s) into the EQ environmental protection facility identified below and ensures that this facility has the appropriate permit(s) issued by federal and state regulatory agencies to properly transport, treat, and/or dispose of the waste material(s).

EQ FACILITY: EQ Detroit, Inc. (MID980991566)
1923 Frederick, Detroit, MI 48211

Approval Number: K075187DET

Generator EPA ID: MSTMPO002452

Expires On: 11/26/2008

Waste Common Name: OXIDIZING LIQUID LABPACK OL-1

Comments: UPDATED PACKING LIST MUST BE SUBMITTED TO APPROVALS PRIOR TO EACH SHIPMENT

Primary Waste Code: D001

Secondary Waste Codes:

072U D002 D007 D011

The Approval(s) listed above are based upon characterization information supplied to EQ by the Customer and the generator (if other than the Customer). The Customer is ultimately responsible for the accuracy and completeness of all such information, whether provided by the Customer or the generator. The Customer must notify the EQ Resource Team immediately upon knowledge of any changes to this information. This Approval and all wastes which are transported, delivered, or tendered to EQ under this Approval shall be subject to the attached Standard Terms and Conditions.

The Approval(s) will expire on the date(s) noted. Any new Approvals obtained from EQ on future business will be valid for a period of one (1) year from the date of issuance. Within 60 days of the Approval Expiration Date, you will be notified of the requirements for recertification.

YOUR BUSINESS. OUR SOLUTIONS. A PRODUCTIVE PARTNERSHIP[®]

Mail or fax to: EQ Detroit, Inc., 1923 Frederick, Detroit, MI 48211, Phone: 1-800-495-6059 Fax: 1-313-923-3375



ENVIRONMENTAL SERVICES, INC.

MANIFEST INFORMATION

Land Disposal Restriction
Notification Form

Page 1 of 1

Print Date: 11/15/2007

Generator: Mississippi Department of Environmental Quality

Address: Rifle Range Road
Vicksburg, MS 39180

EPA ID#: M S T M P 0 0 0 2 4 5 2

Manifest No

Sales Order No: DD1682976

LINE ITEM INFORMATION

Line Item:	Page No:	Profile No:	Treatability Group:	LDR Disposal Category:
1	1	CH284301B	NON- WASTEWATER	2 : This is subject to LDR.

EPA Waste Codes

D002
D016

EPA Waste Subcategory

Corrosive Characteristic
NONEApplies to
Manifest
Line Items

Certification

Pursuant to 40 CFR 268.7(a), I hereby notify that this shipment contains waste restricted under 40 CFR Part 268.

1

Waste analysis data, where available, is attached

Signature:

Print Name:

TREY HESS

Title:

FETV

Date:

11/15/07

EQ - The Environmental Quality Company

Waste Characterization Report

☒ I authorize EQ - The Environmental Quality Company to choose the appropriate method of waste management, from the technologies offered, at the EQ facilities identified below.

<input type="checkbox"/> Michigan Disposal Waste Treatment Plant (Stabilization and Treatment)	49350 North I-94 Service Drive, Belleville, Michigan 48111 Phone: 1-800-592-5489 Fax: 1-800-592-5329	EPA ID #MID000724831
<input type="checkbox"/> Wayne Disposal, Inc. (Hazardous & PCB Waste Landfill)	49350 North I-94 Service Drive, Belleville, Michigan 48111 Phone: 1-800-592-5489 Fax: 1-800-592-5329	EPA ID #MID048090633
<input type="checkbox"/> EQ Detroit, Inc. (Stabilization, Wastewater Treatment)	1923 Frederick, Detroit, MI 48211 Phone: 1-800-495-6059 Fax: 1-313-923-3375	EPA ID #MID980991566
<input type="checkbox"/> EQ Resource Recovery, Inc. (Solvent Recycling, Fuel Blending, WW Treatment)	36345 Van Born Road, Romulus, Michigan 48174 Phone: (734) 727-5500 Fax: (734) 326-4033	EPA ID #MID060975844
<input type="checkbox"/> EQIS North Carolina (Stabilization, Treatment, Labpack Decommissioning)	1005 Investment Blvd., Apex, NC 27502 Phone: (919) 363-4700 Fax: (919) 363-4714	EPA ID #NCD982170292
<input type="checkbox"/> EQ Florida, Inc. (Drum Consolidation, Labpack Decommissioning)	7202 East Eighth Ave., Tampa, FL 33619 Phone: 1-800-624-5302 Fax: 1-813-628-0842	EPA ID #FLD981932494
<input type="checkbox"/> EQ Detroit Transfer and Processing (Drum Transfer/Universal Waste Handling)	2000 Ferry Street, Detroit, MI 48211 Phone: (313) 923-0080 Fax: (313) 922-8419	EPA ID #MIK939928313
<input type="checkbox"/> EQIS Indianapolis Transfer and Processing (Drum Transfer/Non-Hazardous Waste Processing)	4000 West 10th Street, Indianapolis, Indiana 46222 Phone: (317) 247-7160 Fax: (317) 247-7170	EPA ID #IND161049309
<input type="checkbox"/> EQIS Atlanta Transfer and Processing (Drum Transfer/Non-Hazardous Waste Processing)	5600 Fulton Industrial Blvd., Atlanta, Georgia 30336 Phone: (404) 494-3520 Fax: (404) 494-3560	EPA ID #GAR000039776
<input type="checkbox"/> EQ Augusta, Inc. (Wastewater Treatment)	3920 Goshen Industrial Blvd., Augusta, GA 30906 Phone: 706-771-9100 Fax: 706-771-9124	EPA ID #GAR000011817

Waste Common Name: 2,6 Di-tert-Butyl p cresol

Section 1 - Generator & Customer Info

SIC/NAICS*:

Generator EPA ID: MST-MP0-002-452

EQ Customer No.: 10958

Generator: Mississippi DEQ
Address: 4280 Rifle Range Rd
City: Vicksburg
State: MS Zip: 39180
County: Warren

Mailing Address

Address: P.O. Box 20326
City: Jackson
State: MS Zip: 39289

Generator Contact

Name: Trey Hess / Jerry Banks
Title:
Phone: (601) 961-5221/6019615654
Fax: () -

Invoicing Company

Company: USES JACKSON
Address: 1075 MENDELL DAVIS DRIVE
City: JACKSON
State: MS Zip: 39212
Country: USA

Invoicing Contact

Name: Wanda Horton
Phone: (601) 372-3232
Fax: () -

Technical Contact

Name: J.T. Newman
Phone: (601) 372-3232
Fax: () -
Mobile: () - Pager: () -
E-mail: jnewman@usesgroup.com

*For a list of NAICS codes, please refer to Section 9 of the EQ Resource Guide.

Section 2 - Shipping & Packaging Info

- 2.1) Shipping Volume & Unit: 55 gallon Frequency: One Time Only
2.2) DOT Shipping Name: Non regulated Solids
2.3) Is this waste surcharge exempt? ☐ Yes ☒ No (If you answered "Yes" to question 2.3, select the Surcharge Exemption reason.)

2.4) Packaging (check all that apply)

- ☐ Bulk Solid (yd ³ < 2000 lbs./yd ³) ☐ Bulk Solid (Ton > 2000 lbs./yd ³) ☐ Bulk Liquids (Gallon)
☐ Totes, Size ☐ Cubic Yard Boxes/Bags ☒ Drums, Size 55 gallon
☐ Other (palletized, 5 gal. Pail, etc.)

Quoted bulk disposal charges for solid materials will be billed by the cubic yard, if the waste density is less than 2,000lbs./cubic yard. If waste density is greater than 2,000 lbs./cubic yard, then bulk disposal charges will be billed by the ton, regardless of the approved container.

Section 3 - Physical Characteristics

- 3.1) Color: VARIES 3.2) Odor: none
3.3) Does this waste contain any "Potentially Odorous Constituents" as defined in the EQ Resource Guide? (Section 3) ☐ Yes ☒ No
3.4) Physical State at 70 °F: ☒ Solid ☐ Dust/Powder ☐ Liquid ☐ Sludge
3.5) What is the pH of this waste? ☐ ≤ 2 ☐ 2.1-4.9 ☒ 5-10 ☐ 10.1-12.4 ☐ ≥ 12.5
3.6) What is the flash point of this waste? ☐ <90 °F ☐ 90-139 °F ☐ 140-199 °F ☐ ≥ 200 °F
3.7) Does this waste contain? (check all that apply) ☒ None
☐ Biodegradable Sorbants ☐ Amines ☐ Ammonia ☐ Free Liquids ☐ Oily Residue ☐ Metal Fines
☐ Shock Sensitive Waste ☐ Reactive Waste ☐ Radioactive Waste ☐ Water Reactive ☐ Biohazard ☐ Aluminum
☐ Asbestos - non-friable ☐ Asbestos - friable ☐ Dioxins ☐ Explosives ☐ Pyrophoric Waste ☐ Isocyanates
☐ Furans

Section 4 - Composition / Generating Process

- 4.1) Describe the physical composition of the waste (i.e., soil, water, PPE, debris, key chemical compounds, etc.)
2.6 diert butyl p cresol from 100. to 100. %
4.2) Provide a detailed description of the process generating this waste. (attach flow diagram if available).
Labpack of chemicals in abandoned Chemical plant Lab

Section 5 - Is This Hazardous Waste?

Please refer to Section 5 of the EQ Resource Guide for a list of waste codes.

As determined by 40 CFR, Part 261 and Michigan Act 451 Rules:

Please list applicable waste code(s):

- 5.1) Is this an EPA RCRA listed hazardous waste (F, K, P or U)? ☐ Yes ☒ No
Comments:
5.2) Is this an EPA RCRA characteristic hazardous waste (D001-D043)? ☐ Yes ☒ No
Comments:
5.3) Do any State Hazardous Waste Codes apply? ☐ Yes ☒ No
Comments:
5.4) Is this waste intended for wastewater treatment? ☐ Yes* ☒ No

If you answered "No" to questions 5.1, 5.2, and 5.3, please skip to Section 7.
If you answered "Yes" to question 5.4, please complete the WCR Addendum.

Section 6 - Hazardous Wastes

6.1) Does this waste exceed Land Disposal Restriction Levels?

☐ Yes ☒ No

6.1a) If this waste stream is greater than 50% soil, does it meet the alternative soil treatment standards of 40 CFR 268.49?

☐ Yes ☒ No

6.1b) Does this waste contain greater than 50% debris, by volume? (Debris is greater than 2.5 inches in size.)

☐ Yes ☒ No

6.2) Is the waste an oxidizer (D001)?

☐ Yes ☒ No

6.3) Does this waste contain reactive cyanide \geq 250 ppm (D003)?

☐ Yes ☒ No

6.4) Does this waste contain reactive sulfide \geq 500 ppm (D003)?

☐ Yes ☒ No

6.5) Please indicate which constituent concentrations are below or above the regulatory level. Please indicate the basis used in the determination. Either 'Below' or 'Above' **MUST** be checked for each constituent.

Based On: ☒ Generator Knowledge ☐ Analysis* ☐ MSDS*

*Please forward a copy. Analysis or MSDS are required for EQ Florida Non-hazardous wastes.

Code	Regulatory Level	TCLP (mg/l)		Concentration (if above)
D004	Arsenic	5	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D006	Barium	100	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D006	Cadmium	1	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D007	Chromium	5	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D008	Lead	5	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D009	Mercury	0.2	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D010	Selenium	1	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D011	Silver	5	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D012	Endrin	0.02	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D013	Lindane	0.4	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D014	Methoxychlor	10	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D015	Toxaphene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D016	2,4-D	10	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D017	2,4,5-TP (Silvex)	1	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D018	Benzene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D019	Carbon Tetrachloride	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D020	Chlordane	0.03	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D021	Chlorobenzene	100	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D022	Chloroform	6.0	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D023	o-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____

Code	Regulatory Level	TCLP (mg/l)		Concentration (if above)
D024	m-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D025	p-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D026	Cresols	200	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D027	1,4-Dichlorobenzene	7.5	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D028	1,2-Dichloroethane	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D029	1,1-Dichloroethylene	0.7	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D030	2,4-Dinitrotoluene	0.13	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D031	Heptachlor	0.008	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D032	Hexachlorobenzene	0.13	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D033	Hexachlorobutadiene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D034	Hexachloroethane	3.0	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D035	Methyl Ethyl Ketone	200	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D036	Nitrobenzene	2	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D037	Pentachlorophenol	100	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D038	Pyridine	5	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D039	Tetrachloroethylene	0.7	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D040	Trichloroethylene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D041	2,4,5-Trichlorophenol	400	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D042	2,4,6-Trichlorophenol	2	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D043	Vinyl Chloride	0.2	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____

6.6) If this is a characteristic hazardous waste, does it contain underlying hazardous constituents?

☐ Yes ☒ No

If you answered "Yes", please list the constituents in Section 11.

Section 7 - Non-Hazardous Wastes

For a complete list of non-hazardous waste codes, please refer to Section 7 of the EQ Resource Guide.

Applicable waste code(s):

7.1) Is this a Michigan non-hazardous liquid industrial waste?

☐ Yes ☒ No

Comments:

7.2) Is this a Universal waste?

☐ Yes ☒ No

7.3) Is this a Recyclable Commodity? (e.g.: computer monitors, free mercury, etc.)

☐ Yes ☒ No

7.4) Is this waste a recoverable petroleum product?

☐ Yes ☒ No

7.5) Is this waste used oil as defined by 40 CFR Part 279?

☐ Yes ☒ No

Section 8 - TSCA Information

8.1) What is the concentration of PCBs in the waste?

☒ None

☐ 0-5 ppm

☐ 6-49 ppm

☐ 50-499 ppm

☐ 500+ ppm

8.2) Does the waste contain PCB contamination from a source with a concentration ≥ 50 ppm?

If you answered 'None' to 8.1 and 'No' to 8.2, please skip to Section 9.

☐ Yes ☒ No

8.3) Has this waste been processed into a non-liquid form?

If yes, what was the concentration of PCBs prior to processing? (ppm)

☐ Yes ☐ No

☐ N/A

☐ 0-499

☐ 500+

8.4) Is the non-liquid PCB waste in the form of soil, rags, debris, or other contaminated media?

☐ Yes ☐ No

8.5) Are you a PCB capacitor manufacturer or a PCB equipment manufacturer?

☐ Yes ☐ No

8.6) Has the PCB Article (e.g., transformer, hydraulic machine, PCB-contaminated electrical equipment) been drained/flushed of all PCBs and decontaminated in accordance with 40 CFR 761.60(b)?

☐ N/A

☐ Yes

☐ No

Section 9 - Clean Air Act Information

9.1) Is this waste subject to regulation under 40 CFR, Part 63, Subpart DD or 40 CFR, Part 264, Subpart CC (RCRA)?

(Does the waste contain >500 ppm Volatile Organic Hazardous Air Pollutants - VOHAP's or Volatile Organic Compounds - VOC's?)

For a complete list of VOHAPs, please see Section 11 of the EQ Resource Guide.

☐ Yes ☒ No

9.2) Is this site, or waste, subject to any other MACT or NESHAP?

If yes, please specify:

☐ Yes ☒ No

9.3) Does this waste stream contain Benzene?

If you answered "No" to question 9.2, please skip to section 10.

☐ Yes ☒ No

9.4) Does the waste stream come from a facility with one of the SIC/NAICS codes listed under the Benzene NESHAP identified in 40 CFR 61, Subpart FF?

☐ Yes ☐ No

9.5) Is the generating source of this waste stream a facility with Total Annual Benzene (TAB) ≥ 10 Mg/year?

For assistance in calculating the TAB, please see the TAB Worksheet in Section 9 of the EQ Resource Guide.

☐ Yes ☒ No

If you answered "No" to question 9.3 and 9.4, please skip to Section 10.

9.6) Does the waste contain > 10% water?

☐ Yes ☐ No

9.7) What is the TAB quantity for your facility?

Mg/year

9.8) Does the waste contain >1.0 mg/kg total Benzene?

☐ Yes ☐ No

9.9) What is the total Benzene concentration in your waste?

(concentration)

(unit)

(Supporting analysis must be attached. Do not use TCLP analytical results. Acceptable laboratory methods include 8020, 8240, 8260, 802 and 624.)

*For a list of NAICS codes, please refer to section 9 of the EQ Resource Guide.

Section 10 - Fuel Blending Information

10.1) Is this waste intended for fuel blending?

☐ Yes*

☒ No

If you answered 'Yes' to question 10.1, please enter the following:

Heat value (BTU/lb.)

Chlorine (%)

Water (%)

Solids (%)

10.2) Is this waste intended for reclamation?

☐ Yes

☒ No

(5-Gallon Sample required for all reclaim waste streams)

Section 11 - Constituent Information

Please identify your waste constituents from these four categories: Underlying Hazardous Constituents (UHC's), Volatile Organic Hazardous Air Pollutants (VOHAP's), Volatile Organic Compounds (VOC's) and Toxic Release Inventory Constituents (TRI)

Constituent

Concentration

UHC?

Please see Section 11 of the EQ Resource Guide for a list of UHC's, VOHAP's and VOC's. For a complete list of TRI constituents, please refer to 40 CFR 372.65.

Section 12 - Certification

I certify that all information (including attachments) is complete and factual and is an accurate representation of the known and suspected hazards, pertaining to the waste described herein. I authorize EQ's Resource Team to add supplemental information to the waste approval file, provided I am contacted and give verbal permission. I authorize EQ's Resource Team to obtain a sample from any waste shipment for purposes of verification. Generator or on Generator's behalf shall be subject to, and Generator shall be bound by, the attached Standard Terms and Conditions and confirmation. I agree that, if EQ approves the waste described herein, all such wastes that are transported, delivered, or tendered to EQ by

Comments:
logged in

Generator:

Jerry B. Banks
Authorized Generator Signature

JERRY B. BANKS
Printed Generator Name

Company:

MS. Dept. of Environmental Quality

Title:

Chief, Groundwater Assessment

Date: 12/12/07

The generator's signature MUST appear on the EQ Waste Characterization Report. If the generator has authorized a third party to certify this document, a written notice (on generator letterhead) must accompany this submittal. Although the EQ Resource Team is authorized to make certain modifications to the information provided on this form, the addition or removal of waste codes and waste constituents must be documented by the generator.

STANDARD TERMS AND CONDITIONS

The Agreement between the Customer and EQ - The Environmental Quality Company and/or its member companies (hereinafter "EQ") related to or associated with Delivered Waste, as herein defined, shall be governed by the following Standard Terms and Conditions in addition to the terms and conditions contained in any Waste Characterization Report, Customer Approval Quote Confirmation, Generator Approval Notification, Notice of Waste Approval Expiration, and/or Credit Agreement associated with such Delivered Waste.

The Customer may use its standard forms (such as purchase orders, acknowledgments of orders, and invoices) to administer its dealings under this Agreement for convenience purposes, but all provisions thereof in conflict with these terms and conditions shall be deemed stricken.

Definitions.

The following definitions shall apply for purposes of this Agreement:

"Acceptable Waste" shall mean any hazardous waste, as defined under applicable State or federal law, determined by EQ as acceptable for treatment and/or disposal in accordance with this Agreement.

"Delivered Wastes" shall mean all wastes (i) which are transported, delivered, or tendered to EQ by the Customer; (ii) which the Customer has arranged for the transport, delivery or tender to EQ; or (iii) which are transported, delivered, or tendered to EQ under a Credit Agreement between the Customer and EQ.

"Non-Conforming Wastes" shall mean wastes that (a) are not in accordance in all material respects with the warranties, descriptions, specifications or limitations stated in the Waste Characterization Report and this Agreement; (b) have constituents or components of a type or concentration not specifically identified in the Waste Characterization Report (i) which increase the nature or extent of the hazard and risk undertaken by EQ in treating and/or disposing of the waste, or (ii) for whose treatment and/or disposal a Waste Management Facility is not designed or permitted; or (iii) which increase the cost of treatment and/or disposal of waste beyond that specified in EQ's price quote; or (c) are not properly packaged, labeled, described, or placarded, or otherwise not in compliance with United States Department of Transportation and United States Environmental Protection Agency regulations.

Control of Operations.

EQ shall have sole control over all aspects of the operation of any treatment and/or disposal facility of EQ receiving Delivered Wastes under this Agreement (hereinafter,

"Waste Management Facility"), including, without limitation, maintaining EQ's desired volume of Acceptable Wastes being delivered to any Waste Management Facility by the Customer or any other person or entity.

Identification of Waste.

For each waste material to be transported, delivered, or tendered to EQ under this Agreement, the Customer shall provide, or cause to be provided, to EQ a representative sample of the waste material and a completed Waste Characterization Report containing a physical and chemical description or analysis of such waste material, which description shall conform with any and all guidelines for waste acceptance provided by EQ. On the basis of EQ's analysis of such representative sample of the waste material and such Waste Characterization Report, EQ will determine whether such wastes are Acceptable Wastes. EQ does not make any guarantee that it will handle any waste material or any particular quantity or type of waste material, and EQ reserves the right to the decline to transport, treat and/or dispose of waste material. The Customer shall promptly furnish to EQ any information regarding known, suspected or planned changes in the composition of the waste material. Further, the Customer shall promptly inform EQ of any change in the characteristic or condition of the waste material which becomes known to the Customer subsequent to the date of the Waste Characterization Report.

Non-Conforming Wastes.

In the event that EQ at any time discovers that any Delivered Waste is Non-Conforming Waste, EQ may reject or revoke its acceptance of the Non-Conforming Waste. The Customer shall have seven (7) days to direct an alternative lawful manner of disposition of the waste, unless it is necessary by reason of law or otherwise to move the Non-Conforming Waste prior to expiration of the seven (7) day period. If the Customer does not direct an alternative disposal, at its option, EQ may return any such Non-Conforming Wastes to the Customer, and the Customer shall pay or reimburse EQ for all costs and expenses incurred by EQ in connection with the receipt, handling, sampling, analyses, transportation and return to the Customer of such Non-Conforming Wastes. If it is impossible or impractical for EQ to return the Non-Conforming Waste to the Customer, the Customer shall reimburse EQ for all costs, of any type or nature whatsoever, incurred by EQ, solely because such Delivered Waste was Non-Conforming Waste (including, but not limited to, all costs associated with any remedial steps necessary, due to the nature of the Non-Conforming Waste, in connection with material with which the Non-Conforming Waste may have been commingled and all expenses and charges for analyzing, handling, locating, preparing for transporting, storing and disposing of any Non-Conforming Waste).

Customer Warranty - Title to Wastes.

Either the Customer or the generator (if other than the Customer) shall hold clear title, free of any all liens, claims, encumbrances, and charges to Delivered Waste until such waste is accepted by EQ.

Customer Warranty - Acceptable Wastes.

All Delivered Wastes shall be Acceptable Wastes and shall conform in all material respects to the description and specifications contained in the Waste Characterization Report. The information set forth in the Waste Characterization Report or any manifest, placard or label associated with any Delivered Wastes, or otherwise represented by the Customer or the generator (if other than the Customer) to EQ, is and shall be true, accurate and complete as of the date of receipt of the involved waste by EQ.

Customer Warranty - Compliance with Laws.

The Customer shall comply with all applicable federal, state and local environmental statutes, regulations, and other governmental requirements, as well as directives issued by EQ from time to time, governing the transportation, treatment and/or disposal of Acceptable Wastes, including, but not limited to, all packaging, manifesting, containerization, placarding and labeling requirements.

Customer Warranty - Updating Information.

If the Customer receives information that Delivered Waste or other hazardous waste described in the Waste Characterization Report, or some component of such waste, presents or may present a hazard or risk to persons, property or the environment which was not disclosed to EQ, or if the Customer or generator (if other than the Customer) has changed the process by which such waste results, the Customer shall promptly report such information to EQ in writing.

Customer Indemnity.

The Customer shall indemnify, defend and hold harmless EQ, and its affiliated or related companies, and all of their respective present or future officers, directors, shareholders, employees and agents from and against any and all losses, damages, liabilities, penalties, fines, forfeitures, demands, claims, causes of action, suits, costs and expenses (including, but not limited to, reasonable costs of defense, settlement, and reasonable attorneys' fees), which may be asserted against any or all of them by any person or any governmental agency, or which any or all of them may hereafter suffer, incur, be responsible for or pay out, as a result of or in connection with bodily injuries (including, but not limited to, death, sickness, disease and emotional or mental distress) to any person (including EQ's employees), damage (including, but not limited to, loss of use) to any property (public or private), or any requirements to conduct or incur expense for investigative, removal or remedial expenses in connection with contamination of or adverse effect on the environment, or any violation or alleged violation of any statutes, ordinances, orders, rules or regulations of any governmental entity or agency, caused or arising out of (i) a breach of this Agreement by the Customer, (ii) the failure of any warranty of the Customer to be true, accurate and complete, or (iii) any willful or negligent act or omission of the Customer, or its employees or agents in connection with the performance of this Agreement.

Force Majeure.

EQ shall not be liable for any failure to accept, receive, handle, treat, and/or dispose of Delivered Waste due to an act of God, fire, casualty, flood, war, strike, lockout, labor trouble, failure of public utilities, equipment failure, facility shutdown, injunction, accident, epidemic, riot, insurrection, destruction of operation or transportation facilities, the inability to procure materials, equipment, or sufficient personnel or energy in order to meet operational needs without the necessity of allocation, the failure or inability to obtain any governmental approvals or to meet Environmental Requirements (including, but not limited to voluntary or involuntary compliance with any act, exercise, assertion, or requirement of any governmental authority) which may temporarily or permanently prohibit operations of EQ, the Customer, or the Generator, or any other circumstances beyond the control of EQ which prevents or delays performance of any of its obligations under this Agreement.

Governing Laws.

This Agreement shall in all respects be governed by and shall be construed in accordance with the laws of the State of Michigan applied to contracts executed and performed wholly within such state.

EQ - The Environmental Quality Company

Waste Characterization Report

☒ I authorize EQ - The Environmental Quality Company to choose the appropriate method of waste management, from the technologies offered, at the EQ facilities identified below.

<input type="checkbox"/> Michigan Disposal Waste Treatment Plant (Stabilization and Treatment)	49350 North I-94 Service Drive, Belleville, Michigan 48111 Phone: 1-800-592-5489 Fax: 1-800-592-5329	EPA ID #MID000724831
<input type="checkbox"/> Wayne Disposal, Inc. (Hazardous & PCB Waste Landfill)	49350 North I-94 Service Drive, Belleville, Michigan 48111 Phone: 1-800-592-5489 Fax: 1-800-592-5329	EPA ID #MID048090633
<input type="checkbox"/> EQ Detroit, Inc. (Stabilization, Wastewater Treatment)	1923 Frederick, Detroit, MI 48211 Phone: 1-800-495-6059 Fax: 1-313-923-3375	EPA ID #MID980991566
<input type="checkbox"/> EQ Resource Recovery, Inc. (Solvent Recycling, Fuel Blending, WW Treatment)	36345 Van Born Road, Romulus, Michigan 48174 Phone: (734) 727-5500 Fax: (734) 326-4033	EPA ID #MID060975844
<input type="checkbox"/> EQIS North Carolina (Stabilization, Treatment, Labpack Decommissioning)	1005 Investment Blvd., Apex, NC 27502 Phone: (919) 363-4700 Fax: (919) 363-4714	EPA ID #NCD982170292
<input type="checkbox"/> EQ Florida, Inc. (Drum Consolidation, Labpack Decommissioning)	7202 East Eighth Ave., Tampa, FL 33619 Phone: 1-800-624-5302 Fax: 1-813-628-0842	EPA ID #FLD981932494
<input type="checkbox"/> EQ Detroit Transfer and Processing (Drum Transfer/Universal Waste Handling)	2000 Ferry Street, Detroit, MI 48211 Phone: (313) 923-0080 Fax: (313) 922-8419	EPA ID #MIK939928313
<input type="checkbox"/> EQIS Indianapolis Transfer and Processing (Drum Transfer/Non-Hazardous Waste Processing)	4000 West 10th Street, Indianapolis, Indiana 46222 Phone: (317) 247-7160 Fax: (317) 247-7170	EPA ID #IND161049309
<input type="checkbox"/> EQIS Atlanta Transfer and Processing (Drum Transfer/Non-Hazardous Waste Processing)	5600 Fulton Industrial Blvd., Atlanta, Georgia 30336 Phone: (404) 494-3520 Fax: (404) 494-3560	EPA ID #GAR000039776
<input type="checkbox"/> EQ Augusta, Inc. (Wastewater Treatment)	3920 Goshen Industrial Blvd., Augusta, GA 30906 Phone: 706-771-9100 Fax: 706-771-9124	EPA ID #GAR000011817

Waste Common Name: Sodium Hydroxide Sludge from caustic Tank

Section 1 - Generator & Customer Info

SIC/NAICS:

EQ Customer No.: 10958

Generator EPA ID: MST-MP0-002-452

Invoicing Company

Company: USES JACKSON
Address: 1075 MENDELL DAVIS DRIVE
City: JACKSON
State: MS Zip: 39212
Country: USA

Invoicing Contact

Name: Wanda Horton
Phone: (601) 372-3232
Fax: () -

Technical Contact

Name: J.T. Newman
Phone: (601) 372-3232
Fax: () -
Mobile: () - Pager: () -
E-mail: jnewman@usesgroup.com

Generator: Mississippi DEQ
Address: 4280 Rifle Range Rd
City: Vicksburg
State: MS Zip: 39180
County: Warren

Mailing Address

Address: P.O. Box 20326
City: Jackson
State: MS Zip: 39289

Generator Contact

Name: Trey Hess / Jerry Banks
Title:
Phone: (601) 961-5221/601-961-5654
Fax: () -

*For a list of NAICS codes, please refer to Section 9 of the EQ Resource Guide.

Section 2 - Shipping & Packaging Info

- 2.1) Shipping Volume & Unit: 55 gallon Frequency: One Time Only
2.2) DOT Shipping Name: Corrosive liquid, basic, inorganic, n.o.s.
2.3) Is this waste surcharge exempt? ☐ Yes ☒ No (If you answered "Yes" to question 2.3, select the Surcharge Exemption reason.)

2.4) Packaging (check all that apply)

- ☐ Bulk Solid (yd ³ < 2000 lbs./yd ³) ☐ Bulk Solid (Ton > 2000 lbs./yd ³) ☐ Bulk Liquids (Gallon)
☐ Totes, Size ☐ Cubic Yard Boxes/Bags ☒ Drums, Size 55 gallon
☐ Other (palletized, 5 gal. Pail, etc.)

Quoted bulk disposal charges for solid materials will be billed by the cubic yard, if the waste density is less than 2,000lbs./cubic yard. If waste density is greater than 2,000 lbs./cubic yard, then bulk disposal charges will be billed by the ton, regardless of the approved container.

Section 3 - Physical Characteristics

- 3.1) Color: WHITE 3.2) Odor: none
3.3) Does this waste contain any "Potentially Odorous Constituents" as defined in the EQ Resource Guide? (Section 3) ☐ Yes ☒ No
3.4) Physical State at 70 °F: ☐ Solid ☐ Dust/Powder ☐ Liquid ☒ Sludge
3.5) What is the pH of this waste? ☐ ≤ 2 ☐ 2.1-4.9 ☐ 5-10 ☐ 10.1-12.4 ☒ ≥ 12.5
3.6) What is the flash point of this waste? ☐ <90 °F ☐ 90-139 °F ☐ 140-199 °F ☒ ≥ 200 °F
3.7) Does this waste contain? (check all that apply) ☐ None ☒ Free Liquids ☐ Oily Residue ☐ Metal Fines
☐ Biodegradable Sorbants ☐ Amines ☐ Ammonia ☐ Water Reactive ☐ Biohazard ☐ Aluminum
☐ Shock Sensitive Waste ☐ Reactive Waste ☐ Radioactive Waste ☐ Explosives ☐ Pyrophoric Waste ☐ Isocyanates
☐ Asbestos - non-friable ☐ Asbestos - friable ☐ Dioxins ☐ Furans

Section 4 - Composition / Generating Process

- 4.1) Describe the physical composition of the waste (i.e., soil, water, PPE, debris, key chemical compounds, etc.)
Sodium Hydroxide Liquid from 50. to 50. %
Sodium Hydroxide Solid from 50. to 50. %
4.2) Provide a detailed description of the process generating this waste. (attach flow diagram if available).
Labpack of chemicals in abandoned Chemical plant Lab.

Section 5 - Is This Hazardous Waste?

Please refer to Section 5 of the EQ Resource Guide for a list of waste codes.

As determined by 40 CFR, Part 261 and Michigan Act 451 Rules:

Please list applicable waste code(s):

- 5.1) Is this an EPA RCRA listed hazardous waste (F, K, P or U)? ☐ Yes ☒ No
Comments:
5.2) Is this an EPA RCRA characteristic hazardous waste (D001-D043)? ☒ Yes ☐ No
Comments:
5.3) Do any State Hazardous Waste Codes apply? ☐ Yes ☒ No
Comments:
5.4) Is this waste intended for wastewater treatment? ☐ Yes* ☒ No

D002

If you answered "No" to questions 5.1, 5.2, and 5.3, please skip to Section 7.
If you answered "Yes" to question 5.4, please complete the WCR Addendum.

Section 6 - Hazardous Wastes

6.1) Does this waste exceed Land Disposal Restriction Levels?

☒ Yes ☐ No

6.1a) If this waste stream is greater than 50% soil, does it meet the alternative soil treatment standards of 40 CFR 268.49?

☐ Yes ☒ No

6.1b) Does this waste contain greater than 50% debris, by volume? (Debris is greater than 2.5 inches in size.)

☐ Yes ☒ No

6.2) Is the waste an oxidizer (D001)?

☐ Yes ☒ No

6.3) Does this waste contain reactive cyanide \geq 250 ppm (D003)?

☐ Yes ☒ No

6.4) Does this waste contain reactive sulfide \geq 500 ppm (D003)?

☐ Yes ☒ No

6.5) Please indicate which constituent concentrations are below or above the regulatory level. Please indicate the basis used in the determination. Either 'Below' or 'Above' **MUST** be checked for each constituent.

Based On: ☒ Generator Knowledge ☐ Analysis* ☐ MSDS*

*Please forward a copy. Analysis or MSDS are required for EQ Florida Non-hazardous wastes.

Code	Regulatory Level	TCLP (mg/l)		Concentration (If above)
D004	Arsenic	5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D005	Barium	100	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D006	Cadmium	1	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D007	Chromium	5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D008	Lead	5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D009	Mercury	0.2	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D010	Selenium	1	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D011	Silver	5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D012	Endrin	0.02	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D013	Lindane	0.4	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D014	Methoxychlor	10	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D015	Toxaphene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D016	2,4-D	10	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D017	2,4,5-TP (Silvex)	1	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D018	Benzene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D019	Carbon Tetrachloride	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D020	Chlordane	0.03	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D021	Chlorobenzene	100	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D022	Chloroform	6.0	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D023	o-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above	

Code	Regulatory Level	TCLP (mg/l)		Concentration (If above)
D024	m-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D025	p-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D026	Cresols	200	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D027	1,4-Dichlorobenzene	7.5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D028	1,2-Dichloroethane	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D029	1,1-Dichloroethylene	0.7	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D030	2,4-Dinitrotoluene	0.13	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D031	Heptachlor	0.008	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D032	Hexachlorobenzene	0.13	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D033	Hexachlorobutadiene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D034	Hexachloroethane	3.0	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D035	Methyl Ethyl Ketone	200	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D036	Nitrobenzene	2	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D037	Pentachlorophenol	100	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D038	Pyridine	5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D039	Tetrachloroethylene	0.7	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D040	Trichloroethylene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D041	2,4,6-Trichlorophenol	400	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D042	2,4,6-Trichlorophenol	2	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D043	Vinyl Chloride	0.2	<input checked="" type="radio"/> Below <input type="radio"/> Above	

6.6) If this is a characteristic hazardous waste, does it contain underlying hazardous constituents?

☐ Yes ☒ No

If you answered 'Yes', please list the constituents in Section 11.

Section 7 - Non-Hazardous Wastes

For a complete list of non-hazardous waste codes, please refer to Section 7 of the EQ Resource Guide.

Applicable waste code(s):

7.1) Is this a Michigan non-hazardous liquid industrial waste?

☐ Yes ☒ No

Comments:

7.2) Is this a Universal waste?

☐ Yes ☒ No

7.3) Is this a Recyclable Commodity? (e.g.: computer monitors, free mercury, etc.)

☐ Yes ☒ No

7.4) Is this waste a recoverable petroleum product?

☐ Yes ☒ No

7.5) Is this waste used oil as defined by 40 CFR Part 279?

☐ Yes ☒ No

Section 8 - TSCA Information

8.1) What is the concentration of PCBs in the waste?

- ☒ None ☐ 0-5 ppm ☐ 6-49 ppm
☐ 50-499 ppm ☐ 500+ ppm

8.2) Does the waste contain PCB contamination from a source with a concentration ≥ 50 ppm?

If you answered 'None' to 8.1 and 'No' to 8.2, please skip to Section 9.

8.3) Has this waste been processed into a non-liquid form?

If yes, what was the concentration of PCBs prior to processing? (ppm)

- ☒ Yes ☐ No
☐ N/A ☐ 0-499 ☐ 500+

8.4) Is the non-liquid PCB waste in the form of soil, rags, debris, or other contaminated media?

8.5) Are you a PCB capacitor manufacturer or a PCB equipment manufacturer?

8.6) Has the PCB Article (e.g., transformer, hydraulic machine, PCB-contaminated electrical equipment) been drained/flushed of all PCBs and decontaminated in accordance with 40 CFR 761.60(b)?

- ☒ Yes ☐ No
☒ Yes ☐ No
☒ Yes ☐ No

Section 9 - Clean Air Act Information

9.1) Is this waste subject to regulation under 40 CFR, Part 63, Subpart DD or 40 CFR, Part 264, Subpart CC (RCRA)?

(Does the waste contain >500 ppm Volatile Organic Hazardous Air Pollutants - VOHAP's or Volatile Organic Compounds - VOC's?)

For a complete list of VOHAPs, please see Section 11 of the EQ Resource Guide.

- ☐ Yes ☒ No

9.2) Is this site, or waste, subject to any other MACT or NESHAP?

If yes, please specify:

- ☐ Yes ☒ No

9.3) Does this waste stream contain Benzene?

If you answered "No" to question 9.2, please skip to section 10.

- ☐ Yes ☒ No

9.4) Does the waste stream come from a facility with one of the SIC/NAICS codes listed under the Benzene NESHAP identified in 40 CFR 61, Subpart FF?

- ☐ Yes ☐ No

9.5) Is the generating source of this waste stream a facility with Total Annual Benzene (TAB) ≥ 10 Mg/year?

For assistance in calculating the TAB, please see the TAB Worksheet in Section 9 of the EQ Resource Guide.

- ☐ Yes ☒ No

If you answered "No" to question 9.3 and 9.4, please skip to Section 10.

9.6) Does the waste contain > 10% water?

- ☐ Yes ☐ No

9.7) What is the TAB quantity for your facility?

Mg/year

9.8) Does the waste contain >1.0 mg/kg total Benzene?

- ☐ Yes ☐ No

9.9) What is the total Benzene concentration in your waste?

(concentration)

(unit)

(Supporting analysis must be attached. Do not use TCLP analytical results. Acceptable laboratory methods include 8020, 8240, 8260, 602 and 524.)

*For a list of NAICS codes, please refer to section 9 of the EQ Resource Guide.

Section 10 - Fuel Blending Information

10.1) Is this waste intended for fuel blending?

- ☐ Yes* ☒ No

If you answered 'Yes' to question 10.1, please enter the following:

Heat value (BTU/lb.)

Chlorine (%)

Water (%)

Solids (%)

10.2) Is this waste intended for reclamation?

- ☐ Yes ☒ No

(5-Gallon Sample required for all reclaim waste streams)

Section 11 - Constituent Information

Please identify your waste constituents from these four categories: Underlying Hazardous Constituents (UHC's), Volatile Organic Hazardous Air Pollutants (VOHAP's), Volatile Organic Compounds (VOC's) and Toxic Release Inventory Constituents (TRI)

Constituent

Concentration


UHC?

Please see Section 11 of the EQ Resource Guide for a list of UHC's, VOHAP's and VOC's. For a complete list of TRI constituents, please refer to 40 CFR 372.65.

Section 12 - Certification

I certify that all information (including attachments) is complete and factual and is an accurate representation of the known and suspected hazards, pertaining to the waste described herein. I authorize EQ's Resource Team to add supplemental information to the waste approval file, provided I am contacted and give verbal permission. I authorize EQ's Resource Team to obtain a sample from any waste shipment for purposes of verification. Generator or on Generator's behalf shall be subject to, and Generator shall be bound by, the attached Standard Terms and Conditions and confirmation. I agree that, if EQ approves the waste described herein, all such wastes that are transported, delivered, or tendered to EQ by

Comments:
logged in

Generator:  JERRY B. BANK
Authorized Generator Signature Printed Generator Name

Company: MS Dept. of Environmental Quality Title: Chief, Groundwater Assessment Date: 12/12/07
The generator's signature MUST appear on the EQ Waste Characterization Report. If the generator has authorized a third party to certify this document, a written notice (on generator letterhead) must accompany this submittal. Although the EQ Resource Team is authorized to make certain modifications to the information provided on this form, the addition or removal of waste codes and waste constituents must be documented by the generator.

STANDARD TERMS AND CONDITIONS

The Agreement between the Customer and EQ - The Environmental Quality Company and/or its member companies (hereinafter "EQ") related to or associated with Delivered Waste, as herein defined, shall be governed by the following Standard Terms and Conditions in addition to the terms and conditions contained in any Waste Characterization Report, Customer Approval Quote Confirmation, Generator Approval Notification, Notice of Waste Approval Expiration, and/or Credit Agreement associated with such Delivered Waste.

The Customer may use its standard forms (such as purchase orders, acknowledgments of orders, and invoices) to administer its dealings under this Agreement for convenience purposes, but all provisions thereof in conflict with these terms and conditions shall be deemed stricken.

Definitions.

The following definitions shall apply for purposes of this Agreement:

"Acceptable Waste" shall mean any hazardous waste, as defined under applicable State or federal law, determined by EQ as acceptable for treatment and/or disposal in accordance with this Agreement.

"Delivered Wastes" shall mean all wastes (i) which are transported, delivered, or tendered to EQ by the Customer; (ii) which the Customer has arranged for the transport, delivery or tender to EQ; or (iii) which are transported, delivered, or tendered to EQ under a Credit Agreement between the Customer and EQ.

"Non-Conforming Wastes" shall mean wastes that (a) are not in accordance in all material respects with the warranties, descriptions, specifications or limitations stated in the Waste Characterization Report and this Agreement; (b) have constituents or components of a type or concentration not specifically identified in the Waste Characterization Report (i) which increase the nature or extent of the hazard and risk undertaken by EQ in treating and/or disposing of the waste, or (ii) for whose treatment and/or disposal a Waste Management Facility is not designed or permitted, or (iii) which increase the cost of treatment and/or disposal of waste beyond that specified in EQ's price quote; or (c) are not properly packaged, labeled, described, or placarded, or otherwise not in compliance with United States Department of Transportation and United States Environmental Protection Agency regulations.

Control of Operations.

EQ shall have sole control over all aspects of the operation of any treatment and/or disposal facility of EQ receiving Delivered Wastes under this Agreement (hereinafter,

"Waste Management Facility"), including, without limitation, maintaining EQ's desired volume of Acceptable Wastes being delivered to any Waste Management Facility by the Customer or any other person or entity.

Identification of Waste.

For each waste material to be transported, delivered, or tendered to EQ under this Agreement, the Customer shall provide, or cause to be provided, to EQ a representative sample of the waste material and a completed Waste Characterization Report containing a physical and chemical description or analysis of such waste material, which description shall conform with any and all guidelines for waste acceptance provided by EQ. On the basis of EQ's analysis of such representative sample of the waste material and such Waste Characterization Report, EQ will determine whether such wastes are Acceptable Wastes. EQ does not make any guarantee that it will handle any waste material or any particular quantity or type of waste material, and EQ reserves the right to the decline to transport, treat and/or dispose of waste material. The Customer shall promptly furnish to EQ any information regarding known, suspected or planned changes in the composition of the waste material. Further, the Customer shall promptly inform EQ of any change in the characteristic or condition of the waste material which becomes known to the Customer subsequent to the date of the Waste Characterization Report.

Non-Conforming Wastes.

In the event that EQ at any time discovers that any Delivered Waste is Non-Conforming Waste, EQ may reject or revoke its acceptance of the Non-Conforming Waste. The Customer shall have seven (7) days to direct an alternative lawful manner of disposition of the waste, unless it is necessary by reason of law or otherwise to move the Non-Conforming Waste prior to expiration of the seven (7) day period. If the Customer does not direct an alternative disposal, at its option, EQ may return any such Non-Conforming Wastes to the Customer, and the Customer shall pay or reimburse EQ for all costs and expenses incurred by EQ in connection with the receipt, handling, sampling, analyses, transportation and return to the Customer of such Non-Conforming Wastes. If it is impossible or impractical for EQ to return the Non-Conforming Waste to the Customer, the Customer shall reimburse EQ for all costs, of any type or nature whatsoever, incurred by EQ, solely because such Delivered Waste was Non-Conforming Waste (including, but not limited to, all costs associated with any remedial steps necessary, due to the nature of the Non-Conforming Waste, in connection with material with which the Non-Conforming Waste may have been commingled and all expenses and charges for analyzing, handling, locating, preparing for transporting, storing and disposing of any Non-Conforming Wastes).

Customer Warranty - Title to Wastes.

Either the Customer or the generator (if other than the Customer) shall hold clear title, free of any all liens, claims, encumbrances, and charges to Delivered Waste until such waste is accepted by EQ.

Customer Warranty - Acceptable Wastes.

All Delivered Wastes shall be Acceptable Wastes and shall conform in all material respects to the description and specifications contained in the Waste Characterization Report. The information set forth in the Waste Characterization Report or any manifest, placard or label associated with any Delivered Wastes, or otherwise represented by the Customer or the generator (if other than the Customer) to EQ, is and shall be true, accurate and complete as of the date of receipt of the involved waste by EQ.

Customer Warranty - Compliance with Laws.

The Customer shall comply with all applicable federal, state and local environmental statutes, regulations, and other governmental requirements, as well as directives issued by EQ from time to time, governing the transportation, treatment and/or disposal of Acceptable Wastes, including, but not limited to, all packaging, manifesting, containerization, placarding and labeling requirements.

Customer Warranty - Updating Information.

If the Customer receives information that Delivered Waste or other hazardous waste described in the Waste Characterization Report, or some component of such waste, presents or may present a hazard or risk to persons, property or the environment which was not disclosed to EQ, or if the Customer or generator (if other than the Customer) has changed the process by which such waste results, the Customer shall promptly report such information to EQ in writing.

Customer Indemnity.

The Customer shall indemnify, defend and hold harmless EQ, and its affiliated or related companies, and all of their respective present or future officers, directors, shareholders, employees and agents from and against any and all losses, damages, liabilities, penalties, fines, forfeitures, demands, claims, causes of action, suits, costs and expenses (including, but not limited to, reasonable costs of defense, settlement, and reasonable attorneys' fees), which may be asserted against any or all of them by any person or any governmental agency, or which any or all of them may hereafter suffer, incur, be responsible for or pay out, as a result of or in connection with bodily injuries (including, but not limited to, death, sickness, disease and emotional or mental distress) to any person (including EQ's employees), damage (including, but not limited to, loss of use) to any property (public or private), or any requirements to conduct or incur expense for investigative, removal or remedial expenses in connection with contamination of or adverse effect on the environment, or any violation or alleged violation of any statutes, ordinances, orders, rules or regulations of any governmental entity or agency, caused or arising out of (i) a breach of this Agreement by the Customer, (ii) the failure of any warranty of the Customer to be true, accurate and complete, or (iii) any willful or negligent act or omission of the Customer, or its employees or agents in connection with the performance of this Agreement.

Force Majeure.

EQ shall not be liable for any failure to accept, receive, handle, treat, and/or dispose of Delivered Waste due to an act of God, fire, casualty, flood, war, strike, lockout, labor trouble, failure of public utilities, equipment failure, facility shutdown, injunction, accident, epidemic, riot, insurrection, destruction of operation or transportation facilities, the inability to procure materials, equipment, or sufficient personnel or energy in order to meet operational needs without the necessity of allocation, the failure or inability to obtain any governmental approvals or to meet Environmental Requirements (including, but not limited to voluntary or involuntary compliance with any act, exercise, assertion, or requirement of any governmental authority) which may temporarily or permanently prohibit operations of EQ, the Customer, or the Generator, or any other circumstances beyond the control of EQ which prevents or delays performance of any of its obligations under this Agreement.

Governing Laws.

This Agreement shall in all respects be governed by and shall be construed in accordance with the laws of the State of Michigan applied to contracts executed and performed wholly within such state.

EQ - The Environmental Quality Company

Waste Characterization Report

☒ I authorize EQ - The Environmental Quality Company to choose the appropriate method of waste management, from the technologies offered, at the EQ facilities identified below.

<input type="checkbox"/> Michigan Disposal Waste Treatment Plant (Stabilization and Treatment)	49350 North I-94 Service Drive, Belleville, Michigan 48111 Phone: 1-800-592-5489 Fax: 1-800-592-5329	EPA ID #MID000724831
<input type="checkbox"/> Wayne Disposal, Inc. (Hazardous & PCB Waste Landfill)	49350 North I-94 Service Drive, Belleville, Michigan 48111 Phone: 1-800-592-5489 Fax: 1-800-592-5329	EPA ID #MID048090633
<input type="checkbox"/> EQ Detroit, Inc. (Stabilization, Wastewater Treatment)	1923 Frederick, Detroit, MI 48211 Phone: 1-800-495-6059 Fax: 1-313-923-3375	EPA ID #MID980991566
<input type="checkbox"/> EQ Resource Recovery, Inc. (Solvent Recycling, Fuel Blending, WW Treatment)	36345 Van Born Road, Romulus, Michigan 48174 Phone: (734) 727-5500 Fax: (734) 326-4033	EPA ID #MID060975844
<input type="checkbox"/> EQIS North Carolina (Stabilization, Treatment, Labpack Decommissioning)	1005 Investment Blvd., Apex, NC 27502 Phone: (919) 363-4700 Fax: (919) 363-4714	EPA ID #NCD982170292
<input type="checkbox"/> EQ Florida, Inc. (Drum Consolidation, Labpack Decommissioning)	7202 East Eighth Ave., Tampa, FL 33619 Phone: 1-800-624-5302 Fax: 1-813-628-0842	EPA ID #FLD981932494
<input type="checkbox"/> EQ Detroit Transfer and Processing (Drum Transfer/Universal Waste Handling)	2000 Ferry Street, Detroit, MI 48211 Phone: (313) 923-0080 Fax: (313) 922-8419	EPA ID #MIK939928313
<input type="checkbox"/> EQIS Indianapolis Transfer and Processing (Drum Transfer/Non-Hazardous Waste Processing)	4000 West 10th Street, Indianapolis, Indiana 46222 Phone: (317) 247-7160 Fax: (317) 247-7170	EPA ID #IND161049309
<input type="checkbox"/> EQIS Atlanta Transfer and Processing (Drum Transfer/Non-Hazardous Waste Processing)	5600 Fulton Industrial Blvd., Atlanta, Georgia 30336 Phone: (404) 494-3520 Fax: (404) 494-3560	EPA ID #GAR000039776
<input type="checkbox"/> EQ Augusta, Inc. (Wastewater Treatment)	3920 Goshen Industrial Blvd., Augusta, GA 30906 Phone: 706-771-9100 Fax: 706-771-9124	EPA ID #GAR000011817

Waste Common Name: Aerosol Pesticides

Section 1 - Generator & Customer Info

SIC/NAICS*:

Generator EPA ID: MST-MP0-002-452

EQ Customer No.: 10958

Generator: Mississippi DEQ
Address: 4280 Rifle Range Rd
City: Vicksburg
State: MS Zip: 39180
County: Warren

Mailing Address

Address: P.O. Box 20326
City: Jackson
State: MS Zip: 39289

Generator Contact

Name: Trey Hess / Jerry Banks
Title:
Phone: (601) 961-5221/6019615654
Fax: () -

Involcing Company

Company: USES JACKSON
Address: 1075 MENDELL DAVIS DRIVE
City: JACKSON
State: MS Zip: 39212
Country: USA

Invoicing Contact

Name: Wanda Horton
Phone: (601) 372-3232
Fax: () -

Technical Contact

Name: J.T. Newman
Phone: (601) 372-3232
Fax: () -
Mobile: () - Pager: () -
E-mail: jnewman@usesgroup.com

*For a list of NAICS codes, please refer to Section 9 of the EQ Resource Guide.

Section 2 - Shipping & Packaging Info

- 2.1) Shipping Volume & Unit: 5 gallon Frequency: One Time Only
2.2) DOT Shipping Name: Aerosols, poison, each not exceeding 1 L capacity
2.3) Is this waste surcharge exempt? ☐ Yes ☒ No (If you answered "Yes" to question 2.3, select the Surcharge Exemption reason.)

2.4) Packaging (check all that apply)

- ☐ Bulk Solid (yd $3 < 2000$ lbs./yd 3) ☐ Bulk Solid (Ton > 2000 lbs./yd 3) ☐ Bulk Liquids (Gallon)
☐ Totes, Size ☐ Cubic Yard Boxes/Bags ☐ Drums, Size
☒ Other (palletized, 5 gal. Pall, etc.) 5 gallon Pail

Quoted bulk disposal charges for solid materials will be billed by the cubic yard, if the waste density is less than 2,000lbs./cubic yard. If waste density is greater than 2,000 lbs./cubic yard, then bulk disposal charges will be billed by the ton, regardless of the approved container.

Section 3 - Physical Characteristics

- 3.1) Color: VARIES 3.2) Odor: none
3.3) Does this waste contain any "Potentially Odorous Constituents" as defined in the EQ Resource Guide? (Section 3) ☐ Yes ☒ No
3.4) Physical State at 70 °F: ☐ Solid ☐ Dust/Powder ☒ Liquid ☐ Sludge
3.5) What is the pH of this waste? ☐ ≤ 2 ☐ 2.1-4.9 ☒ 5-10 ☐ 10.1-12.4 ☐ ≥ 12.5
3.6) What is the flash point of this waste? ☒ < 90 °F ☐ 90-139 °F ☐ 140-199 °F ☐ ≥ 200 °F
3.7) Does this waste contain? (check all that apply) ☒ None
☐ Biodegradable Sorbants ☐ Amines ☐ Ammonia ☐ Free Liquids ☐ Oily Residue ☐ Metal Fines
☐ Shock Sensitive Waste ☐ Reactive Waste ☐ Radioactive Waste ☐ Water Reactive ☐ Biohazard ☐ Aluminum
☐ Asbestos - non-friable ☐ Asbestos - friable ☐ Dioxins ☐ Explosives ☐ Pyrophoric Waste ☐ Isocyanates
☐ Furans

Section 4 - Composition / Generating Process

- 4.1) Describe the physical composition of the waste (i.e., soil, water, PPE, debris, key chemical compounds, etc.)
Poison Aerosols from 100. to 100. %
4.2) Provide a detailed description of the process generating this waste. (attach flow diagram if available).
Labpack of chemicals in abandoned Chemical plant Lab

Section 5 - Is This Hazardous Waste?

Please refer to Section 5 of the EQ Resource Guide for a list of waste codes.

As determined by 40 CFR, Part 261 and Michigan Act 451 Rules:

Please list applicable waste code(s):

- 5.1) Is this an EPA RCRA listed hazardous waste (F, K, P or U)? ☐ Yes ☒ No
Comments:
5.2) Is this an EPA RCRA characteristic hazardous waste (D001-D043)? ☒ Yes ☐ No
Comments:
5.3) Do any State Hazardous Waste Codes apply? ☐ Yes ☒ No
Comments:
5.4) Is this waste intended for wastewater treatment? ☐ Yes* ☒ No

D001

If you answered "No" to questions 5.1, 5.2, and 5.3, please skip to Section 7.
If you answered "Yes" to question 5.4, please complete the WCR Addendum.

Section 6 - Hazardous Wastes

6.1) Does this waste exceed Land Disposal Restriction Levels?

6.1a) If this waste stream is greater than 50% soil, does it meet the alternative soil treatment standards of 40 CFR 268.49?

6.1b) Does this waste contain greater than 50% debris, by volume? (Debris is greater than 2.5 inches in size.)

6.2) Is the waste an oxidizer (D001)?

6.3) Does this waste contain reactive cyanide \geq 250 ppm (D003)?

6.4) Does this waste contain reactive sulfide \geq 500 ppm (D003)?

6.5) Please indicate which constituent concentrations are below or above the regulatory level. Please indicate the basis used in the determination. Either 'Below' or 'Above' **MUST** be checked for each constituent.

Based On: ☒ Generator Knowledge ☐ Analysis* ☐ MSDS*

*Please forward a copy. Analysis or MSDS are required for EQ Florida Non-hazardous wastes.

Code	Regulatory Level	TCLP (mg/l)		Concentration (If above)
D004	Arsenic	5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D005	Barium	100	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D006	Cadmium	1	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D007	Chromium	5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D008	Lead	5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D009	Mercury	0.2	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D010	Selenium	1	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D011	Silver	5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D012	Endrin	0.02	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D013	Lindane	0.4	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D014	Methoxychlor	10	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D015	Toxaphene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D016	2,4-D	10	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D017	2,4,5-TP (Silvex)	1	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D018	Benzene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D019	Carbon Tetrachloride	0.6	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D020	Chlordane	0.03	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D021	Chlorobenzene	100	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D022	Chloroform	6.0	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D023	o-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above	

Code	Regulatory Level	TCLP (mg/l)		Concentration (If above)
D024	m-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D025	p-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D026	Cresols	200	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D027	1,4-Dichlorobenzene	7.5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D028	1,2-Dichloroethane	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D029	1,1-Dichloroethylene	0.7	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D030	2,4-Dinitrotoluene	0.13	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D031	Heptachlor	0.008	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D032	Hexachlorobenzene	0.13	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D033	Hexachlorobutadiene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D034	Hexachloroethane	3.0	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D035	Methyl Ethyl Ketone	200	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D036	Nitrobenzene	2	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D037	Pentachlorophenol	100	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D038	Pyridine	5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D039	Tetrachloroethylene	0.7	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D040	Trichloroethylene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D041	2,4,5-Trichlorophenol	400	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D042	2,4,6-Trichlorophenol	2	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D043	Vinyl Chloride	0.2	<input checked="" type="radio"/> Below <input type="radio"/> Above	

6.6) If this is a characteristic hazardous waste, does it contain underlying hazardous constituents?

If you answered "Yes", please list the constituents in Section 11.

☐ Yes ☒ No

Section 7 - Non-Hazardous Wastes

For a complete list of non-hazardous waste codes, please refer to Section 7 of the EQ Resource Guide.

Applicable waste code(s):

7.1) Is this a Michigan non-hazardous liquid industrial waste?

Comments:

☐ Yes ☒ No

7.2) Is this a Universal waste?

☐ Yes ☒ No

7.3) Is this a Recyclable Commodity? (e.g.: computer monitors, free mercury, etc.)

☐ Yes ☒ No

7.4) Is this waste a recoverable petroleum product?

☐ Yes ☒ No

7.5) Is this waste used oil as defined by 40 CFR Part 279?

☐ Yes ☒ No

Section 8 - TSCA Information

8.1) What is the concentration of PCBs in the waste?

☒ None

☐ 50-499 ppm

☐ 0-5 ppm

☐ 500+ ppm

☐ 6-49 ppm

8.2) Does the waste contain PCB contamination from a source with a concentration ≥ 50 ppm?

If you answered 'None' to 8.1 and 'No' to 8.2, please skip to Section 9.

☐ Yes ☒ No

8.3) Has this waste been processed into a non-liquid form?

If yes, what was the concentration of PCBs prior to processing? (ppm)

☐ Yes ☐ No

8.4) Is the non-liquid PCB waste in the form of soil, rags, debris, or other contaminated media?

☐ Yes ☐ No

8.5) Are you a PCB capacitor manufacturer or a PCB equipment manufacturer?

☐ Yes ☐ No

8.6) Has the PCB Article (e.g., transformer, hydraulic machine, PCB-contaminated electrical equipment) been drained/flushed of all PCBs and decontaminated in accordance with 40 CFR 761.60(b)?

☐ N/A ☐ Yes ☐ No

Section 9 - Clean Air Act Information

9.1) Is this waste subject to regulation under 40 CFR, Part 63, Subpart DD or 40 CFR, Part 264, Subpart CC (RCRA)?

(Does the waste contain >500 ppm Volatile Organic Hazardous Air Pollutants - VOHAP's or Volatile Organic Compounds - VOC's?)

For a complete list of VOHAPs, please see Section 11 of the EQ Resource Guide.

☐ Yes ☒ No

9.2) Is this site, or waste, subject to any other MACT or NESHAP?

If yes, please specify:

☐ Yes ☒ No

9.3) Does this waste stream contain Benzene?

If you answered "No" to question 9.2, please skip to section 10.

☐ Yes ☒ No

9.4) Does the waste stream come from a facility with one of the SIC/NAICS codes listed under the Benzene NESHAP identified in 40 CFR 61, Subpart FF?

☐ Yes ☐ No

9.5) Is the generating source of this waste stream a facility with Total Annual Benzene (TAB) ≥ 10 Mg/year?

For assistance in calculating the TAB, please see the TAB Worksheet in Section 9 of the EQ Resource Guide.

☐ Yes ☒ No

If you answered "No" to question 9.3 and 9.4, please skip to Section 10.

9.6) Does the waste contain > 10% water?

☐ Yes ☐ No

9.7) What is the TAB quantity for your facility?

Mg/year

9.8) Does the waste contain >1.0 mg/kg total Benzene?

☐ Yes ☐ No

9.9) What is the total Benzene concentration in your waste?

(concentration)

(unit)

(Supporting analysis must be attached. Do not use TCLP analytical results. Acceptable laboratory methods include 8020, 8240, 8260, 602 and 624.)

*For a list of NAICS codes, please refer to section 9 of the EQ Resource Guide.

Section 10 - Fuel Blending Information

10.1) Is this waste intended for fuel blending?

If you answered 'Yes' to question 10.1, please enter the following:

☐ Yes* ☒ No

Heat value (BTU/lb.)

Chlorine (%)

Water (%)

Solids (%)

10.2) Is this waste intended for reclamation?

☐ Yes

☒ No

(5-Gallon Sample required for all reclaim waste streams)

Section 11 - Constituent Information

Please identify your waste constituents from these four categories: Underlying Hazardous Constituents (UHC's), Volatile Organic Hazardous Air Pollutants (VOHAP's), Volatile Organic Compounds (VOC's) and Toxic Release Inventory Constituents (TRI)

Constituent

Concentration


UHC?

Please see Section 11 of the EQ Resource Guide for a list of UHC's, VOHAP's and VOC's. For a complete list of TRI constituents, please refer to 40 CFR 372.65.

Section 12 - Certification

I certify that all information (including attachments) is complete and factual and is an accurate representation of the known and suspected hazards, pertaining to the waste described herein. I authorize EQ's Resource Team to add supplemental information to the waste approval file, provided I am contacted and give verbal permission. I authorize EQ's Resource Team to obtain a sample from any waste shipment for purposes of verification. Generator or on Generator's behalf shall be subject to, and Generator shall be bound by, the attached Standard Terms and Conditions and confirmation. I agree that, if EQ approves the waste described herein, all such wastes that are transported, delivered, or tendered to EQ by

Comments:
logged in

Generator:  JERRY B. BARKER
Authorized Generator Signature Printed Generator Name

Company: MS. Dept. of Environmental Quality Title: Chief, Groundwater Assessment Date: 12/12/07

The generator's signature MUST appear on the EQ Waste Characterization Report. If the generator has authorized a third party to certify this document, a written notice (on generator letterhead) must accompany this submittal. Although the EQ Resource Team is authorized to make certain modifications to the information provided on this form, the addition or removal of waste codes and waste constituents must be documented by the generator.

STANDARD TERMS AND CONDITIONS

The Agreement between the Customer and EQ - The Environmental Quality Company and/or its member companies (hereinafter "EQ") related to or associated with Delivered Waste, as herein defined, shall be governed by the following Standard Terms and Conditions in addition to the terms and conditions contained in any Waste Characterization Report, Customer Approval Quote Confirmation, Generator Approval Notification, Notice of Waste Approval Expiration, and/or Credit Agreement associated with such Delivered Waste.

The Customer may use its standard forms (such as purchase orders, acknowledgments of orders, and invoices) to administer its dealings under this Agreement for convenience purposes, but all provisions thereof in conflict with these terms and conditions shall be deemed stricken.

Definitions.

The following definitions shall apply for purposes of this Agreement:

"Acceptable Waste" shall mean any hazardous waste, as defined under applicable State or federal law, determined by EQ as acceptable for treatment and/or disposal in accordance with this Agreement.

"Delivered Wastes" shall mean all wastes (i) which are transported, delivered, or tendered to EQ by the Customer; (ii) which the Customer has arranged for the transport, delivery or tender to EQ; or (iii) which are transported, delivered, or tendered to EQ under a Credit Agreement between the Customer and EQ.

"Non-Conforming Wastes" shall mean wastes that (a) are not in accordance in all material respects with the warranties, descriptions, specifications or limitations stated in the Waste Characterization Report and this Agreement; (b) have constituents or components of a type or concentration not specifically identified in the Waste Characterization Report (i) which increase the nature or extent of the hazard and risk undertaken by EQ in treating and/or disposing of the waste, or (ii) for whose treatment and/or disposal a Waste Management Facility is not designed or permitted; or (iii) which increase the cost of treatment and/or disposal of waste beyond that specified in EQ's price quote; or (c) are not properly packaged, labeled, described, or placarded, or otherwise not in compliance with United States Department of Transportation and United States Environmental Protection Agency regulations.

Control of Operations.

EQ shall have sole control over all aspects of the operation of any treatment and/or disposal facility of EQ receiving Delivered Wastes under this Agreement (hereinafter, "Waste Management Facility"), including, without limitation, maintaining EQ's desired volume of Acceptable Wastes being delivered to any Waste Management Facility by the Customer or any other person or entity.

Identification of Waste.

For each waste material to be transported, delivered, or tendered to EQ under this Agreement, the Customer shall provide, or cause to be provided, to EQ a representative sample of the waste material and a completed Waste Characterization Report containing a physical and chemical description or analysis of such waste material, which description shall conform with any and all guidelines for waste acceptance provided by EQ. On the basis of EQ's analysis of such representative sample of the waste material and such Waste Characterization Report, EQ will determine whether such wastes are Acceptable Wastes. EQ does not make any guarantee that it will handle any waste material or any particular quantity or type of waste material, and EQ reserves the right to the decline to transport, treat and/or dispose of waste material. The Customer shall promptly furnish to EQ any information regarding known, suspected or planned changes in the composition of the waste material. Further, the Customer shall promptly inform EQ of any change in the characteristic or condition of the waste material which becomes known to the Customer subsequent to the date of the Waste Characterization Report.

Non-Conforming Wastes.

In the event that EQ at any time discovers that any Delivered Waste is Non-Conforming Waste, EQ may reject or revoke its acceptance of the Non-Conforming Waste. The Customer shall have seven (7) days to direct an alternative lawful manner of disposition of the waste, unless it is necessary by reason of law or otherwise to move the Non-Conforming Waste prior to expiration of the seven (7) day period. If the Customer does not direct an alternative disposal, at its option, EQ may return any such Non-Conforming Wastes to the Customer, and the Customer shall pay or reimburse EQ for all costs and expenses incurred by EQ in connection with the receipt, handling, sampling, analyses, transportation and return to the Customer of such Non-Conforming Wastes. If it is impossible or impractical for EQ to return the Non-Conforming Waste to the Customer, the Customer shall reimburse EQ for all costs, of any type or nature whatsoever, incurred by EQ, solely because such Delivered Waste was Non-Conforming Waste (including, but not limited to, all costs associated with any remedial steps necessary, due to the nature of the Non-Conforming Waste, in connection with material with which the Non-Conforming Waste may have been commingled and all expenses and charges for analyzing, handling, locating, preparing for transporting, storing and disposing of any Non-Conforming Waste).

Customer Warranty - Title to Wastes.

Either the Customer or the generator (if other than the Customer) shall hold clear title, free of any all liens, claims, encumbrances, and charges to Delivered Waste until such waste is accepted by EQ.

Customer Warranty - Acceptable Wastes.

All Delivered Wastes shall be Acceptable Wastes and shall conform in all material respects to the description and specifications contained in the Waste Characterization Report. The information set forth in the Waste Characterization Report or any manifest, placard or label associated with any Delivered Wastes, or otherwise represented by the Customer or the generator (if other than the Customer) to EQ, is and shall be true, accurate and complete as of the date of receipt of the involved waste by EQ.

Customer Warranty - Compliance with Laws.

The Customer shall comply with all applicable federal, state and local environmental statutes, regulations, and other governmental requirements, as well as directives issued by EQ from time to time, governing the transportation, treatment and/or disposal of Acceptable Wastes, including, but not limited to, all packaging, manifesting, containerization, placarding and labeling requirements.

Customer Warranty - Updating Information.

If the Customer receives information that Delivered Waste or other hazardous waste described in the Waste Characterization Report, or some component of such waste, presents or may present a hazard or risk to persons, property or the environment which was not disclosed to EQ, or if the Customer or generator (if other than the Customer) has changed the process by which such waste results, the Customer shall promptly report such information to EQ in writing.

Customer Indemnity.

The Customer shall indemnify, defend and hold harmless EQ, and its affiliated or related companies, and all of their respective present or future officers, directors, shareholders, employees and agents from and against any and all losses, damages, liabilities, penalties, fines, forfeitures, demands, claims, causes of action, suits, costs and expenses (including, but not limited to, reasonable costs of defense, settlement, and reasonable attorneys' fees), which may be asserted against any or all of them by any person or any governmental agency, or which any or all of them may hereafter suffer, incur, be responsible for or pay out, as a result of or in connection with bodily injuries (including, but not limited to, death, sickness, disease and emotional or mental distress) to any person (including EQ's employees), damage (including, but not limited to, loss of use) to any property (public or private), or any requirements to conduct or incur expense for investigative, removal or remedial expenses in connection with contamination of or adverse effect on the environment, or any violation or alleged violation of any statutes, ordinances, orders, rules or regulations of any governmental entity or agency, caused or arising out of (i) a breach of this Agreement by the Customer, (ii) the failure of any warranty of the Customer to be true, accurate and complete, or (iii) any willful or negligent act or omission of the Customer, or its employees or agents in connection with the performance of this Agreement.

Force Majeure.

EQ shall not be liable for any failure to accept, receive, handle, treat, and/or dispose of Delivered Waste due to an act of God, fire, casualty, flood, war, strike, lockout, labor trouble, failure of public utilities, equipment failure, facility shutdown, injunction, accident, epidemic, riot, insurrection, destruction of operation or transportation facilities, the inability to procure materials, equipment, or sufficient personnel or energy in order to meet operational needs without the necessity of allocation, the failure or inability to obtain any governmental approvals or to meet Environmental Requirements (including, but not limited to voluntary or involuntary compliance with any act, exercise, assertion, or requirement of any governmental authority) which may temporarily or permanently prohibit operations of EQ, the Customer, or the Generator, or any other circumstances beyond the control of EQ which prevents or delays performance of any of its obligations under this Agreement.

Governing Laws.

This Agreement shall in all respects be governed by and shall be construed in accordance with the laws of the State of Michigan applied to contracts executed and performed wholly within such state.

EQ - The Environmental Quality Company

Waste Characterization Report

☒ I authorize EQ - The Environmental Quality Company to choose the appropriate method of waste management, from the technologies offered, at the EQ facilities identified below.

<input type="checkbox"/> Michigan Disposal Waste Treatment Plant (Stabilization and Treatment)	49350 North I-94 Service Drive, Belleville, Michigan 48111 Phone: 1-800-592-5489 Fax: 1-800-592-5329	EPA ID #MID000724831
<input type="checkbox"/> Wayne Disposal, Inc. (Hazardous & PCB Waste Landfill)	49350 North I-94 Service Drive, Belleville, Michigan 48111 Phone: 1-800-592-5489 Fax: 1-800-592-5329	EPA ID #MID048090633
<input type="checkbox"/> EQ Detroit, Inc. (Stabilization, Wastewater Treatment)	1923 Frederick, Detroit, MI 48211 Phone: 1-800-495-6059 Fax: 1-313-923-3375	EPA ID #MID980991566
<input type="checkbox"/> EQ Resource Recovery, Inc. (Solvent Recycling, Fuel Blending, WW Treatment)	36345 Van Born Road, Romulus, Michigan 48174 Phone: (734) 727-5500 Fax: (734) 326-4033	EPA ID #MID060975844
<input type="checkbox"/> EQIS North Carolina (Stabilization, Treatment, Labpack Decommissioning)	1005 Investment Blvd., Apex, NC 27502 Phone: (919) 363-4700 Fax: (919) 363-4714	EPA ID #NCD982170292
<input type="checkbox"/> EQ Florida, Inc. (Drum Consolidation, Labpack Decommissioning)	7202 East Eighth Ave., Tampa, FL 33619 Phone: 1-800-624-5302 Fax: 1-813-628-0842	EPA ID #FLD981932494
<input type="checkbox"/> EQ Detroit Transfer and Processing (Drum Transfer/Universal Waste Handling)	2000 Ferry Street, Detroit, MI 48211 Phone: (313) 923-0080 Fax: (313) 922-8419	EPA ID #MIK939928313
<input type="checkbox"/> EQIS Indianapolis Transfer and Processing (Drum Transfer/Non-Hazardous Waste Processing)	4000 West 10th Street, Indianapolis, Indiana 46222 Phone: (317) 247-7160 Fax: (317) 247-7170	EPA ID #IND161049309
<input type="checkbox"/> EQIS Atlanta Transfer and Processing (Drum Transfer/Non-Hazardous Waste Processing)	5600 Fulton Industrial Blvd., Atlanta, Georgia 30336 Phone: (404) 494-3520 Fax: (404) 494-3560	EPA ID #GAR000039776
<input type="checkbox"/> EQ Augusta, Inc. (Wastewater Treatment)	3920 Goshen Industrial Blvd., Augusta, GA 30906 Phone: 706-771-9100 Fax: 706-771-9124	EPA ID #GAR000011817

Waste Common Name: Non regulated silicone Antifoam Emulsion

Section 1 - Generator & Customer Info

SIC/NAICS*:

Generator EPA ID: MST-MP0-002-452

EQ Customer No.: 10958

Generator: Mississippi DEQ
Address: 4280 Rifle Range Rd
City: Vicksburg
State: MS Zip: 39180
County: Warren

Invoicing Company

Company: USES JACKSON
Address: 1075 MENDELL DAVIS DRIVE
City: JACKSON
State: MS Zip: 39212
Country: USA

Mailing Address

Address: P.O Box 20326
City: Jackson
State: MS Zip: 39289

Invoicing Contact

Name: Wanda Horton
Phone: (601) 372-3232
Fax: () -

Generator Contact

Name: Trey Hess / Jerry Banks
Title:
Phone: (601) 961-52216019615654
Fax: () -

Technical Contact

Name: J.T. Newman
Phone: (601) 372-3232
Fax: () -
Mobile: () - Pager: () -
E-mail: jnewman@usesgroup.com

*For a list of NAICS codes, please refer to Section 9 of the EQ Resource Guide.

Section 2 - Shipping & Packaging Info

- 2.1) Shipping Volume & Unit: 55 gallon Frequency: One Time Only
2.2) DOT Shipping Name: Nonregulated Non Hazardous Liquid
2.3) Is this waste surcharge exempt? ☐ Yes ☒ No (If you answered "Yes" to question 2.3, select the Surcharge Exemption reason.)

2.4) Packaging (check all that apply)

- ☐ Bulk Solid (yd ³ < 2000 lbs./yd ³) ☐ Bulk Solid (Ton > 2000 lbs./yd ³) ☐ Bulk Liquids (Gallon)
☐ Totes, Size ☐ Cubic Yard Boxes/Bags ☒ Drums, Size 55 gallon
☐ Other (palletized, 5 gal. Pail, etc.)

Quoted bulk disposal charges for solid materials will be billed by the cubic yard, if the waste density is less than 2,000lbs./cubic yard. If waste density is greater than 2,000 lbs./cubic yard, then bulk disposal charges will be billed by the ton, regardless of the approved container.

Section 3 - Physical Characteristics

- 3.1) Color: WHITE 3.2) Odor: none
3.3) Does this waste contain any "Potentially Odorous Constituents" as defined in the EQ Resource Guide? (Section 3) ☐ Yes ☒ No
3.4) Physical State at 70 °F: ☐ Solid ☐ Dust/Powder ☐ Liquid ☒ Sludge
3.5) What is the pH of this waste? ☐ ≤ 2 ☐ 2.1-4.9 ☒ 5-10 ☐ 10.1-12.4 ☐ ≥ 12.5
3.6) What is the flash point of this waste? ☐ <90 °F ☐ 90-139 °F ☐ 140-199 °F ☒ ≥ 200 °F
3.7) Does this waste contain? (check all that apply) ☐ None ☒ Free Liquids ☐ Oily Residue ☐ Metal Fines
☐ Biodegradable Sorbents ☐ Amines ☐ Ammonia ☐ Water Reactive ☐ Biohazard ☐ Aluminum
☐ Shock Sensitive Waste ☐ Reactive Waste ☐ Radioactive Waste ☐ Explosives ☐ Pyrophoric Waste ☐ Isocyanates
☐ Asbestos - non-friable ☐ Asbestos - friable ☐ Dioxins ☐ Furans

Section 4 - Composition / Generating Process

- 4.1) Describe the physical composition of the waste (i.e., soil, water, PPE, debris, key chemical compounds, etc.)
Silicone Antifoam Emulsion from 100 to 100 %
4.2) Provide a detailed description of the process generating this waste. (attach flow diagram if available).
Labpack of chemicals in abandoned Chemical plant Lab.

Section 5 - Is This Hazardous Waste?

Please refer to Section 5 of the EQ Resource Guide for a list of waste codes.

As determined by 40 CFR, Part 261 and Michigan Act 451 Rules:

Please list applicable waste code(s):

- 5.1) Is this an EPA RCRA listed hazardous waste (F, K, P or U)? ☐ Yes ☒ No
Comments:
5.2) Is this an EPA RCRA characteristic hazardous waste (D001-D043)? ☐ Yes ☒ No
Comments:
5.3) Do any State Hazardous Waste Codes apply? ☐ Yes ☒ No
Comments:
5.4) Is this waste intended for wastewater treatment? ☐ Yes* ☒ No

If you answered "No" to questions 5.1, 5.2, and 5.3, please skip to Section 7.
If you answered "Yes" to question 5.4, please complete the WCR Addendum.

Section 6 - Hazardous Wastes

6.1) Does this waste exceed Land Disposal Restriction Levels?

☐ Yes ☒ No

6.1a) If this waste stream is greater than 50% soil, does it meet the alternative soil treatment standards of 40 CFR 268.49?

☐ Yes ☒ No

6.1b) Does this waste contain greater than 50% debris, by volume? (Debris is greater than 2.5 inches in size.)

☐ Yes ☒ No

6.2) Is the waste an oxidizer (D001)?

☐ Yes ☒ No

6.3) Does this waste contain reactive cyanide \geq 250 ppm (D003)?

☐ Yes ☒ No

6.4) Does this waste contain reactive sulfide \geq 500 ppm (D003)?

☐ Yes ☒ No

6.5) Please indicate which constituent concentrations are below or above the regulatory level. Please indicate the basis used in the determination. Either 'Below' or 'Above' **MUST** be checked for each constituent.

Based On: ☒ Generator Knowledge ☐ Analysis* ☐ MSDS*

*Please forward a copy. Analysis or MSDS are required for EQ Florida Non-hazardous wastes.

Code	Regulatory Level	TCLP (mg/l)	Concentration (if above)
D004	Arsenic	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D005	Barium	100	<input checked="" type="radio"/> Below <input type="radio"/> Above
D006	Cadmium	1	<input checked="" type="radio"/> Below <input type="radio"/> Above
D007	Chromium	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D008	Lead	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D009	Mercury	0.2	<input checked="" type="radio"/> Below <input type="radio"/> Above
D010	Selenium	1	<input checked="" type="radio"/> Below <input type="radio"/> Above
D011	Silver	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D012	Endrin	0.02	<input checked="" type="radio"/> Below <input type="radio"/> Above
D013	Lindane	0.4	<input checked="" type="radio"/> Below <input type="radio"/> Above
D014	Methoxychlor	10	<input checked="" type="radio"/> Below <input type="radio"/> Above
D015	Toxaphene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D016	2,4-D	10	<input checked="" type="radio"/> Below <input type="radio"/> Above
D017	2,4,5-TP (Silvex)	1	<input checked="" type="radio"/> Below <input type="radio"/> Above
D018	Benzene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D019	Carbon Tetrachloride	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D020	Chlordane	0.03	<input checked="" type="radio"/> Below <input type="radio"/> Above
D021	Chlorobenzene	100	<input checked="" type="radio"/> Below <input type="radio"/> Above
D022	Chloroform	6.0	<input checked="" type="radio"/> Below <input type="radio"/> Above
D023	o-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above

Code	Regulatory Level	TCLP (mg/l)	Concentration (if above)
D024	m-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above
D025	p-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above
D026	Cresols	200	<input checked="" type="radio"/> Below <input type="radio"/> Above
D027	1,4-Dichlorobenzene	7.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D028	1,2-Dichloroethane	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D029	1,1-Dichloroethylene	0.7	<input checked="" type="radio"/> Below <input type="radio"/> Above
D030	2,4-Dinitrotoluene	0.13	<input checked="" type="radio"/> Below <input type="radio"/> Above
D031	Heptachlor	0.008	<input checked="" type="radio"/> Below <input type="radio"/> Above
D032	Hexachlorobenzene	0.13	<input checked="" type="radio"/> Below <input type="radio"/> Above
D033	Hexachlorobutadiene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D034	Hexachloroethane	3.0	<input checked="" type="radio"/> Below <input type="radio"/> Above
D035	Methyl Ethyl Ketone	200	<input checked="" type="radio"/> Below <input type="radio"/> Above
D036	Nitrobenzene	2	<input checked="" type="radio"/> Below <input type="radio"/> Above
D037	Pentachlorophenol	100	<input checked="" type="radio"/> Below <input type="radio"/> Above
D038	Pyridine	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D039	Tetrachloroethylene	0.7	<input checked="" type="radio"/> Below <input type="radio"/> Above
D040	Trichloroethylene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D041	2,4,5-Trichlorophenol	400	<input checked="" type="radio"/> Below <input type="radio"/> Above
D042	2,4,6-Trichlorophenol	2	<input checked="" type="radio"/> Below <input type="radio"/> Above
D043	Vinyl Chloride	0.2	<input checked="" type="radio"/> Below <input type="radio"/> Above

6.6) If this is a characteristic hazardous waste, does it contain underlying hazardous constituents?

☐ Yes ☒ No

If you answered 'Yes', please list the constituents in Section 11.

Section 7 - Non-Hazardous Wastes

For a complete list of non-hazardous waste codes, please refer to Section 7 of the EQ Resource Guide.

Applicable waste code(s):

7.1) Is this a Michigan non-hazardous liquid industrial waste?

☐ Yes ☒ No

Comments:

7.2) Is this a Universal waste?

☐ Yes ☒ No

7.3) Is this a Recyclable Commodity? (e.g.: computer monitors, free mercury, etc.)

☐ Yes ☒ No

7.4) Is this waste a recoverable petroleum product?

☐ Yes ☒ No

7.5) Is this waste used oil as defined by 40 CFR Part 279?

☐ Yes ☒ No

Section 8 - TSCA Information

8.1) What is the concentration of PCBs in the waste?

☒ None

☐ 50-499 ppm

☐ 0-5 ppm

☐ 500+ ppm

☐ 6-49 ppm

8.2) Does the waste contain PCB contamination from a source with a concentration ≥ 50 ppm?

If you answered 'None' to 8.1 and 'No' to 8.2, please skip to Section 9.

8.3) Has this waste been processed into a non-liquid form?

If yes, what was the concentration of PCBs prior to processing? (ppm)

8.4) Is the non-liquid PCB waste in the form of soil, rags, debris, or other contaminated media?

8.5) Are you a PCB capacitor manufacturer or a PCB equipment manufacturer?

8.6) Has the PCB Article (e.g., transformer, hydraulic machine, PCB-contaminated electrical equipment) been drained/flushed of all PCBs and decontaminated in accordance with 40 CFR 761.60(b)?

☐ Yes ☒ No

☐ Yes ☐ No

☒ N/A ☐ 0-499 ☐ 500+

☐ Yes ☐ No

☐ Yes ☐ No

☒ N/A ☐ Yes ☐ No

Section 9 - Clean Air Act Information

9.1) Is this waste subject to regulation under 40 CFR, Part 63, Subpart DD or 40 CFR, Part 264, Subpart CC (RCRA)?

(Does the waste contain >500 ppm Volatile Organic Hazardous Air Pollutants - VOHAP's or Volatile Organic Compounds - VOC's?)

For a complete list of VOHAPs, please see Section 11 of the EQ Resource Guide.

☐ Yes ☒ No

9.2) Is this site, or waste, subject to any other MACT or NESHAP?

If yes, please specify:

☐ Yes ☒ No

9.3) Does this waste stream contain Benzene?

If you answered "No" to question 9.2, please skip to section 10.

☐ Yes ☒ No

9.4) Does the waste stream come from a facility with one of the SIC/NAICS codes listed under the Benzene NESHAP identified in 40 CFR 61, Subpart FF?

☐ Yes ☐ No

9.5) Is the generating source of this waste stream a facility with Total Annual Benzene (TAB) ≥ 10 Mg/year?

For assistance in calculating the TAB, please see the TAB Worksheet in Section 9 of the EQ Resource Guide.

☐ Yes ☒ No

If you answered "No" to question 9.3 and 9.4, please skip to Section 10.

9.6) Does the waste contain > 10% water?

☐ Yes ☐ No

9.7) What is the TAB quantity for your facility? Mg/year

9.8) Does the waste contain >1.0 mg/kg total Benzene?

☐ Yes ☐ No

9.9) What is the total Benzene concentration in your waste? (concentration) (unit)

(Supporting analysis must be attached. Do not use TCLP analytical results. Acceptable laboratory methods include 8020, 8240, 8260, 602 and 624.)

*For a list of NAICS codes, please refer to section 9 of the EQ Resource Guide.

Section 10 - Fuel Blending Information

10.1) Is this waste intended for fuel blending?

If you answered 'Yes' to question 10.1, please enter the following:

☐ Yes* ☒ No

Heat value (BTU/lb.) _____

Chlorine (%) _____

Water (%) _____

Solids (%) _____

10.2) Is this waste intended for reclamation? ☐ Yes ☒ No

(5-Gallon Sample required for all reclaim waste streams)

Section 11 - Constituent Information

Please identify your waste constituents from these four categories: Underlying Hazardous Constituents (UHC's), Volatile Organic Hazardous Air Pollutants (VOHAP's), Volatile Organic Compounds (VOC's) and Toxic Release Inventory Constituents (TRI)

Constituent	Concentration	UHC?
-------------	---------------	------

Please see Section 11 of the EQ Resource Guide for a list of UHC's, VOHAP's and VOC's. For a complete list of TRI constituents, please refer to 40 CFR 372.65.

Section 12 - Certification

I certify that all information (including attachments) is complete and factual and is an accurate representation of the known and suspected hazards pertaining to the waste described herein. I authorize EQ's Resource Team to add supplemental information to the waste approval file, provided I am contacted and give verbal permission. I authorize EQ's Resource Team to obtain a sample from any waste shipment for purposes of verification. Generator or on Generator's behalf shall be subject to, and Generator shall be bound by, the attached Standard Terms and Conditions and confirmation. I agree that, if EQ approves the waste described herein, all such wastes that are transported, delivered, or tendered to EQ by

Comments:
logged in

Generator: Jerry B. Bank JERRY B. BANK
Authorized Generator Signature Printed Generator Name
Company: MS Dept. of Environmental Quality Title: Chief, Groundwater Assessment Date: 12-12-07

The generator's signature MUST appear on the EQ Waste Characterization Report. If the generator has authorized a third party to certify this document, a written notice (on generator letterhead) must accompany this submittal. Although the EQ Resource Team is authorized to make certain modifications to the information provided on this form, the addition or removal of waste codes and waste constituents must be documented by the generator.

STANDARD TERMS AND CONDITIONS

The Agreement between the Customer and EQ - The Environmental Quality Company and/or its member companies (hereinafter "EQ") related to or associated with Delivered Waste, as herein defined, shall be governed by the following Standard Terms and Conditions in addition to the terms and conditions contained in any Waste Characterization Report, Customer Approval Quote Confirmation, Generator Approval Notification, Notice of Waste Approval Expiration, and/or Credit Agreement associated with such Delivered Waste.

The Customer may use its standard forms (such as purchase orders, acknowledgments of orders, and invoices) to administer its dealings under this Agreement for convenience purposes, but all provisions thereof in conflict with these terms and conditions shall be deemed stricken.

Definitions.

The following definitions shall apply for purposes of this Agreement:

"Acceptable Waste" shall mean any hazardous waste, as defined under applicable State or federal law, determined by EQ as acceptable for treatment and/or disposal in accordance with this Agreement.

"Delivered Wastes" shall mean all wastes (i) which are transported, delivered, or tendered to EQ by the Customer; (ii) which the Customer has arranged for the transport, delivery or tender to EQ, or (iii) which are transported, delivered, or tendered to EQ under a Credit Agreement between the Customer and EQ.

"Non-Conforming Wastes" shall mean wastes that (a) are not in accordance in all material respects with the warranties, descriptions, specifications or limitations stated in the Waste Characterization Report and this Agreement; (b) have constituents or components of a type or concentration not specifically identified in the Waste Characterization Report (i) which increase the nature or extent of the hazard and risk undertaken by EQ in treating and/or disposing of the waste, or (ii) for whose treatment and/or disposal a Waste Management Facility is not designed or permitted, or (iii) which increase the cost of treatment and/or disposal of waste beyond that specified in EQ's price quote; or (c) are not properly packaged, labeled, described, or placarded, or otherwise not in compliance with United States Department of Transportation and United States Environmental Protection Agency regulations.

Control of Operations.

EQ shall have sole control over all aspects of the operation of any treatment and/or disposal facility of EQ receiving Delivered Wastes under this Agreement (hereinafter,

"Waste Management Facility"), including, without limitation, maintaining EQ's desired volume of Acceptable Wastes being delivered to any Waste Management Facility by the Customer or any other person or entity.

Identification of Waste.

For each waste material to be transported, delivered, or tendered to EQ under this Agreement, the Customer shall provide, or cause to be provided, to EQ a representative sample of the waste material and a completed Waste Characterization Report containing a physical and chemical description or analysis of such waste material, which description shall conform with any and all guidelines for waste acceptance provided by EQ. On the basis of EQ's analysis of such representative sample of the waste material and such Waste Characterization Report, EQ will determine whether such wastes are Acceptable Wastes. EQ does not make any guarantee that it will handle any waste material or any particular quantity or type of waste material, and EQ reserves the right to the decline to transport, treat and/or dispose of waste material. The Customer shall promptly furnish to EQ any information regarding known, suspected or planned changes in the composition of the waste material. Further, the Customer shall promptly inform EQ of any change in the characteristic or condition of the waste material which becomes known to the Customer subsequent to the date of the Waste Characterization Report.

Non-Conforming Wastes.

In the event that EQ at any time discovers that any Delivered Waste is Non-Conforming Waste, EQ may reject or revoke its acceptance of the Non-Conforming Waste. The Customer shall have seven (7) days to direct an alternative lawful manner of disposition of the waste, unless it is necessary by reason of law or otherwise to move the Non-Conforming Waste prior to expiration of the seven (7) day period. If the Customer does not direct an alternative disposal, at its option, EQ may return any such Non-Conforming Wastes to the Customer, and the Customer shall pay or reimburse EQ for all costs and expenses incurred by EQ in connection with the receipt, handling, sampling, analyses, transportation and return to the Customer of such Non-Conforming Wastes. If it is impossible or impractical for EQ to return the Non-Conforming Waste to the Customer, the Customer shall reimburse EQ for all costs, of any type or nature whatsoever, incurred by EQ, solely because such Delivered Waste was Non-Conforming Waste (including, but not limited to, all costs associated with any remedial steps necessary, due to the nature of the Non-Conforming Waste, in connection with material with which the Non-Conforming Waste may have been commingled and all expenses and charges for analyzing, handling, locating, preparing for transporting, storing and disposing of any Non-Conforming Waste).

Customer Warranty - Title to Wastes.

Either the Customer or the generator (if other than the Customer) shall hold clear title, free of any all liens, claims, encumbrances, and charges to Delivered Waste until such waste is accepted by EQ.

Customer Warranty - Acceptable Wastes.

All Delivered Wastes shall be Acceptable Wastes and shall conform in all material respects to the description and specifications contained in the Waste Characterization Report. The information set forth in the Waste Characterization Report or any manifest, placard or label associated with any Delivered Wastes, or otherwise represented by the Customer or the generator (if other than the Customer) to EQ, is and shall be true, accurate and complete as of the date of receipt of the involved waste by EQ.

Customer Warranty - Compliance with Laws.

The Customer shall comply with all applicable federal, state and local environmental statutes, regulations, and other governmental requirements, as well as directives issued by EQ from time to time, governing the transportation, treatment and/or disposal of Acceptable Wastes, including, but not limited to, all packaging, manifesting, containerization, placarding and labeling requirements.

Customer Warranty - Updating Information.

If the Customer receives information that Delivered Waste or other hazardous waste described in the Waste Characterization Report, or some component of such waste, presents or may present a hazard or risk to persons, property or the environment which was not disclosed to EQ, or if the Customer or generator (if other than the Customer) has changed the process by which such waste results, the Customer shall promptly report such information to EQ in writing.

Customer Indemnity.

The Customer shall indemnify, defend and hold harmless EQ, and its affiliated or related companies, and all of their respective present or future officers, directors, shareholders, employees and agents from and against any and all losses, damages, liabilities, penalties, fines, forfeitures, demands, claims, causes of action, suits, costs and expenses (including, but not limited to, reasonable costs of defense, settlement, and reasonable attorneys' fees), which may be asserted against any or all of them by any person or any governmental agency, or which any or all of them may hereafter suffer, incur, be responsible for or pay out, as a result of or in connection with bodily injuries (including, but not limited to, death, sickness, disease and emotional or mental distress) to any person (including EQ's employees), damage (including, but not limited to, loss of use) to any property (public or private), or any requirements to conduct or incur expense for investigative, removal or remedial expenses in connection with contamination of or adverse effect on the environment, or any violation or alleged violation of any statutes, ordinances, orders, rules or regulations of any governmental entity or agency, caused or arising out of (i) a breach of this Agreement by the Customer, (ii) the failure of any warranty of the Customer to be true, accurate and complete, or (iii) any willful or negligent act or omission of the Customer, or its employees or agents in connection with the performance of this Agreement.

Force Majeure.

EQ shall not be liable for any failure to accept, receive, handle, treat, and/or dispose of Delivered Waste due to an act of God, fire, casualty, flood, war, strike, lockout, labor trouble, failure of public utilities, equipment failure, facility shutdown, injunction, accident, epidemic, riot, insurrection, destruction of operation or transportation facilities, the inability to procure materials, equipment, or sufficient personnel or energy in order to meet operational needs without the necessity of allocation, the failure or inability to obtain any governmental approvals or to meet Environmental Requirements (including, but not limited to voluntary or involuntary compliance with any act, exercise, assertion, or requirement of any governmental authority) which may temporarily or permanently prohibit operations of EQ, the Customer, or the Generator, or any other circumstances beyond the control of EQ which prevents or delays performance of any of its obligations under this Agreement.

Governing Laws.

This Agreement shall in all respects be governed by and shall be construed in accordance with the laws of the State of Michigan applied to contracts executed and performed wholly within such state.

EQ - The Environmental Quality Company

Waste Characterization Report

☒ I authorize EQ - The Environmental Quality Company to choose the appropriate method of waste management, from the technologies offered, at the EQ facilities identified below.

<input type="checkbox"/> Michigan Disposal Waste Treatment Plant (Stabilization and Treatment)	49350 North I-94 Service Drive, Belleville, Michigan 48111 Phone: 1-800-592-5489 Fax: 1-800-592-5329	EPA ID #MID000724831
<input type="checkbox"/> Wayne Disposal, Inc. (Hazardous & PCB Waste Landfill)	49350 North I-94 Service Drive, Belleville, Michigan 48111 Phone: 1-800-592-5489 Fax: 1-800-592-5329	EPA ID #MID048090633
<input type="checkbox"/> EQ Detroit, Inc. (Stabilization, Wastewater Treatment)	1923 Frederick, Detroit, MI 48211 Phone: 1-800-495-6059 Fax: 1-313-923-3375	EPA ID #MID980991566
<input type="checkbox"/> EQ Resource Recovery, Inc. (Solvent Recycling, Fuel Blending, WW Treatment)	36345 Van Born Road, Romulus, Michigan 48174 Phone: (734) 727-5500 Fax: (734) 326-4033	EPA ID #MID060975844
<input type="checkbox"/> EQIS North Carolina (Stabilization, Treatment, Labpack Decommissioning)	1005 Investment Blvd., Apex, NC 27502 Phone: (919) 363-4700 Fax: (919) 363-4714	EPA ID #NCD982170292
<input type="checkbox"/> EQ Florida, Inc. (Drum Consolidation, Labpack Decommissioning)	7202 East Eighth Ave., Tampa, FL 33619 Phone: 1-800-624-5302 Fax: 1-813-628-0842	EPA ID #FLD981932494
<input type="checkbox"/> EQ Detroit Transfer and Processing (Drum Transfer/Universal Waste Handling)	2000 Ferry Street, Detroit, MI 48211 Phone: (313) 923-0080 Fax: (313) 922-8419	EPA ID #MIK939928313
<input type="checkbox"/> EQIS Indianapolis Transfer and Processing (Drum Transfer/Non-Hazardous Waste Processing)	4000 West 10th Street, Indianapolis, Indiana 46222 Phone: (317) 247-7160 Fax: (317) 247-7170	EPA ID #IND161049309
<input type="checkbox"/> EQIS Atlanta Transfer and Processing (Drum Transfer/Non-Hazardous Waste Processing)	5600 Fulton Industrial Blvd., Atlanta, Georgia 30336 Phone: (404) 494-3520 Fax: (404) 494-3560	EPA ID #GAR000039776
<input type="checkbox"/> EQ Augusta, Inc. (Wastewater Treatment)	3920 Goshen Industrial Blvd., Augusta, GA 30906 Phone: 706-771-9100 Fax: 706-771-9124	EPA ID #GAR000011817

Waste Common Name: Base Liquids Labpack

Section 1 - Generator & Customer Info

SIC/NAICS*

EQ Customer No.: 10958

Generator EPA ID: MST-MP0-002-452

Invoicing Company

Company: USES JACKSON
Address: 1075 MENDELL DAVIS DRIVE
City: JACKSON
State: MS Zip: 39212
Country: USA

Invoicing Contact

Name: Wanda Horton
Phone: (601) 372-3232
Fax: () -

Technical Contact

Name: J.T. Newman
Phone: (601) 372-3232
Fax: () -
Mobile: () - Pager: () -
E-mail: jnewman@usesgroup.com

Generator: Mississippi DEQ
Address: 4280 Rifle Range Rd
City: Vicksburg
State: MS Zip: 39180
County: Warren

Mailing Address

Address: P.O. Box 20326
City: Jackson
State: MS Zip: 39289

Generator Contact

Name: Trey Hess / Jerry Banks
Title:
Phone: (601) 961-5221/6019615654
Fax: () -

*For a list of NAICS codes, please refer to Section 9 of the EQ Resource Guide.

Section 2 - Shipping & Packaging Info

- 2.1) Shipping Volume & Unit: 55 gallon Frequency: One Time Only
2.2) DOT Shipping Name: Corrosive liquid, basic, inorganic, n.o.s.
2.3) Is this waste surcharge exempt? ☐ Yes ☒ No (If you answered "Yes" to question 2.3, select the Surcharge Exemption reason.)

2.4) Packaging (check all that apply)

- ☐ Bulk Solid (yd ³ < 2000 lbs./yd ³) ☐ Bulk Solid (Ton > 2000 lbs./yd ³) ☐ Bulk Liquids (Gallon)
☐ Totes, Size ☐ Cubic Yard Boxes/Bags ☒ Drums, Size 55 gallon
☐ Other (palletized, 5 gal. Pail, etc.)

Quoted bulk disposal charges for solid materials will be billed by the cubic yard, if the waste density is less than 2,000 lbs./cubic yard. If waste density is greater than 2,000 lbs./cubic yard, then bulk disposal charges will be billed by the ton, regardless of the approved container.

Section 3 - Physical Characteristics

- 3.1) Color: VARIES 3.2) Odor: none
3.3) Does this waste contain any "Potentially Odorous Constituents" as defined in the EQ Resource Guide? (Section 3) ☐ Yes ☒ No
3.4) Physical State at 70 °F: ☐ Solid ☐ Dust/Powder ☒ Liquid ☐ Sludge
3.5) What is the pH of this waste? ☐ ≤ 2 ☐ 2.1-4.9 ☐ 5-10 ☐ 10.1-12.4 ☒ ≥ 12.5
3.6) What is the flash point of this waste? ☐ < 90 °F ☐ 90-139 °F ☐ 140-199 °F ☒ ≥ 200 °F
3.7) Does this waste contain? (check all that apply) ☒ None
☐ Biodegradable Sorbants ☐ Amines ☐ Ammonia ☐ Free Liquids ☐ Oily Residue ☐ Metal Fines
☐ Shock Sensitive Waste ☐ Reactive Waste ☐ Radioactive Waste ☐ Water Reactive ☐ Biohazard ☐ Aluminum
☐ Asbestos - non-friable ☐ Asbestos - friable ☐ Dioxins ☐ Explosives ☐ Pyrophoric Waste ☐ Isocyanates
☐ Furans

Section 4 - Composition / Generating Process

- 4.1) Describe the physical composition of the waste (I.e., soil, water, PPE, debris, key chemical compounds, etc.)
4.2) Provide a detailed description of the process generating this waste. (attach flow diagram if available).
Labpack of chemicals in abandoned Chemical plant Lab

Section 5 - Is This Hazardous Waste?

Please refer to Section 5 of the EQ Resource Guide for a list of waste codes.

As determined by 40 CFR, Part 261 and Michigan Act 451 Rules:

Please list applicable waste code(s):

- 5.1) Is this an EPA RCRA listed hazardous waste (F, K, P or U)? ☐ Yes ☒ No
Comments:
5.2) Is this an EPA RCRA characteristic hazardous waste (D001-D043)? ☒ Yes ☐ No
Comments:
5.3) Do any State Hazardous Waste Codes apply? ☐ Yes ☒ No
Comments:
5.4) Is this waste intended for wastewater treatment? ☐ Yes* ☒ No

D002

If you answered "No" to questions 5.1, 5.2, and 5.3, please skip to Section 7.
*If you answered "Yes" to question 5.4, please complete the WCR Addendum.

Section 6 - Hazardous Wastes

6.1) Does this waste exceed Land Disposal Restriction Levels?

6.1a) If this waste stream is greater than 50% soil, does it meet the alternative soil treatment standards of 40 CFR 268.49?

6.1b) Does this waste contain greater than 50% debris, by volume? (Debris is greater than 2.5 inches in size.)

6.2) Is the waste an oxidizer (D001)?

6.3) Does this waste contain reactive cyanide \geq 250 ppm (D003)?

6.4) Does this waste contain reactive sulfide \geq 500 ppm (D003)?

6.5) Please indicate which constituent concentrations are below or above the regulatory level. Please indicate the basis used in the determination. Either 'Below' or 'Above' **MUST** be checked for each constituent.

Based On: ☒ Generator Knowledge ☐ Analysis* ☐ MSDS*

*Please forward a copy. Analysis or MSDS are required for EQ Florida Non-hazardous wastes.

Code	Regulatory Level	TCLP (mg/l)	Concentration (if above)
D004	Arsenic	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D005	Barium	100	<input checked="" type="radio"/> Below <input type="radio"/> Above
D006	Cadmium	1	<input checked="" type="radio"/> Below <input type="radio"/> Above
D007	Chromium	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D008	Lead	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D009	Mercury	0.2	<input checked="" type="radio"/> Below <input type="radio"/> Above
D010	Selenium	1	<input checked="" type="radio"/> Below <input type="radio"/> Above
D011	Silver	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D012	Endrin	0.02	<input checked="" type="radio"/> Below <input type="radio"/> Above
D013	Lindane	0.4	<input checked="" type="radio"/> Below <input type="radio"/> Above
D014	Methoxychlor	10	<input checked="" type="radio"/> Below <input type="radio"/> Above
D015	Toxaphene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D016	2,4-D	10	<input checked="" type="radio"/> Below <input type="radio"/> Above
D017	2,4,5-TP (Silvex)	1	<input checked="" type="radio"/> Below <input type="radio"/> Above
D018	Benzene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D019	Carbon Tetrachloride	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D020	Chlordane	0.03	<input checked="" type="radio"/> Below <input type="radio"/> Above
D021	Chlorobenzene	100	<input checked="" type="radio"/> Below <input type="radio"/> Above
D022	Chloroform	6.0	<input checked="" type="radio"/> Below <input type="radio"/> Above
D023	o-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above

Code	Regulatory Level	TCLP (mg/l)	Concentration (if above)
D024	m-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above
D025	p-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above
D026	Cresols	200	<input checked="" type="radio"/> Below <input type="radio"/> Above
D027	1,4-Dichlorobenzene	7.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D028	1,2-Dichloroethane	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D029	1,1-Dichloroethylene	0.7	<input checked="" type="radio"/> Below <input type="radio"/> Above
D030	2,4-Dinitrotoluene	0.13	<input checked="" type="radio"/> Below <input type="radio"/> Above
D031	Heptachlor	0.008	<input checked="" type="radio"/> Below <input type="radio"/> Above
D032	Hexachlorobenzene	0.13	<input checked="" type="radio"/> Below <input type="radio"/> Above
D033	Hexachlorobutadiene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D034	Hexachloroethane	3.0	<input checked="" type="radio"/> Below <input type="radio"/> Above
D035	Methyl Ethyl Ketone	200	<input checked="" type="radio"/> Below <input type="radio"/> Above
D036	Nitrobenzene	2	<input checked="" type="radio"/> Below <input type="radio"/> Above
D037	Peritachlorophenol	100	<input checked="" type="radio"/> Below <input type="radio"/> Above
D038	Pyridine	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D039	Tetrachloroethylene	0.7	<input checked="" type="radio"/> Below <input type="radio"/> Above
D040	Trichloroethylene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D041	2,4,5-Trichlorophenol	400	<input checked="" type="radio"/> Below <input type="radio"/> Above
D042	2,4,6-Trichlorophenol	2	<input checked="" type="radio"/> Below <input type="radio"/> Above
D043	Vinyl Chloride	0.2	<input checked="" type="radio"/> Below <input type="radio"/> Above

6.6) If this is a characteristic hazardous waste, does it contain underlying hazardous constituents?

If you answered 'Yes', please list the constituents in Section 11.

☐ Yes ☒ No

Section 7 - Non-Hazardous Wastes

For a complete list of non-hazardous waste codes, please refer to Section 7 of the EQ Resource Guide.

7.1) Is this a Michigan non-hazardous liquid industrial waste?

Comments:

☐ Yes ☒ No

7.2) Is this a Universal waste?

☐ Yes ☒ No

7.3) Is this a Recyclable Commodity? (e.g.: computer monitors, free mercury, etc.)

☐ Yes ☒ No

7.4) Is this waste a recoverable petroleum product?

☐ Yes ☒ No

7.5) Is this waste used oil as defined by 40 CFR Part 279?

☐ Yes ☒ No

Applicable waste code(s):

Section 8 - TSCA Information

8.1) What is the concentration of PCBs in the waste?

☒ None

☐ 50-499 ppm

☐ 0-5 ppm

☐ 6-49 ppm

☐ 500+ ppm

8.2) Does the waste contain PCB contamination from a source with a concentration ≥ 50 ppm?

If you answered 'None' to 8.1 and 'No' to 8.2, please skip to Section 9.

☒ Yes

☐ No

8.3) Has this waste been processed into a non-liquid form?

If yes, what was the concentration of PCBs prior to processing? (ppm)

☒ Yes

☐ No

8.4) Is the non-liquid PCB waste in the form of soil, rags, debris, or other contaminated media?

☒ Yes

☐ No

8.5) Are you a PCB capacitor manufacturer or a PCB equipment manufacturer?

☒ Yes

☐ No

8.6) Has the PCB Article (e.g., transformer, hydraulic machine, PCB-contaminated electrical equipment) been drained/flushed of all PCBs and decontaminated in accordance with 40 CFR 761.60(b)?

☒ Yes

☐ No

Section 9 - Clean Air Act Information

9.1) Is this waste subject to regulation under 40 CFR, Part 63, Subpart DD or 40 CFR, Part 264, Subpart CC (RCRA)?

(Does the waste contain >500 ppm Volatile Organic Hazardous Air Pollutants - VOHAP's or Volatile Organic Compounds - VOC's?)

For a complete list of VOHAP's, please see Section 11 of the EQ Resource Guide.

☒ Yes

☐ No

9.2) Is this site, or waste, subject to any other MACT or NESHAP?

If yes, please specify:

☒ Yes

☐ No

9.3) Does this waste stream contain Benzene?

If you answered "No" to question 9.2, please skip to section 10.

☒ Yes

☐ No

9.4) Does the waste stream come from a facility with one of the SIC/NAICS codes listed under the Benzene NESHAP identified in 40 CFR 61, Subpart FF?

☒ Yes

☐ No

9.5) Is the generating source of this waste stream a facility with Total Annual Benzene (TAB) ≥ 10 Mg/year?

For assistance in calculating the TAB, please see the TAB Worksheet in Section 9 of the EQ Resource Guide.

☒ Yes

☐ No

If you answered "No" to question 9.3 and 9.4, please skip to Section 10.

9.6) Does the waste contain > 10% water?

☐ Yes

☐ No

9.7) What is the TAB quantity for your facility?

Mg/year

9.8) Does the waste contain >1.0 mg/kg total Benzene?

☐ Yes

☐ No

9.9) What is the total Benzene concentration in your waste?

(concentration)

(unit)

(Supporting analysis must be attached. Do not use TCLP analytical results. Acceptable laboratory methods include 8020, 8240, 8260, 602 and 624.)

*For a list of NAICS codes, please refer to section 9 of the EQ Resource Guide.

Section 10 - Fuel Blending Information

10.1) Is this waste intended for fuel blending?

☐ Yes*

☒ No

If you answered 'Yes' to question 10.1, please enter the following:

Heat value (BTU/lb.)

Chlorine (%)

Water (%)

Solids (%)

10.2) Is this waste intended for reclamation?

☐ Yes

☒ No

(5-Gallon Sample required for all reclaim waste streams)

Section 11 - Constituent Information

Please identify your waste constituents from these four categories: Underlying Hazardous Constituents (UHC's), Volatile Organic Hazardous Air Pollutants (VOHAP's), Volatile Organic Compounds (VOC's) and Toxic Release Inventory Constituents (TRI)

Constituent

Concentration


UHC?

Please see Section 11 of the EQ Resource Guide for a list of UHC's, VOHAP's and VOC's. For a complete list of TRI constituents, please refer to 40 CFR 372.65.

Section 12 - Certification

I certify that all information (including attachments) is complete and factual and is an accurate representation of the known and suspected hazards, pertaining to the waste described herein. I authorize EQ's Resource Team to add supplemental information to the waste approval file, provided I am contacted and give verbal permission. I authorize EQ's Resource Team to obtain a sample from any waste shipment for purposes of verification. Generator or on Generator's behalf shall be subject to, and Generator shall be bound by, the attached Standard Terms and Conditions and confirmation. I agree that, if EQ approves the waste described herein, all such wastes that are transported, delivered, or tendered to EQ by

Comments:
logged in

Generator:  JERRY B. BANKS
Authorized Generator Signature Printed Generator Name

Company: MS Dept. of Environmental Quality Title: Chief, Groundwater Assessment Date: 12/12/07

The generator's signature MUST appear on the EQ Waste Characterization Report. If the generator has authorized a third party to certify this document, a written notice (on generator letterhead) must accompany this submittal. Although the EQ Resource Team is authorized to make certain modifications to the information provided on this form, the addition or removal of waste codes and waste constituents must be documented by the generator.

STANDARD TERMS AND CONDITIONS

The Agreement between the Customer and EQ - The Environmental Quality Company and/or its member companies (hereinafter "EQ") related to or associated with Delivered Waste, as herein defined, shall be governed by the following Standard Terms and Conditions in addition to the terms and conditions contained in any Waste Characterization Report, Customer Approval Quote Confirmation, Generator Approval Notification, Notice of Waste Approval Expiration, and/or Credit Agreement associated with such Delivered Waste.

The Customer may use its standard forms (such as purchase orders, acknowledgments of orders, and invoices) to administer its dealings under this Agreement for convenience purposes, but all provisions thereof in conflict with these terms and conditions shall be deemed stricken.

Definitions.

The following definitions shall apply for purposes of this Agreement:

"Acceptable Waste" shall mean any hazardous waste, as defined under applicable State or federal law, determined by EQ as acceptable for treatment and/or disposal in accordance with this Agreement.

"Delivered Wastes" shall mean all wastes (i) which are transported, delivered, or tendered to EQ by the Customer; (ii) which the Customer has arranged for the transport, delivery or tender to EQ; or (iii) which are transported, delivered, or tendered to EQ under a Credit Agreement between the Customer and EQ.

"Non-Conforming Wastes" shall mean wastes that (a) are not in accordance in all material respects with the warranties, descriptions, specifications or limitations stated in the Waste Characterization Report and this Agreement; (b) have constituents or components of a type or concentration not specifically identified in the Waste Characterization Report (i) which increase the nature or extent of the hazard and risk undertaken by EQ in treating and/or disposing of the waste, or (ii) for whose treatment and/or disposal a Waste Management Facility is not designed or permitted, or (iii) which increase the cost of treatment and/or disposal of waste beyond that specified in EQ's price quote; or (c) are not properly packaged, labeled, described, or placarded, or otherwise not in compliance with United States Department of Transportation and United States Environmental Protection Agency regulations.

Control of Operations.

EQ shall have sole control over all aspects of the operation of any treatment and/or disposal facility of EQ receiving Delivered Wastes under this Agreement (hereinafter "Waste Management Facility"), including, without limitation, maintaining EQ's desired volume of Acceptable Wastes being delivered to any Waste Management Facility by the Customer or any other person or entity.

Identification of Waste.

For each waste material to be transported, delivered, or tendered to EQ under this Agreement, the Customer shall provide, or cause to be provided, to EQ a representative sample of the waste material and a completed Waste Characterization Report containing a physical and chemical description or analysis of such waste material, which description shall conform with any and all guidelines for waste acceptance provided by EQ. On the basis of EQ's analysis of such representative sample of the waste material and such Waste Characterization Report, EQ will determine whether such wastes are Acceptable Wastes. EQ does not make any guarantee that it will handle any waste material or any particular quantity or type of waste material, and EQ reserves the right to the decline to transport, treat and/or dispose of waste material. The Customer shall promptly furnish to EQ any information regarding known, suspected or planned changes in the composition of the waste material. Further, the Customer shall promptly inform EQ of any change in the characteristic or condition of the waste material which becomes known to the Customer subsequent to the date of the Waste Characterization Report.

Non-Conforming Wastes.

In the event that EQ at any time discovers that any Delivered Waste is Non-Conforming Waste, EQ may reject or revoke its acceptance of the Non-Conforming Waste. The Customer shall have seven (7) days to direct an alternative lawful manner of disposition of the waste, unless it is necessary by reason of law or otherwise to move the Non-Conforming Waste prior to expiration of the seven (7) day period. If the Customer does not direct an alternative disposal, at its option, EQ may return any such Non-Conforming Wastes to the Customer, and the Customer shall pay or reimburse EQ for all costs and expenses incurred by EQ in connection with the receipt, handling, sampling, analyses, transportation and return to the Customer of such Non-Conforming Wastes. If it is impossible or impractical for EQ to return the Non-Conforming Waste to the Customer, the Customer shall reimburse EQ for all costs, of any type or nature whatsoever, incurred by EQ, solely because such Delivered Waste was Non-Conforming Waste (including, but not limited to, all costs associated with any remedial steps necessary, due to the nature of the Non-Conforming Waste, in connection with material with which the Non-Conforming Waste may have been commingled and all expenses and charges for analyzing, handling, locating, preparing for transporting, storing and disposing of any Non-Conforming Waste).

Customer Warranty - Title to Wastes.

Either the Customer or the generator (if other than the Customer) shall hold clear title, free of any all liens, claims, encumbrances, and charges to Delivered Waste until such waste is accepted by EQ.

Customer Warranty - Acceptable Wastes.

All Delivered Wastes shall be Acceptable Wastes and shall conform in all material respects to the description and specifications contained in the Waste Characterization Report. The information set forth in the Waste Characterization Report or any manifest, placard or label associated with any Delivered Wastes, or otherwise represented by the Customer or the generator (if other than the Customer) to EQ, is and shall be true, accurate and complete as of the date of receipt of the involved waste by EQ.

Customer Warranty - Compliance with Laws.

The Customer shall comply with all applicable federal, state and local environmental statutes, regulations, and other governmental requirements, as well as directives issued by EQ from time to time, governing the transportation, treatment and/or disposal of Acceptable Wastes, including, but not limited to, all packaging, manifesting, containerization, placarding and labeling requirements.

Customer Warranty - Updating Information.

If the Customer receives information that Delivered Waste or other hazardous waste described in the Waste Characterization Report, or some component of such waste, presents or may present a hazard or risk to persons, property or the environment which was not disclosed to EQ, or if the Customer or generator (if other than the Customer) has changed the process by which such waste results, the Customer shall promptly report such information to EQ in writing.

Customer Indemnity.

The Customer shall indemnify, defend and hold harmless EQ, and its affiliated or related companies, and all of their respective present or future officers, directors, shareholders, employees and agents from and against any and all losses, damages, liabilities, penalties, fines, forfeitures, demands, claims, causes of action, suits, costs and expenses (including, but not limited to, reasonable costs of defense, settlement, and reasonable attorneys' fees), which may be asserted against any or all of them by any person or any governmental agency, or which any or all of them may hereafter suffer, incur, be responsible for or pay out, as a result of or in connection with bodily injuries (including, but not limited to, death, sickness, disease and emotional or mental distress) to any person (including EQ's employees), damage (including, but not limited to, loss of use) to any property (public or private), or any requirements to conduct or incur expense for investigative, removal or remedial expenses in connection with contamination of or adverse effect on the environment, or any violation or alleged violation of any statutes, ordinances, orders, rules or regulations of any governmental entity or agency, caused or arising out of (i) a breach of this Agreement by the Customer, (ii) the failure of any warranty of the Customer to be true, accurate and complete, or (iii) any willful or negligent act or omission of the Customer, or its employees or agents in connection with the performance of this Agreement.

Force Majeure.

EQ shall not be liable for any failure to accept, receive, handle, treat, and/or dispose of Delivered Waste due to an act of God, fire, casualty, flood, war, strike, lockout, labor trouble, failure of public utilities, equipment failure, facility shutdown, injunction, accident, epidemic, riot, insurrection, destruction of operation or transportation facilities, the inability to procure materials, equipment, or sufficient personnel or energy in order to meet operational needs without the necessity of allocation, the failure or inability to obtain any governmental approvals or to meet Environmental Requirements (including, but not limited to voluntary or involuntary compliance with any act, exercise, assertion, or requirement of any governmental authority) which may temporarily or permanently prohibit operations of EQ, the Customer, or the Generator, or any other circumstances beyond the control of EQ which prevents or delays performance of any of its obligations under this Agreement.

Governing Laws.

This Agreement shall in all respects be governed by and shall be construed in accordance with the laws of the State of Michigan applied to contracts executed and performed wholly within such state.

EQ - The Environmental Quality Company

Waste Characterization Report

☒ I authorize EQ - The Environmental Quality Company to choose the appropriate method of waste management, from the technologies offered, at the EQ facilities identified below.

<input type="checkbox"/> Michigan Disposal Waste Treatment Plant (Stabilization and Treatment)	49350 North I-94 Service Drive, Belleville, Michigan 48111 Phone: 1-800-592-5489 Fax: 1-800-592-5329	EPA ID #MID000724831
<input type="checkbox"/> Wayne Disposal, Inc. (Hazardous & PCB Waste Landfill)	49350 North I-94 Service Drive, Belleville, Michigan 48111 Phone: 1-800-592-5489 Fax: 1-800-592-5329	EPA ID #MID048090633
<input type="checkbox"/> EQ Detroit, Inc. (Stabilization, Wastewater Treatment)	1923 Frederick, Detroit, MI 48211 Phone: 1-800-495-6059 Fax: 1-313-923-3375	EPA ID #MID980991566
<input type="checkbox"/> EQ Resource Recovery, Inc. (Solvent Recycling, Fuel Blending, WW Treatment)	36345 Van Born Road, Romulus, Michigan 48174 Phone: (734) 727-5500 Fax: (734) 326-4033	EPA ID #MID060975844
<input type="checkbox"/> EQIS North Carolina (Stabilization, Treatment, Labpack Decommissioning)	1005 Investment Blvd., Apex, NC 27502 Phone: (919) 363-4700 Fax: (919) 363-4714	EPA ID #NCD982170292
<input type="checkbox"/> EQ Florida, Inc. (Drum Consolidation, Labpack Decommissioning)	7202 East Eighth Ave., Tampa, FL 33619 Phone: 1-800-624-5302 Fax: 1-813-628-0842	EPA ID #FLD981932494
<input type="checkbox"/> EQ Detroit Transfer and Processing (Drum Transfer/Universal Waste Handling)	2000 Ferry Street, Detroit, MI 48211 Phone: (313) 923-0080 Fax: (313) 922-8419	EPA ID #MIK939928313
<input type="checkbox"/> EQIS Indianapolis Transfer and Processing (Drum Transfer/Non-Hazardous Waste Processing)	4000 West 10th Street, Indianapolis, Indiana 46222 Phone: (317) 247-7160 Fax: (317) 247-7170	EPA ID #IND161049309
<input type="checkbox"/> EQIS Atlanta Transfer and Processing (Drum Transfer/Non-Hazardous Waste Processing)	5600 Fulton Industrial Blvd., Atlanta, Georgia 30336 Phone: (404) 494-3520 Fax: (404) 494-3560	EPA ID #GAR000039776
<input type="checkbox"/> EQ Augusta, Inc. (Wastewater Treatment)	3920 Goshen Industrial Blvd., Augusta, GA 30906 Phone: 706-771-9100 Fax: 706-771-9124	EPA ID #GAR000011817

Waste Common Name: Calibration Gases Non Flammable

Section 1 - Generator & Customer Info

SIC/NAICS*:

Generator EPA ID: MST-MP0-002-452

EQ Customer No.: 10958

Generator: Mississippi DEQ
Address: 4280 Rifle Range Rd
City: Vicksburg
State: MS Zip: 39180
County: Warren

Mailing Address

Address: P.O. Box 20326
City: Jackson
State: MS Zip: 39289

Generator Contact

Name: Trey Hess / Jerry Banks
Title:
Phone: (601) 961-5221/6019615654
Fax: () -

Invoicing Company

Company: USES JACKSON
Address: 1075 MENDELL DAVIS DRIVE
City: JACKSON
State: MS Zip: 39212
Country: USA

Invoicing Contact

Name: Wanda Horton
Phone: (601) 372-3232
Fax: () -

Technical Contact

Name: J.T. Newman
Phone: (601) 372-3232
Fax: () -
Mobile: () - Pager: () -
E-mail: jnewman@usesgroup.com

*For a list of NAICS codes, please refer to Section 9 of the EQ Resource Guide.

Section 2 - Shipping & Packaging Info

- 2.1) Shipping Volume & Unit: 55 gallon Frequency: One Time Only
2.2) DOT Shipping Name: Compressed gas, n.o.s.
2.3) Is this waste surcharge exempt? ☐ Yes ☒ No (If you answered "Yes" to question 2.3, select the Surcharge Exemption reason.)

2.4) Packaging (check all that apply)

- ☐ Bulk Solid (yd ³ < 2000 lbs./yd ³) ☐ Bulk Solid (Ton > 2000 lbs./yd ³) ☐ Bulk Liquids (Gallon)
☐ Totes, Size ☐ Cubic Yard Boxes/Bags ☒ Drums, Size 55 gallon
☐ Other (palletized, 5 gal. Pail, etc.)

Quoted bulk disposal charges for solid materials will be billed by the cubic yard, if the waste density is less than 2,000lbs./cubic yard. If waste density is greater than 2,000 lbs./cubic yard, then bulk disposal charges will be billed by the ton, regardless of the approved container.

Section 3 - Physical Characteristics

- 3.1) Color: VARIES 3.2) Odor: none
3.3) Does this waste contain any "Potentially Odorous Constituents" as defined in the EQ Resource Guide? (Section 3) ☐ Yes ☒ No
3.4) Physical State at 70 °F: ☐ Solid ☐ Dust/Powder ☒ Liquid ☐ Sludge
3.5) What is the pH of this waste? ☐ ≤ 2 ☐ 2.1-4.9 ☒ 5-10 ☐ 10.1-12.4 ☐ ≥ 12.5
3.6) What is the flash point of this waste? ☐ <90 °F ☐ 90-139 °F ☐ 140-199 °F ☐ ≥ 200 °F
3.7) Does this waste contain? (check all that apply) ☒ None ☐ Free Liquids ☐ Oily Residue ☐ Metal Fines
☐ Biodegradable Sorbants ☐ Amines ☐ Ammonia ☐ Water Reactive ☐ Biohazard ☐ Aluminum
☐ Shock Sensitive Waste ☐ Reactive Waste ☐ Radioactive Waste ☐ Explosives ☐ Pyrophoric Waste ☐ Isocyanates
☐ Asbestos - non-friable ☐ Asbestos - friable ☐ Dioxins ☐ Furans

Section 4 - Composition / Generating Process

- 4.1) Describe the physical composition of the waste (i.e., soil, water, PPE, debris, key chemical compounds, etc.)
Calibration Gases from 100. to 100. %
4.2) Provide a detailed description of the process generating this waste. (attach flow diagram if available).
Labpack of chemicals in abandoned Chemical plant Lab
Calibration Gases are 75 percent Nitrogen and 20 percent Oxygen with remaining being inert ingredients

Section 5 - Is This Hazardous Waste?

Please refer to Section 5 of the EQ Resource Guide for a list of waste codes.

As determined by 40 CFR, Part 261 and Michigan Act 451 Rules:

Please list applicable waste code(s):

- 5.1) Is this an EPA RCRA listed hazardous waste (F, K, P or U)? ☐ Yes ☒ No
Comments:
5.2) Is this an EPA RCRA characteristic hazardous waste (D001-D043)? ☐ Yes ☒ No
Comments:
5.3) Do any State Hazardous Waste Codes apply? ☐ Yes ☒ No
Comments:
5.4) Is this waste intended for wastewater treatment? ☐ Yes* ☒ No

If you answered "No" to questions 5.1, 5.2, and 5.3, please skip to Section 7.
If you answered "Yes" to question 5.4, please complete the WCR Addendum.

Section 6 - Hazardous Wastes

6.1) Does this waste exceed Land Disposal Restriction Levels?

6.1a) If this waste stream is greater than 50% soil, does it meet the alternative soil treatment standards of 40 CFR 268.49?

6.1b) Does this waste contain greater than 50% debris, by volume? (Debris is greater than 2.5 inches in size.)

6.2) Is the waste an oxidizer (D001)?

6.3) Does this waste contain reactive cyanide \geq 250 ppm (D003)?

6.4) Does this waste contain reactive sulfide \geq 500 ppm (D003)?

6.5) Please indicate which constituent concentrations are below or above the regulatory level. Please indicate the basis used in the determination. Either 'Below' or 'Above' **MUST** be checked for each constituent.

Based On: ☒ Generator Knowledge ☐ Analysis* ☐ MSDS*

*Please forward a copy. Analysis or MSDS are required for EQ Florida Non-hazardous wastes.

Code	Regulatory Level	TCLP (mg/l)	Concentration (if above)
D004	Arsenic	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D005	Barium	100	<input checked="" type="radio"/> Below <input type="radio"/> Above
D006	Cadmium	1	<input checked="" type="radio"/> Below <input type="radio"/> Above
D007	Chromium	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D008	Lead	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D009	Mercury	0.2	<input checked="" type="radio"/> Below <input type="radio"/> Above
D010	Selenium	1	<input checked="" type="radio"/> Below <input type="radio"/> Above
D011	Silver	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D012	Endrin	0.02	<input checked="" type="radio"/> Below <input type="radio"/> Above
D013	Lindane	0.4	<input checked="" type="radio"/> Below <input type="radio"/> Above
D014	Methoxychlor	10	<input checked="" type="radio"/> Below <input type="radio"/> Above
D015	Toxaphene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D016	2,4-D	10	<input checked="" type="radio"/> Below <input type="radio"/> Above
D017	2,4,5-TP (Silvex)	1	<input checked="" type="radio"/> Below <input type="radio"/> Above
D018	Benzene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D019	Carbon Tetrachloride	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D020	Chlordane	0.03	<input checked="" type="radio"/> Below <input type="radio"/> Above
D021	Chlorobenzene	100	<input checked="" type="radio"/> Below <input type="radio"/> Above
D022	Chloroform	6.0	<input checked="" type="radio"/> Below <input type="radio"/> Above
D023	o-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above

Code	Regulatory Level	TCLP (mg/l)	Concentration (if above)
D024	m-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above
D025	p-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above
D026	Cresols	200	<input checked="" type="radio"/> Below <input type="radio"/> Above
D027	1,4-Dichlorobenzene	7.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D028	1,2-Dichloroethane	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D029	1,1-Dichloroethylene	0.7	<input checked="" type="radio"/> Below <input type="radio"/> Above
D030	2,4-Dinitrotoluene	0.13	<input checked="" type="radio"/> Below <input type="radio"/> Above
D031	Heptachlor	0.008	<input checked="" type="radio"/> Below <input type="radio"/> Above
D032	Hexachlorobenzene	0.13	<input checked="" type="radio"/> Below <input type="radio"/> Above
D033	Hexachlorobutadiene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D034	Hexachloroethane	3.0	<input checked="" type="radio"/> Below <input type="radio"/> Above
D035	Methyl Ethyl Ketone	200	<input checked="" type="radio"/> Below <input type="radio"/> Above
D036	Nitrobenzene	2	<input checked="" type="radio"/> Below <input type="radio"/> Above
D037	Pentachlorophenol	100	<input checked="" type="radio"/> Below <input type="radio"/> Above
D038	Pyridine	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D039	Tetrachloroethylene	0.7	<input checked="" type="radio"/> Below <input type="radio"/> Above
D040	Trichloroethylene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D041	2,4,5-Trichlorophenol	400	<input checked="" type="radio"/> Below <input type="radio"/> Above
D042	2,4,6-Trichlorophenol	2	<input checked="" type="radio"/> Below <input type="radio"/> Above
D043	Vinyl Chloride	0.2	<input checked="" type="radio"/> Below <input type="radio"/> Above

6.6) If this is a characteristic hazardous waste, does it contain underlying hazardous constituents?

If you answered 'Yes', please list the constituents in Section 11.

☐ Yes ☒ No

Section 7 - Non-Hazardous Wastes

For a complete list of non-hazardous waste codes, please refer to Section 7 of the EQ Resource Guide.

Applicable waste code(s):

7.1) Is this a Michigan non-hazardous liquid industrial waste?

☐ Yes ☒ No

Comments:

7.2) Is this a Universal waste?

☐ Yes ☒ No

7.3) Is this a Recyclable Commodity? (e.g.: computer monitors, free mercury, etc.)

☐ Yes ☒ No

7.4) Is this waste a recoverable petroleum product?

☐ Yes ☒ No

7.5) Is this waste used oil as defined by 40 CFR Part 279?

☐ Yes ☒ No

Section 8 - TSCA Information

8.1) What is the concentration of PCBs in the waste?

☒ None

☐ 50-499 ppm

☐ 0-5 ppm

☐ 500+ ppm

☐ 6-49 ppm

8.2) Does the waste contain PCB contamination from a source with a concentration ≥ 50 ppm?

If you answered 'None' to 8.1 and 'No' to 8.2, please skip to Section 9.

☐ Yes ☒ No

8.3) Has this waste been processed into a non-liquid form?

If yes, what was the concentration of PCBs prior to processing? (ppm)

☐ Yes ☐ No

☐ 0-499 ☐ 500+

8.4) Is the non-liquid PCB waste in the form of soil, rags, debris, or other contaminated media?

☐ Yes ☐ No

8.5) Are you a PCB capacitor manufacturer or a PCB equipment manufacturer?

☐ Yes ☐ No

8.6) Has the PCB Article (e.g., transformer, hydraulic machine, PCB-contaminated electrical equipment) been drained/flushed of all PCBs and decontaminated in accordance with 40 CFR 761.60(b)?

☐ Yes ☐ No

Section 9 - Clean Air Act Information

9.1) Is this waste subject to regulation under 40 CFR, Part 63, Subpart DD or 40 CFR, Part 264, Subpart CC (RCRA)?

(Does the waste contain >500 ppm Volatile Organic Hazardous Air Pollutants - VOHAP's or Volatile Organic Compounds - VOC's?)

For a complete list of VOHAPs, please see Section 11 of the EQ Resource Guide.

☐ Yes ☒ No

9.2) Is this site, or waste, subject to any other MACT or NESHAP?

If yes, please specify:

☐ Yes ☒ No

9.3) Does this waste stream contain Benzene?

If you answered "No" to question 9.2, please skip to section 10.

☐ Yes ☒ No

9.4) Does the waste stream come from a facility with one of the SIC/NAICS codes listed under the Benzene NESHAP identified in 40 CFR 61, Subpart FF?

☐ Yes ☐ No

9.5) Is the generating source of this waste stream a facility with Total Annual Benzene (TAB) ≥ 10 Mg/year?

For assistance in calculating the TAB, please see the TAB Worksheet in Section 9 of the EQ Resource Guide.

☐ Yes ☒ No

If you answered "No" to question 9.3 and 9.4, please skip to Section 10.

9.6) Does the waste contain > 10% water?

☐ Yes ☐ No

9.7) What is the TAB quantity for your facility?

Mg/year

9.8) Does the waste contain >1.0 mg/kg total Benzene?

☐ Yes ☐ No

9.9) What is the total Benzene concentration in your waste?

(concentration)

(unit)

(Supporting analysis must be attached. Do not use TCLP analytical results. Acceptable laboratory methods include 8020, 8240, 8260, 602 and 624.)

*For a list of NAICS codes, please refer to section 9 of the EQ Resource Guide.

Section 10 - Fuel Blending Information

10.1) Is this waste intended for fuel blending?

If you answered 'Yes' to question 10.1, please enter the following:

☐ Yes* ☒ No

Heat value (BTU/lb.)

Chlorine (%)

Water (%)

Solids (%)

10.2) Is this waste intended for reclamation?

☐ Yes

☒ No

(5-Gallon Sample required for all reclaim waste streams)

Section 11 - Constituent Information

Please identify your waste constituents from these four categories: Underlying Hazardous Constituents (UHC's), Volatile Organic Hazardous Air Pollutants (VOHAP's), Volatile Organic Compounds (VOC's) and Toxic Release Inventory Constituents (TRI)

Constituent

Concentration

UHC?

Please see Section 11 of the EQ Resource Guide for a list of UHC's, VOHAP's and VOC's. For a complete list of TRI constituents, please refer to 40 CFR 372.65.

Section 12 - Certification

I certify that all information (including attachments) is complete and factual and is an accurate representation of the known and suspected hazards, pertaining to the waste described herein. I authorize EQ's Resource Team to add supplemental information to the waste approval file, provided I am contacted and give verbal permission. I authorize EQ's Resource Team to obtain a sample from any waste shipment for purposes of verification. Generator or on Generator's behalf shall be subject to, and Generator shall be bound by, the attached Standard Terms and Conditions. and confirmation. I agree that, if EQ approves the waste described herein, all such wastes that are transported, delivered, or tendered to EQ by

Comments:
logged in

Generator:


Authorized Generator Signature

JERRY B. BANKS
Printed Generator Name

Company:

MS Dept. of Environmental Quality

Title:

Chief Groundwater Assessment

Date:

12/12/07

The generator's signature MUST appear on the EQ Waste Characterization Report. If the generator has authorized a third party to certify this document, a written notice (on generator letterhead) must accompany this submittal. Although the EQ Resource Team is authorized to make certain modifications to the information provided on this form, the addition or removal of waste codes and waste constituents must be documented by the generator.

STANDARD TERMS AND CONDITIONS

The Agreement between the Customer and EQ - The Environmental Quality Company and/or its member companies (hereinafter "EQ") related to or associated with Delivered Waste, as herein defined, shall be governed by the following Standard Terms and Conditions in addition to the terms and conditions contained in any Waste Characterization Report, Customer Approval Quote Confirmation, Generator Approval Notification, Notice of Waste Approval Expiration, and/or Credit Agreement associated with such Delivered Waste.

The Customer may use its standard forms (such as purchase orders, acknowledgments of orders, and invoices) to administer its dealings under this Agreement for convenience purposes, but all provisions thereof in conflict with these terms and conditions shall be deemed stricken.

Definitions.

The following definitions shall apply for purposes of this Agreement:

"Acceptable Waste" shall mean any hazardous waste, as defined under applicable State or federal law, determined by EQ as acceptable for treatment and/or disposal in accordance with this Agreement.

"Delivered Wastes" shall mean all wastes (i) which are transported, delivered, or tendered to EQ by the Customer; (ii) which the Customer has arranged for the transport, delivery or tender to EQ; or (iii) which are transported, delivered, or tendered to EQ under a Credit Agreement between the Customer and EQ.

"Non-Conforming Wastes" shall mean wastes that (a) are not in accordance in all material respects with the warranties, descriptions, specifications or limitations stated in the Waste Characterization Report and this Agreement; (b) have constituents or components of a type or concentration not specifically identified in the Waste Characterization Report (i) which increase the nature or extent of the hazard and risk undertaken by EQ in treating and/or disposing of the waste, or (ii) for whose treatment and/or disposal a Waste Management Facility is not designed or permitted, or (iii) which increase the cost of treatment and/or disposal of waste beyond that specified in EQ's price quote; or (c) are not properly packaged, labeled, described, or placarded, or otherwise not in compliance with United States Department of Transportation and United States Environmental Protection Agency regulations.

Control of Operations.

EQ shall have sole control over all aspects of the operation of any treatment and/or disposal facility of EQ receiving Delivered Wastes under this Agreement (hereinafter

"Waste Management Facility"), including, without limitation, maintaining EQ's desired volume of Acceptable Wastes being delivered to any Waste Management Facility by the Customer or any other person or entity.

Identification of Waste.

For each waste material to be transported, delivered, or tendered to EQ under this Agreement, the Customer shall provide, or cause to be provided, to EQ a representative sample of the waste material and a completed Waste Characterization Report containing a physical and chemical description or analysis of such waste material, which description shall conform with any and all guidelines for waste acceptance provided by EQ. On the basis of EQ's analysis of such representative sample of the waste material and such Waste Characterization Report, EQ will determine whether such wastes are Acceptable Wastes. EQ does not make any guarantee that it will handle any waste material or any particular quantity or type of waste material, and EQ reserves the right to the decline to transport, treat and/or dispose of waste material. The Customer shall promptly furnish to EQ any information regarding known, suspected or planned changes in the composition of the waste material. Further, the Customer shall promptly inform EQ of any change in the characteristic or condition of the waste material which becomes known to the Customer subsequent to the date of the Waste Characterization Report.

Non-Conforming Wastes.

In the event that EQ at any time discovers that any Delivered Waste is Non-Conforming Waste, EQ may reject or revoke its acceptance of the Non-Conforming Waste. The Customer shall have seven (7) days to direct an alternative lawful manner of disposition of the waste, unless it is necessary by reason of law or otherwise to move the Non-Conforming Waste prior to expiration of the seven (7) day period. If the Customer does not direct an alternative disposal, at its option, EQ may return any such Non-Conforming Wastes to the Customer, and the Customer shall pay or reimburse EQ for all costs and expenses incurred by EQ in connection with the receipt, handling, sampling, analyses, transportation and return to the Customer of such Non-Conforming Wastes. If it is impossible or impractical for EQ to return the Non-Conforming Waste to the Customer, the Customer shall reimburse EQ for all costs, of any type or nature whatsoever, incurred by EQ, solely because such Delivered Waste was Non-Conforming Waste (including, but not limited to, all costs associated with any remedial steps necessary, due to the nature of the Non-Conforming Waste, in connection with material with which the Non-Conforming Waste may have been commingled and all expenses and charges for analyzing, handling, locating, preparing for transporting, storing and disposing of any Non-Conforming Waste).

Customer Warranty - Title to Wastes.

Either the Customer or the generator (if other than the Customer) shall hold clear title, free of any all liens, claims, encumbrances, and charges to Delivered Waste until such waste is accepted by EQ.

Customer Warranty - Acceptable Wastes.

All Delivered Wastes shall be Acceptable Wastes and shall conform in all material respects to the description and specifications contained in the Waste Characterization Report. The information set forth in the Waste Characterization Report or any manifest, placard or label associated with any Delivered Wastes, or otherwise represented by the Customer or the generator (if other than the Customer) to EQ, is and shall be true, accurate and complete as of the date of receipt of the involved waste by EQ.

Customer Warranty - Compliance with Laws.

The Customer shall comply with all applicable federal, state and local environmental statutes, regulations, and other governmental requirements, as well as directives issued by EQ from time to time, governing the transportation, treatment and/or disposal of Acceptable Wastes, including, but not limited to, all packaging, manifesting, containerization, placarding and labeling requirements.

Customer Warranty - Updating Information.

If the Customer receives information that Delivered Waste or other hazardous waste described in the Waste Characterization Report, or some component of such waste, presents or may present a hazard or risk to persons, property or the environment which was not disclosed to EQ, or if the Customer or generator (if other than the Customer) has changed the process by which such waste results, the Customer shall promptly report such information to EQ in writing.

Customer Indemnity.

The Customer shall indemnify, defend and hold harmless EQ, and its affiliated or related companies, and all of their respective present or future officers, directors, shareholders, employees and agents from and against any and all losses, damages, liabilities, penalties, fines, forfeitures, demands, claims, causes of action, suits, costs and expenses (including, but not limited to, reasonable costs of defense, settlement, and reasonable attorneys' fees), which may be asserted against any or all of them by any person or any governmental agency, or which any or all of them may hereafter suffer, incur, be responsible for or pay out, as a result of or in connection with bodily injuries (including, but not limited to, death, sickness, disease and emotional or mental distress) to any person (including EQ's employees), damage (including, but not limited to, loss of use) to any property (public or private), or any requirements to conduct or incur expense for investigative, removal or remedial expenses in connection with contamination of or adverse effect on the environment, or any violation or alleged violation of any statutes, ordinances, orders, rules or regulations of any governmental entity or agency, caused or arising out of (i) a breach of this Agreement by the Customer, (ii) the failure of any warranty of the Customer to be true, accurate and complete, or (iii) any willful or negligent act or omission of the Customer, or its employees or agents in connection with the performance of this Agreement.

Force Majeure.

EQ shall not be liable for any failure to accept, receive, handle, treat, and/or dispose of Delivered Waste due to an act of God, fire, casualty, flood, war, strike, lockout, labor trouble, failure of public utilities, equipment failure, facility shutdown, injunction, accident, epidemic, riot, insurrection, destruction of operation or transportation facilities, the inability to procure materials, equipment, or sufficient personnel or energy in order to meet operational needs without the necessity of allocation, the failure or inability to obtain any governmental approvals or to meet Environmental Requirements (including, but not limited to voluntary or involuntary compliance with any act, exercise, assent, or requirement of any governmental authority) which may temporarily or permanently prohibit operations of EQ, the Customer, or the Generator, or any other circumstances beyond the control of EQ which prevents or delays performance of any of its obligations under this Agreement.

Governing Laws.

This Agreement shall in all respects be governed by and shall be construed in accordance with the laws of the State of Michigan applied to contracts executed and performed wholly within such state.

EQ - The Environmental Quality Company

Waste Characterization Report

☒ I authorize EQ - The Environmental Quality Company to choose the appropriate method of waste management, from the technologies offered, at the EQ facilities identified below.

<input type="checkbox"/> Michigan Disposal Waste Treatment Plant (Stabilization and Treatment)	49350 North I-94 Service Drive, Belleville, Michigan 48111 Phone: 1-800-592-5489 Fax: 1-800-592-5329	EPA ID #MID000724831
<input type="checkbox"/> Wayne Disposal, Inc. (Hazardous & PCB Waste Landfill)	49350 North I-94 Service Drive, Belleville, Michigan 48111 Phone: 1-800-592-5489 Fax: 1-800-592-5329	EPA ID #MID048090633
<input type="checkbox"/> EQ Detroit, Inc. (Stabilization, Wastewater Treatment)	1923 Frederick, Detroit, MI 48211 Phone: 1-800-495-6059 Fax: 1-313-923-3375	EPA ID #MID980991566
<input type="checkbox"/> EQ Resource Recovery, Inc. (Solvent Recycling, Fuel Blending, WW Treatment)	36345 Van Born Road, Romulus, Michigan 48174 Phone: (734) 727-5500 Fax: (734) 326-4033	EPA ID #MID060975844
<input type="checkbox"/> EQIS North Carolina (Stabilization, Treatment, Labpack Decommissioning)	1005 Investment Blvd., Apex, NC 27502 Phone: (919) 363-4700 Fax: (919) 363-4714	EPA ID #NCD982170292
<input type="checkbox"/> EQ Florida, Inc. (Drum Consolidation, Labpack Decommissioning)	7202 East Eighth Ave., Tampa, FL 33619 Phone: 1-800-624-5302 Fax: 1-813-628-0842	EPA ID #FLD981932494
<input type="checkbox"/> EQ Detroit Transfer and Processing (Drum Transfer/Universal Waste Handling)	2000 Ferry Street, Detroit, MI 48211 Phone: (313) 923-0080 Fax: (313) 922-8419	EPA ID #MIK939928313
<input type="checkbox"/> EQIS Indianapolis Transfer and Processing (Drum Transfer/Non-Hazardous Waste Processing)	4000 West 10th Street, Indianapolis, Indiana 46222 Phone: (317) 247-7160 Fax: (317) 247-7170	EPA ID #IND161049309
<input type="checkbox"/> EQIS Atlanta Transfer and Processing (Drum Transfer/Non-Hazardous Waste Processing)	5600 Fulton Industrial Blvd., Atlanta, Georgia 30336 Phone: (404) 494-3520 Fax: (404) 494-3560	EPA ID #GAR000039776
<input type="checkbox"/> EQ Augusta, Inc. (Wastewater Treatment)	3920 Goshen Industrial Blvd., Augusta, GA 30906 Phone: 706-771-9100 Fax: 706-771-9124	EPA ID #GAR000011817

Waste Common Name: Cerium Octoate 13%

Section 1 - Generator & Customer Info

SIC/NAICS*:

Generator EPA ID: MST-MP0-002-452

EQ Customer No.: 10958

Generator: Mississippi DEQ
Address: 4280 Rifle Range Rd
City: Vicksburg
State: MS Zip: 39180
County: Warren

Mailing Address

Address: P.O. Box 20326
City: Jackson
State: MS Zip: 39289

Generator Contact

Name: Trey Hess / Jerry Banks
Title:
Phone: (601) 961-5221/601-961-5654
Fax: () -

Invoicing Company

Company: USES JACKSON
Address: 1075 MENDELL DAVIS DRIVE
City: JACKSON
State: MS Zip: 39212
Country: USA

Invoicing Contact

Name: Wanda Horton
Phone: (601) 372-3232
Fax: () -

Technical Contact

Name: J.T. Newman
Phone: (601) 372-3232
Fax: () -
Mobile: () - Pager: () -
E-mail: jnewman@usesgroup.com

*For a list of NAICS codes, please refer to Section 9 of the EQ Resource Guide.

Section 2 - Shipping & Packaging Info

- 2.1) Shipping Volume & Unit: 55 gallon Frequency: One Time Only
2.2) DOT Shipping Name: Flammable liquids, n.o.s.
2.3) Is this waste surcharge exempt? ☐ Yes ☒ No (If you answered "Yes" to question 2.3, select the Surcharge Exemption reason.)

2.4) Packaging (check all that apply)

- ☐ Bulk Solid (yd ³ < 2000 lbs/yd ³) ☐ Bulk Solid (Ton > 2000 lbs./yd ³) ☐ Bulk Liquids (Gallon)
☐ Totes, Size ☐ Cubic Yard Boxes/Bags ☒ Drums, Size 30 gallon
☐ Other (palletized, 5 gal. Pail, etc.)

Quoted bulk disposal charges for solid materials will be billed by the cubic yard, if the waste density is less than 2,000lbs./cubic yard. If waste density is greater than 2,000 lbs./cubic yard, then bulk disposal charges will be billed by the ton, regardless of the approved container.

Section 3 - Physical Characteristics

- 3.1) Color: VARIES 3.2) Odor: Naptha
3.3) Does this waste contain any "Potentially Odorous Constituents" as defined in the EQ Resource Guide? (Section 3) ☐ Yes ☒ No
3.4) Physical State at 70 °F: ☐ Solid ☐ Dust/Powder ☒ Liquid ☐ Sludge
3.5) What is the pH of this waste? ☐ ≤ 2 ☐ 2.1-4.9 ☒ 5-10 ☐ 10.1-12.4 ☐ ≥ 12.5
3.6) What is the flash point of this waste? ☐ <90 °F ☒ 90-139 °F ☐ 140-199 °F ☐ ≥ 200 °F
3.7) Does this waste contain? (check all that apply) ☐ None ☒ Free Liquids ☐ Oily Residue ☐ Metal Fines
☐ Biodegradable Sorbants ☐ Amines ☐ Ammonia ☐ Water Reactive ☐ Biohazard ☐ Aluminum
☐ Shock Sensitive Waste ☐ Reactive Waste ☐ Radioactive Waste ☐ Explosives ☐ Pyrophoric Waste ☐ Isocyanates
☐ Asbestos - non-friable ☐ Asbestos - friable ☐ Dioxins ☐ Furans

Section 4 - Composition / Generating Process

- 4.1) Describe the physical composition of the waste (i.e., soil, water, PPE, debris, key chemical compounds, etc.)
Mineral Spirits from 50. to 50. %
4.2) Provide a detailed description of the process generating this waste. (attach flow diagram if available).
Labpack of chemicals in abandoned Chemical plant Lab.

Section 5 - Is This Hazardous Waste?

Please refer to Section 5 of the EQ Resource Guide for a list of waste codes.

As determined by 40 CFR, Part 261 and Michigan Act 451 Rules:

Please list applicable waste code(s):

- 5.1) Is this an EPA RCRA listed hazardous waste (F, K, P or U)? ☐ Yes ☒ No
Comments:
5.2) Is this an EPA RCRA characteristic hazardous waste (D001-D043)? ☒ Yes ☐ No
Comments:
5.3) Do any State Hazardous Waste Codes apply? ☐ Yes ☒ No
Comments:
5.4) Is this waste intended for wastewater treatment? ☐ Yes* ☒ No

D001

If you answered "No" to questions 5.1, 5.2, and 5.3, please skip to Section 7.
If you answered "Yes" to question 5.4, please complete the WCR Addendum.

Section 6 - Hazardous Wastes

6.1) Does this waste exceed Land Disposal Restriction Levels?

6.1a) If this waste stream is greater than 50% soil, does it meet the alternative soil treatment standards of 40 CFR 268.49?

6.1b) Does this waste contain greater than 50% debris, by volume? (Debris is greater than 2.5 inches in size.)

6.2) Is the waste an oxidizer (D001)?

6.3) Does this waste contain reactive cyanide \geq 250 ppm (D003)?

6.4) Does this waste contain reactive sulfide \geq 500 ppm (D003)?

6.5) Please indicate which constituent concentrations are below or above the regulatory level. Please indicate the basis used in the determination. Either 'Below' or 'Above' **MUST** be checked for each constituent.

Based On: ☒ Generator Knowledge ☐ Analysis* ☐ MSDS*

*Please forward a copy. Analysis or MSDS are required for EQ Florida Non-hazardous wastes.

Code	Regulatory Level	TCLP (mg/l)	Concentration (if above)
D004	Arsenic	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D005	Barium	100	<input checked="" type="radio"/> Below <input type="radio"/> Above
D006	Cadmium	1	<input checked="" type="radio"/> Below <input type="radio"/> Above
D007	Chromium	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D008	Lead	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D009	Mercury	0.2	<input checked="" type="radio"/> Below <input type="radio"/> Above
D010	Selenium	1	<input checked="" type="radio"/> Below <input type="radio"/> Above
D011	Silver	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D012	Endrin	0.02	<input checked="" type="radio"/> Below <input type="radio"/> Above
D013	Lindane	0.4	<input checked="" type="radio"/> Below <input type="radio"/> Above
D014	Methoxychlor	10	<input checked="" type="radio"/> Below <input type="radio"/> Above
D015	Toxaphene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D016	2,4-D	10	<input checked="" type="radio"/> Below <input type="radio"/> Above
D017	2,4,5-TP (Silvex)	1	<input checked="" type="radio"/> Below <input type="radio"/> Above
D018	Benzene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D019	Carbon Tetrachloride	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D020	Chlordane	0.03	<input checked="" type="radio"/> Below <input type="radio"/> Above
D021	Chlorobenzene	100	<input checked="" type="radio"/> Below <input type="radio"/> Above
D022	Chloroform	6.0	<input checked="" type="radio"/> Below <input type="radio"/> Above
D023	o-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above

Code	Regulatory Level	TCLP (mg/l)	Concentration (if above)
D024	m-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above
D025	p-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above
D026	Cresols	200	<input checked="" type="radio"/> Below <input type="radio"/> Above
D027	1,4-Dichlorobenzene	7.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D028	1,2-Dichloroethane	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D029	1,1-Dichloroethylene	0.7	<input checked="" type="radio"/> Below <input type="radio"/> Above
D030	2,4-Dinitrotoluene	0.13	<input checked="" type="radio"/> Below <input type="radio"/> Above
D031	Heptachlor	0.008	<input checked="" type="radio"/> Below <input type="radio"/> Above
D032	Hexachlorobenzene	0.13	<input checked="" type="radio"/> Below <input type="radio"/> Above
D033	Hexachlorobutadiene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D034	Hexachloroethane	3.0	<input checked="" type="radio"/> Below <input type="radio"/> Above
D035	Methyl Ethyl Ketone	200	<input checked="" type="radio"/> Below <input type="radio"/> Above
D036	Nitrobenzene	2	<input checked="" type="radio"/> Below <input type="radio"/> Above
D037	Pentachlorophenol	100	<input checked="" type="radio"/> Below <input type="radio"/> Above
D038	Pyridine	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D039	Tetrachloroethylene	0.7	<input checked="" type="radio"/> Below <input type="radio"/> Above
D040	Trichloroethylene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D041	2,4,5-Trichlorophenol	400	<input checked="" type="radio"/> Below <input type="radio"/> Above
D042	2,4,6-Trichlorophenol	2	<input checked="" type="radio"/> Below <input type="radio"/> Above
D043	Vinyl Chloride	0.2	<input checked="" type="radio"/> Below <input type="radio"/> Above

6.6) If this is a characteristic hazardous waste, does it contain underlying hazardous constituents?

If you answered 'Yes', please list the constituents in Section 11.

☐ Yes ☒ No

Section 7 - Non-Hazardous Wastes

For a complete list of non-hazardous waste codes, please refer to Section 7 of the EQ Resource Guide.

Applicable waste code(s):

7.1) Is this a Michigan non-hazardous liquid industrial waste?

☐ Yes ☒ No

Comments:

7.2) Is this a Universal waste?

☐ Yes ☒ No

7.3) Is this a Recyclable Commodity? (e.g.: computer monitors, free mercury, etc.)

☐ Yes ☒ No

7.4) Is this waste a recoverable petroleum product?

☐ Yes ☒ No

7.5) Is this waste used oil as defined by 40 CFR Part 279?

☐ Yes ☒ No

Section 8 - TSCA Information

8.1) What is the concentration of PCBs in the waste?

☒ None

☐ 0-5 ppm

☐ 6-49 ppm

☐ 50-499 ppm

☐ 500+ ppm

8.2) Does the waste contain PCB contamination from a source with a concentration ≥ 50 ppm?

If you answered 'None' to 8.1 and 'No' to 8.2, please skip to Section 9.

☐ Yes ☒ No

8.3) Has this waste been processed into a non-liquid form?

If yes, what was the concentration of PCBs prior to processing? (ppm)

☒ Yes ☐ No

8.4) Is the non-liquid PCB waste in the form of soil, rags, debris, or other contaminated media?

☐ Yes ☒ No

8.5) Are you a PCB capacitor manufacturer or a PCB equipment manufacturer?

☐ Yes ☒ No

8.6) Has the PCB Article (e.g., transformer, hydraulic machine, PCB-contaminated electrical equipment) been drained/flushed of all PCBs and decontaminated in accordance with 40 CFR 761.60(b)?

☒ Yes ☐ No

Section 9 - Clean Air Act Information

9.1) Is this waste subject to regulation under 40 CFR, Part 63, Subpart DD or 40 CFR, Part 264, Subpart CC (RCRA)?

(Does the waste contain >500 ppm Volatile Organic Hazardous Air Pollutants - VOHAP's or Volatile Organic Compounds - VOC's?)

For a complete list of VOHAPs, please see Section 11 of the EQ Resource Guide.

☐ Yes ☒ No

9.2) Is this site, or waste, subject to any other MACT or NESHAP?

If yes, please specify:

☐ Yes ☒ No

9.3) Does this waste stream contain Benzene?

If you answered "No" to question 9.2, please skip to section 10.

☐ Yes ☒ No

9.4) Does the waste stream come from a facility with one of the SIC/NAICS codes listed under the Benzene NESHAP identified in 40 CFR 61, Subpart FF?

☐ Yes ☒ No

9.5) Is the generating source of this waste stream a facility with Total Annual Benzene (TAB) ≥ 10 Mg/year?

For assistance in calculating the TAB, please see the TAB Worksheet in Section 9 of the EQ Resource Guide.

☐ Yes ☒ No

If you answered "No" to question 9.3 and 9.4, please skip to Section 10.

9.6) Does the waste contain > 10% water?

☐ Yes ☒ No

9.7) What is the TAB quantity for your facility?

Mg/year

9.8) Does the waste contain >1.0 mg/kg total Benzene?

☐ Yes ☒ No

9.9) What is the total Benzene concentration in your waste?

(concentration)

(unit)

(Supporting analysis must be attached. Do not use TCLP analytical results. Acceptable laboratory methods include 8020, 8240, 8260, 602 and 624.)

**For a list of NAICS codes, please refer to section 9 of the EQ Resource Guide.*

Section 10 - Fuel Blending Information

10.1) Is this waste intended for fuel blending?

☐ Yes*

☒ No

If you answered 'Yes' to question 10.1, please enter the following:

Heat value (BTU/lb.)

Chlorine (%)

Water (%)

Solids (%)

10.2) Is this waste intended for reclamation?

☐ Yes

☒ No

(5-Gallon Sample required for all reclaim waste streams)

Section 11 - Constituent Information

Please identify your waste constituents from these four categories: Underlying Hazardous Constituents (UHC's), Volatile Organic Hazardous Air Pollutants (VOHAP's), Volatile Organic Compounds (VOC's) and Toxic Release Inventory Constituents (TRI)

Constituent

Concentration

UHC?

Please see Section 11 of the EQ Resource Guide for a list of UHC's, VOHAP's and VOC's. For a complete list of TRI constituents, please refer to 40 CFR 372.65.

Section 12 - Certification

I certify that all information (including attachments) is complete and factual and is an accurate representation of the known and suspected hazards, pertaining to the waste described herein. I authorize EQ's Resource Team to add supplemental information to the waste approval file, provided I am contacted and give verbal permission. I authorize EQ's Resource Team to obtain a sample from any waste shipment for purposes of verification. Generator or on Generator's behalf shall be subject to, and Generator shall be bound by, the attached Standard Terms and Conditions and confirmation. I agree that, if EQ approves the waste described herein, all such wastes that are transported, delivered, or tendered to EQ by

Comments:
logged in

Generator:


Authorized Generator Signature

JERRY B. BANKS
Printed Generator Name

Company:

MS Dept. of Environmental Quality Title: Chief, Groundwater Assessment Date: 12/12/07

The generator's signature MUST appear on the EQ Waste Characterization Report. If the generator has authorized a third party to certify this document, a written notice (on generator letterhead) must accompany this submittal. Although the EQ Resource Team is authorized to make certain modifications to the information provided on this form, the addition or removal of waste codes and waste constituents must be documented by the generator.

STANDARD TERMS AND CONDITIONS

The Agreement between the Customer and EQ - The Environmental Quality Company and/or its member companies (hereinafter "EQ") related to or associated with Delivered Waste, as herein defined, shall be governed by the following Standard Terms and Conditions in addition to the terms and conditions contained in any Waste Characterization Report, Customer Approval Quote Confirmation, Generator Approval Notification, Notice of Waste Approval Expiration, and/or Credit Agreement associated with such Delivered Waste.

The Customer may use its standard forms (such as purchase orders, acknowledgments of orders, and invoices) to administer its dealings under this Agreement for convenience purposes, but all provisions thereof in conflict with these terms and conditions shall be deemed stricken.

Definitions.

The following definitions shall apply for purposes of this Agreement:

"Acceptable Waste" shall mean any hazardous waste, as defined under applicable State or federal law, determined by EQ as acceptable for treatment and/or disposal in accordance with this Agreement.

"Delivered Wastes" shall mean all wastes (i) which are transported, delivered, or tendered to EQ by the Customer; (ii) which the Customer has arranged for the transport, delivery or tender to EQ; or (iii) which are transported, delivered, or tendered to EQ under a Credit Agreement between the Customer and EQ.

"Non-Conforming Wastes" shall mean wastes that (a) are not in accordance in all material respects with the warranties, descriptions, specifications or limitations stated in the Waste Characterization Report and this Agreement; (b) have constituents or components of a type or concentration not specifically identified in the Waste Characterization Report (i) which increase the nature or extent of the hazard and risk undertaken by EQ in treating and/or disposing of the waste, or (ii) for whose treatment and/or disposal a Waste Management Facility is not designed or permitted, or (iii) which increase the cost of treatment and/or disposal of waste beyond that specified in EQ's price quote; or (c) are not properly packaged, labeled, described, or placarded, or otherwise not in compliance with United States Department of Transportation and United States Environmental Protection Agency regulations.

Control of Operations.

EQ shall have sole control over all aspects of the operation of any treatment and/or disposal facility of EQ receiving Delivered Wastes under this Agreement (hereinafter "Waste Management Facility"), including, without limitation, maintaining EQ's desired volume of Acceptable Wastes being delivered to any Waste Management Facility by the Customer or any other person or entity.

Identification of Waste.

For each waste material to be transported, delivered, or tendered to EQ under this Agreement, the Customer shall provide, or cause to be provided, to EQ a representative sample of the waste material and a completed Waste Characterization Report containing a physical and chemical description or analysis of such waste material, which description shall conform with any and all guidelines for waste acceptance provided by EQ. On the basis of EQ's analysis of such representative sample of the waste material and such Waste Characterization Report, EQ will determine whether such wastes are Acceptable Wastes. EQ does not make any guarantee that it will handle any waste material or any particular quantity or type of waste material, and EQ reserves the right to the decline to transport, treat and/or dispose of waste material. The Customer shall promptly furnish to EQ any information regarding known, suspected or planned changes in the composition of the waste material. Further, the Customer shall promptly inform EQ of any change in the characteristic or condition of the waste material which becomes known to the Customer subsequent to the date of the Waste Characterization Report.

Non-Conforming Wastes.

In the event that EQ at any time discovers that any Delivered Waste is Non-Conforming Waste, EQ may reject or revoke its acceptance of the Non-Conforming Waste. The Customer shall have seven (7) days to direct an alternative lawful manner of disposition of the waste, unless it is necessary by reason of law or otherwise to move the Non-Conforming Waste prior to expiration of the seven (7) day period. If the Customer does not direct an alternative disposal, at its option, EQ may return any such Non-Conforming Wastes to the Customer, and the Customer shall pay or reimburse EQ for all costs and expenses incurred by EQ in connection with the receipt, handling, sampling, analyses, transportation and return to the Customer of such Non-Conforming Wastes. If it is impossible or impractical for EQ to return the Non-Conforming Waste to the Customer, the Customer shall reimburse EQ for all costs, of any type or nature whatsoever, incurred by EQ, solely because such Delivered Waste was Non-Conforming Waste (including, but not limited to, all costs associated with any remedial steps necessary, due to the nature of the Non-Conforming Waste, in connection with material with which the Non-Conforming Waste may have been commingled and all expenses and charges for analyzing, handling, locating, preparing for transporting, storing and disposing of any Non-Conforming Waste).

Customer Warranty - Title to Wastes.

Either the Customer or the generator (if other than the Customer) shall hold clear title, free of any all liens, claims, encumbrances, and charges to Delivered Waste until such waste is accepted by EQ.

Customer Warranty - Acceptable Wastes.

All Delivered Wastes shall be Acceptable Wastes and shall conform in all material respects to the description and specifications contained in the Waste Characterization Report. The information set forth in the Waste Characterization Report or any manifest, placard or label associated with any Delivered Wastes, or otherwise represented by the Customer or the generator (if other than the Customer) to EQ, is and shall be true, accurate and complete as of the date of receipt of the involved waste by EQ.

Customer Warranty - Compliance with Laws.

The Customer shall comply with all applicable federal, state and local environmental statutes, regulations, and other governmental requirements, as well as directives issued by EQ from time to time, governing the transportation, treatment and/or disposal of Acceptable Wastes, including, but not limited to, all packaging, manifesting, containerization, placarding and labeling requirements.

Customer Warranty - Updating Information.

If the Customer receives information that Delivered Waste or other hazardous waste described in the Waste Characterization Report, or some component of such waste, presents or may present a hazard or risk to persons, property or the environment which was not disclosed to EQ, or if the Customer or generator (if other than the Customer) has changed the process by which such waste results, the Customer shall promptly report such information to EQ in writing.

Customer Indemnity.

The Customer shall indemnify, defend and hold harmless EQ, and its affiliated or related companies, and all of their respective present or future officers, directors, shareholders, employees and agents from and against any and all losses, damages, liabilities, penalties, fines, forfeitures, demands, claims, causes of action, suits, costs and expenses (including, but not limited to, reasonable costs of defense, settlement, and reasonable attorneys' fees), which may be asserted against any or all of them by any person or any governmental agency, or which any or all of them may hereafter suffer, incur, be responsible for or pay out, as a result of or in connection with bodily injuries (including, but not limited to, death, sickness, disease and emotional or mental distress) to any person (including EQ's employees), damage (including, but not limited to, loss of use) to any property (public or private), or any requirements to conduct or incur expense for investigative, removal or remedial expenses in connection with contamination of or adverse effect on the environment, or any violation or alleged violation of any statutes, ordinances, orders, rules or regulations of any governmental entity or agency, caused or arising out of (i) a breach of this Agreement by the Customer, (ii) the failure of any warranty of the Customer to be true, accurate and complete, or (iii) any willful or negligent act or omission of the Customer, or its employees or agents in connection with the performance of this Agreement.

Force Majeure.

EQ shall not be liable for any failure to accept, receive, handle, treat, and/or dispose of Delivered Waste due to an act of God, fire, casualty, flood, war, strike, lockout, labor trouble, failure of public utilities, equipment failure, facility shutdown, injunction, accident, epidemic, riot, insurrection, destruction of operation or transportation facilities, the inability to procure materials, equipment, or sufficient personnel or energy in order to meet operational needs without the necessity of allocation, the failure or inability to obtain any governmental approvals or to meet Environmental Requirements (including, but not limited to voluntary or involuntary compliance with any act, exercise, assertion, or requirement of any governmental authority) which may temporarily or permanently prohibit operations of EQ, the Customer, or the Generator, or any other circumstances beyond the control of EQ which prevents or delays performance of any of its obligations under this Agreement.

Governing Laws.

This Agreement shall in all respects be governed by and shall be construed in accordance with the laws of the State of Michigan applied to contracts executed and performed wholly within such state.

EQ - The Environmental Quality Company

Waste Characterization Report

☒ I authorize EQ - The Environmental Quality Company to choose the appropriate method of waste management, from the technologies offered, at the EQ facilities identified below.

<input type="checkbox"/> Michigan Disposal Waste Treatment Plant (Stabilization and Treatment)	49350 North I-94 Service Drive, Belleville, Michigan 48111 Phone: 1-800-592-5489 Fax: 1-800-592-5329	EPA ID #MID000724831
<input type="checkbox"/> Wayne Disposal, Inc. (Hazardous & PCB Waste Landfill)	49350 North I-94 Service Drive, Belleville, Michigan 48111 Phone: 1-800-592-5489 Fax: 1-800-592-5329	EPA ID #MID048090633
<input type="checkbox"/> EQ Detroit, Inc. (Stabilization, Wastewater Treatment)	1923 Frederick, Detroit, MI 48211 Phone: 1-800-495-6059 Fax: 1-313-923-3375	EPA ID #MID980991566
<input type="checkbox"/> EQ Resource Recovery, Inc. (Solvent Recycling, Fuel Blending, WW Treatment)	36345 Van Born Road, Romulus, Michigan 48174 Phone: (734) 727-5500 Fax: (734) 326-4033	EPA ID #MID060975844
<input type="checkbox"/> EQIS North Carolina (Stabilization, Treatment, Labpack Decommissioning)	1005 Investment Blvd., Apex, NC 27502 Phone: (919) 363-4700 Fax: (919) 363-4714	EPA ID #NCD982170292
<input type="checkbox"/> EQ Florida, Inc. (Drum Consolidation, Labpack Decommissioning)	7202 East Eighth Ave., Tampa, FL 33619 Phone: 1-800-624-5302 Fax: 1-813-628-0842	EPA ID #FLD981932494
<input type="checkbox"/> EQ Detroit Transfer and Processing (Drum Transfer/Universal Waste Handling)	2000 Ferry Street, Detroit, MI 48211 Phone: (313) 923-0080 Fax: (313) 922-8419	EPA ID #MIK939928313
<input type="checkbox"/> EQIS Indianapolis Transfer and Processing (Drum Transfer/Non-Hazardous Waste Processing)	4000 West 10th Street, Indianapolis, Indiana 46222 Phone: (317) 247-7160 Fax: (317) 247-7170	EPA ID #IND161049309
<input type="checkbox"/> EQIS Atlanta Transfer and Processing (Drum Transfer/Non-Hazardous Waste Processing)	5600 Fulton Industrial Blvd., Atlanta, Georgia 30336 Phone: (404) 494-3520 Fax: (404) 494-3560	EPA ID #GAR000039776
<input type="checkbox"/> EQ Augusta, Inc. (Wastewater Treatment)	3920 Goshen Industrial Blvd., Augusta, GA 30906 Phone: 706-771-9100 Fax: 706-771-9124	EPA ID #GAR000011817

Waste Common Name: Aerosols Flammable

Section 1 - Generator & Customer Info

SIC/NAICS*:

Generator EPA ID: MST-MP0-002-452

EQ Customer No.: 10958

Generator: Mississippi DEQ
Address: 4280 Rifle Range Rd
City: Vicksburg
State: MS Zip: 39180
County: Warren

Mailing Address

Address: P.O. Box 20326
City: Jackson
State: MS Zip: 39289

Generator Contact

Name: Trey Hess / Jerry Banks
Title:
Phone: (601) 961-5221/6019615654
Fax: () -

Invoicing Company

Company: USES JACKSON
Address: 1075 MENDELL DAVIS DRIVE
City: JACKSON
State: MS Zip: 39212
Country: USA

Invoicing Contact

Name: Wanda Horton
Phone: (601) 372-3232
Fax: () -

Technical Contact

Name: J.T. Newman
Phone: (601) 372-3232
Fax: () -
Mobile: () - Pager: () -
E-mail: jnewman@usesgroup.com

*For a list of NAICS codes, please refer to Section 9 of the EQ Resource Guide.

Section 2 - Shipping & Packaging Info

- 2.1) Shipping Volume & Unit: 5 gallon Frequency: One Time Only
2.2) DOT Shipping Name: Aerosols, flammable, (each not exceeding 1 L capacity)
2.3) Is this waste surcharge exempt? ☐ Yes ☒ No (If you answered "Yes" to question 2.3, select the Surcharge Exemption reason.)

2.4) Packaging (check all that apply)

- ☐ Bulk Solid (yd ³ < 2000 lbs./yd ³) ☐ Bulk Solid (Ton > 2000 lbs./yd ³) ☐ Bulk Liquids (Gallon)
☐ Totes, Size ☐ Cubic Yard Boxes/Bags ☒ Drums, Size 55 gallon
☐ Other (palletized, 5 gal. Pail, etc.)

Quoted bulk disposal charges for solid materials will be billed by the cubic yard, if the waste density is less than 2,000lbs./cubic yard. If waste density is greater than 2,000 lbs./cubic yard, then bulk disposal charges will be billed by the ton, regardless of the approved container.

Section 3 - Physical Characteristics

- 3.1) Color: VARIES 3.2) Odor: none
3.3) Does this waste contain any "Potentially Odorous Constituents" as defined in the EQ Resource Guide? (Section 3) ☐ Yes ☒ No
3.4) Physical State at 70 °F: ☐ Solid ☐ Dust/Powder ☒ Liquid ☐ Sludge
3.5) What is the pH of this waste? ☐ ≤ 2 ☐ 2.1-4.9 ☒ 5-10 ☐ 10.1-12.4 ☐ ≥ 12.5
3.6) What is the flash point of this waste? ☒ <90 °F ☐ 90-139 °F ☐ 140-199 °F ☐ ≥ 200 °F
3.7) Does this waste contain? (check all that apply) ☒ None ☐ Free Liquids ☐ Oily Residue ☐ Metal Fines
☐ Biodegradable Sorbants ☐ Amines ☐ Ammonia ☐ Water Reactive ☐ Biohazard ☐ Aluminum
☐ Shock Sensitive Waste ☐ Reactive Waste ☐ Radioactive Waste ☐ Explosives ☐ Pyrophoric Waste ☐ Isocyanates
☐ Asbestos - non-friable ☐ Asbestos - friable ☐ Dioxins ☐ Furans

Section 4 - Composition / Generating Process

- 4.1) Describe the physical composition of the waste (i.e., soil, water, PPE, debris, key chemical compounds, etc.)
Flammable Aerosols from 100. to 100. %
4.2) Provide a detailed description of the process generating this waste. (attach flow diagram if available).
Labpack of chemicals in abandoned Chemical plant Lab

Section 5 - Is This Hazardous Waste?

Please refer to Section 5 of the EQ Resource Guide for a list of waste codes.

As determined by 40 CFR, Part 261 and Michigan Act 451 Rules:

Please list applicable waste code(s):

- 5.1) Is this an EPA RCRA listed hazardous waste (F, K, P or U)? ☐ Yes ☒ No
Comments:
5.2) Is this an EPA RCRA characteristic hazardous waste (D001-D043)? ☒ Yes ☐ No
Comments: D001
5.3) Do any State Hazardous Waste Codes apply? ☐ Yes ☒ No
Comments:
5.4) Is this waste intended for wastewater treatment? ☐ Yes* ☒ No

If you answered "No" to questions 5.1, 5.2, and 5.3, please skip to Section 7.
If you answered "Yes" to question 5.4, please complete the WCR Addendum.

Section 6 - Hazardous Wastes

6.1) Does this waste exceed Land Disposal Restriction Levels?

6.1a) If this waste stream is greater than 50% soil, does it meet the alternative soil treatment standards of 40 CFR 268.49?

6.1b) Does this waste contain greater than 50% debris, by volume? (Debris is greater than 2.5 inches in size.)

6.2) Is the waste an oxidizer (D001)?

6.3) Does this waste contain reactive cyanide \geq 250 ppm (D003)?

6.4) Does this waste contain reactive sulfide \geq 500 ppm (D003)?

6.5) Please indicate which constituent concentrations are below or above the regulatory level. Please indicate the basis used in the determination. Either 'Below' or 'Above' **MUST** be checked for each constituent.

Based On: ☒ Generator Knowledge ☐ Analysis* ☐ MSDS*

*Please forward a copy. Analysis or MSDS are required for EQ Florida Non-hazardous wastes.

☒ Yes ☐ No
☐ Yes ☒ No
☐ Yes ☒ No
☐ Yes ☒ No
☐ Yes ☒ No

Code	Regulatory Level	TCLP (mg/l)		Concentration (If above)
D004	Arsenic	5	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D005	Barium	100	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D006	Cadmium	1	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D007	Chromium	5	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D008	Lead	5	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D009	Mercury	0.2	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D010	Selenium	1	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D011	Silver	5	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D012	Endrin	0.02	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D013	Lindane	0.4	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D014	Methoxychlor	10	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D015	Toxaphene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D016	2,4-D	10	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D017	2,4,5-TP (Silvex)	1	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D018	Benzene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D019	Carbon Tetrachloride	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D020	Chlordane	0.03	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D021	Chlorobenzene	100	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D022	Chloroform	6.0	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D023	o-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____

Code	Regulatory Level	TCLP (mg/l)		Concentration (If above)
D024	m-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D025	p-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D026	Cresols	200	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D027	1,4-Dichlorobenzene	7.5	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D028	1,2-Dichloroethane	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D029	1,1-Dichloroethylene	0.7	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D030	2,4-Dinitrotoluene	0.13	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D031	Heptachlor	0.008	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D032	Hexachlorobenzene	0.13	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D033	Hexachlorobutadiene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D034	Hexachloroethane	3.0	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D035	Methyl Ethyl Ketone	200	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D036	Nitrobenzene	2	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D037	Pentachlorophenol	100	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D038	Pyridine	5	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D039	Tetrachloroethylene	0.7	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D040	Trichloroethylene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D041	2,4,5-Trichlorophenol	400	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D042	2,4,6-Trichlorophenol	2	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D043	Vinyl Chloride	0.2	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____

6.6) If this is a characteristic hazardous waste, does it contain underlying hazardous constituents?

If you answered 'Yes', please list the constituents in Section 11.

☐ Yes ☒ No

Section 7 - Non-Hazardous Wastes

For a complete list of non-hazardous waste codes, please refer to Section 7 of the EQ Resource Guide.

Applicable waste code(s):

7.1) Is this a Michigan non-hazardous liquid industrial waste?

Comments:

7.2) Is this a Universal waste?

7.3) Is this a Recyclable Commodity? (e.g., computer monitors, free mercury, etc.)

7.4) Is this waste a recoverable petroleum product?

7.5) Is this waste used oil as defined by 40 CFR Part 279?

☐ Yes ☒ No

☐ Yes ☒ No

☐ Yes ☒ No

☐ Yes ☒ No

☐ Yes ☒ No

Section 8 - TSCA Information

8.1) What is the concentration of PCBs in the waste?

☒ None

☐ 50-499 ppm

☐ 0-5 ppm

☐ 6-49 ppm

☐ 500+ ppm

8.2) Does the waste contain PCB contamination from a source with a concentration ≥ 50 ppm?

☐ Yes ☒ No

If you answered 'None' to 8.1 and 'No' to 8.2, please skip to Section 9.

8.3) Has this waste been processed into a non-liquid form?

☐ Yes ☒ No

If yes, what was the concentration of PCBs prior to processing? (ppm)

☒ N/A

☐ 0-499 ☐ 500+

8.4) Is the non-liquid PCB waste in the form of soil, rags, debris, or other contaminated media?

☐ Yes ☒ No

8.5) Are you a PCB capacitor manufacturer or a PCB equipment manufacturer?

☐ Yes ☒ No

8.6) Has the PCB Article (e.g., transformer, hydraulic machine, PCB-contaminated electrical equipment) been drained/flushed of all PCBs and decontaminated in accordance with 40 CFR 761.60(b)?

☒ N/A

☐ Yes ☐ No

Section 9 - Clean Air Act Information

9.1) Is this waste subject to regulation under 40 CFR, Part 63, Subpart DD or 40 CFR, Part 264, Subpart CC (RCRA)?

☐ Yes ☒ No

(Does the waste contain >500 ppm Volatile Organic Hazardous Air Pollutants - VOHAP's or Volatile Organic Compounds - VOC's?)

For a complete list of VOHAPs, please see Section 11 of the EQ Resource Guide.

9.2) Is this site, or waste, subject to any other MACT or NESHAP?

☐ Yes ☒ No

If yes, please specify:

9.3) Does this waste stream contain Benzene?

☐ Yes ☒ No

If you answered "No" to question 9.2, please skip to section 10.

9.4) Does the waste stream come from a facility with one of the SIC/NAICS codes listed under the Benzene NESHAP identified in 40 CFR 61, Subpart FF?

☐ Yes ☒ No

9.5) Is the generating source of this waste stream a facility with Total Annual Benzene (TAB) ≥ 10 Mg/year?

☐ Yes ☒ No

For assistance in calculating the TAB, please see the TAB Worksheet in Section 9 of the EQ Resource Guide.

If you answered "No" to question 9.3 and 9.4, please skip to Section 10.

9.6) Does the waste contain > 10% water?

☐ Yes ☒ No

9.7) What is the TAB quantity for your facility?

Mg/year

9.8) Does the waste contain >1.0 mg/kg total Benzene?

☐ Yes ☒ No

9.9) What is the total Benzene concentration in your waste?

(concentration)

(unit)

(Supporting analysis must be attached. Do not use TCLP analytical results. Acceptable laboratory methods include 8020, 8240, 8260, 602 and 624.)

**For a list of NAICS codes, please refer to section 9 of the EQ Resource Guide.*

Section 10 - Fuel Blending Information

10.1) Is this waste intended for fuel blending?

☐ Yes*

☒ No

If you answered 'Yes' to question 10.1, please enter the following:

Heat value (BTU/lb.) _____

Chlorine (%) _____

Water (%) _____

Solids (%) _____

10.2) Is this waste intended for reclamation?

☐ Yes

☒ No

(5-Gallon Sample required for all reclaim waste streams)

Section 11 - Constituent Information

Please identify your waste constituents from these four categories: Underlying Hazardous Constituents (UHC's), Volatile Organic Hazardous Air Pollutants (VOHAP's), Volatile Organic Compounds (VOC's) and Toxic Release Inventory Constituents (TRI)

Constituent

Concentration


UHC?

Please see Section 11 of the EQ Resource Guide for a list of UHC's, VOHAP's and VOC's. For a complete list of TRI constituents, please refer to 40 CFR 372.65.

Section 12 - Certification

I certify that all information (including attachments) is complete and factual and is an accurate representation of the known and suspected hazards pertaining to the waste described herein. I authorize EQ's Resource Team to add supplemental information to the waste approval file, provided I am contacted and give verbal permission. I authorize EQ's Resource Team to obtain a sample from any waste shipment for purposes of verification. Generator or on Generator's behalf shall be subject to, and Generator shall be bound by, the attached Standard Terms and Conditions and confirmation. I agree that, if EQ approves the waste described herein, all such wastes that are transported, delivered, or tendered to EQ by:

Comments:
logged in

Generator:  JERRY B. BARNES
Authorized Generator Signature Printed Generator Name

Company: MS. Dept. of Environmental Quality Title: Chief Groundwater Assessment Date: 12/12/07

The generator's signature MUST appear on the EQ Waste Characterization Report. If the generator has authorized a third party to certify this document, a written notice (on generator letterhead) must accompany this submittal. Although the EQ Resource Team is authorized to make certain modifications to the information provided on this form, the addition or removal of waste codes and waste constituents must be documented by the generator.

STANDARD TERMS AND CONDITIONS

The Agreement between the Customer and EQ - The Environmental Quality Company and/or its member companies (hereinafter "EQ") related to or associated with Delivered Waste, as herein defined, shall be governed by the following Standard Terms and Conditions in addition to the terms and conditions contained in any Waste Characterization Report, Customer Approval Quote Confirmation, Generator Approval Notification, Notice of Waste Approval Expiration, and/or Credit Agreement associated with such Delivered Waste.

The Customer may use its standard forms (such as purchase orders, acknowledgments of orders, and invoices) to administer its dealings under this Agreement for convenience purposes, but all provisions thereof in conflict with these terms and conditions shall be deemed stricken.

Definitions.

The following definitions shall apply for purposes of this Agreement:

"Acceptable Waste" shall mean any hazardous waste, as defined under applicable State or federal law, determined by EQ as acceptable for treatment and/or disposal in accordance with this Agreement.

"Delivered Wastes" shall mean all wastes (i) which are transported, delivered, or tendered to EQ by the Customer; (ii) which the Customer has arranged for the transport, delivery or tender to EQ; or (iii) which are transported, delivered, or tendered to EQ under a Credit Agreement between the Customer and EQ.

"Non-Conforming Wastes" shall mean wastes that (a) are not in accordance in all material respects with the warranties, descriptions, specifications or limitations stated in the Waste Characterization Report and this Agreement; (b) have constituents or components of a type or concentration not specifically identified in the Waste Characterization Report (i) which increase the nature or extent of the hazard and risk undertaken by EQ in treating and/or disposing of the waste, or (ii) for whose treatment and/or disposal a Waste Management Facility is not designed or permitted, or (iii) which increase the cost of treatment and/or disposal of waste beyond that specified in EQ's price quote; or (c) are not properly packaged, labeled, described, or placarded, or otherwise not in compliance with United States Department of Transportation and United States Environmental Protection Agency regulations.

Control of Operations.

EQ shall have sole control over all aspects of the operation of any treatment and/or disposal facility of EQ receiving Delivered Wastes under this Agreement (hereinafter,

"Waste Management Facility"), including, without limitation, maintaining EQ's desired volume of Acceptable Wastes being delivered to any Waste Management Facility by the Customer or any other person or entity.

Identification of Waste.

For each waste material to be transported, delivered, or tendered to EQ under this Agreement, the Customer shall provide, or cause to be provided, to EQ a representative sample of the waste material and a completed Waste Characterization Report containing a physical and chemical description or analysis of such waste material, which description shall conform with any and all guidelines for waste acceptance provided by EQ. On the basis of EQ's analysis of such representative sample of the waste material and such Waste Characterization Report, EQ will determine whether such wastes are Acceptable Wastes. EQ does not make any guarantee that it will handle any waste material or any particular quantity or type of waste material, and EQ reserves the right to the decline to transport, treat and/or dispose of waste material. The Customer shall promptly furnish to EQ any information regarding known, suspected or planned changes in the composition of the waste material. Further, the Customer shall promptly inform EQ of any change in the characteristic or condition of the waste material which becomes known to the Customer subsequent to the date of the Waste Characterization Report.

Non-Conforming Wastes.

In the event that EQ at any time discovers that any Delivered Waste is Non-Conforming Waste, EQ may reject or revoke its acceptance of the Non-Conforming Waste. The Customer shall have seven (7) days to direct an alternative lawful manner of disposition of the waste, unless it is necessary by reason of law or otherwise to move the Non-Conforming Waste prior to expiration of the seven (7) day period. If the Customer does not direct an alternative disposal, at its option, EQ may return any such Non-Conforming Wastes to the Customer, and the Customer shall pay or reimburse EQ for all costs and expenses incurred by EQ in connection with the receipt, handling, sampling, analyses, transportation and return to the Customer of such Non-Conforming Wastes. If it is impossible or impractical for EQ to return the Non-Conforming Waste to the Customer, the Customer shall reimburse EQ for all costs, of any type or nature whatsoever, incurred by EQ, solely because such Delivered Waste was Non-Conforming Waste (including, but not limited to, all costs associated with any remedial steps necessary, due to the nature of the Non-Conforming Waste, in connection with material with which the Non-Conforming Waste may have been commingled and all expenses and charges for analyzing, handling, locating, preparing for transporting, storing and disposing of any Non-Conforming Waste).

Customer Warranty - Title to Wastes.

Either the Customer or the generator (if other than the Customer) shall hold clear title, free of any all liens, claims, encumbrances, and charges to Delivered Waste until such waste is accepted by EQ.

Customer Warranty - Acceptable Wastes.

All Delivered Wastes shall be Acceptable Wastes and shall conform in all material respects to the description and specifications contained in the Waste Characterization Report. The information set forth in the Waste Characterization Report or any manifest, placard or label associated with any Delivered Wastes, or otherwise represented by the Customer or the generator (if other than the Customer) to EQ, is and shall be true, accurate and complete as of the date of receipt of the involved waste by EQ.

Customer Warranty - Compliance with Laws.

The Customer shall comply with all applicable federal, state and local environmental statutes, regulations, and other governmental requirements, as well as directives issued by EQ from time to time, governing the transportation, treatment and/or disposal of Acceptable Wastes, including, but not limited to, all packaging, manifesting, containerization, placarding and labeling requirements.

Customer Warranty - Updating Information.

If the Customer receives information that Delivered Waste or other hazardous waste described in the Waste Characterization Report, or some component of such waste, presents or may present a hazard or risk to persons, property or the environment which was not disclosed to EQ, or if the Customer or generator (if other than the Customer) has changed the process by which such waste results, the Customer shall promptly report such information to EQ in writing.

Customer Indemnity.

The Customer shall indemnify, defend and hold harmless EQ, and its affiliated or related companies, and all of their respective present or future officers, directors, shareholders, employees and agents from and against any and all losses, damages, liabilities, penalties, fines, forfeitures, demands, claims, causes of action, suits, costs and expenses (including, but not limited to, reasonable costs of defense, settlement, and reasonable attorneys' fees), which may be asserted against any or all of them by any person or any governmental agency, or which any or all of them may hereafter suffer, incur, be responsible for or pay out, as a result of or in connection with bodily injuries (including, but not limited to, death, sickness, disease and emotional or mental distress) to any person (including EQ's employees), damage (including, but not limited to, loss of use) to any property (public or private), or any requirements to conduct or incur expense for investigative, removal or remedial expenses in connection with contamination of or adverse effect on the environment, or any violation or alleged violation of any statutes, ordinances, orders, rules or regulations of any governmental entity or agency, caused or arising out of (i) a breach of this Agreement by the Customer, (ii) the failure of any warranty of the Customer to be true, accurate and complete, or (iii) any willful or negligent act or omission of the Customer, or its employees or agents in connection with the performance of this Agreement.

Force Majeure.

EQ shall not be liable for any failure to accept, receive, handle, treat, and/or dispose of Delivered Waste due to an act of God, fire, casualty, flood, war, strike, lockout, labor trouble, failure of public utilities, equipment failure, facility shutdown, injunction, accident, epidemic, riot, insurrection, destruction of operation or transportation facilities, the inability to procure materials, equipment, or sufficient personnel or energy in order to meet operational needs without the necessity of allocation, the failure or inability to obtain any governmental approvals or to meet Environmental Requirements (including, but not limited to voluntary or involuntary compliance with any act, exercise, assertion, or requirement of any governmental authority) which may temporarily or permanently prohibit operations of EQ, the Customer, or the Generator, or any other circumstances beyond the control of EQ which prevents or delays performance of any of its obligations under this Agreement.

Governing Laws.

This Agreement shall in all respects be governed by and shall be construed in accordance with the laws of the State of Michigan applied to contracts executed and performed wholly within such state.

EQ - The Environmental Quality Company

Waste Characterization Report

☒ I authorize EQ - The Environmental Quality Company to choose the appropriate method of waste management, from the technologies offered, at the EQ facilities identified below.

<input type="checkbox"/> Michigan Disposal Waste Treatment Plant (Stabilization and Treatment)	49350 North I-94 Service Drive, Belleville, Michigan 48111 Phone: 1-800-592-5489 Fax: 1-800-592-5329	EPA ID #MID000724831
<input type="checkbox"/> Wayne Disposal, Inc. (Hazardous & PCB Waste Landfill)	49350 North I-94 Service Drive, Belleville, Michigan 48111 Phone: 1-800-592-5489 Fax: 1-800-592-5329	EPA ID #MID048090633
<input type="checkbox"/> EQ Detroit, Inc. (Stabilization, Wastewater Treatment)	1923 Frederick, Detroit, MI 48211 Phone: 1-800-495-6059 Fax: 1-313-923-3375	EPA ID #MID980991566
<input type="checkbox"/> EQ Resource Recovery, Inc. (Solvent Recycling, Fuel Blending, WW Treatment)	36345 Van Born Road, Romulus, Michigan 48174 Phone: (734) 727-5500 Fax: (734) 326-4033	EPA ID #MID060975844
<input type="checkbox"/> EQIS North Carolina (Stabilization, Treatment, Labpack Decommissioning)	1005 Investment Blvd., Apex, NC 27502 Phone: (919) 363-4700 Fax: (919) 363-4714	EPA ID #NCD982170292
<input type="checkbox"/> EQ Florida, Inc. (Drum Consolidation, Labpack Decommissioning)	7202 East Eighth Ave., Tampa, FL 33619 Phone: 1-800-624-5302 Fax: 1-813-628-0842	EPA ID #FLD981932494
<input type="checkbox"/> EQ Detroit Transfer and Processing (Drum Transfer/Universal Waste Handling)	2000 Ferry Street, Detroit, MI 48211 Phone: (313) 923-0080 Fax: (313) 922-8419	EPA ID #MIK939928313
<input type="checkbox"/> EQIS Indianapolis Transfer and Processing (Drum Transfer/Non-Hazardous Waste Processing)	4000 West 10th Street, Indianapolis, Indiana 46222 Phone: (317) 247-7160 Fax: (317) 247-7170	EPA ID #IND161049309
<input type="checkbox"/> EQIS Atlanta Transfer and Processing (Drum Transfer/Non-Hazardous Waste Processing)	5600 Fulton Industrial Blvd., Atlanta, Georgia 30336 Phone: (404) 494-3520 Fax: (404) 494-3560	EPA ID #GAR000039776
<input type="checkbox"/> EQ Augusta, Inc. (Wastewater Treatment)	3920 Goshen Industrial Blvd., Augusta, GA 30906 Phone: 706-771-9100 Fax: 706-771-9124	EPA ID #GAR000011817

Waste Common Name: Printing Ink

Section 1 - Generator & Customer Info

SIC/NAICS*:

Generator EPA ID: MST-MP0-002-452

EQ Customer No.: 10958

Generator: Mississippi DEQ
Address: 4280 Rifle Range Rd
City: Vicksburg
State: MS Zip: 39180
County: Warren

Invoicing Company

Company: USES JACKSON
Address: 1075 MENDELL DAVIS DRIVE
City: JACKSON
State: MS Zip: 39212
Country: USA

Mailing Address

Address: P.O. Box 20326
City: Jackson
State: MS Zip: 39289

Invoicing Contact

Name: Wanda Horton
Phone: (601) 372-3232
Fax: () -

Generator Contact

Name: Trey Hess / Jerry Banks
Title:
Phone: (601) 961-5221/6019615654
Fax: () -

Technical Contact

Name: J.T. Newman
Phone: (601) 372-3232
Fax: () -
Mobile: () - Pager: () -
E-mail: jnewman@usesgroup.com

*For a list of NAICS codes, please refer to Section 9 of the EQ Resource Guide.

Section 2 - Shipping & Packaging Info

- 2.1) Shipping Volume & Unit: 55 gallon Frequency: One Time Only
2.2) DOT Shipping Name: Non regulated Ink Lab Pack
2.3) Is this waste surcharge exempt? ☐ Yes ☒ No (If you answered "Yes" to question 2.3, select the Surcharge Exemption reason.)

2.4) Packaging (check all that apply)

- ☐ Bulk Solid (yd ³ < 2000 lbs/yd ³) ☐ Bulk Solid (Ton > 2000 lbs/yd ³) ☐ Bulk Liquids (Gallon)
☐ Totes, Size ☐ Cubic Yard Boxes/Bags ☒ Drums, Size 55 gallon
☐ Other (palletized, 5 gal. Pail, etc.)

Quoted bulk disposal charges for solid materials will be billed by the cubic yard, if the waste density is less than 2,000lbs./cubic yard. If waste density is greater than 2,000 lbs./cubic yard, then bulk disposal charges will be billed by the ton, regardless of the approved container.

Section 3 - Physical Characteristics

- 3.1) Color: BLACK/BROWN 3.2) Odor: none
3.3) Does this waste contain any "Potentially Odorous Constituents" as defined in the EQ Resource Guide? (Section 3) ☐ Yes ☒ No
3.4) Physical State at 70 °F: ☐ Solid ☐ Dust/Powder ☒ Liquid ☐ Sludge
3.5) What is the pH of this waste? ☐ ≤ 2 ☐ 2.1-4.9 ☒ 5-10 ☐ 10.1-12.4 ☐ ≥ 12.5
3.6) What is the flash point of this waste? ☐ <90 °F ☐ 90-139 °F ☐ 140-199 °F ☐ ≥ 200 °F
3.7) Does this waste contain? (check all that apply) ☒ None
☐ Biodegradable Sorbants ☐ Amines ☐ Ammonia ☐ Free Liquids ☐ Oily Residue ☐ Metal Fines
☐ Shock Sensitive Waste ☐ Reactive Waste ☐ Radioactive Waste ☐ Water Reactive ☐ Biohazard ☐ Aluminum
☐ Asbestos - non-friable ☐ Asbestos - friable ☐ Dioxins ☐ Explosives ☐ Pyrophoric Waste ☐ Isocyanates
☐ Furans

Section 4 - Composition / Generating Process

- 4.1) Describe the physical composition of the waste (i.e., soil, water, PPE, debris, key chemical compounds, etc.)
Ink from 100. to 100. %
4.2) Provide a detailed description of the process generating this waste. (attach flow diagram if available).
Labpack of chemicals in abandoned Chemical plant Lab

Section 5 - Is This Hazardous Waste?

Please refer to Section 5 of the EQ Resource Guide for a list of waste codes.

As determined by 40 CFR, Part 261 and Michigan Act 451 Rules:

Please list applicable waste code(s):

- 5.1) Is this an EPA RCRA listed hazardous waste (F, K, P or U)? ☐ Yes ☒ No
Comments:
5.2) Is this an EPA RCRA characteristic hazardous waste (D001-D043)? ☐ Yes ☒ No
Comments:
5.3) Do any State Hazardous Waste Codes apply? ☐ Yes ☒ No
Comments:
5.4) Is this waste intended for wastewater treatment? ☐ Yes* ☒ No

If you answered "No" to questions 5.1, 5.2, and 5.3, please skip to Section 7.
*If you answered "Yes" to question 5.4, please complete the WCR Addendum.

Section 6 - Hazardous Wastes

6.1) Does this waste exceed Land Disposal Restriction Levels?

☐ Yes ☒ No

6.1a) If this waste stream is greater than 50% soil, does it meet the alternative soil treatment standards of 40 CFR 268.49?

☐ Yes ☒ No

6.1b) Does this waste contain greater than 50% debris, by volume? (Debris is greater than 2.5 inches in size.)

☐ Yes ☒ No

6.2) Is the waste an oxidizer (D001)?

☐ Yes ☒ No

6.3) Does this waste contain reactive cyanide \geq 250 ppm (D003)?

☐ Yes ☒ No

6.4) Does this waste contain reactive sulfide \geq 500 ppm (D003)?

☐ Yes ☒ No

6.5) Please indicate which constituent concentrations are below or above the regulatory level. Please indicate the basis used in the determination. Either 'Below' or 'Above' **MUST** be checked for each constituent.

Based On: ☒ Generator Knowledge ☐ Analysis* ☐ MSDS*

*Please forward a copy. Analysis or MSDS are required for EQ Florida Non-hazardous wastes.

Code	Regulatory Level	TCLP (mg/l)	Concentration (If above)
D004	Arsenic	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D005	Barium	100	<input checked="" type="radio"/> Below <input type="radio"/> Above
D006	Cadmium	1	<input checked="" type="radio"/> Below <input type="radio"/> Above
D007	Chromium	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D008	Lead	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D009	Mercury	0.2	<input checked="" type="radio"/> Below <input type="radio"/> Above
D010	Selenium	1	<input checked="" type="radio"/> Below <input type="radio"/> Above
D011	Silver	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D012	Endrin	0.02	<input checked="" type="radio"/> Below <input type="radio"/> Above
D013	Lindane	0.4	<input checked="" type="radio"/> Below <input type="radio"/> Above
D014	Methoxychlor	10	<input checked="" type="radio"/> Below <input type="radio"/> Above
D015	Toxaphene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D016	2,4-D	10	<input checked="" type="radio"/> Below <input type="radio"/> Above
D017	2,4,5-TP (Silvex)	1	<input checked="" type="radio"/> Below <input type="radio"/> Above
D018	Benzene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D019	Carbon Tetrachloride	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D020	Chlordane	0.03	<input checked="" type="radio"/> Below <input type="radio"/> Above
D021	Chlorobenzene	100	<input checked="" type="radio"/> Below <input type="radio"/> Above
D022	Chloroform	6.0	<input checked="" type="radio"/> Below <input type="radio"/> Above
D023	o-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above

Code	Regulatory Level	TCLP (mg/l)	Concentration (If above)
D024	m-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above
D025	p-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above
D026	Cresols	200	<input checked="" type="radio"/> Below <input type="radio"/> Above
D027	1,4-Dichlorobenzene	7.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D028	1,2-Dichloroethane	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D029	1,1-Dichloroethylene	0.7	<input checked="" type="radio"/> Below <input type="radio"/> Above
D030	2,4-Dinitrotoluene	0.13	<input checked="" type="radio"/> Below <input type="radio"/> Above
D031	Heptachlor	0.008	<input checked="" type="radio"/> Below <input type="radio"/> Above
D032	Hexachlorobenzene	0.13	<input checked="" type="radio"/> Below <input type="radio"/> Above
D033	Hexachlorobutadiene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D034	Hexachloroethane	3.0	<input checked="" type="radio"/> Below <input type="radio"/> Above
D035	Methyl Ethyl Ketone	200	<input checked="" type="radio"/> Below <input type="radio"/> Above
D036	Nitrobenzene	2	<input checked="" type="radio"/> Below <input type="radio"/> Above
D037	Pentachlorophenol	100	<input checked="" type="radio"/> Below <input type="radio"/> Above
D038	Pyridine	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D039	Tetrachloroethylene	0.7	<input checked="" type="radio"/> Below <input type="radio"/> Above
D040	Trichloroethylene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D041	2,4,5-Trichlorophenol	400	<input checked="" type="radio"/> Below <input type="radio"/> Above
D042	2,4,6-Trichlorophenol	2	<input checked="" type="radio"/> Below <input type="radio"/> Above
D043	Vinyl Chloride	0.2	<input checked="" type="radio"/> Below <input type="radio"/> Above

6.6) If this is a characteristic hazardous waste, does it contain underlying hazardous constituents?

☐ Yes ☒ No

If you answered 'Yes', please list the constituents in Section 11.

Section 7 - Non-Hazardous Wastes

For a complete list of non-hazardous waste codes, please refer to Section 7 of the EQ Resource Guide.

Applicable waste code(s):

7.1) Is this a Michigan non-hazardous liquid industrial waste?

☐ Yes ☒ No

Comments:

7.2) Is this a Universal waste?

☐ Yes ☒ No

7.3) Is this a Recyclable Commodity? (e.g.: computer monitors, free mercury, etc.)

☐ Yes ☒ No

7.4) Is this waste a recoverable petroleum product?

☐ Yes ☒ No

7.5) Is this waste used oil as defined by 40 CFR Part 279?

☐ Yes ☒ No

Section 8 - TSCA Information

8.1) What is the concentration of PCBs in the waste?

☒ None

☐ 50-499 ppm

☐ 0-5 ppm

☐ 500+ ppm

☐ 6-49 ppm

8.2) Does the waste contain PCB contamination from a source with a concentration ≥ 50 ppm?

If you answered 'None' to 8.1 and 'No' to 8.2, please skip to Section 9.

☐ Yes ☒ No

8.3) Has this waste been processed into a non-liquid form?

If yes, what was the concentration of PCBs prior to processing? (ppm)

☐ Yes ☐ No

8.4) Is the non-liquid PCB waste in the form of soil, rags, debris, or other contaminated media?

☐ Yes ☐ No

8.5) Are you a PCB capacitor manufacturer or a PCB equipment manufacturer?

☐ Yes ☐ No

8.6) Has the PCB Article (e.g., transformer, hydraulic machine, PCB-contaminated electrical equipment) been drained/flushed of all PCBs and decontaminated in accordance with 40 CFR 761.60(b)?

☐ Yes ☐ No

Section 9 - Clean Air Act Information

9.1) Is this waste subject to regulation under 40 CFR, Part 63, Subpart DD or 40 CFR, Part 264, Subpart CC (RCRA)?

(Does the waste contain >500 ppm Volatile Organic Hazardous Air Pollutants - VOHAP's or Volatile Organic Compounds - VOC's?)

For a complete list of VOHAPs, please see Section 11 of the EQ Resource Guide.

☐ Yes ☒ No

9.2) Is this site, or waste, subject to any other MACT or NESHAP?

If yes, please specify:

☐ Yes ☒ No

9.3) Does this waste stream contain Benzene?

If you answered "No" to question 9.2, please skip to section 10.

☐ Yes ☒ No

9.4) Does the waste stream come from a facility with one of the SIC/NAICS codes listed under the Benzene NESHAP identified in 40 CFR 61, Subpart FF?

☐ Yes ☐ No

9.5) Is the generating source of this waste stream a facility with Total Annual Benzene (TAB) ≥ 10 Mg/year?

For assistance in calculating the TAB, please see the TAB Worksheet in Section 9 of the EQ Resource Guide.

☐ Yes ☒ No

If you answered "No" to question 9.3 and 9.4, please skip to Section 10.

9.6) Does the waste contain > 10% water?

☐ Yes ☐ No

9.7) What is the TAB quantity for your facility?

Mg/year

9.8) Does the waste contain >1.0 mg/kg total Benzene?

☐ Yes ☐ No

9.9) What is the total Benzene concentration in your waste?

(concentration)

(unit)

(Supporting analysis must be attached. Do not use TCLP analytical results. Acceptable laboratory methods include 8020, 8240, 8260, 602 and 624.)

*For a list of NAICS codes, please refer to section 9 of the EQ Resource Guide.

Section 10 - Fuel Blending Information

10.1) Is this waste intended for fuel blending?

If you answered 'Yes' to question 10.1, please enter the following:

☐ Yes* ☒ No

Heat value (BTU/lb.)

Chlorine (%)

Water (%)

Solids (%)

10.2) Is this waste intended for reclamation?

☐ Yes

☒ No.

(5-Gallon Sample required for all reclaim waste streams)

Section 11 - Constituent Information

Please identify your waste constituents from these four categories: Underlying Hazardous Constituents (UHC's), Volatile Organic Hazardous Air Pollutants (VOHAP's), Volatile Organic Compounds (VOC's) and Toxic Release Inventory Constituents (TRI)

Constituent

Concentration

UHC?

Please see Section 11 of the EQ Resource Guide for a list of UHC's, VOHAP's and VOC's. For a complete list of TRI constituents, please refer to 40-CFR 372.65.

Section 12 - Certification

I certify that all information (including attachments) is complete and factual and is an accurate representation of the known and suspected hazards pertaining to the waste described herein. I authorize EQ's Resource Team to add supplemental information to the waste approval file, provided I am contacted and give verbal permission. I authorize EQ's Resource Team to obtain a sample from any waste shipment for purposes of verification. Generator or on Generator's behalf shall be subject to, and Generator shall be bound by, the attached Standard Terms and Conditions and confirmation. I agree that, if EQ approves the waste described herein, all such wastes that are transported, delivered, or rendered to EQ by

Comments:
logged in

Generator:



Authorized Generator Signature

JERRY B. BASHER

Printed Generator Name

Company:

MS Dept. of Environmental Quality

Title:

Chief Groundwater Assessment Director 1/07

The generator's signature MUST appear on the EQ Waste Characterization Report. If the generator has authorized a third party to certify the document, a written notice (on generator letterhead) must accompany this submittal. Although the EQ Resource Team is authorized to make certain modifications to the information provided on this form, the addition or removal of waste codes and waste constituents must be documented by the generator.

STANDARD TERMS AND CONDITIONS

The Agreement between the Customer and EQ - The Environmental Quality Company and/or its member companies (hereinafter "EQ") related to or associated with Delivered Waste, as herein defined, shall be governed by the following Standard Terms and Conditions in addition to the terms and conditions contained in any Waste Characterization Report, Customer Approval Quote Confirmation, Generator Approval Notification, Notice of Waste Approval Expiration, and/or Credit Agreement associated with such Delivered Waste.

The Customer may use its standard forms (such as purchase orders, acknowledgments of orders, and invoices) to administer its dealings under this Agreement for convenience purposes, but all provisions thereof in conflict with these terms and conditions shall be deemed stricken.

Definitions.

The following definitions shall apply for purposes of this Agreement:

"Acceptable Waste" shall mean any hazardous waste, as defined under applicable State or federal law, determined by EQ as acceptable for treatment and/or disposal in accordance with this Agreement.

"Delivered Wastes" shall mean all wastes (i) which are transported, delivered, or tendered to EQ by the Customer; (ii) which the Customer has arranged for the transport, delivery or tender to EQ; or (iii) which are transported, delivered, or tendered to EQ under a Credit Agreement between the Customer and EQ.

"Non-Conforming Wastes" shall mean wastes that (a) are not in accordance in all material respects with the warranties, descriptions, specifications or limitations stated in the Waste Characterization Report and this Agreement; (b) have constituents or components of a type or concentration not specifically identified in the Waste Characterization Report (i) which increase the nature or extent of the hazard and risk undertaken by EQ in treating and/or disposing of the waste, or (ii) for whose treatment and/or disposal a Waste Management Facility is not designed or permitted; or (iii) which increase the cost of treatment and/or disposal of waste beyond that specified in EQ's price quote; or (c) are not properly packaged, labeled, described, or placarded, or otherwise not in compliance with United States Department of Transportation and United States Environmental Protection Agency regulations.

Control of Operations.

EQ shall have sole control over all aspects of the operation of any treatment and/or disposal facility of EQ receiving Delivered Wastes under this Agreement (hereinafter,

"Waste Management Facility"), including, without limitation, maintaining EQ's desired volume of Acceptable Wastes being delivered to any Waste Management Facility by the Customer or any other person or entity.

Identification of Waste.

For each waste material to be transported, delivered, or tendered to EQ under this Agreement, the Customer shall provide, or cause to be provided, to EQ a representative sample of the waste material and a completed Waste Characterization Report containing a physical and chemical description or analysis of such waste material, which description shall conform with any and all guidelines for waste acceptance provided by EQ. On the basis of EQ's analysis of such representative sample of the waste material and such Waste Characterization Report, EQ will determine whether such wastes are Acceptable Wastes. EQ does not make any guarantee that it will handle any waste material or any particular quantity or type of waste material, and EQ reserves the right to the decline to transport, treat and/or dispose of waste material. The Customer shall promptly furnish to EQ any information regarding known, suspected or planned changes in the composition of the waste material. Further, the Customer shall promptly inform EQ of any change in the characteristic or condition of the waste material which becomes known to the Customer subsequent to the date of the Waste Characterization Report.

Non-Conforming Wastes.

In the event that EQ at any time discovers that any Delivered Waste is Non-Conforming Waste, EQ may reject or revoke its acceptance of the Non-Conforming Waste. The Customer shall have seven (7) days to direct an alternative lawful manner of disposition of the waste, unless it is necessary by reason of law or otherwise to move the Non-Conforming Waste prior to expiration of the seven (7) day period. If the Customer does not direct an alternative disposal, at its option, EQ may return any such Non-Conforming Wastes to the Customer, and the Customer shall pay or reimburse EQ for all costs and expenses incurred by EQ in connection with the receipt, handling, sampling, analyses, transportation and return to the Customer of such Non-Conforming Wastes. If it is impossible or impractical for EQ to return the Non-Conforming Waste to the Customer, the Customer shall reimburse EQ for all costs, of any type or nature whatsoever, incurred by EQ, solely because such Delivered Waste was Non-Conforming Waste (including, but not limited to, all costs associated with any remedial steps necessary, due to the nature of the Non-Conforming Waste, in connection with material with which the Non-Conforming Waste may have been commingled and all expenses and charges for analyzing, handling, locating, preparing for transporting, storing and disposing of any Non-Conforming Waste).

Customer Warranty - Title to Wastes.

Either the Customer or the generator (if other than the Customer) shall hold clear title, free of any all liens, claims, encumbrances, and charges to Delivered Waste until such waste is accepted by EQ.

Customer Warranty - Acceptable Wastes.

All Delivered Wastes shall be Acceptable Wastes and shall conform in all material respects to the description and specifications contained in the Waste Characterization Report. The information set forth in the Waste Characterization Report or any manifest, placard or label associated with any Delivered Wastes, or otherwise represented by the Customer or the generator (if other than the Customer) to EQ, is and shall be true, accurate and complete as of the date of receipt of the involved waste by EQ.

Customer Warranty - Compliance with Laws.

The Customer shall comply with all applicable federal, state and local environmental statutes, regulations, and other governmental requirements, as well as directives issued by EQ from time to time, governing the transportation, treatment and/or disposal of Acceptable Wastes, including, but not limited to, all packaging, manifesting, containerization, placarding and labeling requirements.

Customer Warranty - Updating Information.

If the Customer receives information that Delivered Waste or other hazardous waste described in the Waste Characterization Report, or some component of such waste, presents or may present a hazard or risk to persons, property or the environment which was not disclosed to EQ, or if the Customer or generator (if other than the Customer) has changed the process by which such waste results, the Customer shall promptly report such information to EQ in writing.

Customer Indemnity.

The Customer shall indemnify, defend and hold harmless EQ, and its affiliated or related companies, and all of their respective present or future officers, directors, shareholders, employees and agents from and against any and all losses, damages, liabilities, penalties, fines, forfeitures, demands, claims, causes of action, suits, costs and expenses (including, but not limited to, reasonable costs of defense, settlement, and reasonable attorneys' fees), which may be asserted against any or all of them by any person or any governmental agency, or which any or all of them may hereafter suffer, incur, be responsible for or pay out, as a result of or in connection with bodily injuries (including, but not limited to, death, sickness, disease and emotional or mental distress) to any person (including EQ's employees), damage (including, but not limited to, loss of use) to any property (public or private), or any requirements to conduct or incur expense for investigative, removal or remedial expenses in connection with contamination of or adverse effect on the environment, or any violation or alleged violation of any statutes, ordinances, orders, rules or regulations of any governmental entity or agency, caused or arising out of (i) a breach of this Agreement by the Customer, (ii) the failure of any warranty of the Customer to be true, accurate and complete, or (iii) any willful or negligent act or omission of the Customer, or its employees or agents in connection with the performance of this Agreement.

Force Majeure.

EQ shall not be liable for any failure to accept, receive, handle, treat, and/or dispose of Delivered Waste due to an act of God, fire, casualty, flood, war, strike, lockout, labor trouble, failure of public utilities, equipment failure, facility shutdown, injunction, accident, epidemic, riot, insurrection, destruction of operation or transportation facilities, the inability to procure materials, equipment, or sufficient personnel or energy in order to meet operational needs without the necessity of allocation, the failure or inability to obtain any governmental approvals or to meet Environmental Requirements (including, but not limited to voluntary or involuntary compliance with any act, exercise, assertion, or requirement of any governmental authority) which may temporarily or permanently prohibit operations of EQ, the Customer, or the Generator, or any other circumstances beyond the control of EQ which prevents or delays performance of any of its obligations under this Agreement.

Governing Laws.

This Agreement shall in all respects be governed by and shall be construed in accordance with the laws of the State of Michigan applied to contracts executed and performed wholly within such state.

EQ - The Environmental Quality Company

Waste Characterization Report

☒ I authorize EQ - The Environmental Quality Company to choose the appropriate method of waste management, from the technologies offered, at the EQ facilities identified below.

<input type="checkbox"/> Michigan Disposal Waste Treatment Plant (Stabilization and Treatment)	49350 North I-94 Service Drive, Belleville, Michigan 48111 Phone: 1-800-592-5489 Fax: 1-800-592-5329	EPA ID #MID000724831
<input type="checkbox"/> Wayne Disposal, Inc. (Hazardous & PCB Waste Landfill)	49350 North I-94 Service Drive, Belleville, Michigan 48111 Phone: 1-800-592-5489 Fax: 1-800-592-5329	EPA ID #MID048090633
<input type="checkbox"/> EQ Detroit, Inc. (Stabilization, Wastewater Treatment)	1923 Frederick, Detroit, MI 48211 Phone: 1-800-495-6059 Fax: 1-313-923-3375	EPA ID #MID980991566
<input type="checkbox"/> EQ Resource Recovery, Inc. (Solvent Recycling, Fuel Blending, WW Treatment)	36345 Van Born Road, Romulus, Michigan 48174 Phone: (734) 727-5500 Fax: (734) 326-4033	EPA ID #MID060975844
<input type="checkbox"/> EQIS North Carolina (Stabilization, Treatment, Labpack Decommissioning)	1005 Investment Blvd., Apex, NC 27502 Phone: (919) 363-4700 Fax: (919) 363-4714	EPA ID #NCD982170292
<input type="checkbox"/> EQ Florida, Inc. (Drum Consolidation, Labpack Decommissioning)	7202 East Eighth Ave., Tampa, FL 33619 Phone: 1-800-624-5302 Fax: 1-813-628-0842	EPA ID #FLD981932494
<input type="checkbox"/> EQ Detroit Transfer and Processing (Drum Transfer/Universal Waste Handling)	2000 Ferry Street, Detroit, MI 48211 Phone: (313) 923-0080 Fax: (313) 922-8419	EPA ID #MIK939928313
<input type="checkbox"/> EQIS Indianapolis Transfer and Processing (Drum Transfer/Non-Hazardous Waste Processing)	4000 West 10th Street, Indianapolis, Indiana 46222 Phone: (317) 247-7160 Fax: (317) 247-7170	EPA ID #IND161049309
<input type="checkbox"/> EQIS Atlanta Transfer and Processing (Drum Transfer/Non-Hazardous Waste Processing)	5600 Fulton Industrial Blvd., Atlanta, Georgia 30336 Phone: (404) 494-3520 Fax: (404) 494-3560	EPA ID #GAR000039776
<input type="checkbox"/> EQ Augusta, Inc. (Wastewater Treatment)	3920 Goshen Industrial Blvd., Augusta, GA 30906 Phone: 706-771-9100 Fax: 706-771-9124	EPA ID #GAR000011817

Waste Common Name: UOP Molecular Sieves

Section 1 - Generator & Customer Info

SIC/NAICS*:

Generator EPA ID: MST-MP0-002-452

EQ Customer No.: 10958

Generator: Mississippi DEQ
Address: 4280 Rifle Range Rd
City: Vicksburg
State: MS Zip: 39180
County: Warren

Invoicing Company

Company: USES JACKSON
Address: 1075 MENDELL DAVIS DRIVE
City: JACKSON
State: MS Zip: 39212
Country: USA

Mailing Address

Address: P.O. Box 20326
City: Jackson
State: MS Zip: 39289

Invoicing Contact

Name: Wanda Horton
Phone: (601) 372-3232
Fax: () -

Generator Contact

Name: Trey Hess / Jerry Banks
Title:
Phone: (601) 961-5221/6019615654
Fax: () -

Technical Contact

Name: J.T. Newman
Phone: (601) 372-3232
Fax: () -
Mobile: () - Pager: () -
E-mail: jnewman@usesgroup.com

*For a list of NAICS codes, please refer to Section 9 of the EQ Resource Guide.

Section 2 - Shipping & Packaging Info

- 2.1) Shipping Volume & Unit: 55 gallon Frequency: One Time Only
2.2) DOT Shipping Name: Oxidizing solid, corrosive, n.o.s.
2.3) Is this waste surcharge exempt? ☐ Yes ☒ No (If you answered "Yes" to question 2.3, select the Surcharge Exemption reason.)

2.4) Packaging (check all that apply)

- ☐ Bulk Solid (yd ³ < 2000 lbs./yd ³) ☐ Bulk Solid (Ton > 2000 lbs./yd ³) ☐ Bulk Liquids (Gallon)
☐ Totes, Size ☐ Cubic Yard Boxes/Bags ☒ Drums, Size 55 gallon
☐ Other (palletized, 5 gal. Pail, etc.)

Quoted bulk disposal charges for solid materials will be billed by the cubic yard, if the waste density is less than 2,000lbs./cubic yard. If waste density is greater than 2,000 lbs./cubic yard, then bulk disposal charges will be billed by the ton, regardless of the approved container.

Section 3 - Physical Characteristics

- 3.1) Color: VARIES 3.2) Odor: none
3.3) Does this waste contain any "Potentially Odorous Constituents" as defined in the EQ Resource Guide? (Section 3) ☐ Yes ☒ No
3.4) Physical State at 70 °F: ☒ Solid ☐ Dust/Powder ☐ Liquid ☐ Sludge
3.5) What is the pH of this waste? ☐ ≤ 2 ☐ 2.1-4.9 ☐ 5-10 ☐ 10.1-12.4 ☒ ≥ 12.5
3.6) What is the flash point of this waste? ☐ <90 °F ☐ 90-139 °F ☐ 140-199 °F ☒ ≥ 200 °F
3.7) Does this waste contain? (check all that apply) ☒ None
☐ Biodegradable Sorbants ☐ Amines ☐ Ammonia ☐ Free Liquids ☐ Oily Residue ☐ Metal Fines
☐ Shock Sensitive Waste ☐ Reactive Waste ☐ Radioactive Waste ☐ Water Reactive ☐ Biohazard ☐ Aluminum
☐ Asbestos - non-friable ☐ Asbestos - friable ☐ Dioxins ☐ Explosives ☐ Pyrophoric Waste ☐ Isocyanates
☐ Furans

Section 4 - Composition / Generating Process

- 4.1) Describe the physical composition of the waste (i.e., soil, water, PPE, debris, key chemical compounds, etc.)
Aluminum Oxide from 20. to 20. %
Ammonia Oxide from 10. to 10. %
Inert Fillers from 40. to 40. %
Silicone Oxide from 20. to 20. %
Sodium Oxide from 10. to 10. %
4.2) Provide a detailed description of the process generating this waste. (attach flow diagram if available).
Labpack of chemicals in abandoned Chemical plant Lab.

Section 5 - Is This Hazardous Waste?

Please refer to Section 5 of the EQ Resource Guide for a list of waste codes.

As determined by 40 CFR, Part 261 and Michigan Act 451 Rules:

Please list applicable waste code(s):

- 5.1) Is this an EPA RCRA listed hazardous waste (F, K, P or U)? ☐ Yes ☒ No
Comments:
5.2) Is this an EPA RCRA characteristic hazardous waste (D001-D043)? ☒ Yes ☐ No
Comments: D001 D002
5.3) Do any State Hazardous Waste Codes apply? ☐ Yes ☒ No
Comments:
5.4) Is this waste intended for wastewater treatment? ☐ Yes* ☒ No

If you answered "No" to questions 5.1, 5.2, and 5.3, please skip to Section 7.
If you answered "Yes" to question 5.4, please complete the WCR Addendum.

Section 6 - Hazardous Wastes

6.1) Does this waste exceed Land Disposal Restriction Levels?

6.1a) If this waste stream is greater than 50% soil, does it meet the alternative soil treatment standards of 40 CFR 268.49?

6.1b) Does this waste contain greater than 50% debris, by volume? (Debris is greater than 2.5 inches in size.)

6.2) Is the waste an oxidizer (D001)?

6.3) Does this waste contain reactive cyanide \geq 250 ppm (D003)?

6.4) Does this waste contain reactive sulfide \geq 500 ppm (D003)?

6.5) Please indicate which constituent concentrations are below or above the regulatory level. Please indicate the basis used in the determination. Either 'Below' or 'Above' **MUST** be checked for each constituent.

Based On: ☒ Generator Knowledge ☐ Analysis* ☐ MSDS*

*Please forward a copy. Analysis or MSDS are required for EQ Florida Non-hazardous wastes.

Code	Regulatory Level	TCLP (mg/l)		Concentration (If above)
D004	Arsenic	5	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D005	Barium	100	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D006	Cadmium	1	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D007	Chromium	5	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D008	Lead	5	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D009	Mercury	0.2	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D010	Selenium	1	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D011	Silver	5	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D012	Endrin	0.02	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D013	Lindane	0.4	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D014	Methoxychlor	10	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D015	Toxaphene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D016	2,4-D	10	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D017	2,4,5-TP (Silvex)	1	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D018	Benzene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D019	Carbon Tetrachloride	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D020	Chlordane	0.03	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D021	Chlorobenzene	100	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D022	Chloroform	6.0	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D023	o-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____

Code	Regulatory Level	TCLP (mg/l)		Concentration (If above)
D024	m-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D025	p-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D026	Cresols	200	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D027	1,4-Dichlorobenzene	7.5	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D028	1,2-Dichloroethane	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D029	1,1-Dichloroethylene	0.7	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D030	2,4-Dinitrotoluene	0.13	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D031	Heptachlor	0.008	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D032	Hexachlorobenzene	0.13	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D033	Hexachlorobutadiene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D034	Hexachloroethane	3.0	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D035	Methyl Ethyl Ketone	200	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D036	Nitrobenzene	2	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D037	Pentachlorophenol	100	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D038	Pyridine	5	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D039	Tetrachloroethylene	0.7	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D040	Trichloroethylene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D041	2,4,6-Trichlorophenol	400	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D042	2,4,6-Trichlorophenol	2	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D043	Vinyl Chloride	0.2	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____

6.6) If this is a characteristic hazardous waste, does it contain underlying hazardous constituents?

☐ Yes ☒ No

If you answered 'Yes', please list the constituents in Section 11.

Section 7 - Non-Hazardous Wastes

For a complete list of non-hazardous waste codes, please refer to Section 7 of the EQ Resource Guide.

Applicable waste code(s):

7.1) Is this a Michigan non-hazardous liquid industrial waste?

☐ Yes ☒ No

Comments:

7.2) Is this a Universal waste?

☐ Yes ☒ No

7.3) Is this a Recyclable Commodity? (e.g.: computer monitors, free mercury, etc.)

☐ Yes ☒ No

7.4) Is this waste a recoverable petroleum product?

☐ Yes ☒ No

7.5) Is this waste used oil as defined by 40 CFR Part 279?

☐ Yes ☒ No

Section 8 - TSCA Information

- 8.1) What is the concentration of PCBs in the waste? ☒ None ☐ 0-5 ppm ☐ 6-49 ppm
☐ 50-499 ppm ☐ 500+ ppm
- 8.2) Does the waste contain PCB contamination from a source with a concentration ≥ 50 ppm? ☐ Yes ☒ No
If you answered 'None' to 8.1 and 'No' to 8.2, please skip to Section 9.
- 8.3) Has this waste been processed into a non-liquid form? ☐ Yes ☐ No
If yes, what was the concentration of PCBs prior to processing? (ppm) ☐ N/A ☐ 0-499 ☐ 500+
- 8.4) Is the non-liquid PCB waste in the form of soil, rags, debris, or other contaminated media? ☐ Yes ☐ No
- 8.5) Are you a PCB capacitor manufacturer or a PCB equipment manufacturer? ☐ Yes ☐ No
- 8.6) Has the PCB Article (e.g., transformer, hydraulic machine, PCB-contaminated electrical equipment) been drained/flushed of all PCBs and decontaminated in accordance with 40 CFR 761.60(b)? ☐ N/A ☐ Yes ☐ No

Section 9 - Clean Air Act Information

- 9.1) Is this waste subject to regulation under 40 CFR, Part 63, Subpart DD or 40 CFR, Part 264, Subpart CC (RCRA)? ☐ Yes ☒ No
(Does the waste contain >500 ppm Volatile Organic Hazardous Air Pollutants - VOHAP's or Volatile Organic Compounds - VOC's?)
For a complete list of VOHAPs, please see Section 11 of the EQ Resource Guide.
- 9.2) Is this site, or waste, subject to any other MACT or NESHAP? ☐ Yes ☒ No
If yes, please specify:
- 9.3) Does this waste stream contain Benzene? ☐ Yes ☒ No
If you answered "No" to question 9.2, please skip to section 10.
- 9.4) Does the waste stream come from a facility with one of the SIC/NAICS codes listed under the Benzene NESHAP identified in 40 CFR 61, Subpart FF? ☐ Yes ☐ No
- 9.5) Is the generating source of this waste stream a facility with Total Annual Benzene (TAB) ≥ 10 Mg/year? ☐ Yes ☒ No
For assistance in calculating the TAB, please see the TAB Worksheet in Section 9 of the EQ Resource Guide.
If you answered "No" to question 9.3 and 9.4, please skip to Section 10.
- 9.6) Does the waste contain > 10% water? ☐ Yes ☐ No
- 9.7) What is the TAB quantity for your facility? _____ Mg/year
- 9.8) Does the waste contain >1.0 mg/kg total Benzene? ☐ Yes ☐ No
- 9.9) What is the total Benzene concentration in your waste? _____ (concentration) _____ (unit)

(Supporting analysis must be attached. Do not use TCLP analytical results. Acceptable laboratory methods include 8020, 8240, 8260, 602 and 624.)

**For a list of NAICS codes, please refer to section 9 of the EQ Resource Guide.*

Section 10 - Fuel Blending Information

- 10.1) Is this waste intended for fuel blending? ☐ Yes* ☒ No
If you answered 'Yes' to question 10.1, please enter the following:
- Heat value (BTU/lb.) _____
- Chlorine (%) _____
- Water (%) _____
- Solids (%) _____
- 10.2) Is this waste intended for reclamation? ☐ Yes ☒ No (5-Gallon Sample required for all reclaim waste streams)

Section 11 - Constituent Information

Please identify your waste constituents from these four categories: Underlying Hazardous Constituents (UHC's), Volatile Organic Hazardous Air Pollutants (VOHAP's), Volatile Organic Compounds (VOC's) and Toxic Release Inventory Constituents (TRI)

Constituent	Concentration	UHC?
-------------	---------------	------


Please see Section 11 of the EQ Resource Guide for a list of UHC's, VOHAP's and VOC's. For a complete list of TRI constituents, please refer to 40 CFR 372.65.

Section 12 - Certification

I certify that all information (including attachments) is complete and factual and is an accurate representation of the known and suspected hazards, pertaining to the waste described herein. I authorize EQ's Resource Team to add supplemental information to the waste approval file, provided I am contacted and give verbal permission. I authorize EQ's Resource Team to obtain a sample from any waste shipment for purposes of verification. Generator or on Generator's behalf shall be subject to, and Generator shall be bound by, the attached Standard Terms and Conditions and confirmation. I agree that, if EQ approves the waste described herein, all such wastes that are transported, delivered, or tendered to EQ by

Comments:
logged in

Generator:



Authorized Generator Signature

JERRY B. BARBER

Printed Generator Name

Company:

MS. Dept. of Environmental Quality

Title:

Chief, Groundwater Assessment

Date: 12/12/07

The generator's signature MUST appear on the EQ Waste Characterization Report. If the generator has authorized a third party to certify this document, a written notice (on generator letterhead) must accompany this submittal. Although the EQ Resource Team is authorized to make certain modifications to the information provided on this form, the addition or removal of waste codes and waste constituents must be documented by the generator.

STANDARD TERMS AND CONDITIONS

The Agreement between the Customer and EQ - The Environmental Quality Company and/or its member companies (hereinafter "EQ") related to or associated with Delivered Waste, as herein defined, shall be governed by the following Standard Terms and Conditions in addition to the terms and conditions contained in any Waste Characterization Report, Customer Approval Quote Confirmation, Generator Approval Notification, Notice of Waste Approval Expiration, and/or Credit Agreement associated with such Delivered Waste.

The Customer may use its standard forms (such as purchase orders, acknowledgments of orders, and invoices) to administer its dealings under this Agreement for convenience purposes, but all provisions thereof in conflict with these terms and conditions shall be deemed stricken.

Definitions.

The following definitions shall apply for purposes of this Agreement:

"Acceptable Waste" shall mean any hazardous waste, as defined under applicable State or federal law, determined by EQ as acceptable for treatment and/or disposal in accordance with this Agreement.

"Delivered Wastes" shall mean all wastes (i) which are transported, delivered, or tendered to EQ by the Customer; (ii) which the Customer has arranged for the transport, delivery or tender to EQ; or (iii) which are transported, delivered, or tendered to EQ under a Credit Agreement between the Customer and EQ.

"Non-Conforming Wastes" shall mean wastes that (a) are not in accordance in all material respects with the warranties, descriptions, specifications or limitations stated in the Waste Characterization Report and this Agreement; (b) have constituents or components of a type or concentration not specifically identified in the Waste Characterization Report (i) which increase the nature or extent of the hazard and risk undertaken by EQ in treating and/or disposing of the waste, or (ii) for whose treatment and/or disposal a Waste Management Facility is not designed or permitted; or (iii) which increase the cost of treatment and/or disposal of waste beyond that specified in EQ's price quote; or (c) are not properly packaged, labeled, described, or placarded, or otherwise not in compliance with United States Department of Transportation and United States Environmental Protection Agency regulations.

Control of Operations.

EQ shall have sole control over all aspects of the operation of any treatment and/or disposal facility of EQ receiving Delivered Wastes under this Agreement (hereinafter, "Waste Management Facility"), including, without limitation, maintaining EQ's desired volume of Acceptable Wastes being delivered to any Waste Management Facility by the Customer or any other person or entity.

Identification of Waste.

For each waste material to be transported, delivered, or tendered to EQ under this Agreement, the Customer shall provide, or cause to be provided, to EQ a representative sample of the waste material and a completed Waste Characterization Report containing a physical and chemical description or analysis of such waste material, which description shall conform with any and all guidelines for waste acceptance provided by EQ. On the basis of EQ's analysis of such representative sample of the waste material and such Waste Characterization Report, EQ will determine whether such wastes are Acceptable Wastes. EQ does not make any guarantee that it will handle any waste material or any particular quantity or type of waste material, and EQ reserves the right to the decline to transport, treat and/or dispose of waste material. The Customer shall promptly furnish to EQ any information regarding known, suspected or planned changes in the composition of the waste material. Further, the Customer shall promptly inform EQ of any change in the characteristic or condition of the waste material which becomes known to the Customer subsequent to the date of the Waste Characterization Report.

Non-Conforming Wastes.

In the event that EQ at any time discovers that any Delivered Waste is Non-Conforming Waste, EQ may reject or revoke its acceptance of the Non-Conforming Waste. The Customer shall have seven (7) days to direct an alternative lawful manner of disposition of the waste, unless it is necessary by reason of law or otherwise to move the Non-Conforming Waste prior to expiration of the seven (7) day period. If the Customer does not direct an alternative disposal, at its option, EQ may return any such Non-Conforming Wastes to the Customer, and the Customer shall pay or reimburse EQ for all costs and expenses incurred by EQ in connection with the receipt, handling, sampling, analyses, transportation and return to the Customer of such Non-Conforming Wastes. If it is impossible or impractical for EQ to return the Non-Conforming Waste to the Customer, the Customer shall reimburse EQ for all costs, of any type or nature whatsoever, incurred by EQ, solely because such Delivered Waste was Non-Conforming Waste (including, but not limited to, all costs associated with any remedial steps necessary, due to the nature of the Non-Conforming Waste, in connection with material with which the Non-Conforming Waste may have been commingled and all expenses and charges for analyzing, handling, locating, preparing for transporting, storing and disposing of any Non-Conforming Waste).

Customer Warranty - Title to Wastes.

Either the Customer or the generator (if other than the Customer) shall hold clear title, free of any all liens, claims, encumbrances, and charges to Delivered Waste until such waste is accepted by EQ.

Customer Warranty - Acceptable Wastes.

All Delivered Wastes shall be Acceptable Wastes and shall conform in all material respects to the description and specifications contained in the Waste Characterization Report. The information set forth in the Waste Characterization Report or any manifest, placard or label associated with any Delivered Wastes, or otherwise represented by the Customer or the generator (if other than the Customer) to EQ, is and shall be true, accurate and complete as of the date of receipt of the involved waste by EQ.

Customer Warranty - Compliance with Laws.

The Customer shall comply with all applicable federal, state and local environmental statutes, regulations, and other governmental requirements, as well as directives issued by EQ from time to time, governing the transportation, treatment and/or disposal of Acceptable Wastes, including, but not limited to, all packaging, manifesting, containerization, placarding and labeling requirements.

Customer Warranty - Updating Information.

If the Customer receives information that Delivered Waste or other hazardous waste described in the Waste Characterization Report, or some component of such waste, presents or may present a hazard or risk to persons, property or the environment which was not disclosed to EQ, or if the Customer or generator (if other than the Customer) has changed the process by which such waste results, the Customer shall promptly report such information to EQ in writing.

Customer Indemnity.

The Customer shall indemnify, defend and hold harmless EQ, and its affiliated or related companies, and all of their respective present or future officers, directors, shareholders, employees and agents from and against any and all losses, damages, liabilities, penalties, fines, forfeitures, demands, claims, causes of action, suits, costs and expenses (including, but not limited to, reasonable costs of defense, settlement, and reasonable attorneys' fees), which may be asserted against any or all of them by any person or any governmental agency, or which any or all of them may hereafter suffer, incur, be responsible for or pay out, as a result of or in connection with bodily injuries (including, but not limited to, death, sickness, disease and emotional or mental distress) to any person (including EQ's employees), damage (including, but not limited to, loss of use) to any property (public or private), or any requirements to conduct or incur expense for investigative, removal or remedial expenses in connection with contamination of or adverse effect on the environment, or any violation or alleged violation of any statutes, ordinances, orders, rules or regulations of any governmental entity or agency, caused or arising out of (i) a breach of this Agreement by the Customer, (ii) the failure of any warranty of the Customer to be true, accurate and complete, or (iii) any willful or negligent act or omission of the Customer, or its employees or agents in connection with the performance of this Agreement.

Force Majeure.

EQ shall not be liable for any failure to accept, receive, handle, treat, and/or dispose of Delivered Waste due to an act of God, fire, casualty, flood, war, strike, lockout, labor trouble, failure of public utilities, equipment failure, facility shutdown, injunction, accident, epidemic, riot, insurrection, destruction of operation or transportation facilities, the inability to procure materials, equipment, or sufficient personnel or energy in order to meet operational needs without the necessity of allocation, the failure or inability to obtain any governmental approvals or to meet Environmental Requirements (including, but not limited to voluntary or involuntary compliance with any act, exercise, assertion, or requirement of any governmental authority) which may temporarily or permanently prohibit operations of EQ, the Customer, or the Generator, or any other circumstances beyond the control of EQ which prevents or delays performance of any of its obligations under this Agreement.

Governing Laws.

This Agreement shall in all respects be governed by and shall be construed in accordance with the laws of the State of Michigan applied to contracts executed and performed wholly within such state.

EQ - The Environmental Quality Company

Waste Characterization Report

☒ I authorize EQ - The Environmental Quality Company to choose the appropriate method of waste management, from the technologies offered, at the EQ facilities identified below.

<input type="checkbox"/> Michigan Disposal Waste Treatment Plant (Stabilization and Treatment)	49350 North I-94 Service Drive, Belleville, Michigan 48111 Phone: 1-800-592-5489 Fax: 1-800-592-5329	EPA ID #MID000724831
<input type="checkbox"/> Wayne Disposal, Inc. (Hazardous & PCB Waste Landfill)	49350 North I-94 Service Drive, Belleville, Michigan 48111 Phone: 1-800-592-5489 Fax: 1-800-592-5329	EPA ID #MID048090633
<input type="checkbox"/> EQ Detroit, Inc. (Stabilization, Wastewater Treatment)	1923 Frederick, Detroit, MI 48211 Phone: 1-800-495-6059 Fax: 1-313-923-3375	EPA ID #MID980991566
<input type="checkbox"/> EQ Resource Recovery, Inc. (Solvent Recycling, Fuel Blending, WW Treatment)	36345 Van Born Road, Romulus, Michigan 48174 Phone: (734) 727-5500 Fax: (734) 326-4033	EPA ID #MID060975844
<input type="checkbox"/> EQIS North Carolina (Stabilization, Treatment, Labpack Decommissioning)	1005 Investment Blvd., Apex, NC 27502 Phone: (919) 363-4700 Fax: (919) 363-4714	EPA ID #NCD982170292
<input type="checkbox"/> EQ Florida, Inc. (Drum Consolidation, Labpack Decommissioning)	7202 East Eighth Ave., Tampa, FL 33619 Phone: 1-800-624-5302 Fax: 1-813-628-0842	EPA ID #FLD981932494
<input type="checkbox"/> EQ Detroit Transfer and Processing (Drum Transfer/Universal Waste Handling)	2000 Ferry Street, Detroit, MI 48211 Phone: (313) 923-0080 Fax: (313) 922-8419	EPA ID #MIK939928313
<input type="checkbox"/> EQIS Indianapolis Transfer and Processing (Drum Transfer/Non-Hazardous Waste Processing)	4000 West 10th Street, Indianapolis, Indiana 46222 Phone: (317) 247-7160 Fax: (317) 247-7170	EPA ID #IND161049309
<input type="checkbox"/> EQIS Atlanta Transfer and Processing (Drum Transfer/Non-Hazardous Waste Processing)	5600 Fulton Industrial Blvd., Atlanta, Georgia 30336 Phone: (404) 494-3520 Fax: (404) 494-3560	EPA ID #GAR000039776
<input type="checkbox"/> EQ Augusta, Inc. (Wastewater Treatment)	3920 Goshen Industrial Blvd., Augusta, GA 30906 Phone: 706-771-9100 Fax: 706-771-9124	EPA ID #GAR000011817

Waste Common Name: Waste Ammonia Nitrate and Sodium Hypochlorite

Section 1 - Generator & Customer Info

SIC/NAICS*

EQ Customer No.: 10958

Generator EPA ID: MST-MP0-002-452

Invoicing Company

Company: USES JACKSON
Address: 1075 MENDELL DAVIS DRIVE
City: JACKSON
State: MS Zip: 39212
Country: USA

Invoicing Contact

Name: Wanda Horton
Phone: (601) 372-3232
Fax: () -

Technical Contact

Name: J.T. Newman
Phone: (601) 372-3232
Fax: () -
Mobile: () - Pager: () -
E-mail: jnewman@usesgroup.com

Generator: Mississippi DEQ
Address: 4280 Rifle Range Rd
City: Vicksburg
State: MS Zip: 39180
County: Warren

Mailing Address

Address: P.O Box 20326
City: Jackson
State: MS Zip: 39289

Generator Contact

Name: Trey Hess / Jerry Banks
Title:
Phone: (601) 961-5221/6019615654
Fax: () -

*For a list of NAICS codes, please refer to Section 9 of the EQ Resource Guide.

Section 2 - Shipping & Packaging Info

- 2.1) Shipping Volume & Unit: 55 gallon Frequency: One Time Only
- 2.2) DOT Shipping Name: Oxidizing solid, corrosive, n.o.s.
- 2.3) Is this waste surcharge exempt? ☐ Yes ☒ No (If you answered "Yes" to question 2.3, select the Surcharge Exemption reason.)

2.4) Packaging (check all that apply)

- ☐ Bulk Solid (yd ³ < 2000 lbs/yd ³) ☐ Bulk Solid (Ton > 2000 lbs./yd ³) ☐ Bulk Liquids (Gallon)
- ☐ Totes, Size ☐ Cubic Yard Boxes/Bags ☒ Drums, Size 55 gallon
- ☐ Other (palletized, 5 gal. Pail, etc.)

Quoted bulk disposal charges for solid materials will be billed by the cubic yard, if the waste density is less than 2,000lbs./cubic yard. If waste density is greater than 2,000 lbs./cubic yard, then bulk disposal charges will be billed by the ton, regardless of the approved container.

Section 3 - Physical Characteristics

- 3.1) Color: WHITE 3.2) Odor: Ammonia Slight
- 3.3) Does this waste contain any "Potentially Odorous Constituents" as defined in the EQ Resource Guide? (Section 3) ☒ Yes ☐ No
- 3.4) Physical State at 70 °F: ☒ Solid ☐ Dust/Powder ☐ Liquid ☐ Sludge
- 3.5) What is the pH of this waste? ☐ ≤ 2 ☐ 2.1-4.9 ☐ 5-10 ☒ 10.1-12.4 ☒ ≥ 12.5
- 3.6) What is the flash point of this waste? ☐ <90 °F ☐ 90-139 °F ☐ 140-199 °F ☒ ≥ 200 °F
- 3.7) Does this waste contain? (check all that apply) ☐ None
- | | | | | | |
|---|---|--|---|---|--------------------------------------|
| <input type="checkbox"/> Biodegradable Sorbants | <input type="checkbox"/> Amines | <input type="checkbox"/> Ammonia | <input type="checkbox"/> Free Liquids | <input type="checkbox"/> Oily Residue | <input type="checkbox"/> Metal Fines |
| <input type="checkbox"/> Shock Sensitive Waste | <input type="checkbox"/> Reactive Waste | <input type="checkbox"/> Radioactive Waste | <input type="checkbox"/> Water Reactive | <input type="checkbox"/> Biohazard | <input type="checkbox"/> Aluminum |
| <input type="checkbox"/> Asbestos - non-friable | <input type="checkbox"/> Asbestos - friable | <input type="checkbox"/> Dioxins | <input type="checkbox"/> Explosives | <input type="checkbox"/> Pyrophoric Waste | <input type="checkbox"/> Isocyanates |
| | | | <input type="checkbox"/> Furans | | |

Section 4 - Composition / Generating Process

- 4.1) Describe the physical composition of the waste (i.e., soil, water, PPE, debris, key chemical compounds, etc.)
- Ammonia Nitrate from 50. to 50. %
- Sodium Hyposulfite from 50. to 50. %
- 4.2) Provide a detailed description of the process generating this waste. (attach flow diagram if available).
- Labpack of chemicals in abandoned Chemical plant Lab.

Section 5 - Is This Hazardous Waste?

Please refer to Section 5 of the EQ Resource Guide for a list of waste codes.

As determined by 40 CFR, Part 261 and Michigan Act 451 Rules:

Please list applicable waste code(s):

- 5.1) Is this an EPA RCRA listed hazardous waste (F, K, P or U)? ☐ Yes ☒ No
- Comments:
- 5.2) Is this an EPA RCRA characteristic hazardous waste (D001-D043)? ☒ Yes ☐ No
- Comments:
- 5.3) Do any State Hazardous Waste Codes apply? ☐ Yes ☒ No
- Comments:
- 5.4) Is this waste intended for wastewater treatment? ☐ Yes* ☒ No

D001 D002

If you answered "No" to questions 5.1, 5.2, and 5.3, please skip to Section 7.
If you answered "Yes" to question 5.4, please complete the WCR Addendum.

Section 6 - Hazardous Wastes

6.1) Does this waste exceed Land Disposal Restriction Levels?

6.1a) If this waste stream is greater than 50% soil, does it meet the alternative soil treatment standards of 40 CFR 268.49?

6.1b) Does this waste contain greater than 50% debris, by volume? (Debris is greater than 2.5 inches in size.)

6.2) Is the waste an oxidizer (D001)?

6.3) Does this waste contain reactive cyanide \geq 250 ppm (D003)?

6.4) Does this waste contain reactive sulfide \geq 500 ppm (D003)?

6.5) Please indicate which constituent concentrations are below or above the regulatory level. Please indicate the basis used in the determination. Either 'Below' or 'Above' **MUST** be checked for each constituent.

Based On: ☒ Generator Knowledge ☐ Analysis* ☐ MSDS*

*Please forward a copy. Analysis or MSDS are required for EQ Florida Non-hazardous wastes.

Code	Regulatory Level	TCLP (mg/l)	Concentration (If above)
D004	Arsenic	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D005	Barium	100	<input checked="" type="radio"/> Below <input type="radio"/> Above
D006	Cadmium	1	<input checked="" type="radio"/> Below <input type="radio"/> Above
D007	Chromium	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D008	Lead	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D009	Mercury	0.2	<input checked="" type="radio"/> Below <input type="radio"/> Above
D010	Selenium	1	<input checked="" type="radio"/> Below <input type="radio"/> Above
D011	Silver	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D012	Endrin	0.02	<input checked="" type="radio"/> Below <input type="radio"/> Above
D013	Lindane	0.4	<input checked="" type="radio"/> Below <input type="radio"/> Above
D014	Methoxychlor	10	<input checked="" type="radio"/> Below <input type="radio"/> Above
D015	Toxaphene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D016	2,4-D	10	<input checked="" type="radio"/> Below <input type="radio"/> Above
D017	2,4,5-TP (Silvex)	1	<input checked="" type="radio"/> Below <input type="radio"/> Above
D018	Benzene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D019	Carbon Tetrachloride	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D020	Chlordane	0.03	<input checked="" type="radio"/> Below <input type="radio"/> Above
D021	Chlorobenzene	100	<input checked="" type="radio"/> Below <input type="radio"/> Above
D022	Chloroform	6.0	<input checked="" type="radio"/> Below <input type="radio"/> Above
D023	o-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above

Code	Regulatory Level	TCLP (mg/l)	Concentration (If above)
D024	m-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above
D025	p-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above
D026	Cresols	200	<input checked="" type="radio"/> Below <input type="radio"/> Above
D027	1,4-Dichlorobenzene	7.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D028	1,2-Dichloroethane	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D029	1,1-Dichloroethylene	0.7	<input checked="" type="radio"/> Below <input type="radio"/> Above
D030	2,4-Dinitrotoluene	0.13	<input checked="" type="radio"/> Below <input type="radio"/> Above
D031	Heptachlor	0.008	<input checked="" type="radio"/> Below <input type="radio"/> Above
D032	Hexachlorobenzene	0.13	<input checked="" type="radio"/> Below <input type="radio"/> Above
D033	Hexachlorobutadiene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D034	Hexachloroethane	3.0	<input checked="" type="radio"/> Below <input type="radio"/> Above
D035	Methyl Ethyl Ketone	200	<input checked="" type="radio"/> Below <input type="radio"/> Above
D036	Nitrobenzene	2	<input checked="" type="radio"/> Below <input type="radio"/> Above
D037	Pentachlorophenol	100	<input checked="" type="radio"/> Below <input type="radio"/> Above
D038	Pyridine	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D039	Tetrachloroethylene	0.7	<input checked="" type="radio"/> Below <input type="radio"/> Above
D040	Trichloroethylene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D041	2,4,5-Trichlorophenol	400	<input checked="" type="radio"/> Below <input type="radio"/> Above
D042	2,4,6-Trichlorophenol	2	<input checked="" type="radio"/> Below <input type="radio"/> Above
D043	Vinyl Chloride	0.2	<input checked="" type="radio"/> Below <input type="radio"/> Above

6.6) If this is a characteristic hazardous waste, does it contain underlying hazardous constituents?

If you answered 'Yes', please list the constituents in Section 11.

☐ Yes ☒ No

Section 7 - Non-Hazardous Wastes

For a complete list of non-hazardous waste codes, please refer to Section 7 of the EQ Resource Guide.

Applicable waste code(s):

7.1) Is this a Michigan non-hazardous liquid industrial waste?

Comments:

☐ Yes ☒ No

7.2) Is this a Universal waste?

☐ Yes ☒ No

7.3) Is this a Recyclable Commodity? (e.g.: computer monitors, free mercury, etc.)

☐ Yes ☒ No

7.4) Is this waste a recoverable petroleum product?

☐ Yes ☒ No

7.5) Is this waste used oil as defined by 40 CFR Part 279?

☐ Yes ☒ No

Section 8 - TSCA Information

8.1) What is the concentration of PCBs in the waste?

☒ None

☐ 50-499 ppm

☐ 0-5 ppm

☐ 500+ ppm

☐ 6-49 ppm

8.2) Does the waste contain PCB contamination from a source with a concentration ≥ 50 ppm?

If you answered 'None' to 8.1 and 'No' to 8.2, please skip to Section 9.

Yes ☐ No ☒

8.3) Has this waste been processed into a non-liquid form?

If yes, what was the concentration of PCBs prior to processing? (ppm)

Yes ☐ No ☒

8.4) Is the non-liquid PCB waste in the form of soil, rags, debris, or other contaminated media?

Yes ☐ No ☒

8.5) Are you a PCB capacitor manufacturer or a PCB equipment manufacturer?

Yes ☐ No ☒

8.6) Has the PCB Article (e.g., transformer, hydraulic machine, PCB-contaminated electrical equipment) been drained/flushed of all PCBs and decontaminated in accordance with 40 CFR 761.60(b)?

Yes ☐ No ☒

Section 9 - Clean Air Act Information

9.1) Is this waste subject to regulation under 40 CFR, Part 63, Subpart DD or 40 CFR, Part 264, Subpart CC (RCRA)?

(Does the waste contain >500 ppm Volatile Organic Hazardous Air Pollutants - VOHAP's or Volatile Organic Compounds - VOC's?)

For a complete list of VOHAPs, please see Section 11 of the EQ Resource Guide.

Yes ☐ No ☒

9.2) Is this site, or waste, subject to any other MACT or NESHAP?

If yes, please specify:

Yes ☐ No ☒

9.3) Does this waste stream contain Benzene?

If you answered "No" to question 9.2, please skip to section 10.

Yes ☐ No ☒

9.4) Does the waste stream come from a facility with one of the SIC/NAICS codes listed under the Benzene NESHAP identified in 40 CFR 61, Subpart FF?

Yes ☐ No ☒

9.5) Is the generating source of this waste stream a facility with Total Annual Benzene (TAB) ≥ 10 Mg/year?

For assistance in calculating the TAB, please see the TAB Worksheet in Section 9 of the EQ Resource Guide.

Yes ☐ No ☒

If you answered "No" to question 9.3 and 9.4, please skip to Section 10.

9.6) Does the waste contain > 10% water?

Yes ☐ No ☒

9.7) What is the TAB quantity for your facility? _____ Mg/year

9.8) Does the waste contain >1.0 mg/kg total Benzene?

Yes ☐ No ☒

9.9) What is the total Benzene concentration in your waste? _____ (concentration) _____ (unit)

(Supporting analysis must be attached. Do not use TCLP analytical results. Acceptable laboratory methods include 8020, 8240, 8260, 802 and 624.)

**For a list of NAICS codes, please refer to section 9 of the EQ Resource Guide.*

Section 10 - Fuel Blending Information

10.1) Is this waste intended for fuel blending?

If you answered 'Yes' to question 10.1, please enter the following:

Yes* ☐

No ☒

Heat value (BTU/lb.) _____

Chlorine (%) _____

Water (%) _____

Solids (%) _____

10.2) Is this waste intended for reclamation?

Yes ☐

No ☒

(5-Gallon Sample required for all reclaim waste streams)

Section 11 - Constituent Information

Please identify your waste constituents from these four categories: Underlying Hazardous Constituents (UHC's), Volatile Organic Hazardous Air Pollutants (VOHAP's), Volatile Organic Compounds (VOC's) and Toxic Release Inventory Constituents (TRI)

Constituent

Concentration

UHC?


Please see Section 11 of the EQ Resource Guide for a list of UHC's, VOHAP's and VOC's. For a complete list of TRI constituents, please refer to 40 CFR 372.65.

Section 12 - Certification

I certify that all information (including attachments) is complete and factual and is an accurate representation of the known and suspected hazards, pertaining to the waste described herein. I authorize EQ's Resource Team to add supplemental information to the waste approval file, provided I am contacted and give verbal permission. I authorize EQ's Resource Team to obtain a sample from any waste shipment for purposes of verification. Generator or on Generator's behalf shall be subject to, and Generator shall be bound by, the attached Standard Terms and Conditions. and confirmation. I agree that, if EQ approves the waste described herein, all such wastes that are transported, delivered, or tendered to EQ by

Comments:
logged in

Generator:



Authorized Generator Signature

JERRY B. BANKS

Printed Generator Name

Company:

MS Dept. of Environmental Quality

Title:

Chief, Groundwater Assessment

Date:

12/12/07

The generator's signature MUST appear on the EQ Waste Characterization Report. If the generator has authorized a third party to certify this document, a written notice (on generator letterhead) must accompany this submittal. Although the EQ Resource Team is authorized to make certain modifications to the information provided on this form, the addition or removal of waste codes and waste constituents must be documented by the generator.

STANDARD TERMS AND CONDITIONS

The Agreement between the Customer and EQ - The Environmental Quality Company and/or its member companies (hereinafter "EQ") related to or associated with Delivered Waste, as herein defined, shall be governed by the following Standard Terms and Conditions in addition to the terms and conditions contained in any Waste Characterization Report, Customer Approval Quote Confirmation, Generator Approval Notification, Notice of Waste Approval Expiration, and/or Credit Agreement associated with such Delivered Waste.

The Customer may use its standard forms (such as purchase orders, acknowledgments of orders, and invoices) to administer its dealings under this Agreement for convenience purposes, but all provisions thereof in conflict with these terms and conditions shall be deemed stricken.

Definitions.

The following definitions shall apply for purposes of this Agreement:

"Acceptable Waste" shall mean any hazardous waste, as defined under applicable State or federal law, determined by EQ as acceptable for treatment and/or disposal in accordance with this Agreement.

"Delivered Wastes" shall mean all wastes (i) which are transported, delivered, or tendered to EQ by the Customer; (ii) which the Customer has arranged for the transport, delivery or tender to EQ; or (iii) which are transported, delivered, or tendered to EQ under a Credit Agreement between the Customer and EQ.

"Non-Conforming Wastes" shall mean wastes that (a) are not in accordance in all material respects with the warranties, descriptions, specifications or limitations stated in the Waste Characterization Report and this Agreement; (b) have constituents or components of a type or concentration not specifically identified in the Waste Characterization Report (i) which increase the nature or extent of the hazard and risk undertaken by EQ in treating and/or disposing of the waste, or (ii) for whose treatment and/or disposal a Waste Management Facility is not designed or permitted; or (iii) which increase the cost of treatment and/or disposal of waste beyond that specified in EQ's price quote; or (c) are not properly packaged, labeled, described, or placarded, or otherwise not in compliance with United States Department of Transportation and United States Environmental Protection Agency regulations.

Control of Operations.

EQ shall have sole control over all aspects of the operation of any treatment and/or disposal facility of EQ receiving Delivered Wastes under this Agreement (hereinafter "Waste Management Facility"), including, without limitation, maintaining EQ's desired volume of Acceptable Wastes being delivered to any Waste Management Facility, and to no other person or entity.

Identification of Waste.

For each waste material to be transported, delivered, or tendered to EQ under this Agreement, the Customer shall provide, or cause to be provided, to EQ a representative sample of the waste material and a completed Waste Characterization Report containing a physical and chemical description or analysis of such waste material, which description shall conform with any and all guidelines for waste acceptance provided by EQ. On the basis of EQ's analysis of such representative sample of the waste material and such Waste Characterization Report, EQ will determine whether such waste is Acceptable Waste. EQ does not make any guarantee that it will handle any waste material or any particular quantity or type of waste material, and EQ reserves the right to the decline to transport, treat and/or dispose of waste material. The Customer shall promptly furnish to EQ any information regarding known, suspected or planned changes in the composition of the waste material. Further, the Customer shall promptly inform EQ of any change in the characteristic or condition of the waste material which becomes known to the Customer subsequent to the date of the Waste Characterization Report.

Non-Conforming Wastes.

In the event that EQ at any time discovers that any Delivered Waste is Non-Conforming Waste, EQ may reject or revoke its acceptance of the Non-Conforming Waste. The Customer shall have seven (7) days to direct an alternative lawful manner of disposition of the waste, unless it is necessary by reason of law or otherwise to move the Non-Conforming Waste prior to expiration of the seven (7) day period. If the Customer does not direct an alternative disposal, at its option, EQ may return any such Non-Conforming Wastes to the Customer, and the Customer shall pay or reimburse EQ for all costs and expenses incurred by EQ in connection with the receipt, handling, sampling, analyses, transportation and return to the Customer of such Non-Conforming Wastes. If it is impossible or impractical for EQ to return the Non-Conforming Waste to the Customer, the Customer shall reimburse EQ for all costs, of any type or nature whatsoever, incurred by EQ, solely because such Delivered Waste was Non-Conforming Waste (including, but not limited to, all costs associated with any remedial steps necessary, due to the nature of the Non-Conforming Waste, in connection with material with which the Non-Conforming Waste may have been commingled and all expenses and charges for analyzing, handling, locating, preparing for transporting, storing and disposing of any Non-Conforming Waste).

Customer Warranty - Title to Wastes.

Either the Customer or the generator (if other than the Customer) shall hold clear title, free of any all liens, claims, encumbrances, and charges to Delivered Waste until such waste is accepted by EQ.

Customer Warranty - Acceptable Wastes.

All Delivered Wastes shall be Acceptable Wastes and shall conform in all material respects to the description and specifications contained in the Waste Characterization Report. The information set forth in the Waste Characterization Report or any manifest, placard or label associated with any Delivered Wastes, or otherwise represented by the Customer or the generator (if other than the Customer) to EQ, is and shall be true, accurate and complete as of the date of receipt of the involved waste by EQ.

Customer Warranty - Compliance with Laws.

The Customer shall comply with all applicable federal, state and local environmental statutes, regulations, and other governmental requirements, as well as directives issued by EQ from time to time, governing the transportation, treatment and/or disposal of Acceptable Wastes, including, but not limited to, all packaging, manifesting, containerization, placarding and labeling requirements.

Customer Warranty - Updating Information.

If the Customer receives information that Delivered Waste or other hazardous waste described in the Waste Characterization Report, or some component of such waste, presents or may present a hazard or risk to persons, property or the environment which was not disclosed to EQ, or if the Customer or generator (if other than the Customer) has changed the process by which such waste results, the Customer shall promptly report such information to EQ in writing.

Customer Indemnity.

The Customer shall indemnify, defend and hold harmless EQ, and its affiliated or related companies, and all of their respective present or future officers, directors, shareholders, employees and agents from and against any and all losses, damages, liabilities, penalties, fines, forfeitures, demands, claims, causes of action, suits, costs and expenses (including, but not limited to, reasonable costs of defense, settlement, and reasonable attorneys' fees), which may be asserted against any or all of them by any person or any governmental agency, or which any or all of them may hereafter suffer, incur, be responsible for or pay out, as a result of or in connection with bodily injuries (including, but not limited to, death, sickness, disease and emotional or mental distress) to any person (including EQ's employees), damage (including, but not limited to, loss of use) to any property (public or private), or any requirements to conduct or incur expense for investigative, removal or remedial expenses in connection with contamination of or adverse effect on the environment, or any violation or alleged violation of any statutes, ordinances, orders, rules or regulations of any governmental entity or agency, caused or arising out of (i) a breach of this Agreement by the Customer, (ii) the failure of any warranty of the Customer to be true, accurate and complete, or (iii) any willful or negligent act or omission of the Customer, or its employees or agents in connection with the performance of this Agreement.

Force Majeure.

EQ shall not be liable for any failure to accept, receive, handle, treat, and/or dispose of Delivered Waste due to an act of God, fire, casualty, flood, war, strike, lockout, labor trouble, failure of public utilities, equipment failure, facility shutdown, injunction, accident, epidemic, riot, insurrection, destruction of operation or transportation facilities, the inability to procure materials, equipment, or sufficient personnel or energy in order to meet operational needs without the necessity of allocation, the failure or inability to obtain any governmental approvals or to meet Environmental Requirements (including, but not limited to voluntary or involuntary compliance with any act, exercise, assertion, or requirement of any governmental authority) which may temporarily or permanently prohibit operations of EQ, the Customer, or the Generator, or any other circumstances beyond the control of EQ which prevents or delays performance of any of its obligations under this Agreement.

Governing Laws.

This Agreement shall in all respects be governed by and shall be construed in accordance with the laws of the State of Michigan applied to contracts executed and performed wholly within such state.

EQ - The Environmental Quality Company

Waste Characterization Report

☒ I authorize EQ - The Environmental Quality Company to choose the appropriate method of waste management, from the technologies offered, at the EQ facilities identified below.

<input type="checkbox"/> Michigan Disposal Waste Treatment Plant (Stabilization and Treatment)	49350 North I-94 Service Drive, Belleville, Michigan 48111 Phone: 1-800-592-5489 Fax: 1-800-592-5329	EPA ID #MID000724831
<input type="checkbox"/> Wayne Disposal, Inc. (Hazardous & PCB Waste Landfill)	49350 North I-94 Service Drive, Belleville, Michigan 48111 Phone: 1-800-592-5489 Fax: 1-800-592-5329	EPA ID #MID048090633
<input type="checkbox"/> EQ Detroit, Inc. (Stabilization, Wastewater Treatment)	1923 Frederick, Detroit, MI 48211 Phone: 1-800-495-6059 Fax: 1-313-923-3375	EPA ID #MID980991566
<input type="checkbox"/> EQ Resource Recovery, Inc. (Solvent Recycling, Fuel Blending, WW Treatment)	36345 Van Born Road, Romulus, Michigan 48174 Phone: (734) 727-5500 Fax: (734) 326-4033	EPA ID #MID060975644
<input type="checkbox"/> EQIS North Carolina (Stabilization, Treatment, Labpack Decommissioning)	1005 Investment Blvd., Apex, NC 27502 Phone: (919) 363-4700 Fax: (919) 363-4714	EPA ID #NCD982170292
<input type="checkbox"/> EQ Florida, Inc. (Drum Consolidation, Labpack Decommissioning)	7202 East Eighth Ave., Tampa, FL 33619 Phone: 1-800-624-5302 Fax: 1-813-628-0842	EPA ID #FLD981932494
<input type="checkbox"/> EQ Detroit Transfer and Processing (Drum Transfer/Universal Waste Handling)	2000 Ferry Street, Detroit, MI 48211 Phone: (313) 923-0080 Fax: (313) 922-8419	EPA ID #MIK939928313
<input type="checkbox"/> EQIS Indianapolis Transfer and Processing (Drum Transfer/Non-Hazardous Waste Processing)	4000 West 10th Street, Indianapolis, Indiana 46222 Phone: (317) 247-7160 Fax: (317) 247-7170	EPA ID #IND161049309
<input type="checkbox"/> EQIS Atlanta Transfer and Processing (Drum Transfer/Non-Hazardous Waste Processing)	5600 Fulton Industrial Blvd., Atlanta, Georgia 30336 Phone: (404) 494-3520 Fax: (404) 494-3560	EPA ID #GAR000039776
<input type="checkbox"/> EQ Augusta, Inc. (Wastewater Treatment)	3920 Goshen Industrial Blvd., Augusta, GA 30906 Phone: 706-771-9100 Fax: 706-771-9124	EPA ID #GAR000011817

Waste Common Name: Oxygen Cylinders 2ft cylinders

Section 1 - Generator & Customer Info

SIC/NAICS*:

EQ Customer No.: 10958

Generator EPA ID: MST-MP0-002-452

Invoicing Company

Company: USES JACKSON
Address: 1075 MENDELL DAVIS DRIVE
City: JACKSON
State: MS Zip: 39212
Country: USA

Invoicing Contact

Name: Wanda Horton
Phone: (601) 372-3232
Fax: () -

Technical Contact

Name: J.T. Newman
Phone: (601) 372-3232
Fax: () -
Mobile: () - Pager: () -
E-mail: jnewman@usesgroup.com

Generator: Mississippi DEQ
Address: 4280 Rifle Range Rd
City: Vicksburg
State: MS Zip: 39180
County: Warren

Mailing Address

Address: P.O Box 20326
City: Jackson
State: MS Zip: 39289

Generator Contact

Name: Trey Hess / Jerry Banks
Title:
Phone: (601) 961-5221/6019615654
Fax: () -

*For a list of NAICS codes, please refer to Section 9 of the EQ Resource Guide.

Section 2 - Shipping & Packaging Info

- 2.1) Shipping Volume & Unit: 55 gallon Frequency: One Time Only
2.2) DOT Shipping Name: Compressed gas, oxidizing, n.o.s.
2.3) Is this waste surcharge exempt? ☐ Yes ☒ No (If you answered "Yes" to question 2.3, select the Surcharge Exemption reason.)

2.4) Packaging (check all that apply)

- ☐ Bulk Solid (yd ³ < 2000 lbs/yd ³) ☐ Bulk Solid (Ton > 2000 lbs./yd ³) ☐ Bulk Liquids (Gallon)
☐ Totes, Size ☐ Cubic Yard Boxes/Bags ☐ Drums, Size
☒ Other (palletized, 5 gal. Pail, etc.) 5 gallon Pail

Quoted bulk disposal charges for solid materials will be billed by the cubic yard, if the waste density is less than 2,000lbs./cubic yard. If waste density is greater than 2,000 lbs./cubic yard, then bulk disposal charges will be billed by the ton, regardless of the approved container.

Section 3 - Physical Characteristics

- 3.1) Color: VARIES 3.2) Odor: None
3.3) Does this waste contain any "Potentially Odorous Constituents" as defined in the EQ Resource Guide? (Section 3) ☐ Yes ☒ No
3.4) Physical State at 70 °F: ☒ Solid ☐ Dust/Powder ☐ Liquid ☐ Sludge
3.5) What is the pH of this waste? ☐ ≤ 2 ☐ 2.1-4.9 ☒ 5-10 ☐ 10.1-12.4 ☒ ≥ 12.5
3.6) What is the flash point of this waste? ☒ <90 °F ☐ 90-139 °F ☐ 140-199 °F ☐ ≥ 200 °F
3.7) Does this waste contain? (check all that apply) ☐ None
☐ Biodegradable Sorbants ☐ Amines ☐ Ammonia ☐ Free Liquids ☐ Oily Residue ☐ Metal Fines
☐ Shock Sensitive Waste ☐ Reactive Waste ☐ Radioactive Waste ☐ Water Reactive ☐ Biohazard ☐ Aluminum
☐ Asbestos - non-friable ☐ Asbestos - friable ☐ Dioxins ☐ Explosives ☐ Pyrophoric Waste ☐ Isocyanates
☐ Furans

Section 4 - Composition / Generating Process

- 4.1) Describe the physical composition of the waste (i.e., soil, water, PPE, debris, key chemical compounds, etc.)
Oxygen Cylinders from 100. to 100. %
4.2) Provide a detailed description of the process generating this waste. (attach flow diagram if available).
Labpack of chemicals in abandoned Chemical plant Lab.

Section 5 - Is This Hazardous Waste?

Please refer to Section 5 of the EQ Resource Guide for a list of waste codes.

As determined by 40 CFR, Part 261 and Michigan Act 451 Rules:

Please list applicable waste code(s):

- 5.1) Is this an EPA RCRA listed hazardous waste (F, K, P or U)? ☐ Yes ☒ No
Comments:
5.2) Is this an EPA RCRA characteristic hazardous waste (D001-D043)? ☒ Yes ☐ No
Comments: D001
5.3) Do any State Hazardous Waste Codes apply? ☐ Yes ☒ No
Comments:
5.4) Is this waste intended for wastewater treatment? ☐ Yes* ☒ No

If you answered "No" to questions 5.1, 5.2, and 5.3, please skip to Section 7.
If you answered "Yes" to question 5.4, please complete the WCR Addendum.

Section 6 - Hazardous Wastes

6.1) Does this waste exceed Land Disposal Restriction Levels?

6.1a) If this waste stream is greater than 50% soil, does it meet the alternative soil treatment standards of 40 CFR 268.49?

6.1b) Does this waste contain greater than 50% debris, by volume? (Debris is greater than 2.5 inches in size.)

6.2) Is the waste an oxidizer (D001)?

6.3) Does this waste contain reactive cyanide ≥ 250 ppm (D003)?

6.4) Does this waste contain reactive sulfide ≥ 500 ppm (D003)?

6.5) Please indicate which constituent concentrations are below or above the regulatory level. Please indicate the basis used in the determination. Either 'Below' or 'Above' **MUST** be checked for each constituent.

Based On: ☒ Generator Knowledge ☐ Analysis* ☐ MSDS*

*Please forward a copy. Analysis or MSDS are required for EQ Florida Non-hazardous wastes.

Code	Regulatory Level	TCLP (mg/l)	Concentration (if above)
D004	Arsenic	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D005	Barium	100	<input checked="" type="radio"/> Below <input type="radio"/> Above
D006	Cadmium	1	<input checked="" type="radio"/> Below <input type="radio"/> Above
D007	Chromium	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D008	Lead	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D009	Mercury	0.2	<input checked="" type="radio"/> Below <input type="radio"/> Above
D010	Selenium	1	<input checked="" type="radio"/> Below <input type="radio"/> Above
D011	Silver	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D012	Endrin	0.02	<input checked="" type="radio"/> Below <input type="radio"/> Above
D013	Lindane	0.4	<input checked="" type="radio"/> Below <input type="radio"/> Above
D014	Methoxychlor	10	<input checked="" type="radio"/> Below <input type="radio"/> Above
D015	Toxaphene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D016	2,4-D	10	<input checked="" type="radio"/> Below <input type="radio"/> Above
D017	2,4,5-TP (Silvex)	1	<input checked="" type="radio"/> Below <input type="radio"/> Above
D018	Benzene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D019	Carbon Tetrachloride	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D020	Chlordane	0.03	<input checked="" type="radio"/> Below <input type="radio"/> Above
D021	Chlorobenzene	100	<input checked="" type="radio"/> Below <input type="radio"/> Above
D022	Chloroform	6.0	<input checked="" type="radio"/> Below <input type="radio"/> Above
D023	o-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above

Code	Regulatory Level	TCLP (mg/l)	Concentration (if above)
D024	m-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above
D025	p-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above
D026	Cresols	200	<input checked="" type="radio"/> Below <input type="radio"/> Above
D027	1,4-Dichlorobenzene	7.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D028	1,2-Dichloroethane	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D029	1,1-Dichloroethylene	0.7	<input checked="" type="radio"/> Below <input type="radio"/> Above
D030	2,4-Dinitrotoluene	0.13	<input checked="" type="radio"/> Below <input type="radio"/> Above
D031	Heptachlor	0.008	<input checked="" type="radio"/> Below <input type="radio"/> Above
D032	Hexachlorobenzene	0.13	<input checked="" type="radio"/> Below <input type="radio"/> Above
D033	Hexachlorobutadiene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D034	Hexachloroethane	3.0	<input checked="" type="radio"/> Below <input type="radio"/> Above
D035	Methyl Ethyl Ketone	200	<input checked="" type="radio"/> Below <input type="radio"/> Above
D036	Nitrobenzene	2	<input checked="" type="radio"/> Below <input type="radio"/> Above
D037	Pentachlorophenol	100	<input checked="" type="radio"/> Below <input type="radio"/> Above
D038	Pyridine	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D039	Tetrachloroethylene	0.7	<input checked="" type="radio"/> Below <input type="radio"/> Above
D040	Trichloroethylene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D041	2,4,5-Trichlorophenol	400	<input checked="" type="radio"/> Below <input type="radio"/> Above
D042	2,4,6-Trichlorophenol	2	<input checked="" type="radio"/> Below <input type="radio"/> Above
D043	Vinyl Chloride	0.2	<input checked="" type="radio"/> Below <input type="radio"/> Above

6.6) If this is a characteristic hazardous waste, does it contain underlying hazardous constituents?

If you answered "Yes", please list the constituents in Section 11.

☐ Yes ☒ No

Section 7 - Non-Hazardous Wastes

For a complete list of non-hazardous waste codes, please refer to Section 7 of the EQ Resource Guide.

Applicable waste code(s):

7.1) Is this a Michigan non-hazardous liquid industrial waste?

☐ Yes ☒ No

Comments:

7.2) Is this a Universal waste?

☐ Yes ☒ No

7.3) Is this a Recyclable Commodity? (e.g.: computer monitors, free mercury, etc.)

☐ Yes ☒ No

7.4) Is this waste a recoverable petroleum product?

☐ Yes ☒ No

7.5) Is this waste used oil as defined by 40 CFR Part 279?

☐ Yes ☒ No

Section 8 - TSCA Information

8.1) What is the concentration of PCBs in the waste?

☒ None

☐ 50-499 ppm

☐ 0-5 ppm

☐ 6-49 ppm

☐ 500+ ppm

8.2) Does the waste contain PCB contamination from a source with a concentration ≥ 50 ppm?

If you answered 'None' to 8.1 and 'No' to 8.2, please skip to Section 9.

☒ Yes ☐ No

8.3) Has this waste been processed into a non-liquid form?

If yes, what was the concentration of PCBs prior to processing? (ppm)

☒ Yes ☐ No

8.4) Is the non-liquid PCB waste in the form of soil, rags, debris, or other contaminated media?

☒ Yes ☐ No

8.5) Are you a PCB capacitor manufacturer or a PCB equipment manufacturer?

☒ Yes ☐ No

8.6) Has the PCB Article (e.g., transformer, hydraulic machine, PCB-contaminated electrical equipment) been drained/flushed of all PCBs and decontaminated in accordance with 40 CFR 761.60(b)?

☒ Yes ☐ No

☒ Yes ☐ No

Section 9 - Clean Air Act Information

9.1) Is this waste subject to regulation under 40 CFR, Part 63, Subpart DD or 40 CFR, Part 264, Subpart CC (RCRA)?

(Does the waste contain >500 ppm Volatile Organic Hazardous Air Pollutants - VOHAP's or Volatile Organic Compounds - VOC's?)

For a complete list of VOHAPs, please see Section 11 of the EQ Resource Guide.

☒ Yes ☐ No

9.2) Is this site, or waste, subject to any other MACT or NESHAP?

If yes, please specify:

☒ Yes ☐ No

9.3) Does this waste stream contain Benzene?

If you answered "No" to question 9.2, please skip to section 10.

☒ Yes ☐ No

9.4) Does the waste stream come from a facility with one of the SIC/NAICS codes listed under the Benzene NESHAP identified in 40 CFR 61, Subpart FF?

☒ Yes ☐ No

9.5) Is the generating source of this waste stream a facility with Total Annual Benzene (TAB) ≥ 10 Mg/year?

For assistance in calculating the TAB, please see the TAB Worksheet in Section 9 of the EQ Resource Guide.

☒ Yes ☐ No

If you answered "No" to question 9.3 and 9.4, please skip to Section 10.

9.6) Does the waste contain > 10% water?

☒ Yes ☐ No

9.7) What is the TAB quantity for your facility?

Mg/year

9.8) Does the waste contain >1.0 mg/kg total Benzene?

☒ Yes ☐ No

9.9) What is the total Benzene concentration in your waste?

(concentration)

(unit)

(Supporting analysis must be attached. Do not use TCLP analytical results. Acceptable laboratory methods include 8020, 8240, 8260, 602 and 624.)

**For a list of NAICS codes, please refer to section 9 of the EQ Resource Guide.*

Section 10 - Fuel Blending Information

10.1) Is this waste intended for fuel blending?

If you answered 'Yes' to question 10.1, please enter the following:

☐ Yes* ☒ No

Heat value (BTU/lb.)

Chlorine (%)

Water (%)

Solids (%)

10.2) Is this waste intended for reclamation?

☐ Yes

☒ No

(5-Gallon Sample required for all reclaim waste streams)

Section 11 - Constituent Information

Please identify your waste constituents from these four categories: Underlying Hazardous Constituents (UHC's), Volatile Organic Hazardous Air Pollutants (VOHAP's), Volatile Organic Compounds (VOC's) and Toxic Release Inventory Constituents (TRI)

Constituent

Concentration

UHC?


Please see Section 11 of the EQ Resource Guide for a list of UHC's, VOHAP's and VOC's. For a complete list of TRI constituents, please refer to 40 CFR 372.65.

Section 12 - Certification

I certify that all information (including attachments) is complete and factual and is an accurate representation of the known and suspected hazards, pertaining to the waste described herein. I authorize EQ's Resource Team to add supplemental information to the waste approval file, provided I am contacted and give verbal permission. I authorize EQ's Resource Team to obtain a sample from any waste shipment for purposes of verification. Generator or on Generator's behalf shall be subject to, and Generator shall be bound by, the attached Standard Terms and Conditions and confirmation. I agree that, if EQ approves the waste described herein, all such wastes that are transported, delivered, or tendered to EQ by

Comments:
logged in

Generator:



Authorized Generator Signature

JERRY B. BANKS

Printed Generator Name

Company:

MS Dept. of Environmental Quality

Title:

Chief, Groundwater Assessment

Date:

12/12/07

The generator's signature MUST appear on the EQ Waste Characterization Report. If the generator has authorized a third party to certify this document, a written notice (on generator letterhead) must accompany this submittal. Although the EQ Resource Team is authorized to make certain modifications to the information provided on this form, the addition or removal of waste codes and waste constituents must be documented by the generator.

STANDARD TERMS AND CONDITIONS

The Agreement between the Customer and EQ - The Environmental Quality Company and/or its member companies (hereinafter "EQ") related to or associated with Delivered Waste, as herein defined, shall be governed by the following Standard Terms and Conditions in addition to the terms and conditions contained in any Waste Characterization Report, Customer Approval/Quota Confirmation, Generator Approval Notification, Notice of Waste Approval Expiration, and/or Credit Agreement associated with such Delivered Waste.

The Customer may use its standard forms (such as purchase orders, acknowledgments of orders, and invoices) to administer its dealings under this Agreement for convenience purposes, but all provisions thereof in conflict with these terms and conditions shall be deemed stricken.

Definitions.

The following definitions shall apply for purposes of this Agreement:

"Acceptable Waste" shall mean any hazardous waste, as defined under applicable State or federal law, determined by EQ as acceptable for treatment and/or disposal in accordance with this Agreement.

"Delivered Wastes" shall mean all wastes (i) which are transported, delivered, or tendered to EQ by the Customer; (ii) which the Customer has arranged for the transport, delivery or tender to EQ; or (iii) which are transported, delivered, or tendered to EQ under a Credit Agreement between the Customer and EQ.

"Non-Conforming Wastes" shall mean wastes that (a) are not in accordance in all material respects with the warranties, descriptions, specifications or limitations stated in the Waste Characterization Report and this Agreement; (b) have constituents or components of a type or concentration not specifically identified in the Waste Characterization Report (i) which increase the nature or extent of the hazard and risk undertaken by EQ in treating and/or disposing of the waste, or (ii) for whose treatment and/or disposal a Waste Management Facility is not designed or permitted; or (iii) which increase the cost of treatment and/or disposal of waste beyond that specified in EQ's price quote; or (c) are not properly packaged, labeled, described, or placarded, or otherwise not in compliance with United States Department of Transportation and United States Environmental Protection Agency regulations.

Control of Operations.

EQ shall have sole control over all aspects of the operation of any treatment and/or disposal facility of EQ receiving Delivered Wastes under this Agreement (hereinafter "Waste Management Facility"), including, without limitation, maintaining EQ's desired volume of Acceptable Wastes being delivered to any Waste Management Facility by the Customer or any other person or entity.

Identification of Waste.

For each waste material to be transported, delivered, or tendered to EQ under this Agreement, the Customer shall provide, or cause to be provided, to EQ a representative sample of the waste material and a completed Waste Characterization Report containing a physical and chemical description or analysis of such waste material, which description shall conform with any and all guidelines for waste acceptance provided by EQ. On the basis of EQ's analysis of such representative sample of the waste material and such Waste Characterization Report, EQ will determine whether such wastes are Acceptable Wastes. EQ does not make any guarantee that it will handle any waste material or any particular quantity or type of waste material, and EQ reserves the right to decline to transport, treat and/or dispose of waste material. The Customer shall promptly furnish to EQ any information regarding known, suspected or planned changes in the composition of the waste material. Further, the Customer shall promptly inform EQ of any change in the characteristic or condition of the waste material which becomes known to the Customer subsequent to the date of the Waste Characterization Report.

Non-Conforming Wastes.

In the event that EQ at any time discovers that any Delivered Waste is Non-Conforming Waste, EQ may reject or revoke its acceptance of the Non-Conforming Waste. The Customer shall have seven (7) days to direct an alternative lawful manner of disposition of the waste, unless it is necessary by reason of law or otherwise to move the Non-Conforming Waste prior to expiration of the seven (7) day period. If the Customer does not direct an alternative disposal, at its option, EQ may return any such Non-Conforming Wastes to the Customer, and the Customer shall pay or reimburse EQ for all costs and expenses incurred by EQ in connection with the receipt, handling, sampling, analyses, transportation and return to the Customer of such Non-Conforming Wastes. If it is impossible or impractical for EQ to return the Non-Conforming Waste to the Customer, the Customer shall reimburse EQ for all costs, of any type or nature whatsoever, incurred by EQ, solely because such Delivered Waste was Non-Conforming Waste (including, but not limited to, all costs associated with any remedial steps necessary, due to the nature of the Non-Conforming Waste, in connection with material with which the Non-Conforming Waste may have been commingled and all expenses and charges for analyzing, handling, locating, preparing for transporting, storing and disposing of any Non-Conforming Waste).

Customer Warranty - Title to Wastes.

Either the Customer or the generator (if other than the Customer) shall hold clear title, free of any all liens, claims, encumbrances, and charges to Delivered Waste until such waste is accepted by EQ.

Customer Warranty - Acceptable Wastes.

All Delivered Wastes shall be Acceptable Wastes and shall conform in all material respects to the description and specifications contained in the Waste Characterization Report. The information set forth in the Waste Characterization Report or any manifest, placard or label associated with any Delivered Wastes, or otherwise represented by the Customer or the generator (if other than the Customer) to EQ, is and shall be true, accurate and complete as of the date of receipt of the involved waste by EQ.

Customer Warranty - Compliance with Laws.

The Customer shall comply with all applicable federal, state and local environmental statutes, regulations, and other governmental requirements, as well as directives issued by EQ from time to time, governing the transportation, treatment and/or disposal of Acceptable Wastes, including, but not limited to, all packaging, manifesting, containerization, placarding and labeling requirements.

Customer Warranty - Updating Information.

If the Customer receives information that Delivered Waste or other hazardous waste described in the Waste Characterization Report, or some component of such waste, presents or may present a hazard or risk to persons, property or the environment which was not disclosed to EQ, or if the Customer or generator (if other than the Customer) has changed the process by which such waste results, the Customer shall promptly report such information to EQ in writing.

Customer Indemnity.

The Customer shall indemnify, defend and hold harmless EQ, and its affiliated or related companies, and all of their respective present or future officers, directors, shareholders, employees and agents from and against any and all losses, damages, liabilities, penalties, fines, forfeitures, demands, claims, causes of action, suits, costs and expenses (including, but not limited to, reasonable costs of defense, settlement, and reasonable attorneys' fees), which may be asserted against any or all of them by any person or any governmental agency, or which any or all of them may hereafter suffer, incur, be responsible for or pay out, as a result of or in connection with bodily injuries (including, but not limited to, death, sickness, disease and emotional or mental distress) to any person (including EQ's employees), damage (including, but not limited to, loss of use) to any property (public or private), or any requirements to conduct or incur expense for investigative, removal or remedial expenses in connection with contamination of or adverse effect on the environment, or any violation or alleged violation of any statutes, ordinances, orders, rules or regulations of any governmental entity or agency, caused or arising out of (i) a breach of this Agreement by the Customer, (ii) the failure of any warranty of the Customer to be true, accurate and complete, or (iii) any willful or negligent act or omission of the Customer, or its employees or agents in connection with the performance of this Agreement.

Force Majeure.

EQ shall not be liable for any failure to accept, receive, handle, treat, and/or dispose of Delivered Waste due to an act of God, fire, casualty, flood, war, strike, lockout, labor trouble, failure of public utilities, equipment failure, facility shutdown, injunction, accident, epidemic, riot, insurrection, destruction of operation or transportation facilities, the inability to procure materials, equipment, or sufficient personnel or energy in order to meet operational needs without the necessity of allocation, the failure or inability to obtain any governmental approvals or to meet Environmental Requirements (including, but not limited to voluntary or involuntary compliance with any act, exercise, assertion, or requirement of any governmental authority) which may temporarily or permanently prohibit operations of EQ, the Customer, or the Generator, or any other circumstances beyond the control of EQ which prevents or delays performance of any of its obligations under this Agreement.

Governing Law.

This Agreement shall in all respects be governed by and shall be construed in accordance with the laws of the State of Michigan applied to contracts executed and performed wholly within such state.

EQ - The Environmental Quality Company

Waste Characterization Report

☒ I authorize EQ - The Environmental Quality Company to choose the appropriate method of waste management, from the technologies offered, at the EQ facilities identified below.

<input type="checkbox"/> Michigan Disposal Waste Treatment Plant (Stabilization and Treatment)	49350 North I-94 Service Drive, Belleville, Michigan 48111 Phone: 1-800-592-5489 Fax: 1-800-592-5329	EPA ID #MID000724831
<input type="checkbox"/> Wayne Disposal, Inc. (Hazardous & PCB Waste Landfill)	49350 North I-94 Service Drive, Belleville, Michigan 48111 Phone: 1-800-592-5489 Fax: 1-800-592-5329	EPA ID #MID048090633
<input type="checkbox"/> EQ Detroit, Inc. (Stabilization, Wastewater Treatment)	1923 Frederick, Detroit, MI 48211 Phone: 1-800-495-6059 Fax: 1-313-923-3375	EPA ID #MID980991566
<input type="checkbox"/> EQ Resource Recovery, Inc. (Solvent Recycling, Fuel Blending, WW Treatment)	36345 Van Born Road, Romulus, Michigan 48174 Phone: (734) 727-5500 Fax: (734) 326-4033	EPA ID #MID060975844
<input type="checkbox"/> EQIS North Carolina (Stabilization, Treatment, Labpack Decommissioning)	1005 Investment Blvd., Apex, NC 27502 Phone: (919) 363-4700 Fax: (919) 363-4714	EPA ID #NCD982170292
<input type="checkbox"/> EQ Florida, Inc. (Drum Consolidation, Labpack Decommissioning)	7202 East Eighth Ave., Tampa, FL 33619 Phone: 1-800-624-5302 Fax: 1-813-628-0842	EPA ID #FLD981932494
<input type="checkbox"/> EQ Detroit Transfer and Processing (Drum Transfer/Universal Waste Handling)	2000 Ferry Street, Detroit, MI 48211 Phone: (313) 923-0080 Fax: (313) 922-8419	EPA ID #MIK939928313
<input type="checkbox"/> EQIS Indianapolis Transfer and Processing (Drum Transfer/Non-Hazardous Waste Processing)	4000 West 10th Street, Indianapolis, Indiana 46222 Phone: (317) 247-7160 Fax: (317) 247-7170	EPA ID #IND161049309
<input type="checkbox"/> EQIS Atlanta Transfer and Processing (Drum Transfer/Non-Hazardous Waste Processing)	5600 Fulton Industrial Blvd., Atlanta, Georgia 30336 Phone: (404) 494-3520 Fax: (404) 494-3560	EPA ID #GAR000038776
<input type="checkbox"/> EQ Augusta, Inc. (Wastewater Treatment)	3920 Goshen Industrial Blvd., Augusta, GA 30906 Phone: 706-771-9100 Fax: 706-771-9124	EPA ID #GAR000011817

Waste Common Name: Sodium Acid Pyrophosphate

Section 1 - Generator & Customer Info

SIC/NAICS*:

EQ Customer No.: 10958

Generator EPA ID: MST-MP0-002-452

Invoicing Company

Company: USES JACKSON
Address: 1075 MENDELL DAVIS DRIVE
City: JACKSON
State: MS Zip: 39212
Country: USA

Invoicing Contact

Name: Wanda Horton
Phone: (601) 372-3232
Fax: () -

Technical Contact

Name: J.T. Newman
Phone: (601) 372-3232
Fax: () -
Mobile: () - Pager: () -
E-mail: jnewman@usesgroup.com

Generator: Mississippi DEQ
Address: 4280 Rifle Range Rd
City: Vicksburg
State: MS Zip: 39180
County: Warren

Mailing Address

Address: P.O Box 20326
City: Jackson
State: MS Zip: 39289

Generator Contact

Name: Trey Hess / Jerry Banks
Title:
Phone: (601) 961-5221/6019615654
Fax: () -

*For a list of NAICS codes, please refer to Section 9 of the EQ Resource Guide.

Section 2 - Shipping & Packaging Info

- 2.1) Shipping Volume & Unit: 55 gallon Frequency: One Time Only
2.2) DOT Shipping Name: Non regulated Solids
2.3) Is this waste surcharge exempt? ☐ Yes ☒ No (If you answered "Yes" to question 2.3, select the Surcharge Exemption reason.)

2.4) Packaging (check all that apply)

- ☐ Bulk Solid (yd ³ < 2000 lbs./yd ³) ☐ Bulk Solid (Ton > 2000 lbs./yd ³) ☐ Bulk Liquids (Gallon)
☐ Totes, Size ☐ Cubic Yard Boxes/Bags ☒ Drums, Size 55 gallon
☐ Other (palletized, 5 gal. Pail, etc.)

Quoted bulk disposal charges for solid materials will be billed by the cubic yard, if the waste density is less than 2,000lbs./cubic yard. If waste density is greater than 2,000 lbs./cubic yard, then bulk disposal charges will be billed by the ton, regardless of the approved container.

Section 3 - Physical Characteristics

- 3.1) Color: VARIES 3.2) Odor: none
3.3) Does this waste contain any "Potentially Odorous Constituents" as defined in the EQ Resource Guide? (Section 3) ☐ Yes ☒ No
3.4) Physical State at 70 °F: ☒ Solid ☐ Dust/Powder ☐ Liquid ☐ Sludge
3.5) What is the pH of this waste? ☐ ≤ 2 ☐ 2.1-4.9 ☒ 5-10 ☐ 10.1-12.4 ☐ ≥ 12.5
3.6) What is the flash point of this waste? ☐ <90 °F ☐ 90-139 °F ☐ 140-199 °F ☐ ≥ 200 °F
3.7) Does this waste contain? (check all that apply) ☒ None
☐ Biodegradable Sorbants ☐ Amines ☐ Ammonia ☐ Free Liquids ☐ Oily Residue ☐ Metal Fines
☐ Shock Sensitive Waste ☐ Reactive Waste ☐ Radioactive Waste ☐ Water Reactive ☐ Biohazard ☐ Aluminum
☐ Asbestos - non-friable ☐ Asbestos - friable ☐ Dioxins ☐ Explosives ☐ Pyrophoric Waste ☐ Isocyanates
☐ Furans

Section 4 - Composition / Generating Process

- 4.1) Describe the physical composition of the waste (i.e., soil, water, PPE, debris, key chemical compounds, etc.)
Sodium Acid Pyrophosphate from 100. to 100. %
4.2) Provide a detailed description of the process generating this waste. (attach flow diagram if available).
Labpack of chemicals in abandoned Chemical plant Lab

Section 5 - Is This Hazardous Waste?

Please refer to Section 5 of the EQ Resource Guide for a list of waste codes.

As determined by 40 CFR, Part 261 and Michigan Act 451 Rules:

Please list applicable waste code(s):

- 5.1) Is this an EPA RCRA listed hazardous waste (F, K, P or U)? ☐ Yes ☒ No
Comments:
5.2) Is this an EPA RCRA characteristic hazardous waste (D001-D043)? ☐ Yes ☒ No
Comments:
5.3) Do any State Hazardous Waste Codes apply? ☐ Yes ☒ No
Comments:
5.4) Is this waste intended for wastewater treatment? ☐ Yes* ☒ No

If you answered "No" to questions 5.1, 5.2, and 5.3, please skip to Section 7.
If you answered "Yes" to question 5.4, please complete the WCR Addendum.

Section 6 - Hazardous Wastes

6.1) Does this waste exceed Land Disposal Restriction Levels?

6.1a) If this waste stream is greater than 50% soil, does it meet the alternative soil treatment standards of 40 CFR 268.49?

6.1b) Does this waste contain greater than 50% debris, by volume? (Debris is greater than 2.5 inches in size.)

6.2) Is the waste an oxidizer (D001)?

6.3) Does this waste contain reactive cyanide \geq 250 ppm (D003)?

6.4) Does this waste contain reactive sulfide \geq 500 ppm (D003)?

6.5) Please indicate which constituent concentrations are below or above the regulatory level. Please indicate the basis used in the determination. Either 'Below' or 'Above' MUST be checked for each constituent.

Based On: ☒ Generator Knowledge ☐ Analysis* ☐ MSDS*

*Please forward a copy. Analysis or MSDS are required for EQ Florida Non-hazardous wastes.

Code	Regulatory Level	TCLP (mg/l)	Concentration (if above)
D004	Arsenic	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D005	Barium	100	<input checked="" type="radio"/> Below <input type="radio"/> Above
D006	Cadmium	1	<input checked="" type="radio"/> Below <input type="radio"/> Above
D007	Chromium	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D008	Lead	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D009	Mercury	0.2	<input checked="" type="radio"/> Below <input type="radio"/> Above
D010	Selenium	1	<input checked="" type="radio"/> Below <input type="radio"/> Above
D011	Silver	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D012	Endrin	0.02	<input checked="" type="radio"/> Below <input type="radio"/> Above
D013	Lindane	0.4	<input checked="" type="radio"/> Below <input type="radio"/> Above
D014	Methoxychlor	10	<input checked="" type="radio"/> Below <input type="radio"/> Above
D015	Toxaphene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D016	2,4-D	10	<input checked="" type="radio"/> Below <input type="radio"/> Above
D017	2,4,5-TP (Silvex)	1	<input checked="" type="radio"/> Below <input type="radio"/> Above
D018	Benzene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D019	Carbon Tetrachloride	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D020	Chlordane	0.03	<input checked="" type="radio"/> Below <input type="radio"/> Above
D021	Chlorobenzene	100	<input checked="" type="radio"/> Below <input type="radio"/> Above
D022	Chloroform	6.0	<input checked="" type="radio"/> Below <input type="radio"/> Above
D023	o-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above

Code	Regulatory Level	TCLP (mg/l)	Concentration (if above)
D024	m-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above
D025	p-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above
D026	Cresols	200	<input checked="" type="radio"/> Below <input type="radio"/> Above
D027	1,4-Dichlorobenzene	7.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D028	1,2-Dichloroethane	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D029	1,1-Dichloroethylene	0.7	<input checked="" type="radio"/> Below <input type="radio"/> Above
D030	2,4-Dinitrotoluene	0.13	<input checked="" type="radio"/> Below <input type="radio"/> Above
D031	Heptachlor	0.008	<input checked="" type="radio"/> Below <input type="radio"/> Above
D032	Hexachlorobenzene	0.13	<input checked="" type="radio"/> Below <input type="radio"/> Above
D033	Hexachlorobutadiene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D034	Hexachloroethane	3.0	<input checked="" type="radio"/> Below <input type="radio"/> Above
D035	Methyl Ethyl Ketone	200	<input checked="" type="radio"/> Below <input type="radio"/> Above
D036	Nitrobenzene	2	<input checked="" type="radio"/> Below <input type="radio"/> Above
D037	Pentachlorophenol	100	<input checked="" type="radio"/> Below <input type="radio"/> Above
D038	Pyridine	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D039	Tetrachloroethylene	0.7	<input checked="" type="radio"/> Below <input type="radio"/> Above
D040	Trichloroethylene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D041	2,4,5-Trichlorophenol	400	<input checked="" type="radio"/> Below <input type="radio"/> Above
D042	2,4,6-Trichlorophenol	2	<input checked="" type="radio"/> Below <input type="radio"/> Above
D043	Vinyl Chloride	0.2	<input checked="" type="radio"/> Below <input type="radio"/> Above

6.6) If this is a characteristic hazardous waste, does it contain underlying hazardous constituents?

If you answered 'Yes', please list the constituents in Section 11.

☐ Yes ☒ No

Section 7 - Non-Hazardous Wastes

For a complete list of non-hazardous waste codes, please refer to Section 7 of the EQ Resource Guide.

Applicable waste code(s):

7.1) Is this a Michigan non-hazardous liquid industrial waste?

Comments:

☐ Yes ☒ No

7.2) Is this a Universal waste?

☐ Yes ☒ No

7.3) Is this a Recyclable Commodity? (e.g.: computer monitors, free mercury, etc.)

☐ Yes ☒ No

7.4) Is this waste a recoverable petroleum product?

☐ Yes ☒ No

7.5) Is this waste used oil as defined by 40 CFR Part 279?

☐ Yes ☒ No

Section 8 - TSCA Information

8.1) What is the concentration of PCBs in the waste?

- ☒ None ☐ 0-5 ppm ☐ 6-49 ppm
☐ 50-499 ppm ☐ 500+ ppm

8.2) Does the waste contain PCB contamination from a source with a concentration ≥ 50 ppm?

- ☐ Yes ☒ No

If you answered 'None' to 8.1 and 'No' to 8.2, please skip to Section 9.

8.3) Has this waste been processed into a non-liquid form?

- ☐ Yes ☒ No

If yes, what was the concentration of PCBs prior to processing? (ppm)

- ☒ N/A ☐ 0-499 ☐ 500+

8.4) Is the non-liquid PCB waste in the form of soil, rags, debris, or other contaminated media?

- ☐ Yes ☒ No

8.5) Are you a PCB capacitor manufacturer or a PCB equipment manufacturer?

- ☐ Yes ☒ No

8.6) Has the PCB Article (e.g., transformer, hydraulic machine, PCB-contaminated electrical equipment) been drained/flushed of all PCBs and decontaminated in accordance with 40 CFR 761.60(b)?

- ☒ N/A ☐ Yes ☐ No

Section 9 - Clean Air Act Information

9.1) Is this waste subject to regulation under 40 CFR, Part 63, Subpart DD or 40 CFR, Part 264, Subpart CC (RCRA)?

- ☐ Yes ☒ No

(Does the waste contain >500 ppm Volatile Organic Hazardous Air Pollutants - VOHAP's or Volatile Organic Compounds - VOC's?)

For a complete list of VOHAP's, please see Section 11 of the EQ Resource Guide.

9.2) Is this site, or waste, subject to any other MACT or NESHAP?

- ☐ Yes ☒ No

If yes, please specify:

9.3) Does this waste stream contain Benzene?

- ☐ Yes ☒ No

If you answered "No" to question 9.2, please skip to section 10.

9.4) Does the waste stream come from a facility with one of the SIC/NAICS codes listed under the Benzene NESHAP identified in 40 CFR 61, Subpart FF?

- ☐ Yes ☒ No

9.5) Is the generating source of this waste stream a facility with Total Annual Benzene (TAB) ≥ 10 Mg/year?

- ☐ Yes ☒ No

For assistance in calculating the TAB, please see the TAB Worksheet in Section 9 of the EQ Resource Guide.

If you answered "No" to question 9.3 and 9.4, please skip to Section 10.

9.6) Does the waste contain > 10% water?

- ☐ Yes ☒ No

9.7) What is the TAB quantity for your facility?

Mg/year

9.8) Does the waste contain >1.0 mg/kg total Benzene?

- ☐ Yes ☒ No

9.9) What is the total Benzene concentration in your waste?

(concentration)

(unit)

(Supporting analysis must be attached. Do not use TCLP analytical results. Acceptable laboratory methods include 8020, 8240, 8260, 602 and 624.)

**For a list of NAICS codes, please refer to section 9 of the EQ Resource Guide.*

Section 10 - Fuel Blending Information

10.1) Is this waste intended for fuel blending?

- ☐ Yes* ☒ No

If you answered 'Yes' to question 10.1, please enter the following:

Heat value (BTU/lb.)

Chlorine (%)

Water (%)

Solids (%)

10.2) Is this waste intended for reclamation?

- ☐ Yes ☒ No

(5-Gallon Sample required for all reclaim waste streams)

Section 11 - Constituent Information

Please identify your waste constituents from these four categories: Underlying Hazardous Constituents (UHC's), Volatile Organic Hazardous Air Pollutants (VOHAP's), Volatile Organic Compounds (VOC's) and Toxic Release Inventory Constituents (TRI)

Constituent

Concentration


UHC?

Please see Section 11 of the EQ Resource Guide for a list of UHC's, VOHAP's and VOC's. For a complete list of TRI constituents, please refer to 40 CFR 372.65.

Section 12 - Certification

I certify that all information (including attachments) is complete and factual and is an accurate representation of the known and suspected hazards pertaining to the waste described herein. I authorize EQ's Resource Team to add supplemental information to the waste approval file, provided I am contacted and give verbal permission. I authorize EQ's Resource Team to obtain a sample from any waste shipment for purposes of verification. Generator or on Generator's behalf shall be subject to, and Generator shall be bound by, the attached Standard Terms and Conditions and confirmation. I agree that, if EQ approves the waste described herein, all such wastes that are transported, delivered, or tendered to EQ by

Comments:
logged in

Generator:  JERRY B. BASKIN
Authorized Generator Signature Printed Generator Name

Company: MS Dept. of Environmental Quality Title: Chief, Groundwater Assessment Date: 12/12/07

The generator's signature MVST appear on the EQ Waste Characterization Report. If the generator has authorized a third party to certify this document, a written notice (on generator letterhead) must accompany this submittal. Although the EQ Resource Team is authorized to make certain modifications to the information provided on this form, the addition or removal of waste codes and waste constituents must be documented by the generator.

STANDARD TERMS AND CONDITIONS

The Agreement between the Customer and EQ - The Environmental Quality Company and/or its member companies (hereinafter "EQ") related to or associated with Delivered Waste, as herein defined, shall be governed by the following Standard Terms and Conditions in addition to the terms and conditions contained in any Waste Characterization Report, Customer Approval Quote Confirmation, Generator Approval Notification, Notice of Waste Approval Expiration, and/or Credit Agreement associated with such Delivered Waste.

The Customer may use its standard forms (such as purchase orders, acknowledgments of orders, and invoices) to administer its dealings under this Agreement for convenience purposes, but all provisions thereof in conflict with these terms and conditions shall be deemed stricken.

Definitions.

The following definitions shall apply for purposes of this Agreement:

"Acceptable Waste" shall mean any hazardous waste, as defined under applicable State or federal law, determined by EQ as acceptable for treatment and/or disposal in accordance with this Agreement.

"Delivered Wastes" shall mean all wastes (i) which are transported, delivered, or tendered to EQ by the Customer; (ii) which the Customer has arranged for the transport, delivery or tender to EQ; or (iii) which are transported, delivered, or tendered to EQ under a Credit Agreement between the Customer and EQ.

"Non-Conforming Wastes" shall mean wastes that (a) are not in accordance in all material respects with the warranties, descriptions, specifications or limitations stated in the Waste Characterization Report and this Agreement; (b) have constituents or components of a type or concentration not specifically identified in the Waste Characterization Report (i) which increase the nature or extent of the hazard and risk undertaken by EQ in treating and/or disposing of the waste, or (ii) for whose treatment and/or disposal a Waste Management Facility is not designed or permitted, or (iii) which increase the cost of treatment and/or disposal of waste beyond that specified in EQ's price quote; or (c) are not properly packaged, labeled, described, or placarded, or otherwise not in compliance with United States Department of Transportation and United States Environmental Protection Agency regulations.

Control of Operations.

EQ shall have sole control over all aspects of the operation of any treatment and/or disposal facility of EQ receiving Delivered Wastes under this Agreement (hereinafter,

"Waste Management Facility"), including, without limitation, maintaining EQ's desired volume of Acceptable Wastes being delivered to any Waste Management Facility by the Customer or any other person or entity.

Identification of Waste.

For each waste material to be transported, delivered, or tendered to EQ under this Agreement, the Customer shall provide, or cause to be provided, to EQ a representative sample of the waste material and a completed Waste Characterization Report containing a physical and chemical description or analysis of such waste material, which description shall conform with any and all guidelines for waste acceptance provided by EQ. On the basis of EQ's analysis of such representative sample of the waste material and such Waste Characterization Report, EQ will determine whether such wastes are Acceptable Wastes. EQ does not make any guarantee that it will handle any waste material or any particular quantity or type of waste material, and EQ reserves the right to the decline to transport, treat and/or dispose of waste material. The Customer shall promptly furnish to EQ any information regarding known, suspected or planned changes in the composition of the waste material. Further, the Customer shall promptly inform EQ of any change in the characteristic or condition of the waste material which becomes known to the Customer subsequent to the date of the Waste Characterization Report.

Non-Conforming Wastes.

In the event that EQ at any time discovers that any Delivered Waste is Non-Conforming Waste, EQ may reject or revoke its acceptance of the Non-Conforming Waste. The Customer shall have seven (7) days to direct an alternative lawful manner of disposition of the waste, unless it is necessary by reason of law or otherwise to move the Non-Conforming Waste prior to expiration of the seven (7) day period. If the Customer does not direct an alternative disposal, at its option, EQ may return any such Non-Conforming Wastes to the Customer, and the Customer shall pay or reimburse EQ for all costs and expenses incurred by EQ in connection with the receipt, handling, sampling, analyses, transportation and return to the Customer of such Non-Conforming Wastes. If it is impossible or impractical for EQ to return the Non-Conforming Waste to the Customer, the Customer shall reimburse EQ for all costs, of any type or nature whatsoever, incurred by EQ, solely because such Delivered Waste was Non-Conforming Waste (including, but not limited to, all costs associated with any remedial steps necessary, due to the nature of the Non-Conforming Waste, in connection with material with which the Non-Conforming Waste may have been commingled and all expenses and charges for analyzing, handling, locating, preparing for transporting, storing and disposing of any Non-Conforming Waste).

Customer Warranty - Title to Wastes.

Either the Customer or the generator (if other than the Customer) shall hold clear title, free of any all liens, claims, encumbrances, and charges to Delivered Waste until such waste is accepted by EQ.

Customer Warranty - Acceptable Wastes.

All Delivered Wastes shall be Acceptable Wastes and shall conform in all material respects to the description and specifications contained in the Waste Characterization Report. The information set forth in the Waste Characterization Report or any manifest, placard or label associated with any Delivered Wastes, or otherwise represented by the Customer or the generator (if other than the Customer) to EQ, is and shall be true, accurate and complete as of the date of receipt of the involved waste by EQ.

Customer Warranty - Compliance with Laws.

The Customer shall comply with all applicable federal, state and local environmental statutes, regulations, and other governmental requirements, as well as directives issued by EQ from time to time, governing the transportation, treatment and/or disposal of Acceptable Wastes, including, but not limited to, all packaging, manifesting, containerization, placarding and labeling requirements.

Customer Warranty - Updating Information.

If the Customer receives information that Delivered Waste or other hazardous waste described in the Waste Characterization Report, or some component of such waste, presents or may present a hazard or risk to persons, property or the environment which was not disclosed to EQ, or if the Customer or generator (if other than the Customer) has changed the process by which such waste results, the Customer shall promptly report such information to EQ in writing.

Customer Indemnity.

The Customer shall indemnify, defend and hold harmless EQ, and its affiliated or related companies, and all of their respective present or future officers, directors, shareholders, employees and agents from and against any and all losses, damages, liabilities, penalties, fines, forfeitures, demands, claims, causes of action, suits, costs and expenses (including, but not limited to, reasonable costs of defense, settlement, and reasonable attorneys' fees), which may be asserted against any or all of them by any person or any governmental agency, or which any or all of them may hereafter suffer, incur, be responsible for or pay out, as a result of or in connection with bodily injuries (including, but not limited to, death, sickness, disease and emotional or mental distress) to any person (including EQ's employees), damage (including, but not limited to, loss of use) to any property (public or private), or any requirements to conduct or incur expense for investigative, removal or remedial expenses in connection with contamination of or adverse effect on the environment, or any violation or alleged violation of any statutes, ordinances, orders, rules or regulations of any governmental entity or agency, caused or arising out of (i) a breach of this Agreement by the Customer, (ii) the failure of any warranty of the Customer to be true, accurate and complete, or (iii) any willful or negligent act or omission of the Customer, or its employees or agents in connection with the performance of this Agreement.

Force Majeure.

EQ shall not be liable for any failure to accept, receive, handle, treat, and/or dispose of Delivered Waste due to an act of God, fire, casualty, flood, war, strike, lockout, labor trouble, failure of public utilities, equipment failure, facility shutdown, injunction, accident, epidemic, riot, insurrection, destruction of operation or transportation facilities, the inability to procure materials, equipment, or sufficient personnel or energy in order to meet operational needs without the necessity of allocation, the failure or inability to obtain any governmental approvals or to meet Environmental Requirements (including, but not limited to voluntary or involuntary compliance with any act, exercise, assertion, or requirement of any governmental authority) which may temporarily or permanently prohibit operations of EQ, the Customer, or the Generator, or any other circumstances beyond the control of EQ which prevents or delays performance of any of its obligations under this Agreement.

Governing Laws.

This Agreement shall in all respects be governed by and shall be construed in accordance with the laws of the State of Michigan applied to contracts executed and performed wholly within such state.

EQ - The Environmental Quality Company

Waste Characterization Report

☒ I authorize EQ - The Environmental Quality Company to choose the appropriate method of waste management, from the technologies offered, at the EQ facilities identified below.

<input type="checkbox"/> Michigan Disposal Waste Treatment Plant (Stabilization and Treatment)	49350 North I-94 Service Drive, Belleville, Michigan 48111 Phone: 1-800-592-5489 Fax: 1-800-592-5329	EPA ID #MID000724831
<input type="checkbox"/> Wayne Disposal, Inc. (Hazardous & PCB Waste Landfill)	49350 North I-94 Service Drive, Belleville, Michigan 48111 Phone: 1-800-592-5489 Fax: 1-800-592-5329	EPA ID #MID048090633
<input type="checkbox"/> EQ Detroit, Inc. (Stabilization, Wastewater Treatment)	1923 Frederick, Detroit, MI 48211 Phone: 1-800-495-6059 Fax: 1-313-923-3375	EPA ID #MID980991566
<input type="checkbox"/> EQ Resource Recovery, Inc. (Solvent Recycling, Fuel Blending, WW Treatment)	36345 Van Born Road, Romulus, Michigan 48174 Phone: (734) 727-5500 Fax: (734) 326-4033	EPA ID #MID060975844
<input type="checkbox"/> EQIS North Carolina (Stabilization, Treatment, Labpack Decommissioning)	1005 Investment Blvd., Apex, NC 27502 Phone: (919) 363-4700 Fax: (919) 363-4714	EPA ID #NCD982170292
<input type="checkbox"/> EQ Florida, Inc. (Drum Consolidation, Labpack Decommissioning)	7202 East Eighth Ave., Tampa, FL 33619 Phone: 1-800-624-5302 Fax: 1-813-828-0842	EPA ID #FLD981932494
<input type="checkbox"/> EQ Detroit Transfer and Processing (Drum Transfer/Universal Waste Handling)	2000 Ferry Street, Detroit, MI 48211 Phone: (313) 923-0080 Fax: (313) 922-8419	EPA ID #MIK939928313
<input type="checkbox"/> EQIS Indianapolis Transfer and Processing (Drum Transfer/Non-Hazardous Waste Processing)	4000 West 10th Street, Indianapolis, Indiana 46222 Phone: (317) 247-7160 Fax: (317) 247-7170	EPA ID #IND161049309
<input type="checkbox"/> EQIS Atlanta Transfer and Processing (Drum Transfer/Non-Hazardous Waste Processing)	5600 Fulton Industrial Blvd., Atlanta, Georgia 30336 Phone: (404) 494-3520 Fax: (404) 494-3560	EPA ID #GAR000039776
<input type="checkbox"/> EQ Augusta, Inc. (Wastewater Treatment)	3920 Goshen Industrial Blvd., Augusta, GA 30906 Phone: 706-771-9100 Fax: 706-771-9124	EPA ID #GAR000011817

Waste Common Name: Calibration Gases Non Flammable

Section 1 - Generator & Customer Info

SIC/NAICS*:

Generator EPA ID: MST-MP0-002-452

EQ Customer No.: 10958

Generator: Mississippi DEQ
Address: 4280 Rifle Range Rd
City: Vicksburg
State: MS Zip: 39180
County: Warren

Invoicing Company

Company: USES JACKSON
Address: 1075 MENDELL DAVIS DRIVE
City: JACKSON
State: MS Zip: 39212
Country: USA

Invoicing Contact

Name: Wanda Horton
Phone: (601) 372-3232
Fax: () -

Technical Contact

Name: J.T. Newman
Phone: (601) 372-3232
Fax: () -
Mobile: () - Pager: () -
E-mail: jnewman@usesgroup.com

Mailing Address

Address: P.O Box 20326
City: Jackson
State: MS Zip: 39289

Generator Contact

Name: Trey Hess / Jerry Banks
Title:
Phone: (601) 961-5221/6019615654
Fax: () -

*For a list of NAICS codes, please refer to Section 9 of the EQ Resource Guide.

Section 2 - Shipping & Packaging Info

- 2.1) Shipping Volume & Unit: 55 gallon Frequency: One Time Only
2.2) DOT Shipping Name: Compressed gas, n.o.s.
2.3) Is this waste surcharge exempt? ☐ Yes ☒ No (If you answered "Yes" to question 2.3, select the Surcharge Exemption reason.)

2.4) Packaging (check all that apply)

- ☐ Bulk Solid (yd ³ < 2000 lbs/yd ³) ☐ Bulk Solid (Ton > 2000 lbs./yd ³) ☐ Bulk Liquids (Gallon)
☐ Totes, Size ☐ Cubic Yard Boxes/Bags ☒ Drums, Size 55 gallon
☐ Other (palletized, 5 gal. Pail, etc.)

Quoted bulk disposal charges for solid materials will be billed by the cubic yard, if the waste density is less than 2,000lbs./cubic yard. If waste density is greater than 2,000 lbs./cubic yard, then bulk disposal charges will be billed by the ton, regardless of the approved container.

Section 3 - Physical Characteristics

- 3.1) Color: VARIES 3.2) Odor: none
3.3) Does this waste contain any "Potentially Odorous Constituents" as defined in the EQ Resource Guide? (Section 3) ☐ Yes ☒ No
3.4) Physical State at 70 °F: ☐ Solid ☐ Dust/Powder ☒ Liquid ☐ Sludge
3.5) What is the pH of this waste? ☐ ≤ 2 ☐ 2.1-4.9 ☒ 5-10 ☐ 10.1-12.4 ☐ ≥ 12.5
3.6) What is the flash point of this waste? ☐ <90 °F ☐ 90-139 °F ☐ 140-199 °F ☐ ≥ 200 °F
3.7) Does this waste contain? (check all that apply) ☒ None
☐ Biodegradable Sorbants ☐ Amines ☐ Ammonia ☐ Free Liquids ☐ Oily Residue ☐ Metal Fines
☐ Shock Sensitive Waste ☐ Reactive Waste ☐ Radioactive Waste ☐ Water Reactive ☐ Biohazard ☐ Aluminum
☐ Asbestos - non-friable ☐ Asbestos - friable ☐ Dioxins ☐ Explosives ☐ Pyrophoric Waste ☐ Isocyanates
☐ Furans

Section 4 - Composition / Generating Process

- 4.1) Describe the physical composition of the waste (i.e., soil, water, PPE, debris, key chemical compounds, etc.)
Calibration Gases from 100. to 100. %
4.2) Provide a detailed description of the process generating this waste. (attach flow diagram if available).
Labpack of chemicals in abandoned Chemical plant Lab
Calibration Gases are 75 percent Nitrogen and 20 percent Oxygen with remaining being inert ingredients

Section 5 - Is This Hazardous Waste?

Please refer to Section 5 of the EQ Resource Guide for a list of waste codes.

As determined by 40 CFR, Part 261 and Michigan Act 451 Rules:

Please list applicable waste code(s):

- 5.1) Is this an EPA RCRA listed hazardous waste (F, K, P or U)? ☐ Yes ☒ No
Comments:
5.2) Is this an EPA RCRA characteristic hazardous waste (D001-D043)? ☐ Yes ☒ No
Comments:
5.3) Do any State Hazardous Waste Codes apply? ☐ Yes ☒ No
Comments:
5.4) Is this waste intended for wastewater treatment? ☐ Yes* ☒ No

If you answered "No" to questions 5.1, 5.2, and 5.3, please skip to Section 7.
If you answered "Yes" to question 5.4, please complete the WCR Addendum.

Section 6 - Hazardous Wastes

6.1) Does this waste exceed Land Disposal Restriction Levels?

☒ Yes ☐ No

6.1a) If this waste stream is greater than 50% soil, does it meet the alternative soil treatment standards of 40 CFR 268.49?

☐ Yes ☒ No

6.1b) Does this waste contain greater than 50% debris, by volume? (Debris is greater than 2.5 inches in size.)

☐ Yes ☒ No

6.2) Is the waste an oxidizer (D001)?

☐ Yes ☒ No

6.3) Does this waste contain reactive cyanide \geq 250 ppm (D003)?

☐ Yes ☒ No

6.4) Does this waste contain reactive sulfide \geq 500 ppm (D003)?

☐ Yes ☒ No

6.5) Please indicate which constituent concentrations are below or above the regulatory level. Please indicate the basis used in the determination. Either 'Below' or 'Above' **MUST** be checked for each constituent.

Based On: ☒ Generator Knowledge ☐ Analysis* ☐ MSDS*

*Please forward a copy. Analysis or MSDS are required for EQ Florida Non-hazardous wastes.

Code	Regulatory Level	TCLP (mg/l)		Concentration (if above)
D004	Arsenic	5	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D005	Barium	100	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D006	Cadmium	1	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D007	Chromium	5	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D008	Lead	5	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D009	Mercury	0.2	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D010	Selenium	1	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D011	Silver	5	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D012	Endrin	0.02	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D013	Lindane	0.4	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D014	Methoxychlor	10	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D015	Toxaphene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D016	2,4-D	10	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D017	2,4,5-TP (Silvex)	1	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D018	Benzene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D019	Carbon Tetrachloride	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D020	Chlordane	0.03	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D021	Chlorobenzene	100	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D022	Chloroform	6.0	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D023	o-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____

Code	Regulatory Level	TCLP (mg/l)		Concentration (if above)
D024	m-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D025	p-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D026	Cresols	200	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D027	1,4-Dichlorobenzene	7.5	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D028	1,2-Dichloroethane	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D029	1,1-Dichloroethylene	0.7	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D030	2,4-Dinitrotoluene	0.13	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D031	Heptachlor	0.008	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D032	Hexachlorobenzene	0.13	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D033	Hexachlorobutadiene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D034	Hexachloroethane	3.0	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D035	Methyl Ethyl Ketone	200	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D036	Nitrobenzene	2	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D037	Pentachlorophenol	100	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D038	Pyridine	5	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D039	Tetrachloroethylene	0.7	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D040	Trichloroethylene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D041	2,4,5-Trichlorophenol	400	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D042	2,4,6-Trichlorophenol	2	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D043	Vinyl Chloride	0.2	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____

6.6) If this is a characteristic hazardous waste, does it contain underlying hazardous constituents?

☐ Yes ☒ No

If you answered 'Yes', please list the constituents in Section 11.

Section 7 - Non-Hazardous Wastes

For a complete list of non-hazardous waste codes, please refer to Section 7 of the EQ Resource Guide.

Applicable waste code(s):

7.1) Is this a Michigan non-hazardous liquid industrial waste?

☐ Yes ☒ No

Comments:

7.2) Is this a Universal waste?

☐ Yes ☒ No

7.3) Is this a Recyclable Commodity? (e.g.: computer monitors, free mercury, etc.)

☐ Yes ☒ No

7.4) Is this waste a recoverable petroleum product?

☐ Yes ☒ No

7.5) Is this waste used oil as defined by 40 CFR Part 279?

☐ Yes ☒ No

Section 8 - TSCA Information

- 8.1) What is the concentration of PCBs in the waste? ☒ None ☐ 0-5 ppm ☐ 6-49 ppm
☐ 50-499 ppm ☐ 500+ ppm
- 8.2) Does the waste contain PCB contamination from a source with a concentration ≥ 50 ppm? ☐ Yes ☒ No
If you answered 'None' to 8.1 and 'No' to 8.2, please skip to Section 9.
- 8.3) Has this waste been processed into a non-liquid form? ☐ Yes ☐ No
If yes, what was the concentration of PCBs prior to processing? (ppm) ☐ N/A ☐ 0-499 ☐ 500+
- 8.4) Is the non-liquid PCB waste in the form of soil, rags, debris, or other contaminated media? ☐ Yes ☐ No
- 8.5) Are you a PCB capacitor manufacturer or a PCB equipment manufacturer? ☐ Yes ☐ No
- 8.6) Has the PCB Article (e.g., transformer, hydraulic machine, PCB-contaminated electrical equipment) been drained/flushed of all PCBs and decontaminated in accordance with 40 CFR 761.60(b)? ☐ N/A ☐ Yes ☐ No

Section 9 - Clean Air Act Information

- 9.1) Is this waste subject to regulation under 40 CFR, Part 63, Subpart DD or 40 CFR, Part 264, Subpart CC (RCRA)? ☐ Yes ☒ No
(Does the waste contain >500 ppm Volatile Organic Hazardous Air Pollutants - VOHAP's or Volatile Organic Compounds - VOC's?)
For a complete list of VOHAP's, please see Section 11 of the EQ Resource Guide.
- 9.2) Is this site, or waste, subject to any other MACT or NESHAP? ☐ Yes ☒ No
If yes, please specify:
- 9.3) Does this waste stream contain Benzene? ☐ Yes ☒ No
If you answered "No" to question 9.2, please skip to section 10.
- 9.4) Does the waste stream come from a facility with one of the SIC/NAICS codes listed under the Benzene NESHAP identified in 40 CFR 61, Subpart FF? ☐ Yes ☐ No
- 9.5) Is the generating source of this waste stream a facility with Total Annual Benzene (TAB) ≥ 10 Mg/year? ☐ Yes ☒ No
For assistance in calculating the TAB, please see the TAB Worksheet in Section 9 of the EQ Resource Guide.
If you answered "No" to question 9.3 and 9.4, please skip to Section 10.
- 9.6) Does the waste contain > 10% water? ☐ Yes ☐ No
- 9.7) What is the TAB quantity for your facility? _____ Mg/year
- 9.8) Does the waste contain >1.0 mg/kg total Benzene? ☐ Yes ☐ No
- 9.9) What is the total Benzene concentration in your waste? _____ (concentration) _____ (unit)

(Supporting analysis must be attached. Do not use TCLP analytical results. Acceptable laboratory methods include 8020, 8240, 8260, 602 and 624.)

*For a list of NAICS codes, please refer to section 9 of the EQ Resource Guide.

Section 10 - Fuel Blending Information

- 10.1) Is this waste intended for fuel blending? ☐ Yes* ☒ No
If you answered 'Yes' to question 10.1, please enter the following:
- Heat value (BTU/lb.) _____
- Chlorine (%) _____
- Water (%) _____
- Solids (%) _____
- 10.2) Is this waste intended for reclamation? ☐ Yes ☒ No (5-Gallon Sample required for all reclaim waste streams)

Section 11 - Constituent Information

Please identify your waste constituents from these four categories: Underlying Hazardous Constituents (UHC's), Volatile Organic Hazardous Air Pollutants (VOHAP's), Volatile Organic Compounds (VOC's) and Toxic Release Inventory Constituents (TRI)

Constituent	Concentration	UHC?
-------------	---------------	------

Please see Section 11 of the EQ Resource Guide for a list of UHC's, VOHAP's and VOC's. For a complete list of TRI constituents, please refer to 40 CFR 372.65.

Section 12 - Certification

I certify that all information (including attachments) is complete and factual and is an accurate representation of the known and suspected hazards, pertaining to the waste described herein. I authorize EQ's Resource Team to add supplemental information to the waste approval file, provided I am contacted and give verbal permission. I authorize EQ's Resource Team to obtain a sample from any waste shipment for purposes of verification. Generator or on Generator's behalf shall be subject to, and Generator shall be bound by, the attached Standard Terms and Conditions. and confirmation. I agree that, if EQ approves the waste described herein, all such wastes that are transported, delivered, or tendered to EQ by

Comments:
logged in

Generator:



Authorized Generator Signature

JERRY B. BANKS

Printed Generator Name

Company:

MS Dept of Environmental Quality

Title:

Chief, Groundwater Assessment

Date: 11-28-07

The generator's signature MUST appear on the EQ Waste Characterization Report. If the generator has authorized a third party to certify this document, a written notice (on generator letterhead) must accompany this submittal. Although the EQ Resource Team is authorized to make certain modifications to the information provided on this form, the addition or removal of waste codes and waste constituents must be documented by the generator.

STANDARD TERMS AND CONDITIONS

The Agreement between the Customer and EQ - The Environmental Quality Company and/or its member companies (hereinafter "EQ") related to or associated with Delivered Waste, as herein defined, shall be governed by the following Standard Terms and Conditions in addition to the terms and conditions contained in any Waste Characterization Report, Customer Approval Quote Confirmation, Generator Approval Notification, Notice of Waste Approval Expiration, and/or Credit Agreement associated with such Delivered Waste.

The Customer may use its standard forms (such as purchase orders, acknowledgments of orders, and invoices) to administer its dealings under this Agreement for convenience purposes, but all provisions thereof in conflict with these terms and conditions shall be deemed stricken.

Definitions.

The following definitions shall apply for purposes of this Agreement:

"Acceptable Waste" shall mean any hazardous waste, as defined under applicable State or federal law, determined by EQ as acceptable for treatment and/or disposal in accordance with this Agreement.

"Delivered Wastes" shall mean all wastes (i) which are transported, delivered, or tendered to EQ by the Customer; (ii) which the Customer has arranged for the transport, delivery or tender to EQ; or (iii) which are transported, delivered, or tendered to EQ under a Credit Agreement between the Customer and EQ.

"Non-Conforming Wastes" shall mean wastes that (a) are not in accordance in all material respects with the warranties, descriptions, specifications or limitations stated in the Waste Characterization Report and this Agreement; (b) have constituents or components of a type or concentration not specifically identified in the Waste Characterization Report (i) which increase the nature or extent of the hazard and risk undertaken by EQ in treating and/or disposing of the waste, or (ii) for whose treatment and/or disposal a Waste Management Facility is not designed or permitted, or (iii) which increase the cost of treatment and/or disposal of waste beyond that specified in EQ's price quote; or (c) are not properly packaged, labeled, described, or placarded, or otherwise not in compliance with United States Department of Transportation and United States Environmental Protection Agency regulations.

Control of Operations.

EQ shall have sole control over all aspects of the operation of any treatment and/or disposal facility of EQ receiving Delivered Wastes under this Agreement (hereinafter,

"Waste Management Facility"), including, without limitation, maintaining EQ's desired volume of Acceptable Wastes being delivered to any Waste Management Facility by the Customer or any other person or entity.

Identification of Waste.

For each waste material to be transported, delivered, or tendered to EQ under this Agreement, the Customer shall provide, or cause to be provided, to EQ a representative sample of the waste material and a completed Waste Characterization Report containing a physical and chemical description or analysis of such waste material, which description shall conform with any and all guidelines for waste acceptance provided by EQ. On the basis of EQ's analysis of such representative sample of the waste material and such Waste Characterization Report, EQ will determine whether such wastes are Acceptable Wastes. EQ does not make any guarantee that it will handle any waste material or any particular quantity or type of waste material, and EQ reserves the right to the decline to transport, treat and/or dispose of waste material. The Customer shall promptly furnish to EQ any information regarding known, suspected or planned changes in the composition of the waste material. Further, the Customer shall promptly inform EQ of any change in the characteristic or condition of the waste material which becomes known to the Customer subsequent to the date of the Waste Characterization Report.

Non-Conforming Wastes.

In the event that EQ at any time discovers that any Delivered Waste is Non-Conforming Waste, EQ may reject or revoke its acceptance of the Non-Conforming Waste. The Customer shall have seven (7) days to direct an alternative lawful manner of disposition of the waste, unless it is necessary by reason of law or otherwise to move the Non-Conforming Waste prior to expiration of the seven (7) day period. If the Customer does not direct an alternative disposal, at its option, EQ may return any such Non-Conforming Wastes to the Customer, and the Customer shall pay or reimburse EQ for all costs and expenses incurred by EQ in connection with the receipt, handling, sampling, analyses, transportation and return to the Customer of such Non-Conforming Wastes. If it is impossible or impractical for EQ to return the Non-Conforming Waste to the Customer, the Customer shall reimburse EQ for all costs, of any type or nature whatsoever, incurred by EQ, solely because such Delivered Waste was Non-Conforming Waste (including, but not limited to, all costs associated with any remedial steps necessary, due to the nature of the Non-Conforming Waste, in connection with material with which the Non-Conforming Waste may have been commingled and all expenses and charges for analyzing, handling, locating, preparing for transporting, storing and disposing of any Non-Conforming Waste).

Customer Warranty - Title to Wastes.

Either the Customer or the generator (if other than the Customer) shall hold clear title, free of any all liens, claims, encumbrances, and charges to Delivered Waste until such waste is accepted by EQ.

Customer Warranty - Acceptable Wastes.

All Delivered Wastes shall be Acceptable Wastes and shall conform in all material respects to the description and specifications contained in the Waste Characterization Report. The information set forth in the Waste Characterization Report or any manifest, placard or label associated with any Delivered Wastes, or otherwise represented by the Customer or the generator (if other than the Customer) to EQ, is and shall be true, accurate and complete as of the date of receipt of the involved waste by EQ.

Customer Warranty - Compliance with Laws.

The Customer shall comply with all applicable federal, state and local environmental statutes, regulations, and other governmental requirements, as well as directives issued by EQ from time to time, governing the transportation, treatment and/or disposal of Acceptable Wastes, including, but not limited to, all packaging, manifesting, containerization, placarding and labeling requirements.

Customer Warranty - Updating Information.

If the Customer receives information that Delivered Waste or other hazardous waste described in the Waste Characterization Report, or some component of such waste, presents or may present a hazard or risk to persons, property or the environment which was not disclosed to EQ, or if the Customer or generator (if other than the Customer) has changed the process by which such waste results, the Customer shall promptly report such information to EQ in writing.

Customer Indemnity.

The Customer shall indemnify, defend and hold harmless EQ, and its affiliated or related companies, and all of their respective present or future officers, directors, shareholders, employees and agents from and against any and all losses, damages, liabilities, penalties, fines, forfeitures, demands, claims, causes of action, suits, costs and expenses (including, but not limited to, reasonable costs of defense, settlement, and reasonable attorneys' fees), which may be asserted against any or all of them by any person or any governmental agency, or which any or all of them may hereafter suffer, incur, be responsible for or pay out, as a result of or in connection with bodily injuries (including, but not limited to, death, sickness, disease and emotional or mental distress) to any person (including EQ's employees), damage (including, but not limited to, loss of use) to any property (public or private), or any requirements to conduct or incur expense for investigative, removal or remedial expenses in connection with contamination of or adverse effect on the environment, or any violation or alleged violation of any statutes, ordinances, orders, rules or regulations of any governmental entity or agency, caused or arising out of (i) a breach of this Agreement by the Customer, (ii) the failure of any warranty of the Customer to be true, accurate and complete, or (iii) any willful or negligent act or omission of the Customer, or its employees or agents in connection with the performance of this Agreement.

Force Majeure.

EQ shall not be liable for any failure to accept, receive, handle, treat, and/or dispose of Delivered Waste due to an act of God, fire, casualty, flood, war, strike, lockout, labor trouble, failure of public utilities, equipment failure, facility shutdown, injunction, accident, epidemic, riot, insurrection, destruction of operation or transportation facilities, the inability to procure materials, equipment, or sufficient personnel or energy in order to meet operational needs without the necessity of allocation, the failure or inability to obtain any governmental approvals or to meet Environmental Requirements (including, but not limited to voluntary or involuntary compliance with any act, exercise, assertion, or requirement of any governmental authority) which may temporarily or permanently prohibit operations of EQ, the Customer, or the Generator, or any other circumstances beyond the control of EQ which prevents or delays performance of any of its obligations under this Agreement.

Governing Laws.

This Agreement shall in all respects be governed by and shall be construed in accordance with the laws of the State of Michigan applied to contracts executed and performed wholly within such state.

EQ - The Environmental Quality Company

Waste Characterization Report

☒ I authorize EQ - The Environmental Quality Company to choose the appropriate method of waste management, from the technologies offered, at the EQ facilities identified below.

<input type="checkbox"/> Michigan Disposal Waste Treatment Plant (Stabilization and Treatment)	49350 North I-94 Service Drive, Belleville, Michigan 48111 Phone: 1-800-592-5489 Fax: 1-800-592-5329	EPA ID #MID000724831
<input type="checkbox"/> Wayne Disposal, Inc. (Hazardous & PCB Waste Landfill)	49350 North I-94 Service Drive, Belleville, Michigan 48111 Phone: 1-800-592-5489 Fax: 1-800-592-5329	EPA ID #MID048090633
<input type="checkbox"/> EQ Detroit, Inc. (Stabilization, Wastewater Treatment)	1923 Frederick, Detroit, MI 48211 Phone: 1-800-495-6059 Fax: 1-313-923-3375	EPA ID #MID980991566
<input type="checkbox"/> EQ Resource Recovery, Inc. (Solvent Recycling, Fuel Blending, WW Treatment)	36345 Van Born Road, Romulus, Michigan 48174 Phone: (734) 727-5500 Fax: (734) 326-4033	EPA ID #MID060975844
<input type="checkbox"/> EQIS North Carolina (Stabilization, Treatment, Labpack Decommissioning)	1005 Investment Blvd., Apex, NC 27502 Phone: (919) 363-4700 Fax: (919) 363-4714	EPA ID #NCD982170292
<input type="checkbox"/> EQ Florida, Inc. (Drum Consolidation, Labpack Decommissioning)	7202 East Eighth Ave., Tampa, FL 33619 Phone: 1-800-624-5302 Fax: 1-813-628-0842	EPA ID #FLD981932494
<input type="checkbox"/> EQ Detroit Transfer and Processing (Drum Transfer/Universal Waste Handling)	2000 Ferry Street, Detroit, MI 48211 Phone: (313) 923-0080 Fax: (313) 922-8419	EPA ID #MIK939928313
<input type="checkbox"/> EQIS Indianapolis Transfer and Processing (Drum Transfer/Non-Hazardous Waste Processing)	4000 West 10th Street, Indianapolis, Indiana 46222 Phone: (317) 247-7160 Fax: (317) 247-7170	EPA ID #IND161049309
<input type="checkbox"/> EQIS Atlanta Transfer and Processing (Drum Transfer/Non-Hazardous Waste Processing)	5600 Fulton Industrial Blvd., Atlanta, Georgia 30336 Phone: (404) 494-3520 Fax: (404) 494-3560	EPA ID #GAR000039776
<input type="checkbox"/> EQ Augusta, Inc. (Wastewater Treatment)	3920 Goshen Industrial Blvd., Augusta, GA 30906 Phone: 706-771-9100 Fax: 706-771-9124	EPA ID #GAR000011817

Waste Common Name: Aerosols Flammable

Section 1 - Generator & Customer Info

SIC/NAICS*:

Generator EPA ID: MST-MP0-002-452

EQ Customer No.: 10958

Generator: Mississippi DEQ
Address: 4280 Rifle Range Rd
City: Vicksburg
State: MS Zip: 39180
County: Warren

Mailing Address

Address: P.O. Box 20326
City: Jackson
State: MS Zip: 39289

Generator Contact

Name: Trey Hess / Jerry Banks
Title:
Phone: (601) 961-5221/601-961-5654
Fax: () -

Invoicing Company

Company: USES JACKSON
Address: 1075 MENDELL DAVIS DRIVE
City: JACKSON
State: MS Zip: 39212
Country: USA

Invoicing Contact

Name: Wanda Horton
Phone: (601) 372-3232
Fax: () -

Technical Contact

Name: J.T. Newman
Phone: (601) 372-3232
Fax: () -
Mobile: () - Pager: () -
E-mail: jnewman@usesgroup.com

*For a list of NAICS codes, please refer to Section 9 of the EQ Resource Guide.

Section 2 - Shipping & Packaging Info

- 2.1) Shipping Volume & Unit: 5 gallon Frequency: One Time Only
2.2) DOT Shipping Name: Aerosols, flammable, (each not exceeding 1 L capacity)
2.3) Is this waste surcharge exempt? ☐ Yes ☒ No (If you answered "Yes" to question 2.3, select the Surcharge Exemption reason.)

2.4) Packaging (check all that apply)

- ☐ Bulk Solid (yd³ < 2000 lbs./yd³) ☐ Bulk Solid (Ton > 2000 lbs./yd³) ☐ Bulk Liquids (Gallon)
☐ Totes, Size ☐ Cubic Yard Boxes/Bags ☒ Drums, Size 55 gallon
☐ Other (palletized, 5 gal. Pail, etc.)

Quoted bulk disposal charges for solid materials will be billed by the cubic yard, if the waste density is less than 2,000lbs./cubic yard. If waste density is greater than 2,000 lbs./cubic yard, then bulk disposal charges will be billed by the ton, regardless of the approved container.

Section 3 - Physical Characteristics

- 3.1) Color: VARIES 3.2) Odor: none
3.3) Does this waste contain any "Potentially Odorous Constituents" as defined in the EQ Resource Guide? (Section 3) ☐ Yes ☒ No
3.4) Physical State at 70 °F: ☐ Solid ☐ Dust/Powder ☒ Liquid ☐ Sludge
3.5) What is the pH of this waste? ☐ ≤ 2 ☐ 2.1-4.9 ☒ 5-10 ☐ 10.1-12.4 ☐ ≥ 12.5
3.6) What is the flash point of this waste? ☒ < 90 °F ☐ 90-139 °F ☐ 140-199 °F ☐ ≥ 200 °F
3.7) Does this waste contain? (check all that apply) ☒ None
☐ Biodegradable Sorbants ☐ Amines ☐ Ammonia ☐ Free Liquids ☐ Oily Residue ☐ Metal Fines
☐ Shock Sensitive Waste ☐ Reactive Waste ☐ Radioactive Waste ☐ Water Reactive ☐ Biohazard ☐ Aluminum
☐ Asbestos - non-friable ☐ Asbestos - friable ☐ Dioxins ☐ Explosives ☐ Pyrophoric Waste ☐ Isocyanates
☐ Furans

Section 4 - Composition / Generating Process

- 4.1) Describe the physical composition of the waste (i.e., soil, water, PPE, debris, key chemical compounds, etc.)
Flammable Aerosols from 100 to 100 %
4.2) Provide a detailed description of the process generating this waste. (attach flow diagram if available).
Labpack of chemicals in abandoned Chemical plant Lab

Section 5 - Is This Hazardous Waste?

Please refer to Section 5 of the EQ Resource Guide for a list of waste codes.

As determined by 40 CFR, Part 261 and Michigan Act 451 Rules:

Please list applicable waste code(s):

- 5.1) Is this an EPA RCRA listed hazardous waste (F, K, P or U)? ☐ Yes ☒ No
Comments:
5.2) Is this an EPA RCRA characteristic hazardous waste (D001-D043)? ☒ Yes ☐ No
Comments: D001
5.3) Do any State Hazardous Waste Codes apply? ☐ Yes ☒ No
Comments:
5.4) Is this waste intended for wastewater treatment? ☐ Yes* ☒ No

If you answered "No" to questions 5.1, 5.2, and 5.3, please skip to Section 7.
If you answered "Yes" to question 5.4, please complete the WCR Addendum.

Section 6 - Hazardous Wastes

6.1) Does this waste exceed Land Disposal Restriction Levels?

6.1a) If this waste stream is greater than 50% soil, does it meet the alternative soil treatment standards of 40 CFR 268.49?

6.1b) Does this waste contain greater than 50% debris, by volume? (Debris is greater than 2.5 inches in size.)

6.2) Is the waste an oxidizer (D001)?

6.3) Does this waste contain reactive cyanide ≥ 250 ppm (D003)?

6.4) Does this waste contain reactive sulfide ≥ 500 ppm (D003)?

6.5) Please indicate which constituent concentrations are below or above the regulatory level. Please indicate the basis used in the determination. Either 'Below' or 'Above' **MUST** be checked for each constituent.

Based On: ☒ Generator Knowledge ☐ Analysis* ☐ MSDS*

*Please forward a copy. Analysis or MSDS are required for EQ Florida Non-hazardous wastes.

Code	Regulatory Level	TCLP (mg/l)		Concentration (if above)
D004	Arsenic	5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D005	Barium	100	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D006	Cadmium	1	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D007	Chromium	5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D008	Lead	5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D009	Mercury	0.2	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D010	Selenium	1	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D011	Silver	5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D012	Endrin	0.02	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D013	Lindane	0.4	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D014	Methoxychlor	10	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D015	Toxaphene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D016	2,4-D	10	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D017	2,4,6-TP (Silvex)	1	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D018	Benzene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D019	Carbon Tetrachloride	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D020	Chlordane	0.03	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D021	Chlorobenzene	100	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D022	Chloroform	6.0	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D023	o-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above	

Code	Regulatory Level	TCLP (mg/l)		Concentration (if above)
D024	m-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D025	p-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D026	Cresols	200	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D027	1,4-Dichlorobenzene	7.5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D028	1,2-Dichloroethane	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D029	1,1-Dichloroethylene	0.7	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D030	2,4-Dinitrotoluene	0.13	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D031	Heptachlor	0.008	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D032	Hexachlorobenzene	0.13	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D033	Hexachlorobutadiene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D034	Hexachloroethane	3.0	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D035	Methyl Ethyl Ketone	200	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D036	Nitrobenzene	2	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D037	Pentachlorophenol	100	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D038	Pyridine	5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D039	Tetrachloroethylene	0.7	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D040	Trichloroethylene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D041	2,4,5-Trichlorophenol	400	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D042	2,4,6-Trichlorophenol	2	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D043	Vinyl Chloride	0.2	<input checked="" type="radio"/> Below <input type="radio"/> Above	

6.6) If this is a characteristic hazardous waste, does it contain underlying hazardous constituents?

If you answered "Yes", please list the constituents in Section 11.

☐ Yes ☒ No

Section 7 - Non-Hazardous Wastes

For a complete list of non-hazardous waste codes, please refer to Section 7 of the EQ Resource Guide.

Applicable waste code(s):

7.1) Is this a Michigan non-hazardous liquid industrial waste?

☐ Yes ☒ No

Comments:

7.2) Is this a Universal waste?

☐ Yes ☒ No

7.3) Is this a Recyclable Commodity? (e.g.: computer monitors, free mercury, etc.)

☐ Yes ☒ No

7.4) Is this waste a recoverable petroleum product?

☐ Yes ☒ No

7.5) Is this waste used oil as defined by 40 CFR Part 279?

☐ Yes ☒ No

Section 8 - TSCA Information

- 8.1) What is the concentration of PCBs in the waste? ☒ None ☐ 0-5 ppm ☐ 6-49 ppm
☐ 50-499 ppm ☐ 500+ ppm
- 8.2) Does the waste contain PCB contamination from a source with a concentration ≥ 50 ppm?
If you answered 'None' to 8.1 and 'No' to 8.2, please skip to Section 9. ☐ Yes ☒ No
- 8.3) Has this waste been processed into a non-liquid form?
If yes, what was the concentration of PCBs prior to processing? (ppm) ☐ Yes ☐ No
☐ N/A ☐ 0-499 ☐ 500+
- 8.4) Is the non-liquid PCB waste in the form of soil, rags, debris, or other contaminated media? ☐ Yes ☐ No
- 8.5) Are you a PCB capacitor manufacturer or a PCB equipment manufacturer? ☐ Yes ☐ No
- 8.6) Has the PCB Article (e.g., transformer, hydraulic machine, PCB-contaminated electrical equipment) been drained/flushed of all PCBs and decontaminated in accordance with 40 CFR 761.60(b)? ☐ N/A ☐ Yes ☐ No

Section 9 - Clean Air Act Information

- 9.1) Is this waste subject to regulation under 40 CFR, Part 63, Subpart DD or 40 CFR, Part 264, Subpart CC (RCRA)? ☐ Yes ☒ No
(Does the waste contain >500 ppm Volatile Organic Hazardous Air Pollutants - VOHAP's or Volatile Organic Compounds - VOC's?)
For a complete list of VOHAPs, please see Section 11 of the EQ Resource Guide.
- 9.2) Is this site, or waste, subject to any other MACT or NESHAP? ☐ Yes ☒ No
If yes, please specify:
- 9.3) Does this waste stream contain Benzene? ☐ Yes ☒ No
If you answered "No" to question 9.2, please skip to section 10.
- 9.4) Does the waste stream come from a facility with one of the SIC/NAICS codes listed under the Benzene NESHAP identified in 40 CFR 61, Subpart FF? ☐ Yes ☐ No
- 9.5) Is the generating source of this waste stream a facility with Total Annual Benzene (TAB) ≥ 10 Mg/year? ☐ Yes ☒ No
For assistance in calculating the TAB, please see the TAB Worksheet in Section 9 of the EQ Resource Guide.
If you answered "No" to question 9.3 and 9.4, please skip to Section 10.
- 9.6) Does the waste contain > 10% water? ☐ Yes ☐ No
- 9.7) What is the TAB quantity for your facility? _____ Mg/year
- 9.8) Does the waste contain >1.0 mg/kg total Benzene? ☐ Yes ☐ No
- 9.9) What is the total Benzene concentration in your waste? _____ (concentration) _____ (unit)
(Supporting analysis must be attached. Do not use TCLP analytical results. Acceptable laboratory methods include 8020, 8240, 8260, 802 and 624.)
**For a list of NAICS codes, please refer to section 9 of the EQ Resource Guide.*

Section 10 - Fuel Blending Information

- 10.1) Is this waste intended for fuel blending? ☐ Yes* ☒ No
If you answered 'Yes' to question 10.1, please enter the following:
Heat value (BTU/lb.) _____
Chlorine (%) _____
Water (%) _____
Solids (%) _____
- 10.2) Is this waste intended for reclamation? ☐ Yes ☒ No (5-Gallon Sample required for all reclaim waste streams)

Section 11 - Constituent Information

Please identify your waste constituents from these four categories: Underlying Hazardous Constituents (UHC's), Volatile Organic Hazardous Air Pollutants (VOHAP's), Volatile Organic Compounds (VOC's) and Toxic Release Inventory Constituents (TRI)

Constituent	Concentration	UHC?
-------------	---------------	------

Please see Section 11 of the EQ Resource Guide for a list of UHC's, VOHAP's and VOC's. For a complete list of TRI constituents, please refer to 40 CFR 372.65.

Section 12 - Certification

I certify that all information (including attachments) is complete and factual and is an accurate representation of the known and suspected hazards, pertaining to the waste described herein. I authorize EQ's Resource Team to add supplemental information to the waste approval file, provided I am contacted and give verbal permission. I authorize EQ's Resource Team to obtain a sample from any waste shipment for purposes of verification. Generator or on Generator's behalf shall be subject to, and Generator shall be bound by, the attached Standard Terms and Conditions and confirmation. I agree that, if EQ approves the waste described herein, all such wastes that are transported, delivered, or tendered to EQ by

Comments:
logged in

Generator:

Jermy B. Banks
Authorized Generator Signature

JERRY B. BANKS
Printed Generator Name

Company:

MS Dept. of Environmental Quality

Title:

Chief Groundwater Assessment

Date: 11-26-07

The generator's signature MUST appear on the EQ Waste Characterization Report. If the generator has authorized a third party to certify this document, a written notice (on generator letterhead) must accompany this submittal. Although the EQ Resource Team is authorized to make certain modifications to the information provided on this form, the addition or removal of waste codes and waste constituents must be documented by the generator.

STANDARD TERMS AND CONDITIONS

The Agreement between the Customer and EQ - The Environmental Quality Company and/or its member companies (hereinafter "EQ") related to or associated with Delivered Waste, as herein defined, shall be governed by the following Standard Terms and Conditions in addition to the terms and conditions contained in any Waste Characterization Report, Customer Approval Quote Confirmation, Generator Approval Notification, Notice of Waste Approval Expiration, and/or Credit Agreement associated with such Delivered Waste.

The Customer may use its standard forms (such as purchase orders, acknowledgments of orders, and invoices) to administer its dealings under this Agreement for convenience purposes, but all provisions thereof in conflict with these terms and conditions shall be deemed stricken.

Definitions.

The following definitions shall apply for purposes of this Agreement:

"Acceptable Waste" shall mean any hazardous waste, as defined under applicable State or federal law, determined by EQ as acceptable for treatment and/or disposal in accordance with this Agreement.

"Delivered Wastes" shall mean all wastes (i) which are transported, delivered, or tendered to EQ by the Customer; (ii) which the Customer has arranged for the transport, delivery or tender to EQ; or (iii) which are transported, delivered, or tendered to EQ under a Credit Agreement between the Customer and EQ.

"Non-Conforming Wastes" shall mean wastes that (a) are not in accordance in all material respects with the warranties, descriptions, specifications or limitations stated in the Waste Characterization Report and this Agreement; (b) have constituents or components of a type or concentration not specifically identified in the Waste Characterization Report (i) which increase the nature or extent of the hazard and risk undertaken by EQ in treating and/or disposing of the waste, or (ii) for whose treatment and/or disposal a Waste Management Facility is not designed or permitted, or (iii) which increase the cost of treatment and/or disposal of waste beyond that specified in EQ's price quote; or (c) are not properly packaged, labeled, described, or placarded, or otherwise not in compliance with United States Department of Transportation and United States Environmental Protection Agency regulations.

Control of Operations.

EQ shall have sole control over all aspects of the operation of any treatment and/or disposal facility of EQ receiving Delivered Wastes under this Agreement (hereinafter, "Waste Management Facility"), including, without limitation, maintaining EQ's desired volume of Acceptable Wastes being delivered to any Waste Management Facility by the Customer or any other person or entity.

Identification of Waste.

For each waste material to be transported, delivered, or tendered to EQ under this Agreement, the Customer shall provide, or cause to be provided, to EQ a representative sample of the waste material and a completed Waste Characterization Report containing a physical and chemical description or analysis of such waste material, which description shall conform with any and all guidelines for waste acceptance provided by EQ. On the basis of EQ's analysis of such representative sample of the waste material and such Waste Characterization Report, EQ will determine whether such wastes are Acceptable Wastes. EQ does not make any guarantee that it will handle any waste material or any particular quantity or type of waste material, and EQ reserves the right to the decline to transport, treat and/or dispose of waste material. The Customer shall promptly furnish to EQ any information regarding known, suspected or planned changes in the composition of the waste material. Further, the Customer shall promptly inform EQ of any change in the characteristic or condition of the waste material which becomes known to the Customer subsequent to the date of the Waste Characterization Report.

Non-Conforming Wastes.

In the event that EQ at any time discovers that any Delivered Waste is Non-Conforming Waste, EQ may reject or revoke its acceptance of the Non-Conforming Waste. The Customer shall have seven (7) days to direct an alternative lawful manner of disposition of the waste, unless it is necessary by reason of law or otherwise to move the Non-Conforming Waste prior to expiration of the seven (7) day period. If the Customer does not direct an alternative disposal, at its option, EQ may return any such Non-Conforming Wastes to the Customer, and the Customer shall pay or reimburse EQ for all costs and expenses incurred by EQ in connection with the receipt, handling, sampling, analyses, transportation and return to the Customer of such Non-Conforming Wastes. If it is impossible or impractical for EQ to return the Non-Conforming Waste to the Customer, the Customer shall reimburse EQ for all costs, of any type or nature whatsoever, incurred by EQ, solely because such Delivered Waste was Non-Conforming Waste (including, but not limited to, all costs associated with any remedial steps necessary, due to the nature of the Non-Conforming Waste, in connection with material with which the Non-Conforming Waste may have been commingled and all expenses and charges for analyzing, handling, locating, preparing for transporting, storing and disposing of any Non-Conforming Waste).

Customer Warranty - Title to Wastes.

Either the Customer or the generator (if other than the Customer) shall hold clear title, free of any all liens, claims, encumbrances, and charges to Delivered Waste until such waste is accepted by EQ.

Customer Warranty - Acceptable Wastes.

All Delivered Wastes shall be Acceptable Wastes and shall conform in all material respects to the description and specifications contained in the Waste Characterization Report. The information set forth in the Waste Characterization Report or any manifest, placard or label associated with any Delivered Wastes, or otherwise represented by the Customer or the generator (if other than the Customer) to EQ, is and shall be true, accurate and complete as of the date of receipt of the involved waste by EQ.

Customer Warranty - Compliance with Laws.

The Customer shall comply with all applicable federal, state and local environmental statutes, regulations, and other governmental requirements, as well as directives issued by EQ from time to time, governing the transportation, treatment and/or disposal of Acceptable Wastes, including, but not limited to, all packaging, manifesting, containerization, placarding and labeling requirements.

Customer Warranty - Updating Information.

If the Customer receives information that Delivered Waste or other hazardous waste described in the Waste Characterization Report, or some component of such waste, presents or may present a hazard or risk to persons, property or the environment which was not disclosed to EQ, or if the Customer or generator (if other than the Customer) has changed the process by which such waste results, the Customer shall promptly report such information to EQ in writing.

Customer Indemnity.

The Customer shall indemnify, defend and hold harmless EQ, and its affiliated or related companies, and all of their respective present or future officers, directors, shareholders, employees and agents from and against any and all losses, damages, liabilities, penalties, fines, forfeitures, demands, claims, causes of action, suits, costs and expenses (including, but not limited to, reasonable costs of defense, settlement, and reasonable attorneys' fees), which may be asserted against any or all of them by any person or any governmental agency, or which any or all of them may hereafter suffer, incur, be responsible for or pay out, as a result of or in connection with bodily injuries (including, but not limited to, death, sickness, disease and emotional or mental distress) to any person (including EQ's employees), damage (including, but not limited to, loss of use) to any property (public or private), or any requirements to conduct or incur expense for investigative, removal or remedial expenses in connection with contamination of or adverse effect on the environment, or any violation or alleged violation of any statutes, ordinances, orders, rules or regulations of any governmental entity or agency, caused or arising out of (i) a breach of this Agreement by the Customer, (ii) the failure of any warranty of the Customer to be true, accurate and complete, or (iii) any willful or negligent act or omission of the Customer, or its employees or agents in connection with the performance of this Agreement.

Force Majeure.

EQ shall not be liable for any failure to accept, receive, handle, treat, and/or dispose of Delivered Waste due to an act of God, fire, casualty, flood, war, strike, lockout, labor trouble, failure of public utilities, equipment failure, facility shutdown, injunction, accident, epidemic, riot, insurrection, destruction of operation or transportation facilities, the inability to procure materials, equipment, or sufficient personnel or energy in order to meet operational needs without the necessity of allocation, the failure or inability to obtain any governmental approvals or to meet Environmental Requirements (including, but not limited to voluntary or involuntary compliance with any act, exercise, assertion, or requirement of any governmental authority) which may temporarily or permanently prohibit operations of EQ, the Customer, or the Generator, or any other circumstances beyond the control of EQ which prevents or delays performance of any of its obligations under this Agreement.

Governing Laws.

This Agreement shall in all respects be governed by and shall be construed in accordance with the laws of the State of Michigan applied to contracts executed and performed wholly within such state.

EQ - The Environmental Quality Company

Waste Characterization Report

☒ I authorize EQ - The Environmental Quality Company to choose the appropriate method of waste management, from the technologies offered, at the EQ facilities identified below.

<input type="checkbox"/> Michigan Disposal Waste Treatment Plant (Stabilization and Treatment)	49350 North I-94 Service Drive, Belleville, Michigan 48111 Phone: 1-800-592-5489 Fax: 1-800-592-5329	EPA ID #MID000724831
<input type="checkbox"/> Wayne Disposal, Inc. (Hazardous & PCB Waste Landfill)	49350 North I-94 Service Drive, Belleville, Michigan 48111 Phone: 1-800-592-5489 Fax: 1-800-592-5329	EPA ID #MID048090633
<input type="checkbox"/> EQ Detroit, Inc. (Stabilization, Wastewater Treatment)	1923 Frederick, Detroit, MI 48211 Phone: 1-800-495-6059 Fax: 1-313-923-3375	EPA ID #MID980991566
<input type="checkbox"/> EQ Resource Recovery, Inc. (Solvent Recycling, Fuel Blending, WW Treatment)	36345 Van Born Road, Romulus, Michigan 48174 Phone: (734) 727-5500 Fax: (734) 326-4033	EPA ID #MID060975844
<input type="checkbox"/> EQIS North Carolina (Stabilization, Treatment, Labpack Decommissioning)	1005 Investment Blvd., Apex, NC 27502 Phone: (919) 363-4700 Fax: (919) 363-4714	EPA ID #NCD982170292
<input type="checkbox"/> EQ Florida, Inc. (Drum Consolidation, Labpack Decommissioning)	7202 East Eighth Ave., Tampa, FL 33619 Phone: 1-800-624-5302 Fax: 1-813-628-0842	EPA ID #FLD981932494
<input type="checkbox"/> EQ Detroit Transfer and Processing (Drum Transfer/Universal Waste Handling)	2000 Ferry Street, Detroit, MI 48211 Phone: (313) 923-0080 Fax: (313) 922-8419	EPA ID #MIK939928313
<input type="checkbox"/> EQIS Indianapolis Transfer and Processing (Drum Transfer/Non-Hazardous Waste Processing)	4000 West 10th Street, Indianapolis, Indiana 46222 Phone: (317) 247-7160 Fax: (317) 247-7170	EPA ID #IND161049309
<input type="checkbox"/> EQIS Atlanta Transfer and Processing (Drum Transfer/Non-Hazardous Waste Processing)	5600 Fulton Industrial Blvd., Atlanta, Georgia 30336 Phone: (404) 494-3520 Fax: (404) 494-3560	EPA ID #GAR000039776
<input type="checkbox"/> EQ Augusta, Inc. (Wastewater Treatment)	3920 Goshen Industrial Blvd., Augusta, GA 30906 Phone: 706-771-9100 Fax: 706-771-9124	EPA ID #GAR000011817

Waste Common Name: Printing Ink

Section 1 - Generator & Customer Info

SIC/NAICS*:

Generator EPA ID: MST-MP0-002-452

EQ Customer No.: 10958

Generator: Mississippi DEQ
Address: 4280 Rifle Range Rd
City: Vicksburg
State: MS Zip: 39180
County: Warren

Mailing Address

Address: P.O. Box 20326
City: Jackson
State: MS Zip: 39289

Generator Contact

Name: Trey Hess / Jerry Banks
Title:
Phone: (601) 961-5221/6019615654
Fax: () -

Invoicing Company

Company: USES JACKSON
Address: 1075 MENDELL DAVIS DRIVE
City: JACKSON
State: MS Zip: 39212
Country: USA

Invoicing Contact

Name: Wanda Horton
Phone: (601) 372-3232
Fax: () -

Technical Contact

Name: J.T. Newman
Phone: (601) 372-3232
Fax: () -
Mobile: () - Pager: () -
E-mail: jnewman@usesgroup.com

*For a list of NAICS codes, please refer to Section 9 of the EQ Resource Guide.

Section 2 - Shipping & Packaging Info

- 2.1) Shipping Volume & Unit: 55 gallon Frequency: One Time Only
2.2) DOT Shipping Name: Non regulated Ink Lab Pack
2.3) Is this waste surcharge exempt? ☐ Yes ☒ No (If you answered "Yes" to question 2.3, select the Surcharge Exemption reason.)

2.4) Packaging (check all that apply)

- ☐ Bulk Solid (yd ³ < 2000 lbs./yd ³) ☐ Bulk Solid (Ton > 2000 lbs./yd ³) ☐ Bulk Liquids (Gallon)
☐ Totes, Size ☐ Cubic Yard Boxes/Bags ☒ Drums, Size: 55 gallon
☐ Other (palletized, 5 gal. Pail, etc.)

Quoted bulk disposal charges for solid materials will be billed by the cubic yard, if the waste density is less than 2,000lbs./cubic yard. If waste density is greater than 2,000 lbs./cubic yard, then bulk disposal charges will be billed by the ton, regardless of the approved container.

Section 3 - Physical Characteristics

- 3.1) Color: BLACK/BROWN 3.2) Odor: none
3.3) Does this waste contain any "Potentially Odorous Constituents" as defined in the EQ Resource Guide? (Section 3) ☐ Yes ☒ No
3.4) Physical State at 70 °F: ☐ Solid ☐ Dust/Powder ☒ Liquid ☐ Sludge
3.5) What is the pH of this waste? ☐ ≤ 2 ☐ 2.1-4.9 ☒ 5-10 ☐ 10.1-12.4 ☐ ≥ 12.5
3.6) What is the flash point of this waste? ☐ <90 °F ☐ 90-139 °F ☐ 140-199 °F ☐ ≥ 200 °F
3.7) Does this waste contain? (check all that apply) ☒ None
☐ Biodegradable Sorbants ☐ Amines ☐ Ammonia ☐ Free Liquids ☐ Oily Residue ☐ Metal Fines
☐ Shock Sensitive Waste ☐ Reactive Waste ☐ Radioactive Waste ☐ Water Reactive ☐ Biohazard ☐ Aluminum
☐ Asbestos - non-friable ☐ Asbestos - friable ☐ Dioxins ☐ Explosives ☐ Pyrophoric Waste ☐ Isocyanates
☐ Furan

Section 4 - Composition / Generating Process

- 4.1) Describe the physical composition of the waste (i.e., soil, water, PPE, debris, key chemical compounds, etc.)
Ink from 100. to 100. %
4.2) Provide a detailed description of the process generating this waste. (attach flow diagram if available).
Labpack of chemicals in abandoned Chemical plant Lab

Section 5 - Is This Hazardous Waste?

Please refer to Section 5 of the EQ Resource Guide for a list of waste codes.

As determined by 40 CFR, Part 261 and Michigan Act 451 Rules:

Please list applicable waste code(s):

- 5.1) Is this an EPA RCRA listed hazardous waste (F, K, P or U)? ☐ Yes ☒ No
Comments:
5.2) Is this an EPA RCRA characteristic hazardous waste (D001-D043)? ☐ Yes ☒ No
Comments:
5.3) Do any State Hazardous Waste Codes apply? ☐ Yes ☒ No
Comments:
5.4) Is this waste intended for wastewater treatment? ☐ Yes* ☒ No

If you answered "No" to questions 5.1, 5.2, and 5.3, please skip to Section 7.
*If you answered "Yes" to question 5.4, please complete the WCR Addendum.

Section 6 - Hazardous Wastes

6.1) Does this waste exceed Land Disposal Restriction Levels?

6.1a) If this waste stream is greater than 50% soil, does it meet the alternative soil treatment standards of 40 CFR 268.49?

6.1b) Does this waste contain greater than 50% debris, by volume? (Debris is greater than 2.5 inches in size.)

6.2) Is the waste an oxidizer (D001)?

6.3) Does this waste contain reactive cyanide ≥ 250 ppm (D003)?

6.4) Does this waste contain reactive sulfide ≥ 500 ppm (D003)?

6.5) Please indicate which constituent concentrations are below or above the regulatory level. Please indicate the basis used in the determination. Either 'Below' or 'Above' **MUST** be checked for each constituent.

Based On: ☒ Generator Knowledge

☐ Analysis*

☐ MSDS*

*Please forward a copy. Analysis or MSDS are required for EQ Florida Non-hazardous wastes.

Code	Regulatory Level	TCLP (mg/l)	Concentration (if above)
D004	Arsenic	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D005	Barium	100	<input checked="" type="radio"/> Below <input type="radio"/> Above
D006	Cadmium	1	<input checked="" type="radio"/> Below <input type="radio"/> Above
D007	Chromium	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D008	Lead	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D009	Mercury	0.2	<input checked="" type="radio"/> Below <input type="radio"/> Above
D010	Selenium	1	<input checked="" type="radio"/> Below <input type="radio"/> Above
D011	Silver	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D012	Endrin	0.02	<input checked="" type="radio"/> Below <input type="radio"/> Above
D013	Lindane	0.4	<input checked="" type="radio"/> Below <input type="radio"/> Above
D014	Methoxychlor	10	<input checked="" type="radio"/> Below <input type="radio"/> Above
D015	Toxaphene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D016	2,4-D	10	<input checked="" type="radio"/> Below <input type="radio"/> Above
D017	2,4,5-TP (Silvex)	1	<input checked="" type="radio"/> Below <input type="radio"/> Above
D018	Benzene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D019	Carbon Tetrachloride	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D020	Chlordane	0.03	<input checked="" type="radio"/> Below <input type="radio"/> Above
D021	Chlorobenzene	100	<input checked="" type="radio"/> Below <input type="radio"/> Above
D022	Chloroform	6.0	<input checked="" type="radio"/> Below <input type="radio"/> Above
D023	o-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above

Code	Regulatory Level	TCLP (mg/l)	Concentration (if above)
D024	m-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above
D025	p-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above
D026	Cresols	200	<input checked="" type="radio"/> Below <input type="radio"/> Above
D027	1,4-Dichlorobenzene	7.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D028	1,2-Dichloroethane	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D029	1,1-Dichloroethylene	0.7	<input checked="" type="radio"/> Below <input type="radio"/> Above
D030	2,4-Dinitrotoluene	0.13	<input checked="" type="radio"/> Below <input type="radio"/> Above
D031	Heptachlor	0.008	<input checked="" type="radio"/> Below <input type="radio"/> Above
D032	Hexachlorobenzene	0.13	<input checked="" type="radio"/> Below <input type="radio"/> Above
D033	Hexachlorobutadiene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D034	Hexachloroethane	3.0	<input checked="" type="radio"/> Below <input type="radio"/> Above
D035	Methyl Ethyl Ketone	200	<input checked="" type="radio"/> Below <input type="radio"/> Above
D036	Nitrobenzene	2	<input checked="" type="radio"/> Below <input type="radio"/> Above
D037	Pentachlorophenol	100	<input checked="" type="radio"/> Below <input type="radio"/> Above
D038	Pyridine	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D039	Tetrachloroethylene	0.7	<input checked="" type="radio"/> Below <input type="radio"/> Above
D040	Trichloroethylene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D041	2,4,5-Trichlorophenol	400	<input checked="" type="radio"/> Below <input type="radio"/> Above
D042	2,4,6-Trichlorophenol	2	<input checked="" type="radio"/> Below <input type="radio"/> Above
D043	Vinyl Chloride	0.2	<input checked="" type="radio"/> Below <input type="radio"/> Above

6.6) If this is a characteristic hazardous waste, does it contain underlying hazardous constituents?

If you answered 'Yes', please list the constituents in Section 11.

☐ Yes ☒ No

Section 7 - Non-Hazardous Wastes

For a complete list of non-hazardous waste codes, please refer to Section 7 of the EQ Resource Guide.

Applicable waste code(s):

7.1) Is this a Michigan non-hazardous liquid industrial waste?

☐ Yes ☒ No

Comments:

7.2) Is this a Universal waste?

☐ Yes ☒ No

7.3) Is this a Recyclable Commodity? (e.g.: computer monitors, free mercury, etc.)

☐ Yes ☒ No

7.4) Is this waste a recoverable petroleum product?

☐ Yes ☒ No

7.5) Is this waste used oil as defined by 40 CFR Part 279?

☐ Yes ☒ No

Section 8 - TSCA Information

- 8.1) What is the concentration of PCBs in the waste? ☒ None ☐ 0-5 ppm ☐ 6-49 ppm
☐ 50-499 ppm ☐ 500+ ppm
- 8.2) Does the waste contain PCB contamination from a source with a concentration ≥ 50 ppm? ☐ Yes ☒ No
If you answered 'None' to 8.1 and 'No' to 8.2, please skip to Section 9.
- 8.3) Has this waste been processed into a non-liquid form? ☐ Yes ☐ No
If yes, what was the concentration of PCBs prior to processing? (ppm) ☐ N/A ☐ 0-499 ☐ 500+
- 8.4) Is the non-liquid PCB waste in the form of soil, rags, debris, or other contaminated media? ☐ Yes ☐ No
- 8.5) Are you a PCB capacitor manufacturer or a PCB equipment manufacturer? ☐ Yes ☐ No
- 8.6) Has the PCB Article (e.g., transformer, hydraulic machine, PCB-contaminated electrical equipment) been drained/flushed of all PCBs and decontaminated in accordance with 40 CFR 761.60(b)? ☐ N/A ☐ Yes ☐ No

Section 9 - Clean Air Act Information

- 9.1) Is this waste subject to regulation under 40 CFR, Part 63, Subpart DD or 40 CFR, Part 264, Subpart CC (RCRA)? ☐ Yes ☒ No
(Does the waste contain >500 ppm Volatile Organic Hazardous Air Pollutants - VOHAP's or Volatile Organic Compounds - VOC's?)
For a complete list of VOHAPs, please see Section 11 of the EQ Resource Guide.
- 9.2) Is this site, or waste, subject to any other MACT or NESHAP? ☐ Yes ☒ No
If yes, please specify:
- 9.3) Does this waste stream contain Benzene? ☐ Yes ☒ No
If you answered "No" to question 9.2, please skip to section 10.
- 9.4) Does the waste stream come from a facility with one of the SIC/NAICS codes listed under the Benzene NESHAP identified in 40 CFR 61, Subpart FF? ☐ Yes ☐ No
- 9.5) Is the generating source of this waste stream a facility with Total Annual Benzene (TAB) ≥ 10 Mg/year? ☐ Yes ☒ No
For assistance in calculating the TAB, please see the TAB Worksheet in Section 9 of the EQ Resource Guide.
If you answered "No" to question 9.3 and 9.4, please skip to Section 10.
- 9.6) Does the waste contain > 10% water? ☐ Yes ☐ No
- 9.7) What is the TAB quantity for your facility? _____ Mg/year
- 9.8) Does the waste contain >1.0 mg/kg total Benzene? ☐ Yes ☐ No
- 9.9) What is the total Benzene concentration in your waste? _____ (concentration) _____ (unit)

(Supporting analysis must be attached. Do not use TCLP analytical results. Acceptable laboratory methods include 8020, 8240, 8260, 602 and 624.)

**For a list of NAICS codes, please refer to section 9 of the EQ Resource Guide.*

Section 10 - Fuel Blending Information

- 10.1) Is this waste intended for fuel blending? ☐ Yes* ☒ No
If you answered 'Yes' to question 10.1, please enter the following:
- Heat value (BTU/lb.) _____
- Chlorine (%) _____
- Water (%) _____
- Solids (%) _____
- 10.2) Is this waste intended for reclamation? ☐ Yes ☒ No (5-Gallon Sample required for all reclaim waste streams)

Section 11 - Constituent Information

Please identify your waste constituents from these four categories: Underlying Hazardous Constituents (UHC's), Volatile Organic Hazardous Air Pollutants (VOHAP's), Volatile Organic Compounds (VOC's) and Toxic Release Inventory Constituents (TRI)

Constituent	Concentration	UHC?
-------------	---------------	------


Please see Section 11 of the EQ Resource Guide for a list of UHC's, VOHAP's and VOC's. For a complete list of TRI constituents, please refer to 40 CFR 372.65.

Section 12 - Certification

I certify that all information (including attachments) is complete and factual and is an accurate representation of the known and suspected hazards, pertaining to the waste described herein. I authorize EQ's Resource Team to add supplemental information to the waste approval file, provided I am contacted and give verbal permission. I authorize EQ's Resource Team to obtain a sample from any waste shipment for purposes of verification. Generator or on Generator's behalf shall be subject to, and Generator shall be bound by, the attached Standard Terms and Conditions and confirmation. I agree that, if EQ approves the waste described herein, all such wastes that are transported, delivered, or tendered to EQ by

Comments:
logged in

Generator:



Authorized Generator Signature

JERRY B. BANKS

Printed Generator Name

Company:

MS Dept. of Environmental Qnd

Title:

Chief Groundwater Assessment

Date: 11/26/07

The generator's signature MUST appear on the EQ Waste Characterization Report. If the generator has authorized a third party to certify this document, a written notice (on generator letterhead) must accompany this submittal. Although the EQ Resource Team is authorized to make certain modifications to the information provided on this form, the addition or removal of waste codes and waste constituents must be documented by the generator.

STANDARD TERMS AND CONDITIONS

The Agreement between the Customer and EQ - The Environmental Quality Company and/or its member companies (hereinafter "EQ") related to or associated with Delivered Waste, as herein defined, shall be governed by the following Standard Terms and Conditions in addition to the terms and conditions contained in any Waste Characterization Report, Customer Approval Quote Confirmation, Generator Approval Notification, Notice of Waste Approval Expiration, and/or Credit Agreement associated with such Delivered Waste.

The Customer may use its standard forms (such as purchase orders, acknowledgments of orders, and invoices) to administer its dealings under this Agreement for convenience purposes, but all provisions thereof in conflict with these terms and conditions shall be deemed stricken.

Definitions.

The following definitions shall apply for purposes of this Agreement:

"Acceptable Waste" shall mean any hazardous waste, as defined under applicable State or federal law, determined by EQ as acceptable for treatment and/or disposal in accordance with this Agreement.

"Delivered Wastes" shall mean all wastes (i) which are transported, delivered, or tendered to EQ by the Customer; (ii) which the Customer has arranged for the transport, delivery or tender to EQ; or (iii) which are transported, delivered, or tendered to EQ under a Credit Agreement between the Customer and EQ.

"Non-Conforming Wastes" shall mean wastes that (a) are not in accordance in all material respects with the warranties, descriptions, specifications or limitations stated in the Waste Characterization Report and this Agreement; (b) have constituents or components of a type or concentration not specifically identified in the Waste Characterization Report (i) which increase the nature or extent of the hazard and risk undertaken by EQ in treating and/or disposing of the waste, or (ii) for whose treatment and/or disposal a Waste Management Facility is not designed or permitted, or (iii) which increase the cost of treatment and/or disposal of waste beyond that specified in EQ's price quote; or (c) are not properly packaged, labeled, described, or placarded, or otherwise not in compliance with United States Department of Transportation and United States Environmental Protection Agency regulations.

Control of Operations.

EQ shall have sole control over all aspects of the operation of any treatment and/or disposal facility of EQ receiving Delivered Wastes under this Agreement (hereinafter,

"Waste Management Facility"), including, without limitation, maintaining EQ's desired volume of Acceptable Wastes being delivered to any Waste Management Facility by the Customer or any other person or entity.

Identification of Waste.

For each waste material to be transported, delivered, or tendered to EQ under this Agreement, the Customer shall provide, or cause to be provided, to EQ a representative sample of the waste material and a completed Waste Characterization Report containing a physical and chemical description or analysis of such waste material, which description shall conform with any and all guidelines for waste acceptance provided by EQ. On the basis of EQ's analysis of such representative sample of the waste material and such Waste Characterization Report, EQ will determine whether such wastes are Acceptable Wastes. EQ does not make any guarantee that it will handle any waste material or any particular quantity or type of waste material, and EQ reserves the right to the decline to transport, treat and/or dispose of waste material. The Customer shall promptly furnish to EQ any information regarding known, suspected or planned changes in the composition of the waste material. Further, the Customer shall promptly inform EQ of any change in the characteristic or condition of the waste material which becomes known to the Customer subsequent to the date of the Waste Characterization Report.

Non-Conforming Wastes.

In the event that EQ at any time discovers that any Delivered Waste is Non-Conforming Waste, EQ may reject or revoke its acceptance of the Non-Conforming Waste. The Customer shall have seven (7) days to direct an alternative lawful manner of disposition of the waste, unless it is necessary by reason of law or otherwise to move the Non-Conforming Waste prior to expiration of the seven (7) day period. If the Customer does not direct an alternative disposal, at its option, EQ may return any such Non-Conforming Wastes to the Customer, and the Customer shall pay or reimburse EQ for all costs and expenses incurred by EQ in connection with the receipt, handling, sampling, analyses, transportation and return to the Customer of such Non-Conforming Wastes. If it is impossible or impractical for EQ to return the Non-Conforming Waste to the Customer, the Customer shall reimburse EQ for all costs, of any type or nature whatsoever, incurred by EQ, solely because such Delivered Waste was Non-Conforming Waste (including, but not limited to, all costs associated with any remedial steps necessary, due to the nature of the Non-Conforming Waste, in connection with material with which the Non-Conforming Waste may have been commingled and all expenses and charges for analyzing, handling, locating, preparing for transporting, storing and disposing of any Non-Conforming Waste).

Customer Warranty - Title to Wastes.

Either the Customer or the generator (if other than the Customer) shall hold clear title, free of any all liens, claims, encumbrances, and charges to Delivered Waste until such waste is accepted by EQ.

Customer Warranty - Acceptable Wastes.

All Delivered Wastes shall be Acceptable Wastes and shall conform in all material respects to the description and specifications contained in the Waste Characterization Report. The information set forth in the Waste Characterization Report or any manifest, placard or label associated with any Delivered Wastes, or otherwise represented by the Customer or the generator (if other than the Customer) to EQ, is and shall be true, accurate and complete as of the date of receipt of the involved waste by EQ.

Customer Warranty - Compliance with Laws.

The Customer shall comply with all applicable federal, state and local environmental statutes, regulations, and other governmental requirements, as well as directives issued by EQ from time to time, governing the transportation, treatment and/or disposal of Acceptable Wastes, including, but not limited to, all packaging, manifesting, containerization, placarding and labeling requirements.

Customer Warranty - Updating Information.

If the Customer receives information that Delivered Waste or other hazardous waste described in the Waste Characterization Report, or some component of such waste, presents or may present a hazard or risk to persons, property or the environment which was not disclosed to EQ, or if the Customer or generator (if other than the Customer) has changed the process by which such waste results, the Customer shall promptly report such information to EQ in writing.

Customer Indemnity.

The Customer shall indemnify, defend and hold harmless EQ, and its affiliated or related companies, and all of their respective present or future officers, directors, shareholders, employees and agents from and against any and all losses, damages, liabilities, penalties, fines, forfeitures, demands, claims, causes of action, suits, costs and expenses (including, but not limited to, reasonable costs of defense, settlement, and reasonable attorneys' fees), which may be asserted against any or all of them by any person or any governmental agency, or which any or all of them may hereafter suffer, incur, be responsible for or pay out, as a result of or in connection with bodily injuries (including, but not limited to, death, sickness, disease and emotional or mental distress) to any person (including EQ's employees), damage (including, but not limited to, loss of use) to any property (public or private), or any requirements to conduct or incur expense for investigative, removal or remedial expenses in connection with contamination of or adverse effect on the environment, or any violation or alleged violation of any statutes, ordinances, orders, rules or regulations of any governmental entity or agency, caused or arising out of (i) a breach of this Agreement by the Customer, (ii) the failure of any warranty of the Customer to be true, accurate and complete, or (iii) any willful or negligent act or omission of the Customer, or its employees or agents in connection with the performance of this Agreement.

Force Majeure.

EQ shall not be liable for any failure to accept, receive, handle, treat, and/or dispose of Delivered Waste due to an act of God, fire, casualty, flood, war, strike, lockout, labor trouble, failure of public utilities, equipment failure, facility shutdown, injunction, accident, epidemic, riot, insurrection, destruction of operation or transportation facilities, the inability to procure materials, equipment, or sufficient personnel or energy in order to meet operational needs without the necessity of allocation, the failure or inability to obtain any governmental approvals or to meet Environmental Requirements (including, but not limited to voluntary or involuntary compliance with any act, exercise, assertion, or requirement of any governmental authority) which may temporarily or permanently prohibit operations of EQ, the Customer, or the Generator, or any other circumstances beyond the control of EQ which prevents or delays performance of any of its obligations under this Agreement.

Governing Laws.

This Agreement shall in all respects be governed by and shall be construed in accordance with the laws of the State of Michigan applied to contracts executed and performed wholly within such state.

EQ - The Environmental Quality Company
Waste Characterization Report

☒ I authorize EQ - The Environmental Quality Company to choose the appropriate method of waste management, from the technologies offered, at the EQ facilities identified below.

<input type="checkbox"/> Michigan Disposal Waste Treatment Plant (Stabilization and Treatment)	49350 North I-94 Service Drive, Belleville, Michigan 48111 Phone: 1-800-592-5489 Fax: 1-800-592-5329	EPA ID #MID000724831
<input type="checkbox"/> Wayne Disposal, Inc. (Hazardous & PCB Waste Landfill)	49350 North I-94 Service Drive, Belleville, Michigan 48111 Phone: 1-800-592-5489 Fax: 1-800-592-5329	EPA ID #MID048090633
<input type="checkbox"/> EQ Detroit, Inc. (Stabilization, Wastewater Treatment)	1923 Frederick, Detroit, MI 48211 Phone: 1-800-495-6059 Fax: 1-313-923-3375	EPA ID #MID980991566
<input type="checkbox"/> EQ Resource Recovery, Inc. (Solvent Recycling, Fuel Blending, WW Treatment)	36345 Van Born Road, Romulus, Michigan 48174 Phone: (734) 727-5500 Fax: (734) 326-4033	EPA ID #MID060975844
<input type="checkbox"/> EQIS North Carolina (Stabilization, Treatment, Labpack Decommissioning)	1005 Investment Blvd., Apex, NC 27502 Phone: (919) 363-4700 Fax: (919) 363-4714	EPA ID #NCD982170292
<input type="checkbox"/> EQ Florida, Inc. (Drum Consolidation, Labpack Decommissioning)	7202 East Eighth Ave., Tampa, FL 33619 Phone: 1-800-624-5302 Fax: 1-813-628-0842	EPA ID #FLD981932494
<input type="checkbox"/> EQ Detroit Transfer and Processing (Drum Transfer/Universal Waste Handling)	2000 Ferry Street, Detroit, MI 48211 Phone: (313) 923-0080 Fax: (313) 922-8419	EPA ID #MIK939928313
<input type="checkbox"/> EQIS Indianapolis Transfer and Processing (Drum Transfer/Non-Hazardous Waste Processing)	4000 West 10th Street, Indianapolis, Indiana 46222 Phone: (317) 247-7160 Fax: (317) 247-7170	EPA ID #IND161049309
<input type="checkbox"/> EQIS Atlanta Transfer and Processing (Drum Transfer/Non-Hazardous Waste Processing)	5600 Fulton Industrial Blvd., Atlanta, Georgia 30336 Phone: (404) 494-3520 Fax: (404) 494-3560	EPA ID #GAR000039776
<input type="checkbox"/> EQ Augusta, Inc. (Wastewater Treatment)	3920 Goshen Industrial Blvd., Augusta, GA 30906 Phone: 706-771-9100 Fax: 706-771-9124	EPA ID #GAR000011817

Waste Common Name: Sodium Acid Pyrophosphate

Section 1 - Generator & Customer Info

SIC/NAICS*:

Generator EPA ID: MST-MP0-002-452

EQ Customer No.: 10958

Generator: Mississippi DEQ
Address: 4280 Rifle Range Rd
City: Vicksburg
State: MS **Zip:** 39180
County: Warren

Mailing Address

Address: P.O. Box 20326
City: Jackson
State: MS **Zip:** 39289

Generator Contact

Name: Trey Hess / Jerry Banks
Title:
Phone: (601) 961-5221/601-961-5654
Fax: () -

Invoicing Company

Company: USES JACKSON
Address: 1075 MENDELL DAVIS DRIVE
City: JACKSON
State: MS **Zip:** 39212
Country: USA

Invoicing Contact

Name: Wanda Horton
Phone: (601) 372-3232
Fax: () -

Technical Contact

Name: J.T. Newman
Phone: (601) 372-3232
Fax: () -
Mobile: () - **Pager:** () -
E-mail: jnewman@usesgroup.com

*For a list of NAICS codes, please refer to Section 9 of the EQ Resource Guide.

Section 2 - Shipping & Packaging Info

- 2.1) Shipping Volume & Unit: 55 gallon Frequency: One Time Only
2.2) DOT Shipping Name: Non regulated Solids
2.3) Is this waste surcharge exempt? ☐ Yes ☒ No (If you answered "Yes" to question 2.3, select the Surcharge Exemption reason.)

2.4) Packaging (check all that apply)

- ☐ Bulk Solid (yd ³ < 2000 lbs./yd ³) ☐ Bulk Solid (Ton > 2000 lbs./yd ³) ☐ Bulk Liquids (Gallon)
☐ Totes, Size ☐ Cubic Yard Boxes/Bags ☒ Drums, Size 55 gallon
☐ Other (palletized, 5 gal. Pail, etc.)

Quoted bulk disposal charges for solid materials will be billed by the cubic yard, if the waste density is less than 2,000lbs./cubic yard. If waste density is greater than 2,000 lbs./cubic yard, then bulk disposal charges will be billed by the ton, regardless of the approved container.

Section 3 - Physical Characteristics

- 3.1) Color: VARIES 3.2) Odor: none
3.3) Does this waste contain any "Potentially Odorous Constituents" as defined in the EQ Resource Guide? (Section 3) ☐ Yes ☒ No
3.4) Physical State at 70 °F: ☒ Solid ☐ Dust/Powder ☐ Liquid ☐ Sludge
3.5) What is the pH of this waste? ☐ ≤ 2 ☐ 2.1-4.9 ☒ 5-10 ☐ 10.1-12.4 ☐ ≥ 12.5
3.6) What is the flash point of this waste? ☐ <90 °F ☐ 90-139 °F ☐ 140-199 °F ☐ ≥ 200 °F
3.7) Does this waste contain? (check all that apply) ☒ None
☐ Biodegradable Sorbents ☐ Amines ☐ Ammonia ☐ Free Liquids ☐ Oily Residue ☐ Metal Fines
☐ Shock Sensitive Waste ☐ Reactive Waste ☐ Radioactive Waste ☐ Water Reactive ☐ Biohazard ☐ Aluminum
☐ Asbestos - non-friable ☐ Asbestos - friable ☐ Dioxins ☐ Explosives ☐ Pyrophoric Waste ☐ Isocyanates
☐ Furans

Section 4 - Composition / Generating Process

- 4.1) Describe the physical composition of the waste (i.e., soil, water, PPE, debris, key chemical compounds, etc.)
Sodium Acid Pyrophosphate from 100. to 100. %
4.2) Provide a detailed description of the process generating this waste. (attach flow diagram if available).
Labpack of chemicals in abandoned Chemical plant Lab

Section 5 - Is This Hazardous Waste?

Please refer to Section 5 of the EQ Resource Guide for a list of waste codes.

As determined by 40 CFR, Part 261 and Michigan Act 451 Rules:

Please list applicable waste code(s):

- 5.1) Is this an EPA RCRA listed hazardous waste (F, K, P or U)? ☐ Yes ☒ No
Comments:
5.2) Is this an EPA RCRA characteristic hazardous waste (D001-D043)? ☐ Yes ☒ No
Comments:
5.3) Do any State Hazardous Waste Codes apply? ☐ Yes ☒ No
Comments:
5.4) Is this waste intended for wastewater treatment? ☐ Yes* ☒ No

If you answered "No" to questions 5.1, 5.2, and 5.3, please skip to Section 7.
If you answered "Yes" to question 5.4, please complete the WCR Addendum.

Section 6 - Hazardous Wastes

6.1) Does this waste exceed Land Disposal Restriction Levels?

6.1a) If this waste stream is greater than 50% soil, does it meet the alternative soil treatment standards of 40 CFR 268.49?

6.1b) Does this waste contain greater than 50% debris, by volume? (Debris is greater than 2.5 inches in size.)

6.2) Is the waste an oxidizer (D001)?

6.3) Does this waste contain reactive cyanide \geq 250 ppm (D003)?

6.4) Does this waste contain reactive sulfide \geq 500 ppm (D003)?

6.5) Please indicate which constituent concentrations are below or above the regulatory level. Please indicate the basis used in the determination. Either 'Below' or 'Above' **MUST** be checked for each constituent.

Based On: ☒ Generator Knowledge

☐ Analysis*

☐ MSDS*

*Please forward a copy. Analysis or MSDS are required for EQ Florida Non-hazardous wastes.

Code	Regulatory Level	TCLP (mg/l)		Concentration (if above)
D004	Arsenic	5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D005	Barium	100	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D006	Cadmium	1	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D007	Chromium	5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D008	Lead	5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D009	Mercury	0.2	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D010	Selenium	1	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D011	Silver	5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D012	Endrin	0.02	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D013	Lindane	0.4	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D014	Methoxychlor	10	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D015	Toxaphene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D016	2,4-D	10	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D017	2,4,5-TP (Silvex)	1	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D018	Benzene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D019	Carbon Tetrachloride	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D020	Chlordane	0.03	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D021	Chlorobenzene	100	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D022	Chloroform	6.0	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D023	o-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above	

Code	Regulatory Level	TCLP (mg/l)		Concentration (if above)
D024	m-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D025	p-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D026	Cresols	200	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D027	1,4-Dichlorobenzene	7.5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D028	1,2-Dichloroethane	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D029	1,1-Dichloroethylene	0.7	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D030	2,4-Dinitrotoluene	0.13	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D031	Heptachlor	0.008	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D032	Hexachlorobenzene	0.13	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D033	Hexachlorobutadiene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D034	Hexachloroethane	3.0	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D035	Methyl Ethyl Ketone	200	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D036	Nitrobenzene	2	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D037	Pentachlorophenol	100	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D038	Pyridine	5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D039	Tetrachloroethylene	0.7	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D040	Trichloroethylene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D041	2,4,5-Trichlorophenol	400	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D042	2,4,6-Trichlorophenol	2	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D043	Vinyl Chloride	0.2	<input checked="" type="radio"/> Below <input type="radio"/> Above	

6.6) If this is a characteristic hazardous waste, does it contain underlying hazardous constituents?

If you answered 'Yes', please list the constituents in Section 11.

☐ Yes ☒ No

Section 7 - Non-Hazardous Wastes

For a complete list of non-hazardous waste codes, please refer to Section 7 of the EQ Resource Guide.

Applicable waste code(s):

7.1) Is this a Michigan non-hazardous liquid industrial waste?

Comments:

☐ Yes ☒ No

7.2) Is this a Universal waste?

☐ Yes ☒ No

7.3) Is this a Recyclable Commodity? (e.g.: computer monitors, free mercury, etc.)

☐ Yes ☒ No

7.4) Is this waste a recoverable petroleum product?

☐ Yes ☒ No

7.5) Is this waste used oil as defined by 40 CFR Part 279?

☐ Yes ☒ No

Section 8 - TSCA Information

- 8.1) What is the concentration of PCBs in the waste? ☒ None ☐ 0-5 ppm ☐ 6-49 ppm
☐ 50-499 ppm ☐ 500+ ppm
- 8.2) Does the waste contain PCB contamination from a source with a concentration ≥ 50 ppm? ☐ Yes ☒ No
If you answered 'None' to 8.1 and 'No' to 8.2, please skip to Section 9.
- 8.3) Has this waste been processed into a non-liquid form? ☐ Yes ☐ No
If yes, what was the concentration of PCBs prior to processing? (ppm) ☐ N/A ☐ 0-499 ☐ 500+
- 8.4) Is the non-liquid PCB waste in the form of soil, rags, debris, or other contaminated media? ☐ Yes ☐ No
- 8.5) Are you a PCB capacitor manufacturer or a PCB equipment manufacturer? ☐ Yes ☐ No
- 8.6) Has the PCB Article (e.g., transformer, hydraulic machine, PCB-contaminated electrical equipment) been drained/flushed of all PCBs and decontaminated in accordance with 40 CFR 761.60(b)? ☐ N/A ☐ Yes ☐ No

Section 9 - Clean Air Act Information

- 9.1) Is this waste subject to regulation under 40 CFR, Part 63, Subpart DD or 40 CFR, Part 264, Subpart CC (RCRA)? ☐ Yes ☒ No
(Does the waste contain >500 ppm Volatile Organic Hazardous Air Pollutants - VOHAP's or Volatile Organic Compounds - VOC's?)
For a complete list of VOHAP's, please see Section 11 of the EQ Resource Guide.
- 9.2) Is this site, or waste, subject to any other MACT or NESHAP? ☐ Yes ☒ No
If yes, please specify:
- 9.3) Does this waste stream contain Benzene? ☐ Yes ☒ No
If you answered "No" to question 9.2, please skip to section 10.
- 9.4) Does the waste stream come from a facility with one of the SIC/NAICS codes listed under the Benzene NESHAP identified in 40 CFR 61, Subpart FF? ☐ Yes ☐ No
- 9.5) Is the generating source of this waste stream a facility with Total Annual Benzene (TAB) ≥ 10 Mg/year? ☐ Yes ☒ No
For assistance in calculating the TAB, please see the TAB Worksheet in Section 9 of the EQ Resource Guide.
If you answered "No" to question 9.3 and 9.4, please skip to Section 10.
- 9.6) Does the waste contain > 10% water? ☐ Yes ☐ No
- 9.7) What is the TAB quantity for your facility? _____ Mg/year
- 9.8) Does the waste contain >1.0 mg/kg total Benzene? ☐ Yes ☐ No
- 9.9) What is the total Benzene concentration in your waste? _____ (concentration) _____ (unit)

(Supporting analysis must be attached. Do not use TCLP analytical results. Acceptable laboratory methods include 8020, 8240, 8260, 602 and 624.)

**For a list of NAICS codes, please refer to section 9 of the EQ Resource Guide.*

Section 10 - Fuel Blending Information

- 10.1) Is this waste intended for fuel blending? ☐ Yes* ☒ No
If you answered 'Yes' to question 10.1, please enter the following:

Heat value (BTU/lb.) _____
Chlorine (%) _____
Water (%) _____
Solids (%) _____

- 10.2) Is this waste intended for reclamation? ☐ Yes ☒ No (5-Gallon Sample required for all reclaim waste streams)

Section 11 - Constituent Information

Please identify your waste constituents from these four categories: Underlying Hazardous Constituents (UHC's), Volatile Organic Hazardous Air Pollutants (VOHAP's), Volatile Organic Compounds (VOC's) and Toxic Release Inventory Constituents (TRI)

Constituent	Concentration	UHC?
-------------	---------------	------

Please see Section 11 of the EQ Resource Guide for a list of UHC's, VOHAP's and VOC's. For a complete list of TRI constituents, please refer to 40 CFR 372.65.

Section 12 - Certification

I certify that all information (including attachments) is complete and factual and is an accurate representation of the known and suspected hazards, pertaining to the waste described herein. I authorize EQ's Resource Team to add supplemental information to the waste approval file, provided I am contacted and give verbal permission. I authorize EQ's Resource Team to obtain a sample from any waste shipment for purposes of verification. Generator or on Generator's behalf shall be subject to, and Generator shall be bound by, the attached Standard Terms and Conditions and confirmation. I agree that, if EQ approves the waste described herein, all such wastes that are transported, delivered, or tendered to EQ by

Comments:
logged in

Generator:

Jerry B. Banks
Authorized Generator Signature

JERRY B. BANKS
Printed Generator Name

Company:

MS Dept. of Environmental Quality

Title:

Chief Groundwater Assessment

Date:

11/26/07

The generator's signature MUST appear on the EQ Waste Characterization Report. If the generator has authorized a third party to certify this document, a written notice (on generator letterhead) must accompany this submittal. Although the EQ Resource Team is authorized to make certain modifications to the information provided on this form, the addition or removal of waste codes and waste constituents must be documented by the generator.

STANDARD TERMS AND CONDITIONS

The Agreement between the Customer and EQ - The Environmental Quality Company and/or its member companies (hereinafter "EQ") related to or associated with Delivered Waste, as herein defined, shall be governed by the following Standard Terms and Conditions in addition to the terms and conditions contained in any Waste Characterization Report, Customer Approval Quote Confirmation, Generator Approval Notification, Notice of Waste Approval Expiration, and/or Credit Agreement associated with such Delivered Waste.

The Customer may use its standard forms (such as purchase orders, acknowledgments of orders, and invoices) to administer its dealings under this Agreement for convenience purposes, but all provisions thereof in conflict with these terms and conditions shall be deemed stricken.

Definitions.

The following definitions shall apply for purposes of this Agreement:

"Acceptable Waste" shall mean any hazardous waste, as defined under applicable State or federal law, determined by EQ as acceptable for treatment and/or disposal in accordance with this Agreement.

"Delivered Wastes" shall mean all wastes (i) which are transported, delivered, or tendered to EQ by the Customer; (ii) which the Customer has arranged for the transport, delivery or tender to EQ; or (iii) which are transported, delivered, or tendered to EQ under a Credit Agreement between the Customer and EQ.

"Non-Conforming Wastes" shall mean wastes that (a) are not in accordance in all material respects with the warranties, descriptions, specifications or limitations stated in the Waste Characterization Report and this Agreement; (b) have constituents or components of a type or concentration not specifically identified in the Waste Characterization Report (i) which increase the nature or extent of the hazard and risk undertaken by EQ in treating and/or disposing of the waste, or (ii) for whose treatment and/or disposal a Waste Management Facility is not designed or permitted, or (iii) which increase the cost of treatment and/or disposal of waste beyond that specified in EQ's price quote; or (c) are not properly packaged, labeled, described, or placarded, or otherwise not in compliance with United States Department of Transportation and United States Environmental Protection Agency regulations.

Control of Operations.

EQ shall have sole control over all aspects of the operation of any treatment and/or disposal facility of EQ receiving Delivered Wastes under this Agreement (hereinafter, "Waste Management Facility"), including, without limitation, maintaining EQ's desired volume of Acceptable Wastes being delivered to any Waste Management Facility by the Customer or any other person or entity.

Identification of Waste.

For each waste material to be transported, delivered, or tendered to EQ under this Agreement, the Customer shall provide, or cause to be provided, to EQ a representative sample of the waste material and a completed Waste Characterization Report containing a physical and chemical description or analysis of such waste material, which description shall conform with any and all guidelines for waste acceptance provided by EQ. On the basis of EQ's analysis of such representative sample of the waste material and such Waste Characterization Report, EQ will determine whether such wastes are Acceptable Wastes. EQ does not make any guarantee that it will handle any waste material or any particular quantity or type of waste material, and EQ reserves the right to the decline to transport, treat and/or dispose of waste material. The Customer shall promptly furnish to EQ any information regarding known, suspected or planned changes in the composition of the waste material. Further, the Customer shall promptly inform EQ of any change in the characteristic or condition of the waste material which becomes known to the Customer subsequent to the date of the Waste Characterization Report.

Non-Conforming Wastes.

In the event that EQ at any time discovers that any Delivered Waste is Non-Conforming Waste, EQ may reject or revoke its acceptance of the Non-Conforming Waste. The Customer shall have seven (7) days to direct an alternative lawful manner of disposition of the waste, unless it is necessary by reason of law or otherwise to move the Non-Conforming Waste prior to expiration of the seven (7) day period. If the Customer does not direct an alternative disposal, at its option, EQ may return any such Non-Conforming Wastes to the Customer, and the Customer shall pay or reimburse EQ for all costs and expenses incurred by EQ in connection with the receipt, handling, sampling, analyses, transportation and return to the Customer of such Non-Conforming Wastes. If it is impossible or impractical for EQ to return the Non-Conforming Waste to the Customer, the Customer shall reimburse EQ for all costs, of any type or nature whatsoever, incurred by EQ, solely because such Delivered Waste was Non-Conforming Waste (including, but not limited to, all costs associated with any remedial steps necessary, due to the nature of the Non-Conforming Waste, in connection with material with which the Non-Conforming Waste may have been commingled and all expenses and charges for analyzing, handling, locating, preparing for transporting, storing and disposing of any Non-Conforming Waste).

Customer Warranty - Title to Wastes.

Either the Customer or the generator (if other than the Customer) shall hold clear title, free of any all liens, claims, encumbrances, and charges to Delivered Waste until such waste is accepted by EQ.

Customer Warranty - Acceptable Wastes.

All Delivered Wastes shall be Acceptable Wastes and shall conform in all material respects to the description and specifications contained in the Waste Characterization Report. The information set forth in the Waste Characterization Report or any manifest, placard or label associated with any Delivered Wastes, or otherwise represented by the Customer or the generator (if other than the Customer) to EQ, is and shall be true, accurate and complete as of the date of receipt of the involved waste by EQ.

Customer Warranty - Compliance with Laws.

The Customer shall comply with all applicable federal, state and local environmental statutes, regulations, and other governmental requirements, as well as directives issued by EQ from time to time, governing the transportation, treatment and/or disposal of Acceptable Wastes, including, but not limited to, all packaging, manifesting, containerization, placarding and labeling requirements.

Customer Warranty - Updating Information.

If the Customer receives information that Delivered Waste or other hazardous waste described in the Waste Characterization Report, or some component of such waste, presents or may present a hazard or risk to persons, property or the environment which was not disclosed to EQ, or if the Customer or generator (if other than the Customer) has changed the process by which such waste results, the Customer shall promptly report such information to EQ in writing.

Customer Indemnity.

The Customer shall indemnify, defend and hold harmless EQ, and its affiliated or related companies, and all of their respective present or future officers, directors, shareholders, employees and agents from and against any and all losses, damages, liabilities, penalties, fines, forfeitures, demands, claims, causes of action, suits, costs and expenses (including, but not limited to, reasonable costs of defense, settlement, and reasonable attorneys' fees), which may be asserted against any or all of them by any person or any governmental agency, or which any or all of them may hereafter suffer, incur, be responsible for or pay out, as a result of or in connection with bodily injuries (including, but not limited to, death, sickness, disease and emotional or mental distress) to any person (including EQ's employees), damage (including, but not limited to, loss of use) to any property (public or private), or any requirements to conduct or incur expense for investigative, removal or remedial expenses in connection with contamination of or adverse effect on the environment, or any violation or alleged violation of any statutes, ordinances, orders, rules or regulations of any governmental entity or agency, caused or arising out of (i) a breach of this Agreement by the Customer, (ii) the failure of any warranty of the Customer to be true, accurate and complete, or (iii) any willful or negligent act or omission of the Customer, or its employees or agents in connection with the performance of this Agreement.

Force Majeure.

EQ shall not be liable for any failure to accept, receive, handle, treat, and/or dispose of Delivered Waste due to an act of God, fire, casualty, flood, war, strike, lockout, labor trouble, failure of public utilities, equipment failure, facility shutdown, injunction, accident, epidemic, riot, insurrection, destruction of operation or transportation facilities, the inability to procure materials, equipment, or sufficient personnel or energy in order to meet operational needs without the necessity of allocation, the failure or inability to obtain any governmental approvals or to meet Environmental Requirements (including, but not limited to voluntary or involuntary compliance with any act, exercise, assertion, or requirement of any governmental authority) which may temporarily or permanently prohibit operations of EQ, the Customer, or the Generator, or any other circumstances beyond the control of EQ which prevents or delays performance of any of its obligations under this Agreement.

Governing Laws.

This Agreement shall in all respects be governed by and shall be construed in accordance with the laws of the State of Michigan applied to contracts executed and performed wholly within such state.

EQ - The Environmental Quality Company

Waste Characterization Report

☒ I authorize EQ - The Environmental Quality Company to choose the appropriate method of waste management, from the technologies offered, at the EQ facilities identified below.

<input type="checkbox"/> Michigan Disposal Waste Treatment Plant (Stabilization and Treatment)	49350 North I-94 Service Drive, Belleville, Michigan 48111 Phone: 1-800-592-5489 Fax: 1-800-592-5329	EPA ID #MID000724831
<input type="checkbox"/> Wayne Disposal, Inc. (Hazardous & PCB Waste Landfill)	49350 North I-94 Service Drive, Belleville, Michigan 48111 Phone: 1-800-592-5489 Fax: 1-800-592-5329	EPA ID #MID048090633
<input type="checkbox"/> EQ Detroit, Inc. (Stabilization, Wastewater Treatment)	1923 Frederick, Detroit, MI 48211 Phone: 1-800-495-6059 Fax: 1-313-923-3375	EPA ID #MID980991566
<input type="checkbox"/> EQ Resource Recovery, Inc. (Solvent Recycling, Fuel Blending, WW Treatment)	36345 Van Born Road, Romulus, Michigan 48174 Phone: (734) 727-5500 Fax: (734) 326-4033	EPA ID #MID060975844
<input type="checkbox"/> EQIS North Carolina (Stabilization, Treatment, Labpack Decommissioning)	1005 Investment Blvd., Apex, NC 27502 Phone: (919) 363-4700 Fax: (919) 363-4714	EPA ID #NCD982170292
<input type="checkbox"/> EQ Florida, Inc. (Drum Consolidation, Labpack Decommissioning)	7202 East Eighth Ave., Tampa, FL 33619 Phone: 1-800-624-5302 Fax: 1-813-628-0842	EPA ID #FLD981932494
<input type="checkbox"/> EQ Detroit Transfer and Processing (Drum Transfer/Universal Waste Handling)	2000 Ferry Street, Detroit, MI 48211 Phone: (313) 923-0080 Fax: (313) 922-8419	EPA ID #MIK939928313
<input type="checkbox"/> EQIS Indianapolis Transfer and Processing (Drum Transfer/Non-Hazardous Waste Processing)	4000 West 10th Street, Indianapolis, Indiana 46222 Phone: (317) 247-7160 Fax: (317) 247-7170	EPA ID #IND161049309
<input type="checkbox"/> EQIS Atlanta Transfer and Processing (Drum Transfer/Non-Hazardous Waste Processing)	5600 Fulton Industrial Blvd., Atlanta, Georgia 30336 Phone: (404) 494-3520 Fax: (404) 494-3560	EPA ID #GAR000039776
<input type="checkbox"/> EQ Augusta, Inc. (Wastewater Treatment)	3920 Goshen Industrial Blvd., Augusta, GA 30906 Phone: 706-771-9100 Fax: 706-771-9124	EPA ID #GAR000011817

Waste Common Name: 2,6 DiterButyl p cresol

Section 1 - Generator & Customer Info

SIC/NAICS*:

Generator EPA ID: MST-MP0-002-452

EQ Customer No.: 10958

Generator: Mississippi DEQ
Address: 4280 Rifle Range Rd
City: Vicksburg
State: MS Zip: 39180
County: Warren

Mailing Address

Address: P.O Box 20326
City: Jackson
State: MS Zip: 39289

Generator Contact

Name: Trey Hess / Jerry Banks
Title:
Phone: (601) 961-5221/6019615654
Fax: () -

Invoicing Company

Company: USES JACKSON
Address: 1075 MENDELL DAVIS DRIVE
City: JACKSON
State: MS Zip: 39212
Country: USA

Invoicing Contact

Name: Wanda Horton
Phone: (601) 372-3232
Fax: () -

Technical Contact

Name: J.T. Newman
Phone: (601) 372-3232
Fax: () -
Mobile: () - Pager: () -
E-mail: jnewman@usesgroup.com

*For a list of NAICS codes, please refer to Section 9 of the EQ Resource Guide.

Section 2 - Shipping & Packaging Info

- 2.1) Shipping Volume & Unit: 55 gallon Frequency: One Time Only
2.2) DOT Shipping Name: Non regulated Solids
2.3) Is this waste surcharge exempt? ☐ Yes ☒ No (If you answered "Yes" to question 2.3, select the Surcharge Exemption reason.)

2.4) Packaging (check all that apply)

- ☐ Bulk Solid (yd ³ < 2000 lbs/yd ³) ☐ Bulk Solid (Ton > 2000 lbs./yd ³) ☐ Bulk Liquids (Gallon)
☐ Totes, Size ☐ Cubic Yard Boxes/Bags ☒ Drums, Size 55 gallon
☐ Other (palletized, 5 gal. Pail, etc.)

Quoted bulk disposal charges for solid materials will be billed by the cubic yard, if the waste density is less than 2,000lbs./cubic yard. If waste density is greater than 2,000 lbs./cubic yard, then bulk disposal charges will be billed by the ton, regardless of the approved container.

Section 3 - Physical Characteristics

- 3.1) Color: VARIES 3.2) Odor: none
3.3) Does this waste contain any "Potentially Odorous Constituents" as defined in the EQ Resource Guide? (Section 3) ☐ Yes ☒ No
3.4) Physical State at 70 °F: ☒ Solid ☐ Dust/Powder ☐ Liquid ☐ Sludge
3.5) What is the pH of this waste? ☐ ≤ 2 ☐ 2.1-4.9 ☒ 5-10 ☐ 10.1-12.4 ☐ ≥ 12.5
3.6) What is the flash point of this waste? ☐ <90 °F ☐ 90-139 °F ☐ 140-199 °F ☐ ≥ 200 °F
3.7) Does this waste contain? (check all that apply) ☒ None ☐ Free Liquids ☐ Oily Residue ☐ Metal Fines
☐ Biodegradable Sorbants ☐ Amines ☐ Ammonia ☐ Water Reactive ☐ Biohazard ☐ Aluminum
☐ Shock Sensitive Waste ☐ Reactive Waste ☐ Radioactive Waste ☐ Explosives ☐ Pyrophoric Waste ☐ Isocyanates
☐ Asbestos - non-friable ☐ Asbestos - friable ☐ Dioxins ☐ Furans

Section 4 - Composition / Generating Process

- 4.1) Describe the physical composition of the waste (i.e., soil, water, PPE, debris, key chemical compounds, etc.)
2.6 diert butyl p cresol from 100. to 100. %
4.2) Provide a detailed description of the process generating this waste. (attach flow diagram if available).
Labpack of chemicals in abandoned Chemical plant Lab

Section 5 - Is This Hazardous Waste?

Please refer to Section 5 of the EQ Resource Guide for a list of waste codes.

As determined by 40 CFR, Part 261 and Michigan Act 451 Rules:

Please list applicable waste code(s):

- 5.1) Is this an EPA RCRA listed hazardous waste (F, K, P or U)? ☐ Yes ☒ No
Comments:
5.2) Is this an EPA RCRA characteristic hazardous waste (D001-D043)? ☐ Yes ☒ No
Comments:
5.3) Do any State Hazardous Waste Codes apply? ☐ Yes ☒ No
Comments:
5.4) Is this waste intended for wastewater treatment? ☐ Yes* ☒ No

If you answered "No" to questions 5.1, 5.2, and 5.3, please skip to Section 7.
If you answered "Yes" to question 5.4, please complete the WCR Addendum.

Section 6 - Hazardous Wastes

6.1) Does this waste exceed Land Disposal Restriction Levels?

6.1a) If this waste stream is greater than 50% soil, does it meet the alternative soil treatment standards of 40 CFR 268.49?

6.1b) Does this waste contain greater than 50% debris, by volume? (Debris is greater than 2.5 inches in size.)

6.2) Is the waste an oxidizer (D001)?

6.3) Does this waste contain reactive cyanide ≥ 250 ppm (D003)?

6.4) Does this waste contain reactive sulfide ≥ 500 ppm (D003)?

6.5) Please indicate which constituent concentrations are below or above the regulatory level. Please indicate the basis used in the determination. Either 'Below' or 'Above' **MUST** be checked for each constituent.

Based On: ☒ Generator Knowledge

☐ Analysis*

☐ MSDS*

*Please forward a copy. Analysis or MSDS are required for EQ Florida Non-hazardous wastes.

Code	Regulatory Level	TCLP (mg/l)	Concentration (If above)
D004	Arsenic	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D005	Barium	100	<input checked="" type="radio"/> Below <input type="radio"/> Above
D006	Cadmium	1	<input checked="" type="radio"/> Below <input type="radio"/> Above
D007	Chromium	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D008	Lead	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D009	Mercury	0.2	<input checked="" type="radio"/> Below <input type="radio"/> Above
D010	Selenium	1	<input checked="" type="radio"/> Below <input type="radio"/> Above
D011	Silver	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D012	Endrin	0.02	<input checked="" type="radio"/> Below <input type="radio"/> Above
D013	Lindane	0.4	<input checked="" type="radio"/> Below <input type="radio"/> Above
D014	Methoxychlor	10	<input checked="" type="radio"/> Below <input type="radio"/> Above
D015	Toxaphene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D016	2,4-D	10	<input checked="" type="radio"/> Below <input type="radio"/> Above
D017	2,4,5-TP (Silvex)	1	<input checked="" type="radio"/> Below <input type="radio"/> Above
D018	Benzene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D019	Carbon Tetrachloride	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D020	Chlordane	0.03	<input checked="" type="radio"/> Below <input type="radio"/> Above
D021	Chlorobenzene	100	<input checked="" type="radio"/> Below <input type="radio"/> Above
D022	Chloroform	6.0	<input checked="" type="radio"/> Below <input type="radio"/> Above
D023	o-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above

Code	Regulatory Level	TCLP (mg/l)	Concentration (If above)
D024	m-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above
D025	p-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above
D026	Cresols	200	<input checked="" type="radio"/> Below <input type="radio"/> Above
D027	1,4-Dichlorobenzene	7.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D028	1,2-Dichloroethane	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D029	1,1-Dichloroethylene	0.7	<input checked="" type="radio"/> Below <input type="radio"/> Above
D030	2,4-Dinitrotoluene	0.13	<input checked="" type="radio"/> Below <input type="radio"/> Above
D031	Heptachlor	0.008	<input checked="" type="radio"/> Below <input type="radio"/> Above
D032	Hexachlorobenzene	0.13	<input checked="" type="radio"/> Below <input type="radio"/> Above
D033	Hexachlorobutadiene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D034	Hexachloroethane	3.0	<input checked="" type="radio"/> Below <input type="radio"/> Above
D035	Methyl Ethyl Ketone	200	<input checked="" type="radio"/> Below <input type="radio"/> Above
D036	Nitrobenzene	2	<input checked="" type="radio"/> Below <input type="radio"/> Above
D037	Pentachlorophenol	100	<input checked="" type="radio"/> Below <input type="radio"/> Above
D038	Pyridine	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D039	Tetrachloroethylene	0.7	<input checked="" type="radio"/> Below <input type="radio"/> Above
D040	Trichloroethylene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D041	2,4,5-Trichlorophenol	400	<input checked="" type="radio"/> Below <input type="radio"/> Above
D042	2,4,6-Trichlorophenol	2	<input checked="" type="radio"/> Below <input type="radio"/> Above
D043	Vinyl Chloride	0.2	<input checked="" type="radio"/> Below <input type="radio"/> Above

6.6) If this is a characteristic hazardous waste, does it contain underlying hazardous constituents?

If you answered 'Yes', please list the constituents in Section 11.

☐ Yes ☒ No

Section 7 - Non-Hazardous Wastes

For a complete list of non-hazardous waste codes, please refer to Section 7 of the EQ Resource Guide.

Applicable waste code(s):

7.1) Is this a Michigan non-hazardous liquid industrial waste?

Comments:

☐ Yes ☒ No

7.2) Is this a Universal waste?

☐ Yes ☒ No

7.3) Is this a Recyclable Commodity? (e.g.: computer monitors, free mercury, etc.)

☐ Yes ☒ No

7.4) Is this waste a recoverable petroleum product?

☐ Yes ☒ No

7.5) Is this waste used oil as defined by 40 CFR Part 279?

☐ Yes ☒ No

Section 8 - TSCA Information

- 8.1) What is the concentration of PCBs in the waste? ☒ None ☐ 0-5 ppm ☐ 6-49 ppm
☐ 50-499 ppm ☐ 500+ ppm
- 8.2) Does the waste contain PCB contamination from a source with a concentration ≥ 50 ppm?
If you answered 'None' to 8.1 and 'No' to 8.2, please skip to Section 9. ☐ Yes ☒ No
- 8.3) Has this waste been processed into a non-liquid form?
If yes, what was the concentration of PCBs prior to processing? (ppm) ☐ Yes ☐ No
☐ N/A ☐ 0-499 ☐ 500+
- 8.4) Is the non-liquid PCB waste in the form of soil, rags, debris, or other contaminated media? ☐ Yes ☐ No
- 8.5) Are you a PCB capacitor manufacturer or a PCB equipment manufacturer? ☐ Yes ☐ No
- 8.6) Has the PCB Article (e.g., transformer, hydraulic machine, PCB-contaminated electrical equipment) been drained/flushed of all PCBs and decontaminated in accordance with 40 CFR 761.60(b)? ☐ N/A ☐ Yes ☐ No

Section 9 - Clean Air Act Information

- 9.1) Is this waste subject to regulation under 40 CFR, Part 63, Subpart DD or 40 CFR, Part 264, Subpart CC (RCRA)? ☐ Yes ☒ No
(Does the waste contain >500 ppm Volatile Organic Hazardous Air Pollutants - VOHAP's or Volatile Organic Compounds - VOC's?)
For a complete list of VOHAPs, please see Section 11 of the EQ Resource Guide.
- 9.2) Is this site, or waste, subject to any other MACT or NESHAP? ☐ Yes ☒ No
If yes, please specify:
- 9.3) Does this waste stream contain Benzene? ☐ Yes ☒ No
If you answered "No" to question 9.2, please skip to section 10.
- 9.4) Does the waste stream come from a facility with one of the SIC/NAICS codes listed under the Benzene NESHAP identified in 40 CFR 61, Subpart FF? ☐ Yes ☐ No
- 9.5) Is the generating source of this waste stream a facility with Total Annual Benzene (TAB) ≥ 10 Mg/year?
For assistance in calculating the TAB, please see the TAB Worksheet in Section 9 of the EQ Resource Guide. ☐ Yes ☒ No
If you answered "No" to question 9.3 and 9.4, please skip to Section 10.
- 9.6) Does the waste contain > 10% water? ☐ Yes ☐ No
- 9.7) What is the TAB quantity for your facility? _____ Mg/year
- 9.8) Does the waste contain >1.0 mg/kg total Benzene? ☐ Yes ☐ No
- 9.9) What is the total Benzene concentration in your waste? _____ (concentration) _____ (unit)

(Supporting analysis must be attached. Do not use TCLP analytical results. Acceptable laboratory methods include 8020, 8240, 8260, 602 and 624.)

*For a list of NAICS codes, please refer to section 9 of the EQ Resource Guide.

Section 10 - Fuel Blending Information

- 10.1) Is this waste intended for fuel blending? ☐ Yes* ☒ No
If you answered 'Yes' to question 10.1, please enter the following:
- Heat value (BTU/lb.) _____
- Chlorine (%) _____
- Water (%) _____
- Solids (%) _____
- 10.2) Is this waste intended for reclamation? ☐ Yes ☒ No (5-Gallon Sample required for all reclaim waste streams)

Section 11 - Constituent Information

Please identify your waste constituents from these four categories: Underlying Hazardous Constituents (UHC's), Volatile Organic Hazardous Air Pollutants (VOHAP's), Volatile Organic Compounds (VOC's) and Toxic Release Inventory Constituents (TRI)

Constituent	Concentration	UHC?
-------------	---------------	------

Please see Section 11 of the EQ Resource Guide for a list of UHC's, VOHAP's and VOC's. For a complete list of TRI constituents, please refer to 40 CFR 372.65.

Section 12 - Certification

I certify that all information (including attachments) is complete and factual and is an accurate representation of the known and suspected hazards, pertaining to the waste described herein. I authorize EQ's Resource Team to add supplemental information to the waste approval file, provided I am contacted and give verbal permission. I authorize EQ's Resource Team to obtain a sample from any waste shipment for purposes of verification. Generator or on Generator's behalf shall be subject to, and Generator shall be bound by, the attached Standard Terms and Conditions and confirmation. I agree that, if EQ approves the waste described herein, all such wastes that are transported, delivered, or tendered to EQ by

Comments:
logged in

Generator:

Jerrey B. Banks

Authorized Generator Signature

JERRY B. BANKS

Printed Generator Name

Company:

MS. Dept. of Environmental Quality

Title: Chief Groundwater Assessment

Date: 11/26/07

The generator's signature MUST appear on the EQ Waste Characterization Report. If the generator has authorized a third party to certify this document, a written notice (on generator letterhead) must accompany this submittal. Although the EQ Resource Team is authorized to make certain modifications to the information provided on this form, the addition or removal of waste codes and waste constituents must be documented by the generator.

STANDARD TERMS AND CONDITIONS

The Agreement between the Customer and EQ - The Environmental Quality Company and/or its member companies (hereinafter "EQ") related to or associated with Delivered Waste, as herein defined, shall be governed by the following Standard Terms and Conditions in addition to the terms and conditions contained in any Waste Characterization Report, Customer Approval Quote Confirmation, Generator Approval Notification, Notice of Waste Approval Expiration, and/or Credit Agreement associated with such Delivered Waste.

The Customer may use its standard forms (such as purchase orders, acknowledgments of orders, and invoices) to administer its dealings under this Agreement for convenience purposes, but all provisions thereof in conflict with these terms and conditions shall be deemed stricken.

Definitions.

The following definitions shall apply for purposes of this Agreement:

"Acceptable Waste" shall mean any hazardous waste, as defined under applicable State or federal law, determined by EQ as acceptable for treatment and/or disposal in accordance with this Agreement.

"Delivered Wastes" shall mean all wastes (i) which are transported, delivered, or tendered to EQ by the Customer; (ii) which the Customer has arranged for the transport, delivery or tender to EQ; or (iii) which are transported, delivered, or tendered to EQ under a Credit Agreement between the Customer and EQ.

"Non-Conforming Wastes" shall mean wastes that (a) are not in accordance in all material respects with the warranties, descriptions, specifications or limitations stated in the Waste Characterization Report and this Agreement; (b) have constituents or components of a type or concentration not specifically identified in the Waste Characterization Report (i) which increase the nature or extent of the hazard and risk undertaken by EQ in treating and/or disposing of the waste, or (ii) for whose treatment and/or disposal a Waste Management Facility is not designed or permitted, or (iii) which increase the cost of treatment and/or disposal of waste beyond that specified in EQ's price quote; or (c) are not properly packaged, labeled, described, or placarded, or otherwise not in compliance with United States Department of Transportation and United States Environmental Protection Agency regulations.

Control of Operations.

EQ shall have sole control over all aspects of the operation of any treatment and/or disposal facility of EQ receiving Delivered Wastes under this Agreement (hereinafter, "Waste Management Facility"), including, without limitation, maintaining EQ's desired volume of Acceptable Wastes being delivered to any Waste Management Facility by the Customer or any other person or entity.

Identification of Waste.

For each waste material to be transported, delivered, or tendered to EQ under this Agreement, the Customer shall provide, or cause to be provided, to EQ a representative sample of the waste material and a completed Waste Characterization Report containing a physical and chemical description or analysis of such waste material, which description shall conform with any and all guidelines for waste acceptance provided by EQ. On the basis of EQ's analysis of such representative sample of the waste material and such Waste Characterization Report, EQ will determine whether such wastes are Acceptable Wastes. EQ does not make any guarantee that it will handle any waste material or any particular quantity or type of waste material, and EQ reserves the right to the decline to transport, treat and/or dispose of waste material. The Customer shall promptly furnish to EQ any information regarding known, suspected or planned changes in the composition of the waste material. Further, the Customer shall promptly inform EQ of any change in the characteristic or condition of the waste material which becomes known to the Customer subsequent to the date of the Waste Characterization Report.

Non-Conforming Wastes.

In the event that EQ at any time discovers that any Delivered Waste is Non-Conforming Waste, EQ may reject or revoke its acceptance of the Non-Conforming Waste. The Customer shall have seven (7) days to direct an alternative lawful manner of disposition of the waste, unless it is necessary by reason of law or otherwise to move the Non-Conforming Waste prior to expiration of the seven (7) day period. If the Customer does not direct an alternative disposal, at its option, EQ may return any such Non-Conforming Wastes to the Customer, and the Customer shall pay or reimburse EQ for all costs and expenses incurred by EQ in connection with the receipt, handling, sampling, analyses, transportation and return to the Customer of such Non-Conforming Wastes. If it is impossible or impractical for EQ to return the Non-Conforming Waste to the Customer, the Customer shall reimburse EQ for all costs, of any type or nature whatsoever, incurred by EQ, solely because such Delivered Waste was Non-Conforming Waste (including, but not limited to, all costs associated with any remedial steps necessary, due to the nature of the Non-Conforming Waste, in connection with material with which the Non-Conforming Waste may have been commingled and all expenses and charges for analyzing, handling, locating, preparing for transporting, storing and disposing of any Non-Conforming Waste).

Customer Warranty - Title to Wastes.

Either the Customer or the generator (if other than the Customer) shall hold clear title, free of any all liens, claims, encumbrances, and charges to Delivered Waste until such waste is accepted by EQ.

Customer Warranty - Acceptable Wastes.

All Delivered Wastes shall be Acceptable Wastes and shall conform in all material respects to the description and specifications contained in the Waste Characterization Report. The information set forth in the Waste Characterization Report or any manifest, placard or label associated with any Delivered Wastes, or otherwise represented by the Customer or the generator (if other than the Customer) to EQ, is and shall be true, accurate and complete as of the date of receipt of the involved waste by EQ.

Customer Warranty - Compliance with Laws.

The Customer shall comply with all applicable federal, state and local environmental statutes, regulations, and other governmental requirements, as well as directives issued by EQ from time to time, governing the transportation, treatment and/or disposal of Acceptable Wastes, including, but not limited to, all packaging, manifesting, containerization, placarding and labeling requirements.

Customer Warranty - Updating Information.

If the Customer receives information that Delivered Waste or other hazardous waste described in the Waste Characterization Report, or some component of such waste, presents or may present a hazard or risk to persons, property or the environment which was not disclosed to EQ, or if the Customer or generator (if other than the Customer) has changed the process by which such waste results, the Customer shall promptly report such information to EQ in writing.

Customer Indemnity.

The Customer shall indemnify, defend and hold harmless EQ, and its affiliated or related companies, and all of their respective present or future officers, directors, shareholders, employees and agents from and against any and all losses, damages, liabilities, penalties, fines, forfeitures, demands, claims, causes of action, suits, costs and expenses (including, but not limited to, reasonable costs of defense, settlement, and reasonable attorneys' fees), which may be asserted against any or all of them by any person or any governmental agency, or which any or all of them may hereafter suffer, incur, be responsible for or pay out, as a result of or in connection with bodily injuries (including, but not limited to, death, sickness, disease and emotional or mental distress) to any person (including EQ's employees), damage (including, but not limited to, loss of use) to any property (public or private), or any requirements to conduct or incur expense for investigative, removal or remedial expenses in connection with contamination of or adverse effect on the environment, or any violation or alleged violation of any statutes, ordinances, orders, rules or regulations of any governmental entity or agency, caused or arising out of (i) a breach of this Agreement by the Customer, (ii) the failure of any warranty of the Customer to be true, accurate and complete, or (iii) any willful or negligent act or omission of the Customer, or its employees or agents in connection with the performance of this Agreement.

Force Majeure.

EQ shall not be liable for any failure to accept, receive, handle, treat, and/or dispose of Delivered Waste due to an act of God, fire, casualty, flood, war, strike, lockout, labor trouble, failure of public utilities, equipment failure, facility shutdown, injunction, accident, epidemic, riot, insurrection, destruction of operation or transportation facilities, the inability to procure materials, equipment, or sufficient personnel or energy in order to meet operational needs without the necessity of allocation, the failure or inability to obtain any governmental approvals or to meet Environmental Requirements (including, but not limited to voluntary or involuntary compliance with any act, exercise, assertion, or requirement of any governmental authority) which may temporarily or permanently prohibit operations of EQ, the Customer, or the Generator, or any other circumstances beyond the control of EQ which prevents or delays performance of any of its obligations under this Agreement.

Governing Laws.

This Agreement shall in all respects be governed by and shall be construed in accordance with the laws of the State of Michigan applied to contracts executed and performed wholly within such state.

EQ - The Environmental Quality Company

Waste Characterization Report

☒ I authorize EQ - The Environmental Quality Company to choose the appropriate method of waste management, from the technologies offered, at the EQ facilities identified below.

<input type="checkbox"/> Michigan Disposal Waste Treatment Plant (Stabilization and Treatment)	49350 North I-94 Service Drive, Belleville, Michigan 48111 Phone: 1-800-592-5489 Fax: 1-800-592-5329	EPA ID #MID000724831
<input type="checkbox"/> Wayne Disposal, Inc. (Hazardous & PCB Waste Landfill)	49350 North I-94 Service Drive, Belleville, Michigan 48111 Phone: 1-800-592-5489 Fax: 1-800-592-5329	EPA ID #MID048090633
<input type="checkbox"/> EQ Detroit, Inc. (Stabilization, Wastewater Treatment)	1923 Frederick, Detroit, MI 48211 Phone: 1-800-495-6059 Fax: 1-313-923-3375	EPA ID #MID980991566
<input type="checkbox"/> EQ Resource Recovery, Inc. (Solvent Recycling, Fuel Blending, WW Treatment)	36345 Van Born Road, Romulus, Michigan 48174 Phone: (734) 727-5500 Fax: (734) 326-4033	EPA ID #MID060975844
<input type="checkbox"/> EQIS North Carolina (Stabilization, Treatment, Labpack Decommissioning)	1005 Investment Blvd., Apex, NC 27502 Phone: (919) 363-4700 Fax: (919) 363-4714	EPA ID #NCD982170292
<input type="checkbox"/> EQ Florida, Inc. (Drum Consolidation, Labpack Decommissioning)	7202 East Eighth Ave., Tampa, FL 33619 Phone: 1-800-624-5302 Fax: 1-813-628-0842	EPA ID #FLD981932494
<input type="checkbox"/> EQ Detroit Transfer and Processing (Drum Transfer/Universal Waste Handling)	2000 Ferry Street, Detroit, MI 48211 Phone: (313) 923-0080 Fax: (313) 922-8419	EPA ID #MIK939928313
<input type="checkbox"/> EQIS Indianapolis Transfer and Processing (Drum Transfer/Non-Hazardous Waste Processing)	4000 West 10th Street, Indianapolis, Indiana 46222 Phone: (317) 247-7160 Fax: (317) 247-7170	EPA ID #IND161049309
<input type="checkbox"/> EQIS Atlanta Transfer and Processing (Drum Transfer/Non-Hazardous Waste Processing)	5600 Fulton Industrial Blvd., Atlanta, Georgia 30336 Phone: (404) 494-3520 Fax: (404) 494-3560	EPA ID #GAR000039776
<input type="checkbox"/> EQ Augusta, Inc. (Wastewater Treatment)	3920 Goshen Industrial Blvd., Augusta, GA 30906 Phone: 706-771-9100 Fax: 706-771-9124	EPA ID #GAR000011817

Waste Common Name: Hydrofluoric Acid Solution

Section 1 - Generator & Customer Info

SIC/NAICS*:

EQ Customer No.: 10956

Generator EPA ID: MST-MP0-002-452

Generator: Mississippi DEQ
Address: 4280 Rifle Range Rd
City: Vicksburg
State: MS Zip: 39180
County: Warren

Mailing Address

Address: P.O. Box 20326
City: Jackson
State: MS Zip: 39289

Generator Contact

Name: Trey Hess / Jerry Banks
Title:
Phone: (601) 961-5221/601-961-5654
Fax: () -

Invoicing Company

Company: USES JACKSON
Address: 1075 MENDELL DAVIS DRIVE
City: JACKSON
State: MS Zip: 39212
Country: USA

Invoicing Contact

Name: Wanda Horton
Phone: (601) 372-3232
Fax: () -

Technical Contact

Name: J.T. Newman
Phone: (601) 372-3232
Fax: () -
Mobile: () - Pager: () -
E-mail: jnewman@usesgroup.com

*For a list of NAICS codes, please refer to Section 9 of the EQ Resource Guide.

Section 2 - Shipping & Packaging Info

- 2.1) Shipping Volume & Unit: 5 gallon Frequency: One Time Only
2.2) DOT Shipping Name: Hydrofluoric acid, with more than 60 percent strength
2.3) Is this waste surcharge exempt? ☐ Yes ☒ No (If you answered "Yes" to question 2.3, select the Surcharge Exemption reason.)

2.4) Packaging (check all that apply)

- ☐ Bulk Solid (yd ³ < 2000 lbs./yd ³) ☐ Bulk Solid (Ton > 2000 lbs./yd ³) ☐ Bulk Liquids (Gallon)
☐ Totes, Size ☐ Cubic Yard Boxes/Bags ☐ Drums, Size
☒ Other (palletized, 5 gal. Pail, etc.) 5 gallon Pail

Quoted bulk disposal charges for solid materials will be billed by the cubic yard, if the waste density is less than 2,000lbs./cubic yard. If waste density is greater than 2,000 lbs./cubic yard, then bulk disposal charges will be billed by the ton, regardless of the approved container.

Section 3 - Physical Characteristics

- 3.1) Color: VARIES 3.2) Odor: none
3.3) Does this waste contain any "Potentially Odorous Constituents" as defined in the EQ Resource Guide? (Section 3) ☐ Yes ☒ No
3.4) Physical State at 70 °F: ☐ Solid ☐ Dust/Powder ☒ Liquid ☐ Sludge
3.5) What is the pH of this waste? ☒ ≤ 2 ☐ 2.1-4.9 ☒ 5-10 ☐ 10.1-12.4 ☐ ≥ 12.5
3.6) What is the flash point of this waste? ☐ < 90 °F ☐ 90-139 °F ☐ 140-199 °F ☐ ≥ 200 °F
3.7) Does this waste contain? (check all that apply) ☒ None ☐ Free Liquids ☐ Oily Residue ☐ Metal Fines
☐ Biodegradable Sorbants ☐ Amines ☐ Ammonia ☐ Water Reactive ☐ Biohazard ☐ Aluminum
☐ Shock Sensitive Waste ☐ Reactive Waste ☐ Radioactive Waste ☐ Explosives ☐ Pyrophoric Waste ☐ Isocyanates
☐ Asbestos - non-friable ☐ Asbestos - friable ☐ Dioxins ☐ Furans

Section 4 - Composition / Generating Process

- 4.1) Describe the physical composition of the waste (i.e., soil, water, PPE, debris, key chemical compounds, etc.)
Hydrofluoric Acid from 100. to 100. %
4.2) Provide a detailed description of the process generating this waste. (attach flow diagram if available).
Labpack of chemicals in abandoned Chemical plant Lab

Section 5 - Is This Hazardous Waste?

Please refer to Section 5 of the EQ Resource Guide for a list of waste codes.

As determined by 40 CFR, Part 261 and Michigan Act 451 Rules:

Please list applicable waste code(s):

- 5.1) Is this an EPA RCRA listed hazardous waste (F, K, P or U)? ☒ Yes ☐ No
Comments: U134
5.2) Is this an EPA RCRA characteristic hazardous waste (D001-D043)? ☒ Yes ☐ No
Comments: D001
5.3) Do any State Hazardous Waste Codes apply? ☐ Yes ☒ No
Comments:
5.4) Is this waste intended for wastewater treatment? ☐ Yes* ☒ No

If you answered "No" to questions 5.1, 5.2, and 5.3, please skip to Section 7.
If you answered "Yes" to question 5.4, please complete the WCR Addendum.

Section 6 - Hazardous Wastes

6.1) Does this waste exceed Land Disposal Restriction Levels?

☒ Yes ☐ No

6.1a) If this waste stream is greater than 50% soil, does it meet the alternative soil treatment standards of 40 CFR 268.49?

☐ Yes ☒ No

6.1b) Does this waste contain greater than 50% debris, by volume? (Debris is greater than 2.5 inches in size.)

☐ Yes ☒ No

6.2) Is the waste an oxidizer (D001)?

☐ Yes ☒ No

6.3) Does this waste contain reactive cyanide \geq 250 ppm (D003)?

☐ Yes ☒ No

6.4) Does this waste contain reactive sulfide \geq 500 ppm (D003)?

☐ Yes ☒ No

6.5) Please indicate which constituent concentrations are below or above the regulatory level. Please indicate the basis used in the determination. Either 'Below' or 'Above' **MUST** be checked for each constituent.

Based On: ☒ Generator Knowledge ☐ Analysis* ☐ MSDS*

*Please forward a copy. Analysis or MSDS are required for EQ Florida Non-hazardous wastes.

Code	Regulatory Level TCLP (mg/l)		Concentration (if above)
D004	Arsenic	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D005	Barium	100	<input checked="" type="radio"/> Below <input type="radio"/> Above
D006	Cadmium	1	<input checked="" type="radio"/> Below <input type="radio"/> Above
D007	Chromium	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D008	Lead	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D009	Mercury	0.2	<input type="radio"/> Below <input checked="" type="radio"/> Above
D010	Selenium	1	<input checked="" type="radio"/> Below <input type="radio"/> Above
D011	Silver	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D012	Endrin	0.02	<input checked="" type="radio"/> Below <input type="radio"/> Above
D013	Lindane	0.4	<input checked="" type="radio"/> Below <input type="radio"/> Above
D014	Methoxychlor	10	<input checked="" type="radio"/> Below <input type="radio"/> Above
D015	Toxaphene	0.5	<input type="radio"/> Below <input checked="" type="radio"/> Above
D016	2,4-D	10	<input checked="" type="radio"/> Below <input type="radio"/> Above
D017	2,4,5-TP (Silvex)	1	<input checked="" type="radio"/> Below <input type="radio"/> Above
D018	Benzene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D019	Carbon Tetrachloride	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D020	Chlordane	0.03	<input checked="" type="radio"/> Below <input type="radio"/> Above
D021	Chlorobenzene	100	<input checked="" type="radio"/> Below <input type="radio"/> Above
D022	Chloroform	6.0	<input checked="" type="radio"/> Below <input type="radio"/> Above
D023	o-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above

Code	Regulatory Level TCLP (mg/l)		Concentration (if above)
D024	m-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above
D025	p-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above
D026	Cresols	200	<input checked="" type="radio"/> Below <input type="radio"/> Above
D027	1,4-Dichlorobenzene	7.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D028	1,2-Dichloroethane	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D029	1,1-Dichloroethylene	0.7	<input checked="" type="radio"/> Below <input type="radio"/> Above
D030	2,4-Dinitrotoluene	0.13	<input checked="" type="radio"/> Below <input type="radio"/> Above
D031	Heptachlor	0.008	<input checked="" type="radio"/> Below <input type="radio"/> Above
D032	Hexachlorobenzene	0.13	<input checked="" type="radio"/> Below <input type="radio"/> Above
D033	Hexachlorobutadiene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D034	Hexachloroethane	3.0	<input checked="" type="radio"/> Below <input type="radio"/> Above
D035	Methyl Ethyl Ketone	200	<input checked="" type="radio"/> Below <input type="radio"/> Above
D036	Nitrobenzene	2	<input checked="" type="radio"/> Below <input type="radio"/> Above
D037	Pentachlorophenol	100	<input checked="" type="radio"/> Below <input type="radio"/> Above
D038	Pyridine	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D039	Tetrachloroethylene	0.7	<input checked="" type="radio"/> Below <input type="radio"/> Above
D040	Trichloroethylene	0.5	<input type="radio"/> Below <input checked="" type="radio"/> Above
D041	2,4,5-Trichlorophenol	400	<input checked="" type="radio"/> Below <input type="radio"/> Above
D042	2,4,6-Trichlorophenol	2	<input checked="" type="radio"/> Below <input type="radio"/> Above
D043	Vinyl Chloride	0.2	<input checked="" type="radio"/> Below <input type="radio"/> Above

6.6) If this is a characteristic hazardous waste, does it contain underlying hazardous constituents?

☐ Yes ☒ No

If you answered 'Yes', please list the constituents in Section 11.

Section 7 - Non-Hazardous Wastes

For a complete list of non-hazardous waste codes, please refer to Section 7 of the EQ Resource Guide.

Applicable waste code(s):

7.1) Is this a Michigan non-hazardous liquid industrial waste?

☐ Yes ☒ No

Comments:

7.2) Is this a Universal waste?

☐ Yes ☒ No

7.3) Is this a Recyclable Commodity? (e.g.: computer monitors, free mercury, etc.)

☐ Yes ☒ No

7.4) Is this waste a recoverable petroleum product?

☐ Yes ☒ No

7.5) Is this waste used oil as defined by 40 CFR Part 279?

☐ Yes ☒ No

Section 8 - TSCA Information

- 8.1) What is the concentration of PCBs in the waste? ☒ None ☐ 0-5 ppm ☐ 6-49 ppm
☐ 50-499 ppm ☐ 500+ ppm
- 8.2) Does the waste contain PCB contamination from a source with a concentration ≥ 50 ppm? ☐ Yes ☒ No
If you answered 'None' to 8.1 and 'No' to 8.2, please skip to Section 9.
- 8.3) Has this waste been processed into a non-liquid form? ☐ Yes ☐ No
If yes, what was the concentration of PCBs prior to processing? (ppm) ☐ N/A ☐ 0-499 ☐ 500+
- 8.4) Is the non-liquid PCB waste in the form of soil, rags, debris, or other contaminated media? ☐ Yes ☐ No
- 8.5) Are you a PCB capacitor manufacturer or a PCB equipment manufacturer? ☐ Yes ☐ No
- 8.6) Has the PCB Article (e.g., transformer, hydraulic machine, PCB-contaminated electrical equipment) been drained/flushed of all PCBs and decontaminated in accordance with 40 CFR 761.60(b)? ☐ N/A ☐ Yes ☐ No

Section 9 - Clean Air Act Information

- 9.1) Is this waste subject to regulation under 40 CFR, Part 63, Subpart DD or 40 CFR, Part 264, Subpart CC (RCRA)? ☐ Yes ☒ No
(Does the waste contain >500 ppm Volatile Organic Hazardous Air Pollutants - VOHAP's or Volatile Organic Compounds - VOC's?)
For a complete list of VOHAP's, please see Section 11 of the EQ Resource Guide.
- 9.2) Is this site, or waste, subject to any other MACT or NESHAP? ☐ Yes ☒ No
If yes, please specify:
- 9.3) Does this waste stream contain Benzene? ☐ Yes ☒ No
If you answered "No" to question 9.2, please skip to section 10.
- 9.4) Does the waste stream come from a facility with one of the SIC/NAICS codes listed under the Benzene NESHAP identified in 40 CFR 61, Subpart FF? ☐ Yes ☐ No
- 9.5) Is the generating source of this waste stream a facility with Total Annual Benzene (TAB) ≥ 10 Mg/year? ☐ Yes ☒ No
For assistance in calculating the TAB, please see the TAB Worksheet in Section 9 of the EQ Resource Guide.
If you answered "No" to question 9.3 and 9.4, please skip to Section 10.
- 9.6) Does the waste contain > 10% water? ☐ Yes ☐ No
- 9.7) What is the TAB quantity for your facility? _____ Mg/year ☐ Yes ☐ No
- 9.8) Does the waste contain >1.0 mg/kg total Benzene? _____ (unit) ☐ Yes ☐ No
- 9.9) What is the total Benzene concentration in your waste? _____ (concentration) (unit) ☐ Yes ☐ No

(Supporting analysis must be attached. Do not use TCLP analytical results. Acceptable laboratory methods include 8020, 8240, 8260, 602 and 624.)

**For a list of NAICS codes, please refer to section 9 of the EQ Resource Guide.*

Section 10 - Fuel Blending Information

- 10.1) Is this waste intended for fuel blending? ☐ Yes* ☒ No
If you answered 'Yes' to question 10.1, please enter the following:
- Heat value (BTU/lb.) _____
Chlorine (%) _____
Water (%) _____
Solids (%) _____
- 10.2) Is this waste intended for reclamation? ☐ Yes ☒ No (5-Gallon Sample required for all reclaim waste streams)

Section 11 - Constituent Information

Please identify your waste constituents from these four categories: Underlying Hazardous Constituents (UHC's), Volatile Organic Hazardous Air Pollutants (VOHAP's), Volatile Organic Compounds (VOC's) and Toxic Release Inventory Constituents (TRI)


Constituent	Concentration	UHC?
-------------	---------------	------

Please see Section 11 of the EQ Resource Guide for a list of UHC's, VOHAP's and VOC's. For a complete list of TRI constituents, please refer to 40 CFR 372.65.

Section 12 - Certification

I certify that all information (including attachments) is complete and factual and is an accurate representation of the known and suspected hazards, pertaining to the waste described herein. I authorize EQ's Resource Team to add supplemental information to the waste approval file, provided I am contacted and give verbal permission. I authorize EQ's Resource Team to obtain a sample from any waste shipment for purposes of verification Generator or on Generator's behalf shall be subject to, and Generator shall be bound by, the attached Standard Terms and Conditions. and confirmation. I agree that, if EQ approves the waste described herein, all such wastes that are transported, delivered, or tendered to EQ by

Comments:
logged in

Generator:  JERRY B. BANKS
Authorized Generator Signature Printed Generator Name

Company: M/S Dept. of Environmental Quality Title: Brief Groundwater Assessment Date: 11-13-07

The generator's signature **MUST** appear on the EQ Waste Characterization Report. If the generator has authorized a third party to certify this document, a written notice (on generator letterhead) must accompany this submittal. Although the EQ Resource Team is authorized to make certain modifications to the information provided on this form, the addition or removal of waste codes and waste constituents must be documented by the generator.

STANDARD TERMS AND CONDITIONS

The Agreement between the Customer and EQ - The Environmental Quality Company and/or its member companies (hereinafter "EQ") related to or associated with Delivered Waste, as herein defined, shall be governed by the following Standard Terms and Conditions in addition to the terms and conditions contained in any Waste Characterization Report, Customer Approval Quote Confirmation, Generator Approval Notification, Notice of Waste Approval Expiration, and/or Credit Agreement associated with such Delivered Waste.

The Customer may use its standard forms (such as purchase orders, acknowledgments of orders, and invoices) to administer its dealings under this Agreement for convenience purposes, but all provisions thereof in conflict with these terms and conditions shall be deemed stricken.

Definitions.

The following definitions shall apply for purposes of this Agreement:

"Acceptable Waste" shall mean any hazardous waste, as defined under applicable State or federal law, determined by EQ as acceptable for treatment and/or disposal in accordance with this Agreement.

"Delivered Wastes" shall mean all wastes (i) which are transported, delivered, or tendered to EQ by the Customer; (ii) which the Customer has arranged for the transport, delivery or tender to EQ; or (iii) which are transported, delivered, or tendered to EQ under a Credit Agreement between the Customer and EQ.

"Non-Conforming Wastes" shall mean wastes that (a) are not in accordance in all material respects with the warranties, descriptions, specifications or limitations stated in the Waste Characterization Report and this Agreement; (b) have constituents or components of a type or concentration not specifically identified in the Waste Characterization Report (i) which increase the nature or extent of the hazard and risk undertaken by EQ in treating and/or disposing of the waste, or (ii) for whose treatment and/or disposal a Waste Management Facility is not designed or permitted; or (iii) which increase the cost of treatment and/or disposal of waste beyond that specified in EQ's price quote; or (c) are not properly packaged, labeled, described, or placarded, or otherwise not in compliance with United States Department of Transportation and United States Environmental Protection Agency regulations.

Control of Operations.

EQ shall have sole control over all aspects of the operation of any treatment and/or disposal facility of EQ receiving Delivered Wastes under this Agreement (hereinafter, "Waste Management Facility"), including, without limitation, maintaining EQ's desired volume of Acceptable Wastes being delivered to any Waste Management Facility by the Customer or any other person or entity.

Identification of Waste.

For each waste material to be transported, delivered, or tendered to EQ under this Agreement, the Customer shall provide, or cause to be provided, to EQ a representative sample of the waste material and a completed Waste Characterization Report containing a physical and chemical description or analysis of such waste material, which description shall conform with any and all guidelines for waste acceptance provided by EQ. On the basis of EQ's analysis of such representative sample of the waste material and such Waste Characterization Report, EQ will determine whether such wastes are Acceptable Wastes. EQ does not make any guarantee that it will handle any waste material or any particular quantity or type of waste material, and EQ reserves the right to the decline to transport, treat and/or dispose of waste material. The Customer shall promptly furnish to EQ any information regarding known, suspected or planned changes in the composition of the waste material. Further, the Customer shall promptly inform EQ of any change in the characteristic or condition of the waste material which becomes known to the Customer subsequent to the date of the Waste Characterization Report.

Non-Conforming Wastes.

In the event that EQ at any time discovers that any Delivered Waste is Non-Conforming Waste, EQ may reject or revoke its acceptance of the Non-Conforming Waste. The Customer shall have seven (7) days to direct an alternative lawful manner of disposition of the waste, unless it is necessary by reason of law or otherwise to move the Non-Conforming Waste prior to expiration of the seven (7) day period. If the Customer does not direct an alternative disposal, at its option, EQ may return any such Non-Conforming Wastes to the Customer, and the Customer shall pay or reimburse EQ for all costs and expenses incurred by EQ in connection with the receipt, handling, sampling, analyses, transportation and return to the Customer of such Non-Conforming Wastes. If it is impossible or impractical for EQ to return the Non-Conforming Waste to the Customer, the Customer shall reimburse EQ for all costs, of any type or nature whatsoever, incurred by EQ, solely because such Delivered Waste was Non-Conforming Waste (including, but not limited to, all costs associated with any remedial steps necessary, due to the nature of the Non-Conforming Waste, in connection with material with which the Non-Conforming Waste may have been commingled and all expenses and charges for analyzing, handling, locating, preparing for transporting, storing and disposing of any Non-Conforming Waste).

Customer Warranty - Title to Wastes.

Either the Customer or the generator (if other than the Customer) shall hold clear title, free of any all liens, claims, encumbrances, and charges to Delivered Waste until such waste is accepted by EQ.

Customer Warranty - Acceptable Wastes.

All Delivered Wastes shall be Acceptable Wastes and shall conform in all material respects to the description and specifications contained in the Waste Characterization Report. The information set forth in the Waste Characterization Report or any manifest, placard or label associated with any Delivered Wastes, or otherwise represented by the Customer or the generator (if other than the Customer) to EQ, is and shall be true, accurate and complete as of the date of receipt of the involved waste by EQ.

Customer Warranty - Compliance with Laws.

The Customer shall comply with all applicable federal, state and local environmental statutes, regulations, and other governmental requirements, as well as directives issued by EQ from time to time, governing the transportation, treatment and/or disposal of Acceptable Wastes, including, but not limited to, all packaging, manifesting, containerization, placarding and labeling requirements.

Customer Warranty - Updating Information.

If the Customer receives information that Delivered Waste or other hazardous waste described in the Waste Characterization Report, or some component of such waste, presents or may present a hazard or risk to persons, property or the environment which was not disclosed to EQ, or if the Customer or generator (if other than the Customer) has changed the process by which such waste results, the Customer shall promptly report such information to EQ in writing.

Customer Indemnity.

The Customer shall indemnify, defend and hold harmless EQ, and its affiliated or related companies, and all of their respective present or future officers, directors, shareholders, employees and agents from and against any and all losses, damages, liabilities, penalties, fines, forfeitures, demands, claims, causes of action, suits, costs and expenses (including, but not limited to, reasonable costs of defense, settlement, and reasonable attorneys' fees), which may be asserted against any or all of them by any person or any governmental agency, or which any or all of them may hereafter suffer, incur, be responsible for or pay out, as a result of or in connection with bodily injuries (including, but not limited to, death, sickness, disease and emotional or mental distress) to any person (including EQ's employees), damage (including, but not limited to, loss of use) to any property (public or private), or any requirements to conduct or incur expense for investigative, removal or remedial expenses in connection with contamination of or adverse effect on the environment, or any violation or alleged violation of any statutes, ordinances, orders, rules or regulations of any governmental entity or agency, caused or arising out of (i) a breach of this Agreement by the Customer, (ii) the failure of any warranty of the Customer to be true, accurate and complete, or (iii) any willful or negligent act or omission of the Customer, or its employees or agents in connection with the performance of this Agreement.

Force Majeure.

EQ shall not be liable for any failure to accept, receive, handle, treat, and/or dispose of Delivered Waste due to an act of God, fire, casualty, flood, war, strike, lockout, labor trouble, failure of public utilities, equipment failure, facility shutdown, injunction, accident, epidemic, riot, insurrection, destruction of operation or transportation facilities, the inability to procure materials, equipment, or sufficient personnel or energy in order to meet operational needs without the necessity of allocation, the failure or inability to obtain any governmental approvals or to meet Environmental Requirements (including, but not limited to voluntary or involuntary compliance with any act, exercise, assertion, or requirement of any governmental authority) which may temporarily or permanently prohibit operations of EQ, the Customer, or the Generator, or any other circumstances beyond the control of EQ which prevents or delays performance of any of its obligations under this Agreement.

Governing Laws.

This Agreement shall in all respects be governed by and shall be construed in accordance with the laws of the State of Michigan applied to contracts executed and performed wholly within such state.

EQ - The Environmental Quality Company

Waste Characterization Report

☒ I authorize EQ - The Environmental Quality Company to choose the appropriate method of waste management, from the technologies offered, at the EQ facilities identified below.

<input type="checkbox"/> Michigan Disposal Waste Treatment Plant (Stabilization and Treatment)	49350 North I-94 Service Drive, Belleville, Michigan 48111 Phone: 1-800-592-5489 Fax: 1-800-592-5329	EPA ID #MID000724831
<input type="checkbox"/> Wayne Disposal, Inc. (Hazardous & PCB Waste Landfill)	49350 North I-94 Service Drive, Belleville, Michigan 48111 Phone: 1-800-592-5489 Fax: 1-800-592-5329	EPA ID #MID048090633
<input type="checkbox"/> EQ Detroit, Inc. (Stabilization, Wastewater Treatment)	1923 Frederick, Detroit, MI 48211 Phone: 1-800-495-6059 Fax: 1-313-923-3375	EPA ID #MID980991566
<input type="checkbox"/> EQ Resource Recovery, Inc. (Solvent Recycling, Fuel Blending, WW Treatment)	36345 Van Born Road, Romulus, Michigan 48174 Phone: (734) 727-5500 Fax: (734) 326-4033	EPA ID #MID060975844
<input type="checkbox"/> EQIS North Carolina (Stabilization, Treatment, Labpack Decommissioning)	1005 Investment Blvd., Apex, NC 27502 Phone: (919) 363-4700 Fax: (919) 363-4714	EPA ID #NCD982170292
<input type="checkbox"/> EQ Florida, Inc. (Drum Consolidation, Labpack Decommissioning)	7202 East Eighth Ave., Tampa, FL 33619 Phone: 1-800-624-5302 Fax: 1-813-626-0842	EPA ID #FLD981932494
<input type="checkbox"/> EQ Detroit Transfer and Processing (Drum Transfer/Universal Waste Handling)	2000 Ferry Street, Detroit, MI 48211 Phone: (313) 923-0080 Fax: (313) 922-8419	EPA ID #MIK939928313
<input type="checkbox"/> EQIS Indianapolis Transfer and Processing (Drum Transfer/Non-Hazardous Waste Processing)	4000 West 10th Street, Indianapolis, Indiana 46222 Phone: (317) 247-7160 Fax: (317) 247-7170	EPA ID #IND161049309
<input type="checkbox"/> EQIS Atlanta Transfer and Processing (Drum Transfer/Non-Hazardous Waste Processing)	5600 Fulton Industrial Blvd., Atlanta, Georgia 30336 Phone: (404) 494-3520 Fax: (404) 494-3560	EPA ID #GAR000039776
<input type="checkbox"/> EQ Augusta, Inc. (Wastewater Treatment)	3920 Goshen Industrial Blvd., Augusta, GA 30906 Phone: 706-771-9100 Fax: 706-771-9124	EPA ID #GAR000011817

Waste Common Name: Non Hazardous Lab Pack

Section 1 - Generator & Customer Info

SIC/NAICS*:

Generator EPA ID: MST-MP0-002-452

EQ Customer No.: 10958

Generator: Mississippi DEQ
Address: 4280 Rifle Range Rd
City: Vicksburg
State: MS Zip: 39180
County: Warren

Mailing Address

Address: P.O. Box 20326
City: Jackson
State: MS Zip: 39289

Generator Contact

Name: Trey Hess / Jerry Banks
Title:
Phone: (601) 961-52216019615854
Fax: () -

Invoicing Company

Company: USES JACKSON
Address: 1075 MENDELL DAVIS DRIVE
City: JACKSON
State: MS Zip: 39212
Country: USA

Invoicing Contact

Name: Wanda Horton
Phone: (601) 372-3232
Fax: () -

Technical Contact

Name: J.T. Newman
Phone: (601) 372-3232
Fax: () -
Mobile: () - Pager: () -
E-mail: jnewman@usesgroup.com

*For a list of NAICS codes, please refer to Section 9 of the EQ Resource Guide.

Section 2 - Shipping & Packaging Info

- 2.1) Shipping Volume & Unit: 55 gallon Frequency: One Time Only
- 2.2) DOT Shipping Name: Non regulated Liquids
- 2.3) Is this waste surcharge exempt? ☐ Yes ☒ No (If you answered "Yes" to question 2.3, select the Surcharge Exemption reason.)

2.4) Packaging (check all that apply)

- | | | |
|--|--|--|
| <input type="checkbox"/> Bulk Solid (yd ³ < 2000 lbs./yd ³) | <input type="checkbox"/> Bulk Solid (Ton > 2000 lbs./yd ³) | <input type="checkbox"/> Bulk Liquids (Gallon) |
| <input type="checkbox"/> Totes, Size | <input checked="" type="checkbox"/> Cubic Yard Boxes/Bags | <input type="checkbox"/> Drums, Size 55 gallon |
| <input type="checkbox"/> Other (palletized, 5 gal. Pail, etc.) | | |

Quoted bulk disposal charges for solid materials will be billed by the cubic yard, if the waste density is less than 2,000lbs./cubic yard. If waste density is greater than 2,000 lbs./cubic yard, then bulk disposal charges will be billed by the ton, regardless of the approved container.

Section 3 - Physical Characteristics

- 3.1) Color: VARIES
- 3.2) Odor: none
- 3.3) Does this waste contain any "Potentially Odorous Constituents" as defined in the EQ Resource Guide? (Section 3) ☐ Yes ☒ No
- 3.4) Physical State at 70 °F: ☐ Solid ☐ Dust/Powder ☒ Liquid ☐ Sludge
- 3.5) What is the pH of this waste? ☐ ≤ 2 ☐ 2.1-4.9 ☒ 5-10 ☐ 10.1-12.4 ☐ ≥ 12.5
- 3.6) What is the flash point of this waste? ☐ <90 °F ☐ 90-139 °F ☐ 140-199 °F ☒ ≥ 200 °F
- 3.7) Does this waste contain? (check all that apply) ☒ None
- | | | | | | |
|---|---|--|---|---|--------------------------------------|
| <input type="checkbox"/> Biodegradable Sorbents | <input type="checkbox"/> Amines | <input type="checkbox"/> Ammonia | <input type="checkbox"/> Free Liquids | <input type="checkbox"/> Oily Residue | <input type="checkbox"/> Metal Fines |
| <input type="checkbox"/> Shock Sensitive Waste | <input type="checkbox"/> Reactive Waste | <input type="checkbox"/> Radioactive Waste | <input type="checkbox"/> Water Reactive | <input type="checkbox"/> Biohazard | <input type="checkbox"/> Aluminum |
| <input type="checkbox"/> Asbestos - non-friable | <input type="checkbox"/> Asbestos - friable | <input type="checkbox"/> Dioxins | <input type="checkbox"/> Explosives | <input type="checkbox"/> Pyrophoric Waste | <input type="checkbox"/> Isocyanates |
| | | | <input type="checkbox"/> Furans | | |

Section 4 - Composition / Generating Process

- 4.1) Describe the physical composition of the waste (i.e., soil, water, PPE, debris, key chemical compounds, etc.)
- 4.2) Provide a detailed description of the process generating this waste. (attach flow diagram if available).
Labpack of chemicals in abandoned Chemical plant Lab

Section 5 - Is This Hazardous Waste?

Please refer to Section 5 of the EQ Resource Guide for a list of waste codes.

As determined by 40 CFR, Part 261 and Michigan Act 451 Rules:

Please list applicable waste code(s):

- 5.1) Is this an EPA RCRA listed hazardous waste (F, K, P or U)? ☐ Yes ☒ No
Comments:
- 5.2) Is this an EPA RCRA characteristic hazardous waste (D001-D043)? ☐ Yes ☒ No
Comments:
- 5.3) Do any State Hazardous Waste Codes apply? ☐ Yes ☒ No
Comments:
- 5.4) Is this waste intended for wastewater treatment? ☐ Yes* ☒ No

If you answered "No" to questions 5.1, 5.2, and 5.3, please skip to Section 7.
If you answered "Yes" to question 5.4, please complete the WCR Addendum.

Section 6 - Hazardous Wastes

6.1) Does this waste exceed Land Disposal Restriction Levels?

☐ Yes ☐ No

6.1a) If this waste stream is greater than 50% soil, does it meet the alternative soil treatment standards of 40 CFR 268.49?

☐ Yes ☒ No

6.1b) Does this waste contain greater than 50% debris, by volume? (Debris is greater than 2.5 inches in size.)

☐ Yes ☒ No

6.2) Is the waste an oxidizer (D001)?

☐ Yes ☒ No

6.3) Does this waste contain reactive cyanide \geq 250 ppm (D003)?

☐ Yes ☒ No

6.4) Does this waste contain reactive sulfide \geq 500 ppm (D003)?

☐ Yes ☒ No

6.5) Please indicate which constituent concentrations are below or above the regulatory level. Please indicate the basis used in the determination. Either 'Below' or 'Above' **MUST** be checked for each constituent.

Based On: ☒ Generator Knowledge ☐ Analysis* ☐ MSDS*

*Please forward a copy. Analysis or MSDS are required for EQ Florida Non-hazardous wastes.

Code	Regulatory Level TCLP (mg/l)		Concentration (if above)
D004	Arsenic	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D005	Barium	100	<input checked="" type="radio"/> Below <input type="radio"/> Above
D006	Cadmium	1	<input checked="" type="radio"/> Below <input type="radio"/> Above
D007	Chromium	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D008	Lead	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D009	Mercury	0.2	<input checked="" type="radio"/> Below <input type="radio"/> Above
D010	Selenium	1	<input checked="" type="radio"/> Below <input type="radio"/> Above
D011	Silver	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D012	Endrin	0.02	<input checked="" type="radio"/> Below <input type="radio"/> Above
D013	Lindane	0.4	<input checked="" type="radio"/> Below <input type="radio"/> Above
D014	Methoxychlor	10	<input checked="" type="radio"/> Below <input type="radio"/> Above
D015	Toxaphene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D016	2,4-D	10	<input checked="" type="radio"/> Below <input type="radio"/> Above
D017	2,4,5-TP (Silvex)	1	<input checked="" type="radio"/> Below <input type="radio"/> Above
D018	Benzene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D019	Carbon Tetrachloride	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D020	Chlordane	0.03	<input checked="" type="radio"/> Below <input type="radio"/> Above
D021	Chlorobenzene	100	<input checked="" type="radio"/> Below <input type="radio"/> Above
D022	Chloroform	6.0	<input checked="" type="radio"/> Below <input type="radio"/> Above
D023	o-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above

Code	Regulatory Level TCLP (mg/l)		Concentration (if above)
D024	m-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above
D025	p-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above
D026	Cresols	200	<input checked="" type="radio"/> Below <input type="radio"/> Above
D027	1,4-Dichlorobenzene	7.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D028	1,2-Dichloroethane	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D029	1,1-Dichloroethylene	0.7	<input checked="" type="radio"/> Below <input type="radio"/> Above
D030	2,4-Dinitrotoluene	0.13	<input checked="" type="radio"/> Below <input type="radio"/> Above
D031	Heptachlor	0.008	<input checked="" type="radio"/> Below <input type="radio"/> Above
D032	Hexachlorobenzene	0.13	<input checked="" type="radio"/> Below <input type="radio"/> Above
D033	Hexachlorobutadiene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D034	Hexachloroethane	3.0	<input checked="" type="radio"/> Below <input type="radio"/> Above
D035	Methyl Ethyl Ketone	200	<input checked="" type="radio"/> Below <input type="radio"/> Above
D036	Nitrobenzene	2	<input checked="" type="radio"/> Below <input type="radio"/> Above
D037	Pentachlorophenol	100	<input checked="" type="radio"/> Below <input type="radio"/> Above
D038	Pyridine	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D039	Tetrachloroethylene	0.7	<input checked="" type="radio"/> Below <input type="radio"/> Above
D040	Trichloroethylene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D041	2,4,5-Trichlorophenol	400	<input checked="" type="radio"/> Below <input type="radio"/> Above
D042	2,4,6-Trichlorophenol	2	<input checked="" type="radio"/> Below <input type="radio"/> Above
D043	Vinyl Chloride	0.2	<input checked="" type="radio"/> Below <input type="radio"/> Above

6.6) If this is a characteristic hazardous waste, does it contain underlying hazardous constituents?

☐ Yes ☒ No

If you answered 'Yes', please list the constituents in Section 11.

Section 7 - Non-Hazardous Wastes

For a complete list of non-hazardous waste codes, please refer to Section 7 of the EQ Resource Guide.

Applicable waste code(s):

7.1) Is this a Michigan non-hazardous liquid industrial waste?

☐ Yes ☒ No

Comments:

7.2) Is this a Universal waste?

☐ Yes ☒ No

7.3) Is this a Recyclable Commodity? (e.g.: computer monitors, free mercury, etc.)

☐ Yes ☒ No

7.4) Is this waste a recoverable petroleum product?

☐ Yes ☒ No

7.5) Is this waste used oil as defined by 40 CFR Part 279?

☐ Yes ☒ No

Section 8 - TSCA Information

- 8.1) What is the concentration of PCBs in the waste? ☒ None ☐ 0-5 ppm ☐ 6-49 ppm
☐ 50-499 ppm ☐ 500+ ppm
- 8.2) Does the waste contain PCB contamination from a source with a concentration ≥ 50 ppm? ☐ Yes ☒ No
If you answered 'None' to 8.1 and 'No' to 8.2, please skip to Section 9.
- 8.3) Has this waste been processed into a non-liquid form? ☐ Yes ☐ No
If yes, what was the concentration of PCBs prior to processing? (ppm) ☐ N/A ☐ 0-499 ☐ 500+
- 8.4) Is the non-liquid PCB waste in the form of soil, rags, debris, or other contaminated media? ☐ Yes ☐ No
- 8.5) Are you a PCB capacitor manufacturer or a PCB equipment manufacturer? ☐ Yes ☐ No
- 8.6) Has the PCB Article (e.g., transformer, hydraulic machine, PCB-contaminated electrical equipment) been drained/flushed of all PCBs and decontaminated in accordance with 40 CFR 761.60(b)? ☐ N/A ☐ Yes ☐ No

Section 9 - Clean Air Act Information

- 9.1) Is this waste subject to regulation under 40 CFR, Part 63, Subpart DD or 40 CFR, Part 264, Subpart CC (RCRA)? ☐ Yes ☒ No
(Does the waste contain >500 ppm Volatile Organic Hazardous Air Pollutants - VOHAP's or Volatile Organic Compounds - VOC's?)
For a complete list of VOHAPs, please see Section 11 of the EQ Resource Guide.
- 9.2) Is this site, or waste, subject to any other MACT or NESHAP? ☐ Yes ☒ No
If yes, please specify:
- 9.3) Does this waste stream contain Benzene? ☐ Yes ☒ No
If you answered "No" to question 9.2, please skip to section 10.
- 9.4) Does the waste stream come from a facility with one of the SIC/NAICS codes listed under the Benzene NESHAP identified in 40 CFR 61, Subpart FF? ☐ Yes ☐ No
- 9.5) Is the generating source of this waste stream a facility with Total Annual Benzene (TAB) ≥ 10 Mg/year? ☐ Yes ☒ No
For assistance in calculating the TAB, please see the TAB Worksheet in Section 9 of the EQ Resource Guide.
If you answered "No" to question 9.3 and 9.4, please skip to Section 10.
- 9.6) Does the waste contain > 10% water? ☐ Yes ☐ No
- 9.7) What is the TAB quantity for your facility? _____ Mg/year
- 9.8) Does the waste contain >1.0 mg/kg total Benzene? ☐ Yes ☐ No
- 9.9) What is the total Benzene concentration in your waste? _____ (concentration) _____ (unit)

(Supporting analysis must be attached. Do not use TCLP analytical results. Acceptable laboratory methods include 8020, 8240, 8260, 602 and 624.)

**For a list of NAICS codes, please refer to section 9 of the EQ Resource Guide.*

Section 10 - Fuel Blending Information

- 10.1) Is this waste intended for fuel blending? ☐ Yes* ☒ No
If you answered 'Yes' to question 10.1, please enter the following:
- Heat value (BTU/lb.) _____
Chlorine (%) _____
Water (%) _____
Solids (%) _____
- 10.2) Is this waste intended for reclamation? ☐ Yes ☒ No (5-Gallon Sample required for all reclaim waste streams)

Section 11 - Constituent Information

Please identify your waste constituents from these four categories: Underlying Hazardous Constituents (UHC's), Volatile Organic Hazardous Air Pollutants (VOHAP's), Volatile Organic Compounds (VOC's) and Toxic Release Inventory Constituents (TRI)

Constituent	Concentration	UHC?
-------------	---------------	------

Please see Section 11 of the EQ Resource Guide for a list of UHC's, VOHAP's and VOC's. For a complete list of TRI constituents, please refer to 40 CFR 372.65.

Section 12 - Certification

I certify that all information (including attachments) is complete and factual and is an accurate representation of the known and suspected hazards, pertaining to the waste described herein. I authorize EQ's Resource Team to add supplemental information to the waste approval file, provided I am contacted and give verbal permission. I authorize EQ's Resource Team to obtain a sample from any waste shipment for purposes of verification. Generator or on Generator's behalf shall be subject to, and Generator shall be bound by, the attached Standard Terms and Conditions. and confirmation. I agree that, if EQ approves the waste described herein, all such wastes that are transported, delivered, or tendered to EQ by

Comments:
logged in

Generator:



Authorized Generator Signature

JERRY B. BANKS

Printed Generator Name

Company:

MS Dept. of Environmental Quality

Title: Chief Groundwater Assessment

Date: 11-13-07

The generator's signature MUST appear on the EQ Waste Characterization Report. If the generator has authorized a third party to certify this document, a written notice (on generator letterhead) must accompany this submittal. Although the EQ Resource Team is authorized to make certain modifications to the information provided on this form, the addition or removal of waste codes and waste constituents must be documented by the generator.

STANDARD TERMS AND CONDITIONS

The Agreement between the Customer and EQ - The Environmental Quality Company and/or its member companies (hereinafter "EQ") related to or associated with Delivered Waste, as herein defined, shall be governed by the following Standard Terms and Conditions in addition to the terms and conditions contained in any Waste Characterization Report, Customer Approval Quote Confirmation, Generator Approval Notification, Notice of Waste Approval Expiration, and/or Credit Agreement associated with such Delivered Waste.

The Customer may use its standard forms (such as purchase orders, acknowledgments of orders, and invoices) to administer its dealings under this Agreement for convenience purposes, but all provisions thereof in conflict with these terms and conditions shall be deemed stricken.

Definitions.

The following definitions shall apply for purposes of this Agreement:

"Acceptable Waste" shall mean any hazardous waste, as defined under applicable State or federal law, determined by EQ as acceptable for treatment and/or disposal in accordance with this Agreement.

"Delivered Wastes" shall mean all wastes (i) which are transported, delivered, or tendered to EQ by the Customer; (ii) which the Customer has arranged for the transport, delivery or tender to EQ; or (iii) which are transported, delivered, or tendered to EQ under a Credit Agreement between the Customer and EQ.

"Non-Conforming Wastes" shall mean wastes that (a) are not in accordance in all material respects with the warranties, descriptions, specifications or limitations stated in the Waste Characterization Report and this Agreement; (b) have constituents or components of a type or concentration not specifically identified in the Waste Characterization Report (i) which increase the nature or extent of the hazard and risk undertaken by EQ in treating and/or disposing of the waste, or (ii) for whose treatment and/or disposal a Waste Management Facility is not designed or permitted, or (iii) which increase the cost of treatment and/or disposal of waste beyond that specified in EQ's price quote; or (c) are not properly packaged, labeled, described, or placarded, or otherwise not in compliance with United States Department of Transportation and United States Environmental Protection Agency regulations.

Control of Operations.

EQ shall have sole control over all aspects of the operation of any treatment and/or disposal facility of EQ receiving Delivered Wastes under this Agreement (hereinafter,

"Waste Management Facility"), including, without limitation, maintaining EQ's desired volume of Acceptable Wastes being delivered to any Waste Management Facility by the Customer or any other person or entity.

Identification of Waste.

For each waste material to be transported, delivered, or tendered to EQ under this Agreement, the Customer shall provide, or cause to be provided, to EQ a representative sample of the waste material and a completed Waste Characterization Report containing a physical and chemical description or analysis of such waste material, which description shall conform with any and all guidelines for waste acceptance provided by EQ. On the basis of EQ's analysis of such representative sample of the waste material and such Waste Characterization Report, EQ will determine whether such wastes are Acceptable Wastes. EQ does not make any guarantee that it will handle any waste material or any particular quantity or type of waste material, and EQ reserves the right to the decline to transport, treat and/or dispose of waste material. The Customer shall promptly furnish to EQ any information regarding known, suspected or planned changes in the composition of the waste material. Further, the Customer shall promptly inform EQ of any change in the characteristic or condition of the waste material which becomes known to the Customer subsequent to the date of the Waste Characterization Report.

Non-Conforming Wastes.

In the event that EQ at any time discovers that any Delivered Waste is Non-Conforming Waste, EQ may reject or revoke its acceptance of the Non-Conforming Waste. The Customer shall have seven (7) days to direct an alternative lawful manner of disposition of the waste, unless it is necessary by reason of law or otherwise to move the Non-Conforming Waste prior to expiration of the seven (7) day period. If the Customer does not direct an alternative disposal, at its option, EQ may return any such Non-Conforming Wastes to the Customer, and the Customer shall pay or reimburse EQ for all costs and expenses incurred by EQ in connection with the receipt, handling, sampling, analyses, transportation and return to the Customer of such Non-Conforming Wastes. If it is impossible or impractical for EQ to return the Non-Conforming Waste to the Customer, the Customer shall reimburse EQ for all costs, of any type or nature whatsoever, incurred by EQ, solely because such Delivered Waste was Non-Conforming Waste (including, but not limited to, all costs associated with any remedial steps necessary, due to the nature of the Non-Conforming Waste, in connection with material with which the Non-Conforming Waste may have been commingled and all expenses and charges for analyzing, handling, locating, preparing for transporting, storing and disposing of any Non-Conforming Waste).

Customer Warranty - Title to Wastes.

Either the Customer or the generator (if other than the Customer) shall hold clear title, free of any all liens, claims, encumbrances, and charges to Delivered Waste until such waste is accepted by EQ.

Customer Warranty - Acceptable Wastes.

All Delivered Wastes shall be Acceptable Wastes and shall conform in all material respects to the description and specifications contained in the Waste Characterization Report. The information set forth in the Waste Characterization Report or any manifest, placard or label associated with any Delivered Wastes, or otherwise represented by the Customer or the generator (if other than the Customer) to EQ, is and shall be true, accurate and complete as of the date of receipt of the involved waste by EQ.

Customer Warranty - Compliance with Laws.

The Customer shall comply with all applicable federal, state and local environmental statutes, regulations, and other governmental requirements, as well as directives issued by EQ from time to time, governing the transportation, treatment and/or disposal of Acceptable Wastes, including, but not limited to, all packaging, manifesting, containerization, placarding and labeling requirements.

Customer Warranty - Updating Information.

If the Customer receives information that Delivered Waste or other hazardous waste described in the Waste Characterization Report, or some component of such waste, presents or may present a hazard or risk to persons, property or the environment which was not disclosed to EQ, or if the Customer or generator (if other than the Customer) has changed the process by which such waste results, the Customer shall promptly report such information to EQ in writing.

Customer Indemnity.

The Customer shall indemnify, defend and hold harmless EQ, and its affiliated or related companies, and all of their respective present or future officers, directors, shareholders, employees and agents from and against any and all losses, damages, liabilities, penalties, fines, forfeitures, demands, claims, causes of action, suits, costs and expenses (including, but not limited to, reasonable costs of defense, settlement, and reasonable attorneys' fees), which may be asserted against any or all of them by any person or any governmental agency, or which any or all of them may hereafter suffer, incur, be responsible for or pay out, as a result of or in connection with bodily injuries (including, but not limited to, death, sickness, disease and emotional or mental distress) to any person (including EQ's employees), damage (including, but not limited to, loss of use) to any property (public or private), or any requirements to conduct or incur expense for investigative, removal or remedial expenses in connection with contamination of or adverse effect on the environment, or any violation or alleged violation of any statutes, ordinances, orders, rules or regulations of any governmental entity or agency, caused or arising out of (i) a breach of this Agreement by the Customer, (ii) the failure of any warranty of the Customer to be true, accurate and complete, or (iii) any willful or negligent act or omission of the Customer, or its employees or agents in connection with the performance of this Agreement.

Force Majeure.

EQ shall not be liable for any failure to accept, receive, handle, treat, and/or dispose of Delivered Waste due to an act of God, fire, casualty, flood, war, strike, lockout, labor trouble, failure of public utilities, equipment failure, facility shutdown, injunction, accident, epidemic, riot, insurrection, destruction of operation or transportation facilities, the inability to procure materials, equipment, or sufficient personnel or energy in order to meet operational needs without the necessity of allocation, the failure or inability to obtain any governmental approvals or to meet Environmental Requirements (including, but not limited to voluntary or involuntary compliance with any act, exercise, assertion, or requirement of any governmental authority) which may temporarily or permanently prohibit operations of EQ, the Customer, or the Generator, or any other circumstances beyond the control of EQ which prevents or delays performance of any of its obligations under this Agreement.

Governing Laws.

This Agreement shall in all respects be governed by and shall be construed in accordance with the laws of the State of Michigan applied to contracts executed and performed wholly within such state.

EQ - The Environmental Quality Company

Waste Characterization Report

☒ I authorize EQ - The Environmental Quality Company to choose the appropriate method of waste management, from the technologies offered, at the EQ facilities identified below.

<input type="checkbox"/> Michigan Disposal Waste Treatment Plant (Stabilization and Treatment)	49350 North I-94 Service Drive, Belleville, Michigan 48111 Phone: 1-800-592-5489 Fax: 1-800-592-5329	EPA ID #MID000724831
<input type="checkbox"/> Wayne Disposal, Inc. (Hazardous & PCB Waste Landfill)	49350 North I-94 Service Drive, Belleville, Michigan 48111 Phone: 1-800-592-5489 Fax: 1-800-592-5329	EPA ID #MID048090633
<input type="checkbox"/> EQ Detroit, Inc. (Stabilization, Wastewater Treatment)	1923 Frederick, Detroit, MI 48211 Phone: 1-800-495-6059 Fax: 1-313-923-3375	EPA ID #MID980991566
<input type="checkbox"/> EQ Resource Recovery, Inc. (Solvent Recycling, Fuel Blending, WW Treatment)	36345 Van Born Road, Romulus, Michigan 48174 Phone: (734) 727-5500 Fax: (734) 326-4033	EPA ID #MID060975844
<input type="checkbox"/> EQIS North Carolina (Stabilization, Treatment, Labpack Decommissioning)	1005 Investment Blvd., Apex, NC 27502 Phone: (919) 363-4700 Fax: (919) 363-4714	EPA ID #NCD982170292
<input type="checkbox"/> EQ Florida, Inc. (Drum Consolidation, Labpack Decommissioning)	7202 East Eighth Ave., Tampa, FL 33619 Phone: 1-800-624-5302 Fax: 1-813-628-0842	EPA ID #FLD981932494
<input type="checkbox"/> EQ Detroit Transfer and Processing (Drum Transfer/Universal Waste Handling)	2000 Ferry Street, Detroit, MI 48211 Phone: (313) 923-0080 Fax: (313) 922-8419	EPA ID #MIK939928313
<input type="checkbox"/> EQIS Indianapolis Transfer and Processing (Drum Transfer/Non-Hazardous Waste Processing)	4000 West 10th Street, Indianapolis, Indiana 46222 Phone: (317) 247-7160 Fax: (317) 247-7170	EPA ID #IND161049309
<input type="checkbox"/> EQIS Atlanta Transfer and Processing (Drum Transfer/Non-Hazardous Waste Processing)	5600 Fulton Industrial Blvd., Atlanta, Georgia 30336 Phone: (404) 494-3520 Fax: (404) 494-3560	EPA ID #GAR000039776
<input type="checkbox"/> EQ Augusta, Inc. (Wastewater Treatment)	3920 Goshen Industrial Blvd., Augusta, GA 30906 Phone: 706-771-9100 Fax: 706-771-9124	EPA ID #GAR000011817

Waste Common Name: Non Hazardous Solid Lab Pack

Section 1 - Generator & Customer Info

SIC/NAICS*:

EQ Customer No.: 10958

Generator EPA ID: MST-MP0-002-452

Invoicing Company

Company: USES JACKSON
Address: 1075 MENDELL DAVIS DRIVE
City: JACKSON
State: MS Zip: 39212
Country: USA

Invoicing Contact

Name: Wanda Horton
Phone: (601) 372-3232
Fax: () -

Technical Contact

Name: J.T. Newman
Phone: (601) 372-3232
Fax: () -
Mobile: () - Pager: () -
E-mail: jnewman@usesgroup.com

Generator: Mississippi DEQ
Address: 4280 Rifle Range Rd
City: Vicksburg
State: MS Zip: 39180
County: Warren

Mailing Address

Address: P.O Box 20326
City: Jackson
State: MS Zip: 39289

Generator Contact

Name: Trey Hess / Jerry Banks
Title:
Phone: (601) 961-5221/6019615654
Fax: () -

*For a list of NAICS codes, please refer to Section 9 of the EQ Resource Guide.

Section 2 - Shipping & Packaging Info

- 2.1) Shipping Volume & Unit: Cubic Yard Box Frequency: One Time Only
- 2.2) DOT Shipping Name: Non regulated Solids
- 2.3) Is this waste surcharge exempt? ☐ Yes ☒ No (If you answered "Yes" to question 2.3, select the Surcharge Exemption reason.)

2.4) Packaging (check all that apply)

- | | | |
|---|---|--|
| <input type="checkbox"/> Bulk Solid (yd ³ < 2000 lbs/yd ³) | <input type="checkbox"/> Bulk Solid (Ton > 2000 lbs/yd ³) | <input type="checkbox"/> Bulk Liquids (Gallon) |
| <input type="checkbox"/> Totes, Size | <input checked="" type="checkbox"/> Cubic Yard Boxes/Bags | <input type="checkbox"/> Drums, Size |
| <input type="checkbox"/> Other (palletized, 5 gal. Pail, etc.) | | |

Quoted bulk disposal charges for solid materials will be billed by the cubic yard, if the waste density is less than 2,000lbs./cubic yard. If waste density is greater than 2,000 lbs./cubic yard, then bulk disposal charges will be billed by the ton, regardless of the approved container.

Section 3 - Physical Characteristics

- 3.1) Color: VARIES
- 3.2) Odor: none
- 3.3) Does this waste contain any "Potentially Odorous Constituents" as defined in the EQ Resource Guide? (Section 3) ☐ Yes ☒ No
- 3.4) Physical State at 70 °F: ☒ Solid ☐ Dust/Powder ☐ Liquid ☐ Sludge
- 3.5) What is the pH of this waste? ☐ ≤ 2 ☐ 2.1-4.9 ☒ 5-10 ☐ 10.1-12.4 ☐ ≥ 12.5
- 3.6) What is the flash point of this waste? ☐ <90 °F ☐ 90-139 °F ☐ 140-199 °F ☒ ≥ 200 °F
- 3.7) Does this waste contain? (check all that apply) ☒ None
- | | | | | | |
|---|---|--|---|---|--------------------------------------|
| <input type="checkbox"/> Biodegradable Sorbants | <input type="checkbox"/> Amines | <input type="checkbox"/> Ammonia | <input type="checkbox"/> Free Liquids | <input type="checkbox"/> Oily Residue | <input type="checkbox"/> Metal Fines |
| <input type="checkbox"/> Shock Sensitive Waste | <input type="checkbox"/> Reactive Waste | <input type="checkbox"/> Radioactive Waste | <input type="checkbox"/> Water Reactive | <input type="checkbox"/> Biohazard | <input type="checkbox"/> Aluminum |
| <input type="checkbox"/> Asbestos - non-friable | <input type="checkbox"/> Asbestos - friable | <input type="checkbox"/> Dioxins | <input type="checkbox"/> Explosives | <input type="checkbox"/> Pyrophoric Waste | <input type="checkbox"/> Isocyanates |
| | | | <input type="checkbox"/> Furans | | |

Section 4 - Composition / Generating Process

- 4.1) Describe the physical composition of the waste (i.e., soil, water, PPE, debris, key chemical compounds, etc.)
- 4.2) Provide a detailed description of the process generating this waste. (attach flow diagram if available).
- Labpack of chemicals in abandoned Chemical plant Lab

Section 5 - Is This Hazardous Waste?

Please refer to Section 5 of the EQ Resource Guide for a list of waste codes.

As determined by 40 CFR, Part 261 and Michigan Act 451 Rules:

Please list applicable waste code(s):

- 5.1) Is this an EPA RCRA listed hazardous waste (F, K, P or U)? ☐ Yes ☒ No
Comments:
- 5.2) Is this an EPA RCRA characteristic hazardous waste (D001-D043)? ☐ Yes ☒ No
Comments:
- 5.3) Do any State Hazardous Waste Codes apply? ☐ Yes ☒ No
Comments:
- 5.4) Is this waste intended for wastewater treatment? ☐ Yes* ☒ No

If you answered "No" to questions 5.1, 5.2, and 5.3, please skip to Section 7.
If you answered "Yes" to question 5.4, please complete the WCR Addendum.

Section 6 - Hazardous Wastes

6.1) Does this waste exceed Land Disposal Restriction Levels?

☐ Yes ☒ No

6.1a) If this waste stream is greater than 50% soil, does it meet the alternative soil treatment standards of 40 CFR 268.49?

☐ Yes ☒ No

6.1b) Does this waste contain greater than 50% debris, by volume? (Debris is greater than 2.5 inches in size.)

☐ Yes ☒ No

6.2) Is the waste an oxidizer (D001)?

☐ Yes ☒ No

6.3) Does this waste contain reactive cyanide \geq 250 ppm (D003)?

☐ Yes ☒ No

6.4) Does this waste contain reactive sulfide \geq 500 ppm (D003)?

☐ Yes ☒ No

6.5) Please indicate which constituent concentrations are below or above the regulatory level. Please indicate the basis used in the determination. Either 'Below' or 'Above' **MUST** be checked for each constituent.

Based On: ☒ Generator Knowledge ☐ Analysis* ☐ MSDS*

*Please forward a copy. Analysis or MSDS are required for EQ Florida Non-hazardous wastes.

Code	Regulatory Level	TCLP (mg/l)	Concentration (if above)
D004	Arsenic	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D005	Barium	100	<input checked="" type="radio"/> Below <input type="radio"/> Above
D006	Cadmium	1	<input checked="" type="radio"/> Below <input type="radio"/> Above
D007	Chromium	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D008	Lead	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D009	Mercury	0.2	<input checked="" type="radio"/> Below <input type="radio"/> Above
D010	Selenium	1	<input checked="" type="radio"/> Below <input type="radio"/> Above
D011	Silver	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D012	Endrin	0.02	<input checked="" type="radio"/> Below <input type="radio"/> Above
D013	Lindane	0.4	<input checked="" type="radio"/> Below <input type="radio"/> Above
D014	Methoxychlor	10	<input checked="" type="radio"/> Below <input type="radio"/> Above
D015	Toxaphene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D016	2,4-D	10	<input checked="" type="radio"/> Below <input type="radio"/> Above
D017	2,4,5-TP (Silvex)	1	<input checked="" type="radio"/> Below <input type="radio"/> Above
D018	Benzene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D019	Carbon Tetrachloride	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D020	Chlordane	0.03	<input checked="" type="radio"/> Below <input type="radio"/> Above
D021	Chlorobenzene	100	<input checked="" type="radio"/> Below <input type="radio"/> Above
D022	Chloroform	6.0	<input checked="" type="radio"/> Below <input type="radio"/> Above
D023	o-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above

Code	Regulatory Level	TCLP (mg/l)	Concentration (if above)
D024	m-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above
D025	p-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above
D026	Cresols	200	<input checked="" type="radio"/> Below <input type="radio"/> Above
D027	1,4-Dichlorobenzene	7.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D028	1,2-Dichloroethane	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D029	1,1-Dichloroethylene	0.7	<input checked="" type="radio"/> Below <input type="radio"/> Above
D030	2,4-Dinitrotoluene	0.13	<input checked="" type="radio"/> Below <input type="radio"/> Above
D031	Heptachlor	0.008	<input checked="" type="radio"/> Below <input type="radio"/> Above
D032	Hexachlorobenzene	0.13	<input checked="" type="radio"/> Below <input type="radio"/> Above
D033	Hexachlorobutadiene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D034	Hexachloroethane	3.0	<input checked="" type="radio"/> Below <input type="radio"/> Above
D035	Methyl Ethyl Ketone	200	<input checked="" type="radio"/> Below <input type="radio"/> Above
D036	Nitrobenzene	2	<input checked="" type="radio"/> Below <input type="radio"/> Above
D037	Pentachlorophenol	100	<input checked="" type="radio"/> Below <input type="radio"/> Above
D038	Pyridine	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D039	Tetrachloroethylene	0.7	<input checked="" type="radio"/> Below <input type="radio"/> Above
D040	Trichloroethylene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D041	2,4,5-Trichlorophenol	400	<input checked="" type="radio"/> Below <input type="radio"/> Above
D042	2,4,6-Trichlorophenol	2	<input checked="" type="radio"/> Below <input type="radio"/> Above
D043	Vinyl Chloride	0.2	<input checked="" type="radio"/> Below <input type="radio"/> Above

6.6) If this is a characteristic hazardous waste, does it contain underlying hazardous constituents?

☐ Yes ☒ No

If you answered "Yes", please list the constituents in Section 11.

Section 7 - Non-Hazardous Wastes

For a complete list of non-hazardous waste codes, please refer to Section 7 of the EQ Resource Guide.

Applicable waste code(s):

7.1) Is this a Michigan non-hazardous liquid industrial waste?

☐ Yes ☒ No

Comments:

7.2) Is this a Universal waste?

☐ Yes ☒ No

7.3) Is this a Recyclable Commodity? (e.g.: computer monitors, free mercury, etc.)

☐ Yes ☒ No

7.4) Is this waste a recoverable petroleum product?

☐ Yes ☒ No

7.5) Is this waste used oil as defined by 40 CFR Part 279?

☐ Yes ☒ No

Section 8 - TSCA Information

- 8.1) What is the concentration of PCBs in the waste? ☒ None ☐ 0-5 ppm ☐ 6-49 ppm
☐ 50-499 ppm ☐ 500+ ppm
- 8.2) Does the waste contain PCB contamination from a source with a concentration ≥ 50 ppm? ☐ Yes ☒ No
If you answered 'None' to 8.1 and 'No' to 8.2, please skip to Section 9.
- 8.3) Has this waste been processed into a non-liquid form? ☐ Yes ☐ No
If yes, what was the concentration of PCBs prior to processing? (ppm) ☐ N/A ☐ 0-499 ☐ 500+
- 8.4) Is the non-liquid PCB waste in the form of soil, rags, debris, or other contaminated media? ☐ Yes ☐ No
- 8.5) Are you a PCB capacitor manufacturer or a PCB equipment manufacturer? ☐ Yes ☐ No
- 8.6) Has the PCB Article (e.g., transformer, hydraulic machine, PCB-contaminated electrical equipment) been drained/flushed of all PCBs and decontaminated in accordance with 40 CFR 761.60(b)? ☐ N/A ☐ Yes ☐ No

Section 9 - Clean Air Act Information

- 9.1) Is this waste subject to regulation under 40 CFR, Part 63, Subpart DD or 40 CFR, Part 264, Subpart CC (RCRA)? ☐ Yes ☒ No
(Does the waste contain >500 ppm Volatile Organic Hazardous Air Pollutants - VOHAP's or Volatile Organic Compounds - VOC's?)
For a complete list of VOHAPs, please see Section 11 of the EQ Resource Guide.
- 9.2) Is this site, or waste, subject to any other MACT or NESHAP? ☐ Yes ☒ No
If yes, please specify:
- 9.3) Does this waste stream contain Benzene? ☐ Yes ☒ No
If you answered "No" to question 9.2, please skip to section 10.
- 9.4) Does the waste stream come from a facility with one of the SIC/NAICS codes listed under the Benzene NESHAP identified in 40 CFR 61, Subpart FF? ☐ Yes ☐ No
- 9.5) Is the generating source of this waste stream a facility with Total Annual Benzene (TAB) ≥ 10 Mg/year? ☐ Yes ☒ No
For assistance in calculating the TAB, please see the TAB Worksheet in Section 9 of the EQ Resource Guide.
If you answered "No" to question 9.3 and 9.4, please skip to Section 10.
- 9.6) Does the waste contain > 10% water? ☐ Yes ☐ No
- 9.7) What is the TAB quantity for your facility? _____ Mg/year
- 9.8) Does the waste contain >1.0 mg/kg total Benzene? ☐ Yes ☐ No
- 9.9) What is the total Benzene concentration in your waste? _____ (concentration) _____ (unit)

(Supporting analysis must be attached. Do not use TCLP analytical results. Acceptable laboratory methods include 8020, 8240, 8260, 802 and 824.)

*For a list of NAICS codes, please refer to section 9 of the EQ Resource Guide.

Section 10 - Fuel Blending Information

- 10.1) Is this waste intended for fuel blending? ☐ Yes* ☒ No
If you answered 'Yes' to question 10.1, please enter the following:
- Heat value (BTU/lb.) _____
- Chlorine (%) _____
- Water (%) _____
- Solids (%) _____
- 10.2) Is this waste intended for reclamation? ☐ Yes ☒ No (5-Gallon Sample required for all reclaim waste streams)

Section 11 - Constituent Information

Please identify your waste constituents from these four categories: Underlying Hazardous Constituents (UHC's), Volatile Organic Hazardous Air Pollutants (VOHAP's), Volatile Organic Compounds (VOC's) and Toxic Release Inventory Constituents (TRI)

Constituent	Concentration	UHC?
-------------	---------------	------

Please see Section 11 of the EQ Resource Guide for a list of UHC's, VOHAP's and VOC's. For a complete list of TRI constituents, please refer to 40 CFR 372.65.

Section 12 - Certification

I certify that all information (including attachments) is complete and factual and is an accurate representation of the known and suspected hazards, pertaining to the waste described herein. I authorize EQ's Resource Team to add supplemental information to the waste approval file, provided I am contacted and give verbal permission. I authorize EQ's Resource Team to obtain a sample from any waste shipment for purposes of verification. Generator or on Generator's behalf shall be subject to, and Generator shall be bound by, the attached Standard Terms and Conditions. and confirmation. I agree that, if EQ approves the waste described herein, all such wastes that are transported, delivered, or tendered to EQ by

Comments:
logged in

Generator:



Authorized Generator Signature

JERRY B. BANKS

Printed Generator Name

Company:

MS Dept. of Environmental Quality

Title:

Chief Groundwater Assessment

Date: 11-13-07

The generator's signature MUST appear on the EQ Waste Characterization Report. If the generator has authorized a third party to certify this document, a written notice (on generator letterhead) must accompany this submittal. Although the EQ Resource Team is authorized to make certain modifications to the information provided on this form, the addition or removal of waste codes and waste constituents must be documented by the generator.

STANDARD TERMS AND CONDITIONS

The Agreement between the Customer and EQ - The Environmental Quality Company and/or its member companies (hereinafter "EQ") related to or associated with Delivered Waste, as herein defined, shall be governed by the following Standard Terms and Conditions in addition to the terms and conditions contained in any Waste Characterization Report, Customer Approval Quote Confirmation, Generator Approval Notification, Notice of Waste Approval Expiration, and/or Credit Agreement associated with such Delivered Waste.

The Customer may use its standard forms (such as purchase orders, acknowledgments of orders, and invoices) to administer its dealings under this Agreement for convenience purposes, but all provisions thereof in conflict with these terms and conditions shall be deemed stricken.

Definitions.

The following definitions shall apply for purposes of this Agreement:

"Acceptable Waste" shall mean any hazardous waste, as defined under applicable State or federal law, determined by EQ as acceptable for treatment and/or disposal in accordance with this Agreement.

"Delivered Wastes" shall mean all wastes (i) which are transported, delivered, or tendered to EQ by the Customer; (ii) which the Customer has arranged for the transport, delivery or tender to EQ; or (iii) which are transported, delivered, or tendered to EQ under a Credit Agreement between the Customer and EQ.

"Non-Conforming Wastes" shall mean wastes that (a) are not in accordance in all material respects with the warranties, descriptions, specifications or limitations stated in the Waste Characterization Report and this Agreement; (b) have constituents or components of a type or concentration not specifically identified in the Waste Characterization Report (i) which increase the nature or extent of the hazard and risk undertaken by EQ in treating and/or disposing of the waste, or (ii) for whose treatment and/or disposal a Waste Management Facility is not designed or permitted, or (iii) which increase the cost of treatment and/or disposal of waste beyond that specified in EQ's price quote; or (c) are not properly packaged, labeled, described, or placarded, or otherwise not in compliance with United States Department of Transportation and United States Environmental Protection Agency regulations.

Control of Operations.

EQ shall have sole control over all aspects of the operation of any treatment and/or disposal facility of EQ receiving Delivered Wastes under this Agreement (hereinafter, "Waste Management Facility"), including, without limitation, maintaining EQ's desired volume of Acceptable Wastes being delivered to any Waste Management Facility by the Customer or any other person or entity.

Identification of Waste.

For each waste material to be transported, delivered, or tendered to EQ under this Agreement, the Customer shall provide, or cause to be provided, to EQ a representative sample of the waste material and a completed Waste Characterization Report containing a physical and chemical description or analysis of such waste material, which description shall conform with any and all guidelines for waste acceptance provided by EQ. On the basis of EQ's analysis of such representative sample of the waste material and such Waste Characterization Report, EQ will determine whether such wastes are Acceptable Wastes. EQ does not make any guarantee that it will handle any waste material or any particular quantity or type of waste material, and EQ reserves the right to the decline to transport, treat and/or dispose of waste material. The Customer shall promptly furnish to EQ any information regarding known, suspected or planned changes in the composition of the waste material. Further, the Customer shall promptly inform EQ of any change in the characteristic or condition of the waste material which becomes known to the Customer subsequent to the date of the Waste Characterization Report.

Non-Conforming Wastes.

In the event that EQ at any time discovers that any Delivered Waste is Non-Conforming Waste, EQ may reject or revoke its acceptance of the Non-Conforming Waste. The Customer shall have seven (7) days to direct an alternative lawful manner of disposition of the waste, unless it is necessary by reason of law or otherwise to move the Non-Conforming Waste prior to expiration of the seven (7) day period. If the Customer does not direct an alternative disposal, at its option, EQ may return any such Non-Conforming Wastes to the Customer, and the Customer shall pay or reimburse EQ for all costs and expenses incurred by EQ in connection with the receipt, handling, sampling, analyses, transportation and return to the Customer of such Non-Conforming Wastes. If it is impossible or impractical for EQ to return the Non-Conforming Waste to the Customer, the Customer shall reimburse EQ for all costs, of any type or nature whatsoever, incurred by EQ, solely because such Delivered Waste was Non-Conforming Waste (including, but not limited to, all costs associated with any remedial steps necessary, due to the nature of the Non-Conforming Waste, in connection with material with which the Non-Conforming Waste may have been commingled and all expenses and charges for analyzing, handling, locating, preparing for transporting, storing and disposing of any Non-Conforming Waste).

Customer Warranty - Title to Wastes.

Either the Customer or the generator (if other than the Customer) shall hold clear title, free of any all liens, claims, encumbrances, and charges to Delivered Waste until such waste is accepted by EQ.

Customer Warranty - Acceptable Wastes.

All Delivered Wastes shall be Acceptable Wastes and shall conform in all material respects to the description and specifications contained in the Waste Characterization Report. The information set forth in the Waste Characterization Report or any manifest, placard or label associated with any Delivered Wastes, or otherwise represented by the Customer or the generator (if other than the Customer) to EQ, is and shall be true, accurate and complete as of the date of receipt of the involved waste by EQ.

Customer Warranty - Compliance with Laws.

The Customer shall comply with all applicable federal, state and local environmental statutes, regulations, and other governmental requirements, as well as directives issued by EQ from time to time, governing the transportation, treatment and/or disposal of Acceptable Wastes, including, but not limited to, all packaging, manifesting, containerization, placarding and labeling requirements.

Customer Warranty - Updating Information.

If the Customer receives information that Delivered Waste or other hazardous waste described in the Waste Characterization Report, or some component of such waste, presents or may present a hazard or risk to persons, property or the environment which was not disclosed to EQ, or if the Customer or generator (if other than the Customer) has changed the process by which such waste results, the Customer shall promptly report such information to EQ in writing.

Customer Indemnity.

The Customer shall indemnify, defend and hold harmless EQ, and its affiliated or related companies, and all of their respective present or future officers, directors, shareholders, employees and agents from and against any and all losses, damages, liabilities, penalties, fines, forfeitures, demands, claims, causes of action, suits, costs and expenses (including, but not limited to, reasonable costs of defense, settlement, and reasonable attorneys' fees), which may be asserted against any or all of them by any person or any governmental agency, or which any or all of them may hereafter suffer, incur, be responsible for or pay out, as a result of or in connection with bodily injuries (including, but not limited to, death, sickness, disease and emotional or mental distress) to any person (including EQ's employees), damage (including, but not limited to, loss of use) to any property (public or private), or any requirements to conduct or incur expense for investigative, removal or remedial expenses in connection with contamination of or adverse effect on the environment, or any violation or alleged violation of any statutes, ordinances, orders, rules or regulations of any governmental entity or agency, caused or arising out of (i) a breach of this Agreement by the Customer, (ii) the failure of any warranty of the Customer to be true, accurate and complete, or (iii) any willful or negligent act or omission of the Customer, or its employees or agents in connection with the performance of this Agreement.

Force Majeure.

EQ shall not be liable for any failure to accept, receive, handle, treat, and/or dispose of Delivered Waste due to an act of God, fire, casualty, flood, war, strike, lockout, labor trouble, failure of public utilities, equipment failure, facility shutdown, injunction, accident, epidemic, riot, insurrection, destruction of operation or transportation facilities, the inability to procure materials, equipment, or sufficient personnel or energy in order to meet operational needs without the necessity of allocation, the failure or inability to obtain any governmental approvals or to meet Environmental Requirements (including, but not limited to voluntary or involuntary compliance with any act, exercise, assertion, or requirement of any governmental authority) which may temporarily or permanently prohibit operations of EQ, the Customer, or the Generator, or any other circumstances beyond the control of EQ which prevents or delays performance of any of its obligations under this Agreement.

Governing Laws.

This Agreement shall in all respects be governed by and shall be construed in accordance with the laws of the State of Michigan applied to contracts executed and performed wholly within such state.

EQ - The Environmental Quality Company

Waste Characterization Report

☒ I authorize EQ - The Environmental Quality Company to choose the appropriate method of waste management, from the technologies offered, at the EQ facilities identified below.

<input type="checkbox"/> Michigan Disposal Waste Treatment Plant (Stabilization and Treatment)	49350 North I-94 Service Drive, Belleville, Michigan 48111 Phone: 1-800-592-5489 Fax: 1-800-592-5329	EPA ID #MID000724831
<input type="checkbox"/> Wayne Disposal, Inc. (Hazardous & PCB Waste Landfill)	49350 North I-94 Service Drive, Belleville, Michigan 48111 Phone: 1-800-592-5489 Fax: 1-800-592-5329	EPA ID #MID048090633
<input type="checkbox"/> EQ Detroit, Inc. (Stabilization, Wastewater Treatment)	1923 Frederick, Detroit, MI 48211 Phone: 1-800-495-6059 Fax: 1-313-923-3375	EPA ID #MID980991566
<input type="checkbox"/> EQ Resource Recovery, Inc. (Solvent Recycling, Fuel Blending, WW Treatment)	36345 Van Born Road, Romulus, Michigan 48174 Phone: (734) 727-5500 Fax: (734) 326-4033	EPA ID #MID060975844
<input type="checkbox"/> EQIS North Carolina (Stabilization, Treatment, Labpack Decommissioning)	1005 Investment Blvd., Apex, NC 27502 Phone: (919) 363-4700 Fax: (919) 363-4714	EPA ID #NCD982170292
<input type="checkbox"/> EQ Florida, Inc. (Drum Consolidation, Labpack Decommissioning)	7202 East Eighth Ave., Tampa, FL 33619 Phone: 1-800-624-5302 Fax: 1-813-628-0842	EPA ID #FLD981932494
<input type="checkbox"/> EQ Detroit Transfer and Processing (Drum Transfer/Universal Waste Handling)	2000 Ferry Street, Detroit, MI 48211 Phone: (313) 923-0080 Fax: (313) 922-8419	EPA ID #MIK939928313
<input type="checkbox"/> EQIS Indianapolis Transfer and Processing (Drum Transfer/Non-Hazardous Waste Processing)	4000 West 10th Street, Indianapolis, Indiana 46222 Phone: (317) 247-7160 Fax: (317) 247-7170	EPA ID #IND161049309
<input type="checkbox"/> EQIS Atlanta Transfer and Processing (Drum Transfer/Non-Hazardous Waste Processing)	5600 Fulton Industrial Blvd., Atlanta, Georgia 30336 Phone: (404) 494-3520 Fax: (404) 494-3560	EPA ID #GAR000039776
<input type="checkbox"/> EQ Augusta, Inc. (Wastewater Treatment)	3920 Goshen Industrial Blvd., Augusta, GA 30906 Phone: 706-771-9100 Fax: 706-771-9124	EPA ID #GAR000011817

Waste Common Name: Non Hazardous Oil Lab Pack

Section 1 - Generator & Customer Info

SIC/NAICS:

EQ Customer No.: 10958

Generator EPA ID: MST-MP0-002-452

Invoicing Company

Generator: Mississippi DEQ
Address: 4280 Rifle Range Rd
City: Vicksburg
State: MS Zip: 39180
County: Warren

Company: USES JACKSON
Address: 1075 MENDELL DAVIS DRIVE
City: JACKSON
State: MS Zip: 39212
Country: USA

Mailing Address

Address: P.O Box 20326
City: Jackson
State: MS Zip: 39289

Invoicing Contact

Name: Wanda Horton
Phone: (601) 372-3232
Fax: () -

Generator Contact

Name: Trey Hess / Jerry Banks
Title:
Phone: (601) 961-5221/6019615654
Fax: () -

Technical Contact

Name: J.T. Newman
Phone: (601) 372-3232
Fax: () -
Mobile: () - Pager: () -
E-mail: jnewman@usesgroup.com

*For a list of NAICS codes, please refer to Section 9 of the EQ Resource Guide.

Section 2 - Shipping & Packaging Info

- 2.1) Shipping Volume & Unit: 55 Gallon Frequency: One Time Only
- 2.2) DOT Shipping Name: Non regulated Oil
- 2.3) Is this waste surcharge exempt? ☐ Yes ☒ No (If you answered "Yes" to question 2.3, select the Surcharge Exemption reason.)

2.4) Packaging (check all that apply)

- ☐ Bulk Solid (yd ³ < 2000 lbs./yd ³) ☐ Bulk Solid (Ton > 2000 lbs./yd ³) ☐ Bulk Liquids (Gallon)
- ☐ Totes, Size ☐ Cubic Yard Boxes/Bags ☒ Drums, Size 55 gallon
- ☐ Other (palletized, 5 gal. Pail, etc.)

Quoted bulk disposal charges for solid materials will be billed by the cubic yard, if the waste density is less than 2,000lbs./cubic yard. If waste density is greater than 2,000 lbs./cubic yard, then bulk disposal charges will be billed by the ton, regardless of the approved container.

Section 3 - Physical Characteristics

- 3.1) Color: VARIES
- 3.2) Odor: none
- 3.3) Does this waste contain any "Potentially Odorous Constituents" as defined in the EQ Resource Guide? (Section 3) ☐ Yes ☒ No
- 3.4) Physical State at 70 °F: ☐ Solid ☐ Dust/Powder ☒ Liquid ☐ Sludge
- 3.5) What is the pH of this waste? ☐ ≤ 2 ☐ 2.1-4.9 ☒ 5-10 ☐ 10.1-12.4 ☐ ≥ 12.5
- 3.6) What is the flash point of this waste? ☐ <90 °F ☐ 90-139 °F ☐ 140-199 °F ☐ ≥ 200 °F
- 3.7) Does this waste contain? (check all that apply) ☒ None
- | | | | | | |
|---|---|--|---|---|--------------------------------------|
| <input type="checkbox"/> Biodegradable Sorbents | <input type="checkbox"/> Amines | <input type="checkbox"/> Ammonia | <input type="checkbox"/> Free Liquids | <input type="checkbox"/> Oily Residue | <input type="checkbox"/> Metal Fines |
| <input type="checkbox"/> Shock Sensitive Waste | <input type="checkbox"/> Reactive Waste | <input type="checkbox"/> Radioactive Waste | <input type="checkbox"/> Water Reactive | <input type="checkbox"/> Biohazard | <input type="checkbox"/> Aluminum |
| <input type="checkbox"/> Asbestos - non-friable | <input type="checkbox"/> Asbestos - friable | <input type="checkbox"/> Dioxins | <input type="checkbox"/> Explosives | <input type="checkbox"/> Pyrophoric Waste | <input type="checkbox"/> Isocyanates |
| | | | <input type="checkbox"/> Furans | | |

Section 4 - Composition / Generating Process

- 4.1) Describe the physical composition of the waste (i.e., soil, water, PPE, debris, key chemical compounds, etc.)
- 4.2) Provide a detailed description of the process generating this waste. (attach flow diagram if available).
- Labpack of chemicals in abandoned Chemical plant Lab

Section 5 - Is This Hazardous Waste?

Please refer to Section 5 of the EQ Resource Guide for a list of waste codes.

As determined by 40 CFR, Part 261 and Michigan Act 451 Rules:

Please list applicable waste code(s):

- 5.1) Is this an EPA RCRA listed hazardous waste (F, K, P or U)? ☐ Yes ☒ No
Comments:
- 5.2) Is this an EPA RCRA characteristic hazardous waste (D001-D043)? ☐ Yes ☒ No
Comments:
- 5.3) Do any State Hazardous Waste Codes apply? ☐ Yes ☒ No
Comments:
- 5.4) Is this waste intended for wastewater treatment? ☐ Yes* ☒ No

If you answered "No" to questions 5.1, 5.2, and 5.3, please skip to Section 7.
If you answered "Yes" to question 5.4, please complete the WCR Addendum.

Section 6 - Hazardous Wastes

6.1) Does this waste exceed Land Disposal Restriction Levels?

6.1a) If this waste stream is greater than 50% soil, does it meet the alternative soil treatment standards of 40 CFR 268.49?

6.1b) Does this waste contain greater than 50% debris, by volume? (Debris is greater than 2.5 inches in size.)

6.2) Is the waste an oxidizer (D001)?

6.3) Does this waste contain reactive cyanide \geq 250 ppm (D003)?

6.4) Does this waste contain reactive sulfide \geq 500 ppm (D003)?

6.5) Please indicate which constituent concentrations are below or above the regulatory level. Please indicate the basis used in the determination. Either 'Below' or 'Above' **MUST** be checked for each constituent.

Based On: ☒ Generator Knowledge ☐ Analysis* ☐ MSDS*

*Please forward a copy. Analysis or MSDS are required for EQ Florida Non-hazardous wastes.

Code	Regulatory Level	TCLP (mg/l)		Concentration (if above)
D004	Arsenic	5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D005	Barium	100	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D006	Cadmium	1	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D007	Chromium	5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D008	Lead	5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D009	Mercury	0.2	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D010	Selenium	1	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D011	Silver	5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D012	Endrin	0.02	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D013	Lindane	0.4	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D014	Methoxychlor	10	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D015	Toxaphene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D016	2,4-D	10	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D017	2,4,5-TP (Silvex)	1	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D018	Benzene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D019	Carbon Tetrachloride	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D020	Chlordane	0.03	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D021	Chlorobenzene	100	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D022	Chloroform	6.0	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D023	o-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above	

Code	Regulatory Level	TCLP (mg/l)		Concentration (if above)
D024	m-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D025	p-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D026	Cresols	200	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D027	1,4-Dichlorobenzene	7.5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D028	1,2-Dichloroethane	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D029	1,1-Dichloroethylene	0.7	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D030	2,4-Dinitrotoluene	0.13	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D031	Heptachlor	0.008	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D032	Hexachlorobenzene	0.13	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D033	Hexachlorobutadiene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D034	Hexachloroethane	3.0	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D035	Methyl Ethyl Ketone	200	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D036	Nitrobenzene	2	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D037	Pentachlorophenol	100	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D038	Pyridine	5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D039	Tetrachloroethylene	0.7	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D040	Trichloroethylene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D041	2,4,5-Trichlorophenol	400	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D042	2,4,6-Trichlorophenol	2	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D043	Vinyl Chloride	0.2	<input checked="" type="radio"/> Below <input type="radio"/> Above	

6.6) If this is a characteristic hazardous waste, does it contain underlying hazardous constituents?

If you answered 'Yes', please list the constituents in Section 11.

☐ Yes ☒ No

Section 7 - Non-Hazardous Wastes

For a complete list of non-hazardous waste codes, please refer to Section 7 of the EQ Resource Guide.

Applicable waste code(s):

7.1) Is this a Michigan non-hazardous liquid industrial waste?

Comments:

☐ Yes ☒ No

7.2) Is this a Universal waste?

☐ Yes ☒ No

7.3) Is this a Recyclable Commodity? (e.g.: computer monitors, free mercury, etc.)

☐ Yes ☒ No

7.4) Is this waste a recoverable petroleum product?

☐ Yes ☒ No

7.5) Is this waste used oil as defined by 40 CFR Part 279?

☐ Yes ☒ No

Section 8 - TSCA Information

- 8.1) What is the concentration of PCBs in the waste? ☒ None ☐ 0-5 ppm ☐ 6-49 ppm
☐ 50-499 ppm ☐ 500+ ppm
- 8.2) Does the waste contain PCB contamination from a source with a concentration ≥ 50 ppm? ☐ Yes ☒ No
If you answered 'None' to 8.1 and 'No' to 8.2, please skip to Section 9.
- 8.3) Has this waste been processed into a non-liquid form? ☐ Yes ☐ No
If yes, what was the concentration of PCBs prior to processing? (ppm) ☐ N/A ☐ 0-499 ☐ 500+
- 8.4) Is the non-liquid PCB waste in the form of soil, rags, debris, or other contaminated media? ☐ Yes ☐ No
- 8.5) Are you a PCB capacitor manufacturer or a PCB equipment manufacturer? ☐ Yes ☐ No
- 8.6) Has the PCB Article (e.g., transformer, hydraulic machine, PCB-contaminated electrical equipment) been drained/flushed of all PCBs and decontaminated in accordance with 40 CFR 761.60(b)? ☐ N/A ☐ Yes ☐ No

Section 9 - Clean Air Act Information

- 9.1) Is this waste subject to regulation under 40 CFR, Part 63, Subpart DD or 40 CFR, Part 264, Subpart CC (RCRA)? ☐ Yes ☒ No
(Does the waste contain >500 ppm Volatile Organic Hazardous Air Pollutants - VOHAP's or Volatile Organic Compounds - VOC's?)
For a complete list of VOHAPs, please see Section 11 of the EQ Resource Guide.
- 9.2) Is this site, or waste, subject to any other MACT or NESHAP? ☐ Yes ☒ No
If yes, please specify:
- 9.3) Does this waste stream contain Benzene? ☐ Yes ☒ No
If you answered "No" to question 9.2, please skip to section 10.
- 9.4) Does the waste stream come from a facility with one of the SIC/NAICS codes listed under the Benzene NESHAP identified in 40 CFR 61, Subpart FF? ☐ Yes ☐ No
- 9.5) Is the generating source of this waste stream a facility with Total Annual Benzene (TAB) ≥ 10 Mg/year? ☐ Yes ☒ No
For assistance in calculating the TAB, please see the TAB Worksheet in Section 9 of the EQ Resource Guide.
If you answered "No" to question 9.3 and 9.4, please skip to Section 10.
- 9.6) Does the waste contain > 10% water? ☐ Yes ☐ No
- 9.7) What is the TAB quantity for your facility? _____ Mg/year
- 9.8) Does the waste contain >1.0 mg/kg total Benzene? ☐ Yes ☐ No
- 9.9) What is the total Benzene concentration in your waste? _____ (concentration) _____ (unit)

(Supporting analysis must be attached. Do not use TCLP analytical results. Acceptable laboratory methods include 8020, 8240, 8260, 602 and 624.)

**For a list of NAICS codes, please refer to section 9 of the EQ Resource Guide.*

Section 10 - Fuel Blending Information

- 10.1) Is this waste intended for fuel blending? ☐ Yes* ☒ No
If you answered 'Yes' to question 10.1, please enter the following:
- Heat value (BTU/lb.) _____
- Chlorine (%) _____
- Water (%) _____
- Solids (%) _____
- 10.2) Is this waste intended for reclamation? ☐ Yes ☒ No (5-Gallon Sample required for all reclaim waste streams)

Section 11 - Constituent Information

Please identify your waste constituents from these four categories: Underlying Hazardous Constituents (UHC's), Volatile Organic Hazardous Air Pollutants (VOHAP's), Volatile Organic Compounds (VOC's) and Toxic Release Inventory Constituents (TRI)


Constituent	Concentration	UHC?
-------------	---------------	------

Please see Section 11 of the EQ Resource Guide for a list of UHC's, VOHAP's and VOC's. For a complete list of TRI constituents, please refer to 40 CFR 372.65.

Section 12 - Certification

I certify that all information (including attachments) is complete and factual and is an accurate representation of the known and suspected hazards, pertaining to the waste described herein. I authorize EQ's Resource Team to add supplemental information to the waste approval file, provided I am contacted and give verbal permission. I authorize EQ's Resource Team to obtain a sample from any waste shipment for purposes of verification. Generator or on Generator's behalf shall be subject to, and Generator shall be bound by, the attached Standard Terms and Conditions. and confirmation. I agree that, if EQ approves the waste described herein, all such wastes that are transported, delivered, or tendered to EQ by

Comments:
logged in

Generator:  JERRY B. BANKS
Authorized Generator Signature Printed Generator Name

Company: MS Dept. of Environmental Quality Title: Chief, Groundwater Assessment Date: 11-13-07
The generator's signature MUST appear on the EQ Waste Characterization Report. If the generator has authorized a third party to certify this document, a written notice (on generator letterhead) must accompany this submittal. Although the EQ Resource Team is authorized to make certain modifications to the information provided on this form, the addition or removal of waste codes and waste constituents must be documented by the generator.

STANDARD TERMS AND CONDITIONS

The Agreement between the Customer and EQ - The Environmental Quality Company and/or its member companies (hereinafter "EQ") related to or associated with Delivered Waste, as herein defined, shall be governed by the following Standard Terms and Conditions in addition to the terms and conditions contained in any Waste Characterization Report, Customer Approval Quote Confirmation, Generator Approval Notification, Notice of Waste Approval Expiration, and/or Credit Agreement associated with such Delivered Waste.

The Customer may use its standard forms (such as purchase orders, acknowledgments of orders, and invoices) to administer its dealings under this Agreement for convenience purposes, but all provisions thereof in conflict with these terms and conditions shall be deemed stricken.

Definitions.

The following definitions shall apply for purposes of this Agreement:

"Acceptable Waste" shall mean any hazardous waste, as defined under applicable State or federal law, determined by EQ as acceptable for treatment and/or disposal in accordance with this Agreement.

"Delivered Wastes" shall mean all wastes (i) which are transported, delivered, or tendered to EQ by the Customer; (ii) which the Customer has arranged for the transport, delivery or tender to EQ; or (iii) which are transported, delivered, or tendered to EQ under a Credit Agreement between the Customer and EQ.

"Non-Conforming Wastes" shall mean wastes that (a) are not in accordance in all material respects with the warranties, descriptions, specifications or limitations stated in the Waste Characterization Report and this Agreement; (b) have constituents or components of a type or concentration not specifically identified in the Waste Characterization Report (i) which increase the nature or extent of the hazard and risk undertaken by EQ in treating and/or disposing of the waste, or (ii) for whose treatment and/or disposal a Waste Management Facility is not designed or permitted, or (iii) which increase the cost of treatment and/or disposal of waste beyond that specified in EQ's price quote; or (c) are not properly packaged, labeled, described, or placarded, or otherwise not in compliance with United States Department of Transportation and United States Environmental Protection Agency regulations.

Control of Operations.

EQ shall have sole control over all aspects of the operation of any treatment and/or disposal facility of EQ receiving Delivered Wastes under this Agreement (hereinafter, "Waste Management Facility"), including, without limitation, maintaining EQ's desired volume of Acceptable Wastes being delivered to any Waste Management Facility by the Customer or any other person or entity.

Identification of Waste.

For each waste material to be transported, delivered, or tendered to EQ under this Agreement, the Customer shall provide, or cause to be provided, to EQ a representative sample of the waste material and a completed Waste Characterization Report containing a physical and chemical description or analysis of such waste material, which description shall conform with any and all guidelines for waste acceptance provided by EQ. On the basis of EQ's analysis of such representative sample of the waste material and such Waste Characterization Report, EQ will determine whether such wastes are Acceptable Wastes. EQ does not make any guarantee that it will handle any waste material or any particular quantity or type of waste material, and EQ reserves the right to the decline to transport, treat and/or dispose of waste material. The Customer shall promptly furnish to EQ any information regarding known, suspected or planned changes in the composition of the waste material. Further, the Customer shall promptly inform EQ of any change in the characteristic or condition of the waste material which becomes known to the Customer subsequent to the date of the Waste Characterization Report.

Non-Conforming Wastes.

In the event that EQ at any time discovers that any Delivered Waste is Non-Conforming Waste, EQ may reject or revoke its acceptance of the Non-Conforming Waste. The Customer shall have seven (7) days to direct an alternative lawful manner of disposition of the waste, unless it is necessary by reason of law or otherwise to move the Non-Conforming Waste prior to expiration of the seven (7) day period. If the Customer does not direct an alternative disposal, at its option, EQ may return any such Non-Conforming Wastes to the Customer, and the Customer shall pay or reimburse EQ for all costs and expenses incurred by EQ in connection with the receipt, handling, sampling, analyses, transportation and return to the Customer of such Non-Conforming Wastes. If it is impossible or impractical for EQ to return the Non-Conforming Waste to the Customer, the Customer shall reimburse EQ for all costs, of any type or nature whatsoever, incurred by EQ, solely because such Delivered Waste was Non-Conforming Waste (including, but not limited to, all costs associated with any remedial steps necessary, due to the nature of the Non-Conforming Waste, in connection with material with which the Non-Conforming Waste may have been commingled and all expenses and charges for analyzing, handling, locating, preparing for transporting, storing and disposing of any Non-Conforming Waste).

Customer Warranty - Title to Wastes.

Either the Customer or the generator (if other than the Customer) shall hold clear title, free of any all liens, claims, encumbrances, and charges to Delivered Waste until such waste is accepted by EQ.

Customer Warranty - Acceptable Wastes.

All Delivered Wastes shall be Acceptable Wastes and shall conform in all material respects to the description and specifications contained in the Waste Characterization Report. The information set forth in the Waste Characterization Report or any manifest, placard or label associated with any Delivered Wastes, or otherwise represented by the Customer or the generator (if other than the Customer) to EQ, is and shall be true, accurate and complete as of the date of receipt of the involved waste by EQ.

Customer Warranty - Compliance with Laws.

The Customer shall comply with all applicable federal, state and local environmental statutes, regulations, and other governmental requirements, as well as directives issued by EQ from time to time, governing the transportation, treatment and/or disposal of Acceptable Wastes, including, but not limited to, all packaging, manifesting, containerization, placarding and labeling requirements.

Customer Warranty - Updating Information.

If the Customer receives information that Delivered Waste or other hazardous waste described in the Waste Characterization Report, or some component of such waste, presents or may present a hazard or risk to persons, property or the environment which was not disclosed to EQ, or if the Customer or generator (if other than the Customer) has changed the process by which such waste results, the Customer shall promptly report such information to EQ in writing.

Customer Indemnity.

The Customer shall indemnify, defend and hold harmless EQ, and its affiliated or related companies, and all of their respective present or future officers, directors, shareholders, employees and agents from and against any and all losses, damages, liabilities, penalties, fines, forfeitures, demands, claims, causes of action, suits, costs and expenses (including, but not limited to, reasonable costs of defense, settlement, and reasonable attorneys' fees), which may be asserted against any or all of them by any person or any governmental agency, or which any or all of them may hereafter suffer, incur, be responsible for or pay out, as a result of or in connection with bodily injuries (including, but not limited to, death, sickness, disease and emotional or mental distress) to any person (including EQ's employees), damage (including, but not limited to, loss of use) to any property (public or private), or any requirements to conduct or incur expense for investigative, removal or remedial expenses in connection with contamination of or adverse effect on the environment, or any violation or alleged violation of any statutes, ordinances, orders, rules or regulations of any governmental entity or agency, caused or arising out of (i) a breach of this Agreement by the Customer, (ii) the failure of any warranty of the Customer to be true, accurate and complete, or (iii) any willful or negligent act or omission of the Customer, or its employees or agents in connection with the performance of this Agreement.

Force Majeure.

EQ shall not be liable for any failure to accept, receive, handle, treat, and/or dispose of Delivered Waste due to an act of God, fire, casualty, flood, war, strike, lockout, labor trouble, failure of public utilities, equipment failure, facility shutdown, injunction, accident, epidemic, riot, insurrection, destruction of operation or transportation facilities, the inability to procure materials, equipment, or sufficient personnel or energy in order to meet operational needs without the necessity of allocation, the failure or inability to obtain any governmental approvals or to meet Environmental Requirements (including, but not limited to voluntary or involuntary compliance with any act, exercise, assertion, or requirement of any governmental authority) which may temporarily or permanently prohibit operations of EQ, the Customer, or the Generator, or any other circumstances beyond the control of EQ which prevents or delays performance of any of its obligations under this Agreement.

Governing Laws.

This Agreement shall in all respects be governed by and shall be construed in accordance with the laws of the State of Michigan applied to contracts executed and performed wholly within such state.

EQ - The Environmental Quality Company

Waste Characterization Report

☒ I authorize EQ - The Environmental Quality Company to choose the appropriate method of waste management, from the technologies offered, at the EQ facilities identified below.

<input type="checkbox"/> Michigan Disposal Waste Treatment Plant (Stabilization and Treatment)	49350 North I-94 Service Drive, Belleville, Michigan 48111 Phone: 1-800-592-5489 Fax: 1-800-592-5329	EPA ID #MID000724831
<input type="checkbox"/> Wayne Disposal, Inc. (Hazardous & PCB Waste Landfill)	49350 North I-94 Service Drive, Belleville, Michigan 48111 Phone: 1-800-592-5489 Fax: 1-800-592-5329	EPA ID #MID048090633
<input type="checkbox"/> EQ Detroit, Inc. (Stabilization, Wastewater Treatment)	1923 Frederick, Detroit, MI 48211 Phone: 1-800-495-6059 Fax: 1-313-923-3375	EPA ID #MID980991566
<input type="checkbox"/> EQ Resource Recovery, Inc. (Solvent Recycling, Fuel Blending, WW Treatment)	36345 Van Born Road, Romulus, Michigan 48174 Phone: (734) 727-5500 Fax: (734) 326-4033	EPA ID #MID060975844
<input type="checkbox"/> EQIS North Carolina (Stabilization, Treatment, Labpack Decommissioning)	1005 Investment Blvd., Apex, NC 27502 Phone: (919) 363-4700 Fax: (919) 363-4714	EPA ID #NCD982170292
<input type="checkbox"/> EQ Florida, Inc. (Drum Consolidation, Labpack Decommissioning)	7202 East Eighth Ave., Tampa, FL 33619 Phone: 1-800-624-5302 Fax: 1-813-628-0842	EPA ID #FLD981932494
<input type="checkbox"/> EQ Detroit Transfer and Processing (Drum Transfer/Universal Waste Handling)	2000 Ferry Street, Detroit, MI 48211 Phone: (313) 923-0080 Fax: (313) 922-8419	EPA ID #MIK939928313
<input type="checkbox"/> EQIS Indianapolis Transfer and Processing (Drum Transfer/Non-Hazardous Waste Processing)	4000 West 10th Street, Indianapolis, Indiana 46222 Phone: (317) 247-7160 Fax: (317) 247-7170	EPA ID #IND161049309
<input type="checkbox"/> EQIS Atlanta Transfer and Processing (Drum Transfer/Non-Hazardous Waste Processing)	5600 Fulton Industrial Blvd., Atlanta, Georgia 30336 Phone: (404) 494-3520 Fax: (404) 494-3560	EPA ID #GAR000039776
<input type="checkbox"/> EQ Augusta, Inc. (Wastewater Treatment)	3920 Goshen Industrial Blvd., Augusta, GA 30906 Phone: 706-771-9100 Fax: 706-771-9124	EPA ID #GAR000011817

Waste Common Name: Oxidizing Acid Liquid Labpack

Section 1 - Generator & Customer Info

SIC/NAICS:

EQ Customer No.: 10958

Generator EPA ID: MST-MP0-002-452

Generator: Mississippi DEQ
Address: 4280 Rifle Range Rd
City: Vicksburg
State: MS Zip: 39180
County: Warren

Mailing Address

Address: P.O. Box 20326
City: Jackson
State: MS Zip: 39289

Generator Contact

Name: Trey Hess / Jerry Banks
Title:
Phone: (601) 961-5221/601-961-5654
Fax: () -

Invoicing Company

Company: USES JACKSON
Address: 1075 MENDELL DAVIS DRIVE
City: JACKSON
State: MS Zip: 39212
Country: USA

Invoicing Contact

Name: Wanda Horton
Phone: (601) 372-3232
Fax: () -

Technical Contact

Name: J.T. Newman
Phone: (601) 372-3232
Fax: () -
Mobile: () - Pager: () -
E-mail: jnewman@usesgroup.com

*For a list of NAICS codes, please refer to Section 9 of the EQ Resource Guide.

Section 2 - Shipping & Packaging Info

- 2.1) Shipping Volume & Unit: 55 gallon Frequency: One Time Only
- 2.2) DOT Shipping Name: Oxidizing liquid, corrosive, n.o.s.
- 2.3) Is this waste surcharge exempt? ☐ Yes ☒ No (If you answered "Yes" to question 2.3, select the Surcharge Exemption reason.)

2.4) Packaging (check all that apply)

- ☐ Bulk Solid (yd ³ < 2000 lbs/yd ³) ☐ Bulk Solid (Ton > 2000 lbs./yd ³) ☐ Bulk Liquids (Gallon)
- ☐ Totes, Size ☐ Cubic Yard Boxes/Bags ☒ Drums, Size 55 gallon
- ☐ Other (palletized, 5 gal. Pail, etc.)

Quoted bulk disposal charges for solid materials will be billed by the cubic yard, if the waste density is less than 2,000lbs./cubic yard. If waste density is greater than 2,000 lbs./cubic yard, then bulk disposal charges will be billed by the ton, regardless of the approved container.

Section 3 - Physical Characteristics

- 3.1) Color: VARIES 3.2) Odor: none
- 3.3) Does this waste contain any "Potentially Odorous Constituents" as defined in the EQ Resource Guide? (Section 3) ☐ Yes ☒ No
- 3.4) Physical State at 70 °F: ☐ Solid ☐ Dust/Powder ☒ Liquid ☐ Sludge
- 3.5) What is the pH of this waste? ☒ ≤ 2 ☐ 2.1-4.9 ☐ 5-10 ☐ 10.1-12.4 ☐ ≥ 12.5
- 3.6) What is the flash point of this waste? ☐ <90 °F ☐ 90-139 °F ☐ 140-199 °F ☒ ≥ 200 °F
- 3.7) Does this waste contain? (check all that apply) ☒ None
- | | | | | | |
|---|---|--|---|---|--------------------------------------|
| <input type="checkbox"/> Biodegradable Sorbants | <input type="checkbox"/> Amines | <input type="checkbox"/> Ammonia | <input type="checkbox"/> Free Liquids | <input type="checkbox"/> Oily Residue | <input type="checkbox"/> Metal Fines |
| <input type="checkbox"/> Shock Sensitive Waste | <input type="checkbox"/> Reactive Waste | <input type="checkbox"/> Radioactive Waste | <input type="checkbox"/> Water Reactive | <input type="checkbox"/> Biohazard | <input type="checkbox"/> Aluminum |
| <input type="checkbox"/> Asbestos - non-friable | <input type="checkbox"/> Asbestos - friable | <input type="checkbox"/> Dioxins | <input type="checkbox"/> Explosives | <input type="checkbox"/> Pyrophoric Waste | <input type="checkbox"/> Isocyanates |
| | | | <input type="checkbox"/> Furans | | |

Section 4 - Composition / Generating Process

- 4.1) Describe the physical composition of the waste (i.e., soil, water, PPE, debris, key chemical compounds, etc.)
- 4.2) Provide a detailed description of the process generating this waste. (attach flow diagram if available).
- Labpack of chemicals in abandoned Chemical plant Lab

Section 5 - Is This Hazardous Waste?

Please refer to Section 5 of the EQ Resource Guide for a list of waste codes.

As determined by 40 CFR, Part 261 and Michigan Act 451 Rules:

Please list applicable waste code(s):

- 5.1) Is this an EPA RCRA listed hazardous waste (F, K, P or U)? ☐ Yes ☒ No
- Comments:
- 5.2) Is this an EPA RCRA characteristic hazardous waste (D001-D043)? ☒ Yes ☐ No
- Comments:
- 5.3) Do any State Hazardous Waste Codes apply? ☐ Yes ☒ No
- Comments:
- 5.4) Is this waste intended for wastewater treatment? ☐ Yes ☒ No

D001 D011

If you answered "No" to questions 5.1, 5.2, and 5.3, please skip to Section 7.
If you answered "Yes" to question 5.4, please complete the WCR Addendum.

Section 6 - Hazardous Wastes

6.1) Does this waste exceed Land Disposal Restriction Levels?

6.1a) If this waste stream is greater than 50% soil, does it meet the alternative soil treatment standards of 40 CFR 268.49?

6.1b) Does this waste contain greater than 50% debris, by volume? (Debris is greater than 2.5 inches in size.)

6.2) Is the waste an oxidizer (D001)?

6.3) Does this waste contain reactive cyanide ≥ 250 ppm (D003)?

6.4) Does this waste contain reactive sulfide ≥ 500 ppm (D003)?

6.5) Please indicate which constituent concentrations are below or above the regulatory level. Please indicate the basis used in the determination. Either 'Below' or 'Above' **MUST** be checked for each constituent.

Based On: ☒ Generator Knowledge ☐ Analysis* ☐ MSDS*

*Please forward a copy. Analysis or MSDS are required for EQ Florida Non-hazardous wastes.

Code	Regulatory Level	TCLP (mg/l)		Concentration (if above)
D004	Arsenic	5	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D005	Barium	100	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D006	Cadmium	1	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D007	Chromium	5	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D008	Lead	5	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D009	Mercury	0.2	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D010	Selenium	1	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D011	Silver	5	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D012	Endrin	0.02	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D013	Lindane	0.4	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D014	Methoxychlor	10	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D015	Toxaphene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D016	2,4-D	10	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D017	2,4,5-TP (Silvex)	1	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D018	Benzene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D019	Carbon Tetrachloride	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D020	Chlordane	0.03	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D021	Chlorobenzene	100	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D022	Chloroform	6.0	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D023	o-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____

Code	Regulatory Level	TCLP (mg/l)		Concentration (if above)
D024	m-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D025	p-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D026	Cresols	200	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D027	1,4-Dichlorobenzene	7.5	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D028	1,2-Dichloroethane	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D029	1,1-Dichloroethylene	0.7	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D030	2,4-Dinitrotoluene	0.13	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D031	Heptachlor	0.008	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D032	Hexachlorobenzene	0.13	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D033	Hexachlorobutadiene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D034	Hexachloroethane	3.0	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D035	Methyl Ethyl Ketone	200	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D036	Nitrobenzene	2	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D037	Pentachlorophenol	100	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D038	Pyridine	5	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D039	Tetrachloroethylene	0.7	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D040	Trichloroethylene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D041	2,4,5-Trichlorophenol	400	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D042	2,4,6-Trichlorophenol	2	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____
D043	Vinyl Chloride	0.2	<input checked="" type="radio"/> Below <input type="radio"/> Above	_____

6.6) If this is a characteristic hazardous waste, does it contain underlying hazardous constituents?

If you answered 'Yes', please list the constituents in Section 11.

☐ Yes ☒ No

Section 7 - Non-Hazardous Wastes

For a complete list of non-hazardous waste codes, please refer to Section 7 of the EQ Resource Guide.

Applicable waste code(s):

7.1) Is this a Michigan non-hazardous liquid industrial waste?

☐ Yes ☒ No

Comments:

7.2) Is this a Universal waste?

☐ Yes ☒ No

7.3) Is this a Recyclable Commodity? (e.g., computer monitors, free mercury, etc.)

☐ Yes ☒ No

7.4) Is this waste a recoverable petroleum product?

☐ Yes ☒ No

7.5) Is this waste used oil as defined by 40 CFR Part 279?

☐ Yes ☒ No

Section 8 - TSCA Information

8.1) What is the concentration of PCBs in the waste?

- ☒ None ☐ 0-5 ppm ☐ 6-49 ppm
☐ 50-499 ppm ☐ 500+ ppm

8.2) Does the waste contain PCB contamination from a source with a concentration ≥ 50 ppm?

- ☐ Yes ☒ No

If you answered 'None' to 8.1 and 'No' to 8.2, please skip to Section 9.

8.3) Has this waste been processed into a non-liquid form?

- ☐ Yes ☐ No

If yes, what was the concentration of PCBs prior to processing? (ppm)

- ☐ N/A ☐ 0-499 ☐ 500+

8.4) Is the non-liquid PCB waste in the form of soil, rags, debris, or other contaminated media?

- ☐ Yes ☐ No

8.5) Are you a PCB capacitor manufacturer or a PCB equipment manufacturer?

- ☐ Yes ☐ No

8.6) Has the PCB Article (e.g., transformer, hydraulic machine, PCB-contaminated electrical equipment) been drained/flushed of all PCBs and decontaminated in accordance with 40 CFR 761.60(b)?

- ☐ N/A ☐ Yes ☐ No

Section 9 - Clean Air Act Information

9.1) Is this waste subject to regulation under 40 CFR, Part 63, Subpart DD or 40 CFR, Part 264, Subpart CC (RCRA)?

- ☐ Yes ☒ No

(Does the waste contain >500 ppm Volatile Organic Hazardous Air Pollutants - VOHAP's or Volatile Organic Compounds - VOC's?)

For a complete list of VOHAPs, please see Section 11 of the EQ Resource Guide.

9.2) Is this site, or waste, subject to any other MACT or NESHAP?

- ☐ Yes ☒ No

If yes, please specify:

9.3) Does this waste stream contain Benzene?

- ☐ Yes ☒ No

If you answered "No" to question 9.2, please skip to section 10.

9.4) Does the waste stream come from a facility with one of the SIC/NAICS codes listed under the Benzene NESHAP identified in 40 CFR 61, Subpart FF?

- ☐ Yes ☐ No

9.5) Is the generating source of this waste stream a facility with Total Annual Benzene (TAB) ≥ 10 Mg/year?

- ☐ Yes ☒ No

For assistance in calculating the TAB, please see the TAB Worksheet in Section 9 of the EQ Resource Guide.

If you answered "No" to question 9.3 and 9.4, please skip to Section 10.

9.6) Does the waste contain > 10% water?

- ☐ Yes ☐ No

9.7) What is the TAB quantity for your facility?

Mg/year

9.8) Does the waste contain >1.0 mg/kg total Benzene?

- ☐ Yes ☐ No

9.9) What is the total Benzene concentration in your waste?

(concentration)

(unit)

(Supporting analysis must be attached. Do not use TCLP analytical results. Acceptable laboratory methods include 8020, 8240, 8260, 602 and 624.)

**For a list of NAICS codes, please refer to section 9 of the EQ Resource Guide.*

Section 10 - Fuel Blending Information

10.1) Is this waste intended for fuel blending?

- ☐ Yes* ☒ No

If you answered 'Yes' to question 10.1, please enter the following:

Heat value (BTU/lb.)

Chlorine (%)

Water (%)

Solids (%)

10.2) Is this waste intended for reclamation?

- ☐ Yes ☒ No

(5-Gallon Sample required for all reclaim waste streams)

Section 11 - Constituent Information

Please identify your waste constituents from these four categories: Underlying Hazardous Constituents (UHC's), Volatile Organic Hazardous Air Pollutants (VOHAP's), Volatile Organic Compounds (VOC's) and Toxic Release Inventory Constituents (TRI)

Constituent

Concentration


UHC?

Please see Section 11 of the EQ Resource Guide for a list of UHC's, VOHAP's and VOC's. For a complete list of TRI constituents, please refer to 40 CFR 372.65.

Section 12 - Certification

I certify that all information (including attachments) is complete and factual and is an accurate representation of the known and suspected hazards, pertaining to the waste described herein. I authorize EQ's Resource Team to add supplemental information to the waste approval file, provided I am contacted and give verbal permission. I authorize EQ's Resource Team to obtain a sample from any waste shipment for purposes of verification. Generator or on Generator's behalf shall be subject to, and Generator shall be bound by, the attached Standard Terms and Conditions, and confirmation. I agree that, if EQ approves the waste described herein, all such wastes that are transported, delivered, or tendered to EQ by

Comments:
logged in

Generator:  JERRY B. BANKS
Authorized Generator Signature Printed Generator Name
Company: M/S Dept. of Environmental Quality Title: Chief Groundwater Assessment Date: 11-13-07

The generator's signature MUST appear on the EQ Waste Characterization Report. If the generator has authorized a third party to certify this document, a written notice (on generator letterhead) must accompany this submittal. Although the EQ Resource Team is authorized to make certain modifications to the information provided on this form, the addition or removal of waste codes and waste constituents must be documented by the generator.

STANDARD TERMS AND CONDITIONS

The Agreement between the Customer and EQ - The Environmental Quality Company and/or its member companies (hereinafter "EQ") related to or associated with Delivered Waste, as herein defined, shall be governed by the following Standard Terms and Conditions in addition to the terms and conditions contained in any Waste Characterization Report, Customer Approval Quote Confirmation, Generator Approval Notification, Notice of Waste Approval Expiration, and/or Credit Agreement associated with such Delivered Waste.

The Customer may use its standard forms (such as purchase orders, acknowledgments of orders, and invoices) to administer its dealings under this Agreement for convenience purposes, but all provisions thereof in conflict with these terms and conditions shall be deemed stricken.

Definitions.

The following definitions shall apply for purposes of this Agreement:

"Acceptable Waste" shall mean any hazardous waste, as defined under applicable State or federal law, determined by EQ as acceptable for treatment and/or disposal in accordance with this Agreement.

"Delivered Wastes" shall mean all wastes (i) which are transported, delivered, or tendered to EQ by the Customer, (ii) which the Customer has arranged for the transport, delivery or tender to EQ; or (iii) which are transported, delivered, or tendered to EQ under a Credit Agreement between the Customer and EQ.

"Non-Conforming Wastes" shall mean wastes that (a) are not in accordance in all material respects with the warranties, descriptions, specifications or limitations stated in the Waste Characterization Report and this Agreement; (b) have constituents or components of a type or concentration not specifically identified in the Waste Characterization Report (i) which increase the nature or extent of the hazard and risk undertaken by EQ in treating and/or disposing of the waste, or (ii) for whose treatment and/or disposal a Waste Management Facility is not designed or permitted, or (iii) which increase the cost of treatment and/or disposal of waste beyond that specified in EQ's price quote; or (c) are not properly packaged, labeled, described, or placarded, or otherwise not in compliance with United States Department of Transportation and United States Environmental Protection Agency regulations.

Control of Operations.

EQ shall have sole control over all aspects of the operation of any treatment and/or disposal facility of EQ receiving Delivered Wastes under this Agreement (hereinafter, "Waste Management Facility"), including, without limitation, maintaining EQ's desired volume of Acceptable Wastes being delivered to any Waste Management Facility by the Customer or any other person or entity.

Identification of Waste.

For each waste material to be transported, delivered, or tendered to EQ under this Agreement, the Customer shall provide, or cause to be provided, to EQ a representative sample of the waste material and a completed Waste Characterization Report containing a physical and chemical description or analysis of such waste material, which description shall conform with any and all guidelines for waste acceptance provided by EQ. On the basis of EQ's analysis of such representative sample of the waste material and such Waste Characterization Report, EQ will determine whether such wastes are Acceptable Wastes. EQ does not make any guarantee that it will handle any waste material or any particular quantity or type of waste material, and EQ reserves the right to the decline to transport, treat and/or dispose of waste material. The Customer shall promptly furnish to EQ any information regarding known, suspected or planned changes in the composition of the waste material. Further, the Customer shall promptly inform EQ of any change in the characteristic or condition of the waste material which becomes known to the Customer subsequent to the date of the Waste Characterization Report.

Non-Conforming Wastes.

In the event that EQ at any time discovers that any Delivered Waste is Non-Conforming Waste, EQ may reject or revoke its acceptance of the Non-Conforming Waste. The Customer shall have seven (7) days to direct an alternative lawful manner of disposition of the waste, unless it is necessary by reason of law or otherwise to move the Non-Conforming Waste prior to expiration of the seven (7) day period. If the Customer does not direct an alternative disposal, at its option, EQ may return any such Non-Conforming Wastes to the Customer, and the Customer shall pay or reimburse EQ for all costs and expenses incurred by EQ in connection with the receipt, handling, sampling, analyses, transportation and return to the Customer of such Non-Conforming Wastes. If it is impossible or impractical for EQ to return the Non-Conforming Waste to the Customer, the Customer shall reimburse EQ for all costs, of any type or nature whatsoever, incurred by EQ, solely because such Delivered Waste was Non-Conforming Waste (including, but not limited to, all costs associated with any remedial steps necessary, due to the nature of the Non-Conforming Waste, in connection with material with which the Non-Conforming Waste may have been commingled and all expenses and charges for analyzing, handling, locating, preparing for transporting, storing and disposing of any Non-Conforming Waste).

Customer Warranty - Title to Wastes.

Either the Customer or the generator (if other than the Customer) shall hold clear title, free of any all liens, claims, encumbrances, and charges to Delivered Waste until such waste is accepted by EQ.

Customer Warranty - Acceptable Wastes.

All Delivered Wastes shall be Acceptable Wastes and shall conform in all material respects to the description and specifications contained in the Waste Characterization Report. The information set forth in the Waste Characterization Report or any manifest, placard or label associated with any Delivered Wastes, or otherwise represented by the Customer or the generator (if other than the Customer) to EQ, is and shall be true, accurate and complete as of the date of receipt of the involved waste by EQ.

Customer Warranty - Compliance with Laws.

The Customer shall comply with all applicable federal, state and local environmental statutes, regulations, and other governmental requirements, as well as directives issued by EQ from time to time, governing the transportation, treatment and/or disposal of Acceptable Wastes, including, but not limited to, all packaging, manifesting, containerization, placarding and labeling requirements.

Customer Warranty - Updating Information.

If the Customer receives information that Delivered Waste or other hazardous waste described in the Waste Characterization Report, or some component of such waste, presents or may present a hazard or risk to persons, property or the environment which was not disclosed to EQ, or if the Customer or generator (if other than the Customer) has changed the process by which such waste results, the Customer shall promptly report such information to EQ in writing.

Customer Indemnity.

The Customer shall indemnify, defend and hold harmless EQ, and its affiliated or related companies, and all of their respective present or future officers, directors, shareholders, employees and agents from and against any and all losses, damages, liabilities, penalties, fines, forfeitures, demands, claims, causes of action, suits, costs and expenses (including, but not limited to, reasonable costs of defense, settlement, and reasonable attorneys' fees), which may be asserted against any or all of them by any person or any governmental agency, or which any or all of them may hereafter suffer, incur, be responsible for or pay out, as a result of or in connection with bodily injuries (including, but not limited to, death, sickness, disease and emotional or mental distress) to any person (including EQ's employees), damage (including, but not limited to, loss of use) to any property (public or private), or any requirements to conduct or incur expense for investigative, removal or remedial expenses in connection with contamination of or adverse effect on the environment, or any violation or alleged violation of any statutes, ordinances, orders, rules or regulations of any governmental entity or agency, caused or arising out of (i) a breach of this Agreement by the Customer, (ii) the failure of any warranty of the Customer to be true, accurate and complete; or (iii) any willful or negligent act or omission of the Customer, or its employees or agents in connection with the performance of this Agreement.

Force Majeure.

EQ shall not be liable for any failure to accept, receive, handle, treat, and/or dispose of Delivered Waste due to an act of God, fire, casualty, flood, war, strike, lockout, labor trouble, failure of public utilities, equipment failure, facility shutdown, injunction, accident, epidemic, riot, insurrection, destruction of operation or transportation facilities, the inability to procure materials, equipment, or sufficient personnel or energy in order to meet operational needs without the necessity of allocation, the failure or inability to obtain any governmental approvals or to meet Environmental Requirements (including, but not limited to voluntary or involuntary compliance with any act, exercise, assertion, or requirement of any governmental authority) which may temporarily or permanently prohibit operations of EQ, the Customer, or the Generator, or any other circumstances beyond the control of EQ which prevents or delays performance of any of its obligations under this Agreement.

Governing Laws.

This Agreement shall in all respects be governed by and shall be construed in accordance with the laws of the State of Michigan applied to contracts executed and performed wholly within such state.

EQ - The Environmental Quality Company

Waste Characterization Report

☒ I authorize EQ - The Environmental Quality Company to choose the appropriate method of waste management, from the technologies offered, at the EQ facilities identified below.

<input type="checkbox"/> Michigan Disposal Waste Treatment Plant (Stabilization and Treatment)	49350 North I-94 Service Drive, Belleville, Michigan 48111 Phone: 1-800-592-5489 Fax: 1-800-592-5329	EPA ID #MID000724831
<input type="checkbox"/> Wayne Disposal, Inc. (Hazardous & PCB Waste Landfill)	49350 North I-94 Service Drive, Belleville, Michigan 48111 Phone: 1-800-592-5489 Fax: 1-800-592-5329	EPA ID #MID048090633
<input type="checkbox"/> EQ Detroit, Inc. (Stabilization, Wastewater Treatment)	1923 Frederick, Detroit, MI 48211 Phone: 1-800-495-6059 Fax: 1-313-923-3375	EPA ID #MID980991566
<input type="checkbox"/> EQ Resource Recovery, Inc. (Solvent Recycling, Fuel Blending, WW Treatment)	36345 Van Born Road, Romulus, Michigan 48174 Phone: (734) 727-5500 Fax: (734) 326-4033	EPA ID #MID060975844
<input type="checkbox"/> EQIS North Carolina (Stabilization, Treatment, Labpack Decommissioning)	1005 Investment Blvd., Apex, NC 27502 Phone: (919) 363-4700 Fax: (919) 363-4714	EPA ID #NCD982170292
<input type="checkbox"/> EQ Florida, Inc. (Drum Consolidation, Labpack Decommissioning)	7202 East Eighth Ave., Tampa, FL 33619 Phone: 1-800-624-5302 Fax: 1-813-628-0842	EPA ID #FLD981932494
<input type="checkbox"/> EQ Detroit Transfer and Processing (Drum Transfer/Universal Waste Handling)	2000 Ferry Street, Detroit, MI 48211 Phone: (313) 923-0080 Fax: (313) 922-8419	EPA ID #MIK939928313
<input type="checkbox"/> EQIS Indianapolis Transfer and Processing (Drum Transfer/Non-Hazardous Waste Processing)	4000 West 10th Street, Indianapolis, Indiana 46222 Phone: (317) 247-7160 Fax: (317) 247-7170	EPA ID #IND161049309
<input type="checkbox"/> EQIS Atlanta Transfer and Processing (Drum Transfer/Non-Hazardous Waste Processing)	5600 Fulton Industrial Blvd., Atlanta, Georgia 30336 Phone: (404) 494-3520 Fax: (404) 494-3560	EPA ID #GAR000039776
<input type="checkbox"/> EQ Augusta, Inc. (Wastewater Treatment)	3920 Goshen Industrial Blvd., Augusta, GA 30906 Phone: 706-771-9100 Fax: 706-771-9124	EPA ID #GAR000011817

Waste Common Name: Oxidizing liquid Labpack

Section 1 - Generator & Customer Info

SIC/NAICS*:

Generator EPA ID: MST-MP0-002-452

EQ Customer No.: 10958

Generator: Mississippi DEQ
Address: 4280 Rifle Range Rd
City: Vicksburg
State: MS Zip: 39180
County: Warren

Mailing Address

Address: P.O Box 20326
City: Jackson
State: MS Zip: 39289

Generator Contact

Name: Trey Hess / Jerry Banks
Title:
Phone: (601) 961-52216019615654
Fax: () -

Invoicing Company

Company: USES JACKSON
Address: 1075 MENDELL DAVIS DRIVE
City: JACKSON
State: MS Zip: 39212
Country: USA

Invoicing Contact

Name: Wanda Horton
Phone: (601) 372-3232
Fax: () -

Technical Contact

Name: J.T. Newman
Phone: (601) 372-3232
Fax: () -
Mobile: () - Pager: () -
E-mail: jnewman@usesgroup.com

*For a list of NAICS codes, please refer to Section 9 of the EQ Resource Guide.

Section 2 - Shipping & Packaging Info

- 2.1) Shipping Volume & Unit: 55 gallon Frequency: One Time Only
2.2) DOT Shipping Name: Oxidizing liquid, corrosive, n.o.s.
2.3) Is this waste surcharge exempt? ☐ Yes ☒ No (If you answered "Yes" to question 2.3, select the Surcharge Exemption reason.)

2.4) Packaging (check all that apply)

- ☐ Bulk Solid (yd ³ < 2000 lbs/yd ³) ☐ Bulk Solid (Ton > 2000 lbs/yd ³) ☐ Bulk Liquids (Gallon)
☐ Totes, Size ☐ Cubic Yard Boxes/Bags ☒ Drums, Size 55 gallon
☐ Other (palletized, 5 gal. Pail, etc.)

Quoted bulk disposal charges for solid materials will be billed by the cubic yard, if the waste density is less than 2,000lbs./cubic yard. If waste density is greater than 2,000 lbs./cubic yard, then bulk disposal charges will be billed by the ton, regardless of the approved container.

Section 3 - Physical Characteristics

- 3.1) Color: VARIES 3.2) Odor: none
3.3) Does this waste contain any "Potentially Odorous Constituents" as defined in the EQ Resource Guide? (Section 3) ☐ Yes ☒ No
3.4) Physical State at 70 °F: ☐ Solid ☐ Dust/Powder ☒ Liquid ☐ Sludge
3.5) What is the pH of this waste? ☐ ≤ 2 ☐ 2.1-4.9 ☒ 5-10 ☒ 10.1-12.4 ☒ ≥ 12.5
3.6) What is the flash point of this waste? ☐ <90 °F ☐ 90-139 °F ☐ 140-199 °F ☒ ≥ 200 °F
3.7) Does this waste contain? (check all that apply) ☒ None
☐ Biodegradable Sorbants ☐ Amines ☐ Ammonia ☐ Free Liquids ☐ Oily Residue ☐ Metal Fines
☐ Shock Sensitive Waste ☐ Reactive Waste ☐ Radioactive Waste ☐ Water Reactive ☐ Biohazard ☐ Aluminum
☐ Asbestos - non-friable ☐ Asbestos - friable ☐ Dioxins ☐ Explosives ☐ Pyrophoric Waste ☐ Isocyanates
☐ Furans

Section 4 - Composition / Generating Process

- 4.1) Describe the physical composition of the waste (i.e., soil, water, PPE, debris, key chemical compounds, etc.)
4.2) Provide a detailed description of the process generating this waste. (attach flow diagram if available).
Labpack of chemicals in abandoned Chemical plant Lab

Section 5 - Is This Hazardous Waste?

Please refer to Section 5 of the EQ Resource Guide for a list of waste codes.

As determined by 40 CFR, Part 261 and Michigan Act 451 Rules:

Please list applicable waste code(s):

- 5.1) Is this an EPA RCRA listed hazardous waste (F, K, P or U)? ☐ Yes ☒ No
Comments:
5.2) Is this an EPA RCRA characteristic hazardous waste (D001-D043)? ☒ Yes ☐ No
Comments:
5.3) Do any State Hazardous Waste Codes apply? ☐ Yes ☒ No
Comments:
5.4) Is this waste intended for wastewater treatment? ☐ Yes* ☒ No

D001 D011

If you answered "No" to questions 5.1, 5.2, and 5.3, please skip to Section 7.
If you answered "Yes" to question 5.4, please complete the WCR Addendum.

Section 6 - Hazardous Wastes

6.1) Does this waste exceed Land Disposal Restriction Levels?

☒ Yes ☐ No

6.1a) If this waste stream is greater than 50% soil, does it meet the alternative soil treatment standards of 40 CFR 268.49?

☐ Yes ☒ No

6.1b) Does this waste contain greater than 50% debris, by volume? (Debris is greater than 2.5 inches in size.)

☐ Yes ☒ No

6.2) Is the waste an oxidizer (D001)?

☒ Yes ☐ No

6.3) Does this waste contain reactive cyanide \geq 250 ppm (D003)?

☐ Yes ☒ No

6.4) Does this waste contain reactive sulfide \geq 500 ppm (D003)?

☐ Yes ☒ No

6.5) Please indicate which constituent concentrations are below or above the regulatory level. Please indicate the basis used in the determination. Either 'Below' or 'Above' **MUST** be checked for each constituent.

Based On: ☒ Generator Knowledge ☐ Analysis* ☐ MSDS*

*Please forward a copy. Analysis or MSDS are required for EQ Florida Non-hazardous wastes.

Code	Regulatory Level	TCLP (mg/l)		Concentration (if above)
D004	Arsenic	5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D005	Barium	100	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D006	Cadmium	1	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D007	Chromium	5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D008	Lead	5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D009	Mercury	0.2	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D010	Selenium	1	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D011	Silver	5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D012	Endrin	0.02	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D013	Lindane	0.4	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D014	Methoxychlor	10	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D015	Toxaphene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D016	2,4-D	10	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D017	2,4,5-TP (Silvex)	1	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D018	Benzene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D019	Carbon Tetrachloride	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D020	Chlordane	0.03	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D021	Chlorobenzene	100	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D022	Chloroform	6.0	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D023	o-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above	

Code	Regulatory Level	TCLP (mg/l)		Concentration (if above)
D024	m-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D025	p-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D026	Cresols	200	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D027	1,4-Dichlorobenzene	7.5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D028	1,2-Dichloroethane	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D029	1,1-Dichloroethylene	0.7	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D030	2,4-Dinitrotoluene	0.13	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D031	Heptachlor	0.008	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D032	Hexachlorobenzene	0.13	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D033	Hexachlorobutadiene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D034	Hexachloroethane	3.0	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D035	Methyl Ethyl Ketone	200	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D036	Nitrobenzene	2	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D037	Pentachlorophenol	100	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D038	Pyridine	5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D039	Tetrachloroethylene	0.7	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D040	Trichloroethylene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D041	2,4,5-Trichlorophenol	400	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D042	2,4,6-Trichlorophenol	2	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D043	Vinyl Chloride	0.2	<input checked="" type="radio"/> Below <input type="radio"/> Above	

6.6) If this is a characteristic hazardous waste, does it contain underlying hazardous constituents?

☐ Yes ☒ No

If you answered 'Yes', please list the constituents in Section 11.

Section 7 - Non-Hazardous Wastes

For a complete list of non-hazardous waste codes, please refer to Section 7 of the EQ Resource Guide.

Applicable waste code(s):

7.1) Is this a Michigan non-hazardous liquid industrial waste?

☐ Yes ☒ No

Comments:

7.2) Is this a Universal waste?

☐ Yes ☒ No

7.3) Is this a Recyclable Commodity? (e.g.: computer monitors, free mercury, etc.)

☐ Yes ☒ No

7.4) Is this waste a recoverable petroleum product?

☐ Yes ☒ No

7.5) Is this waste used oil as defined by 40 CFR Part 279?

☐ Yes ☒ No

Section 8 - TSCA Information

- 8.1) What is the concentration of PCBs in the waste? ☒ None ☐ 0-5 ppm ☐ 6-49 ppm
☐ 50-499 ppm ☐ 500+ ppm
- 8.2) Does the waste contain PCB contamination from a source with a concentration ≥ 50 ppm? ☐ Yes ☒ No
If you answered 'None' to 8.1 and 'No' to 8.2, please skip to Section 9.
- 8.3) Has this waste been processed into a non-liquid form? ☐ Yes ☐ No
If yes, what was the concentration of PCBs prior to processing? (ppm) ☐ N/A ☐ 0-499 ☐ 500+
- 8.4) Is the non-liquid PCB waste in the form of soil, rags, debris, or other contaminated media? ☐ Yes ☐ No
- 8.5) Are you a PCB capacitor manufacturer or a PCB equipment manufacturer? ☐ Yes ☐ No
- 8.6) Has the PCB Article (e.g., transformer, hydraulic machine, PCB-contaminated electrical equipment) been drained/flushed of all PCBs and decontaminated in accordance with 40 CFR 761.60(b)? ☐ N/A ☐ Yes ☐ No

Section 9 - Clean Air Act Information

- 9.1) Is this waste subject to regulation under 40 CFR, Part 63, Subpart DD or 40 CFR, Part 264, Subpart CC (RCRA)? ☐ Yes ☒ No
(Does the waste contain >500 ppm Volatile Organic Hazardous Air Pollutants - VOHAP's or Volatile Organic Compounds - VOC's?)
For a complete list of VOHAPs, please see Section 11 of the EQ Resource Guide.
- 9.2) Is this site, or waste, subject to any other MACT or NESHAP? ☐ Yes ☒ No
If yes, please specify:
- 9.3) Does this waste stream contain Benzene? ☐ Yes ☒ No
If you answered "No" to question 9.2, please skip to section 10.
- 9.4) Does the waste stream come from a facility with one of the SIC/NAICS codes listed under the Benzene NESHAP identified in 40 CFR 61, Subpart FF? ☐ Yes ☐ No
- 9.5) Is the generating source of this waste stream a facility with Total Annual Benzene (TAB) ≥ 10 Mg/year? ☐ Yes ☒ No
For assistance in calculating the TAB, please see the TAB Worksheet in Section 9 of the EQ Resource Guide.
If you answered "No" to question 9.3 and 9.4, please skip to Section 10.
- 9.6) Does the waste contain > 10% water? ☐ Yes ☐ No
- 9.7) What is the TAB quantity for your facility? _____ Mg/year
- 9.8) Does the waste contain >1.0 mg/kg total Benzene? ☐ Yes ☐ No
- 9.9) What is the total Benzene concentration in your waste? _____ (concentration) _____ (unit)

(Supporting analysis must be attached. Do not use TCLP analytical results. Acceptable laboratory methods include 8020, 8240, 8260, 602 and 624.)

**For a list of NAICS codes, please refer to section 9 of the EQ Resource Guide.*

Section 10 - Fuel Blending Information

- 10.1) Is this waste intended for fuel blending? ☐ Yes* ☒ No
If you answered 'Yes' to question 10.1, please enter the following:
- Heat value (BTU/lb.) _____
- Chlorine (%) _____
- Water (%) _____
- Solids (%) _____
- 10.2) Is this waste intended for reclamation? ☐ Yes ☒ No (5-Gallon Sample required for all reclaim waste streams)

Section 11 - Constituent Information

Please identify your waste constituents from these four categories: Underlying Hazardous Constituents (UHC's), Volatile Organic Hazardous Air Pollutants (VOHAP's), Volatile Organic Compounds (VOC's) and Toxic Release Inventory Constituents (TRI)


Constituent	Concentration	UHC?
-------------	---------------	------

Please see Section 11 of the EQ Resource Guide for a list of UHC's, VOHAP's and VOC's. For a complete list of TRI constituents, please refer to 40 CFR 372.65.

Section 12 - Certification

I certify that all information (including attachments) is complete and factual and is an accurate representation of the known and suspected hazards, pertaining to the waste described herein. I authorize EQ's Resource Team to add supplemental information to the waste approval file, provided I am contacted and give verbal permission. I authorize EQ's Resource Team to obtain a sample from any waste shipment for purposes of verification. Generator or on Generator's behalf shall be subject to, and Generator shall be bound by, the attached Standard Terms and Conditions and confirmation. I agree that, if EQ approves the waste described herein, all such wastes that are transported, delivered, or tendered to EQ by

Comments:
logged in

Generator:  JERRY B. BANKS
Authorized Generator Signature Printed Generator Name

Company: MS Dept. of Environmental Quality Title: Chief, Groundwater Assessment Date: 11-13-07
The generator's signature MUST appear on the EQ Waste Characterization Report. If the generator has authorized a third party to certify this document, a written notice (on generator letterhead) must accompany this submittal. Although the EQ Resource Team is authorized to make certain modifications to the information provided on this form, the addition or removal of waste codes and waste constituents must be documented by the generator.

STANDARD TERMS AND CONDITIONS

The Agreement between the Customer and EQ - The Environmental Quality Company and/or its member companies (hereinafter "EQ") related to or associated with Delivered Waste, as herein defined, shall be governed by the following Standard Terms and Conditions in addition to the terms and conditions contained in any Waste Characterization Report, Customer Approval Quote Confirmation, Generator Approval Notification, Notice of Waste Approval Expiration, and/or Credit Agreement associated with such Delivered Waste.

The Customer may use its standard forms (such as purchase orders, acknowledgments of orders, and invoices) to administer its dealings under this Agreement for convenience purposes, but all provisions thereof in conflict with these terms and conditions shall be deemed stricken.

Definitions.

The following definitions shall apply for purposes of this Agreement:

"Acceptable Waste" shall mean any hazardous waste, as defined under applicable State or federal law, determined by EQ as acceptable for treatment and/or disposal in accordance with this Agreement.

"Delivered Wastes" shall mean all wastes (i) which are transported, delivered, or tendered to EQ by the Customer; (ii) which the Customer has arranged for the transport, delivery or tender to EQ; or (iii) which are transported, delivered, or tendered to EQ under a Credit Agreement between the Customer and EQ.

"Non-Conforming Wastes" shall mean wastes that (a) are not in accordance in all material respects with the warranties, descriptions, specifications or limitations stated in the Waste Characterization Report and this Agreement; (b) have constituents or components of a type or concentration not specifically identified in the Waste Characterization Report (i) which increase the nature or extent of the hazard and risk undertaken by EQ in treating and/or disposing of the waste, or (ii) for whose treatment and/or disposal a Waste Management Facility is not designed or permitted, or (iii) which increase the cost of treatment and/or disposal of waste beyond that specified in EQ's price quote; or (c) are not properly packaged, labeled, described, or placarded, or otherwise not in compliance with United States Department of Transportation and United States Environmental Protection Agency regulations.

Control of Operations.

EQ shall have sole control over all aspects of the operation of any treatment and/or disposal facility of EQ receiving Delivered Wastes under this Agreement (hereinafter, "Waste Management Facility"), including, without limitation, maintaining EQ's desired volume of Acceptable Wastes being delivered to any Waste Management Facility by the Customer or any other person or entity.

Identification of Waste.

For each waste material to be transported, delivered, or tendered to EQ under this Agreement, the Customer shall provide, or cause to be provided, to EQ a representative sample of the waste material and a completed Waste Characterization Report containing a physical and chemical description or analysis of such waste material, which description shall conform with any and all guidelines for waste acceptance provided by EQ. On the basis of EQ's analysis of such representative sample of the waste material and such Waste Characterization Report, EQ will determine whether such wastes are Acceptable Wastes. EQ does not make any guarantee that it will handle any waste material or any particular quantity or type of waste material, and EQ reserves the right to the decline to transport, treat and/or dispose of waste material. The Customer shall promptly furnish to EQ any information regarding known, suspected or planned changes in the composition of the waste material. Further, the Customer shall promptly inform EQ of any change in the characteristic or condition of the waste material which becomes known to the Customer subsequent to the date of the Waste Characterization Report.

Non-Conforming Wastes.

In the event that EQ at any time discovers that any Delivered Waste is Non-Conforming Waste, EQ may reject or revoke its acceptance of the Non-Conforming Waste. The Customer shall have seven (7) days to direct an alternative lawful manner of disposition of the waste, unless it is necessary by reason of law or otherwise to move the Non-Conforming Waste prior to expiration of the seven (7) day period. If the Customer does not direct an alternative disposal, at its option, EQ may return any such Non-Conforming Wastes to the Customer, and the Customer shall pay or reimburse EQ for all costs and expenses incurred by EQ in connection with the receipt, handling, sampling, analyses, transportation and return to the Customer of such Non-Conforming Wastes. If it is impossible or impractical for EQ to return the Non-Conforming Waste to the Customer, the Customer shall reimburse EQ for all costs, of any type or nature whatsoever, incurred by EQ, solely because such Delivered Waste was Non-Conforming Waste (including, but not limited to, all costs associated with any remedial steps necessary, due to the nature of the Non-Conforming Waste, in connection with material with which the Non-Conforming Waste may have been commingled and all expenses and charges for analyzing, handling, locating, preparing for transporting, storing and disposing of any Non-Conforming Waste).

Customer Warranty - Title to Wastes.

Either the Customer or the generator (if other than the Customer) shall hold clear title, free of any all liens, claims, encumbrances, and charges to Delivered Waste until such waste is accepted by EQ.

Customer Warranty - Acceptable Wastes.

All Delivered Wastes shall be Acceptable Wastes and shall conform in all material respects to the description and specifications contained in the Waste Characterization Report. The information set forth in the Waste Characterization Report or any manifest, placard or label associated with any Delivered Wastes, or otherwise represented by the Customer or the generator (if other than the Customer) to EQ, is and shall be true, accurate and complete as of the date of receipt of the involved waste by EQ.

Customer Warranty - Compliance with Laws.

The Customer shall comply with all applicable federal, state and local environmental statutes, regulations, and other governmental requirements, as well as directives issued by EQ from time to time, governing the transportation, treatment and/or disposal of Acceptable Wastes, including, but not limited to, all packaging, manifesting, containerization, placarding and labeling requirements.

Customer Warranty - Updating Information.

If the Customer receives information that Delivered Waste or other hazardous waste described in the Waste Characterization Report, or some component of such waste, presents or may present a hazard or risk to persons, property or the environment which was not disclosed to EQ, or if the Customer or generator (if other than the Customer) has changed the process by which such waste results, the Customer shall promptly report such information to EQ in writing.

Customer Indemnity.

The Customer shall indemnify, defend and hold harmless EQ, and its affiliated or related companies, and all of their respective present or future officers, directors, shareholders, employees and agents from and against any and all losses, damages, liabilities, penalties, fines, forfeitures, demands, claims, causes of action, suits, costs and expenses (including, but not limited to, reasonable costs of defense, settlement, and reasonable attorneys' fees), which may be asserted against any or all of them by any person or any governmental agency, or which any or all of them may hereafter suffer, incur, be responsible for or pay out, as a result of or in connection with bodily injuries (including, but not limited to, death, sickness, disease and emotional or mental distress) to any person (including EQ's employees), damage (including, but not limited to, loss of use) to any property (public or private), or any requirements to conduct or incur expense for investigative, removal or remedial expenses in connection with contamination of or adverse effect on the environment, or any violation or alleged violation of any statutes, ordinances, orders, rules or regulations of any governmental entity or agency, caused or arising out of (i) a breach of this Agreement by the Customer, (ii) the failure of any warranty of the Customer to be true, accurate and complete, or (iii) any willful or negligent act or omission of the Customer, or its employees or agents in connection with the performance of this Agreement.

Force Majeure.

EQ shall not be liable for any failure to accept, receive, handle, treat, and/or dispose of Delivered Waste due to an act of God, fire, casualty, flood, war, strike, lockout, labor trouble, failure of public utilities, equipment failure, facility shutdown, injunction, accident, epidemic, riot, insurrection, destruction of operation or transportation facilities, the inability to procure materials, equipment, or sufficient personnel or energy in order to meet operational needs without the necessity of allocation, the failure or inability to obtain any governmental approvals or to meet Environmental Requirements (including, but not limited to voluntary or involuntary compliance with any act, exercise, assertion, or requirement of any governmental authority) which may temporarily or permanently prohibit operations of EQ, the Customer, or the Generator, or any other circumstances beyond the control of EQ which prevents or delays performance of any of its obligations under this Agreement.

Governing Laws.

This Agreement shall in all respects be governed by and shall be construed in accordance with the laws of the State of Michigan applied to contracts executed and performed wholly within such state.

EQ - The Environmental Quality Company

Waste Characterization Report

☒ I authorize EQ - The Environmental Quality Company to choose the appropriate method of waste management, from the technologies offered, at the EQ facilities identified below.

<input type="checkbox"/> Michigan Disposal Waste Treatment Plant (Stabilization and Treatment)	49350 North I-94 Service Drive, Belleville, Michigan 48111 Phone: 1-800-592-5489 Fax: 1-800-592-5329	EPA ID #MID000724831
<input type="checkbox"/> Wayne Disposal, Inc. (Hazardous & PCB Waste Landfill)	49350 North I-94 Service Drive, Belleville, Michigan 48111 Phone: 1-800-592-5489 Fax: 1-800-592-5329	EPA ID #MID048090633
<input type="checkbox"/> EQ Detroit, Inc. (Stabilization, Wastewater Treatment)	1923 Frederick, Detroit, MI 48211 Phone: 1-800-495-6059 Fax: 1-313-923-3375	EPA ID #MID980991566
<input type="checkbox"/> EQ Resource Recovery, Inc. (Solvent Recycling, Fuel Blending, WW Treatment)	36345 Van Born Road, Romulus, Michigan 48174 Phone: (734) 727-5500 Fax: (734) 326-4033	EPA ID #MID060975844
<input type="checkbox"/> EQIS North Carolina (Stabilization, Treatment, Labpack Decommissioning)	1005 Investment Blvd., Apex, NC 27502 Phone: (919) 363-4700 Fax: (919) 363-4714	EPA ID #NCD982170292
<input type="checkbox"/> EQ Florida, Inc. (Drum Consolidation, Labpack Decommissioning)	7202 East Eighth Ave., Tampa, FL 33619 Phone: 1-800-624-5302 Fax: 1-813-628-0842	EPA ID #FLD981932494
<input type="checkbox"/> EQ Detroit Transfer and Processing (Drum Transfer/Universal Waste Handling)	2000 Ferry Street, Detroit, MI 48211 Phone: (313) 923-0080 Fax: (313) 922-8419	EPA ID #MIK939928313
<input type="checkbox"/> EQIS Indianapolis Transfer and Processing (Drum Transfer/Non-Hazardous Waste Processing)	4000 West 10th Street, Indianapolis, Indiana 46222 Phone: (317) 247-7160 Fax: (317) 247-7170	EPA ID #IND161049309
<input type="checkbox"/> EQIS Atlanta Transfer and Processing (Drum Transfer/Non-Hazardous Waste Processing)	5600 Fulton Industrial Blvd., Atlanta, Georgia 30336 Phone: (404) 494-3520 Fax: (404) 494-3560	EPA ID #GAR000039776
<input type="checkbox"/> EQ Augusta, Inc. (Wastewater Treatment)	3920 Goshen Industrial Blvd., Augusta, GA 30906 Phone: 706-771-9100 Fax: 706-771-9124	EPA ID #GAR000011817

Waste Common Name: Oxidizing Solid Labpack

Section 1 - Generator & Customer Info

SIC/NAICS*:

EQ Customer No.: 10958

Generator EPA ID: MST-MP0-002-452

Generator: Mississippi DEQ
Address: 4280 Rifle Range Rd
City: Vicksburg
State: MS Zip: 39180
County: Warren

Mailing Address

Address: P.O. Box 20326
City: Jackson
State: MS Zip: 39289

Generator Contact

Name: Trey Hess / Jerry Banks
Title:
Phone: (601) 961-5221/601-961-5654
Fax: () -

Invoicing Company

Company: USES JACKSON
Address: 1075 MENDELL DAVIS DRIVE
City: JACKSON
State: MS Zip: 39212
Country: USA

Invoicing Contact

Name: Wanda Horton
Phone: (601) 372-3232
Fax: () -

Technical Contact

Name: J.T. Newman
Phone: (601) 372-3232
Fax: () -
Mobile: () - Pager: () -
E-mail: jnewman@usesgroup.com

*For a list of NAICS codes, please refer to Section 9 of the EQ Resource Guide.

Section 2 - Shipping & Packaging Info

- 2.1) Shipping Volume & Unit: 55 gallon Frequency: One Time Only
- 2.2) DOT Shipping Name: Oxidizing solid, corrosive, n.o.s.
- 2.3) Is this waste surcharge exempt? ☐ Yes ☒ No (If you answered "Yes" to question 2.3, select the Surcharge Exemption reason.)

2.4) Packaging (check all that apply)

- ☐ Bulk Solid (yd ³ < 2000 lbs./yd ³) ☐ Bulk Solid (Ton > 2000 lbs./yd ³) ☐ Bulk Liquids (Gallon)
- ☐ Totes, Size ☐ Cubic Yard Boxes/Bags ☒ Drums, Size 55 gallon
- ☐ Other (palletized, 5 gal. Pail, etc.)

Quoted bulk disposal charges for solid materials will be billed by the cubic yard, if the waste density is less than 2,000lbs./cubic yard. If waste density is greater than 2,000 lbs./cubic yard, then bulk disposal charges will be billed by the ton, regardless of the approved container.

Section 3 - Physical Characteristics

- 3.1) Color: VARIES 3.2) Odor: none
- 3.3) Does this waste contain any "Potentially Odorous Constituents" as defined in the EQ Resource Guide? (Section 3) ☐ Yes ☒ No
- 3.4) Physical State at 70 °F: ☒ Solid ☐ Dust/Powder ☐ Liquid ☐ Sludge
- 3.5) What is the pH of this waste? ☐ ≤ 2 ☐ 2.1-4.9 ☒ 5-10 ☒ 10.1-12.4 ☒ ≥ 12.5
- 3.6) What is the flash point of this waste? ☐ <90 °F ☐ 90-139 °F ☐ 140-199 °F ☒ ≥ 200 °F
- 3.7) Does this waste contain? (check all that apply) ☒ None
- | | | | | | |
|---|---|--|---|---|--------------------------------------|
| <input type="checkbox"/> Biodegradable Sorbants | <input type="checkbox"/> Amines | <input type="checkbox"/> Ammonia | <input type="checkbox"/> Free Liquids | <input type="checkbox"/> Oily Residue | <input type="checkbox"/> Metal Fines |
| <input type="checkbox"/> Shock Sensitive Waste | <input type="checkbox"/> Reactive Waste | <input type="checkbox"/> Radioactive Waste | <input type="checkbox"/> Water Reactive | <input type="checkbox"/> Biohazard | <input type="checkbox"/> Aluminum |
| <input type="checkbox"/> Asbestos - non-friable | <input type="checkbox"/> Asbestos - friable | <input type="checkbox"/> Dioxins | <input type="checkbox"/> Explosives | <input type="checkbox"/> Pyrophoric Waste | <input type="checkbox"/> Isocyanates |
| | | | <input type="checkbox"/> Furans | | |

Section 4 - Composition / Generating Process

- 4.1) Describe the physical composition of the waste (i.e., soil, water, PPE, debris, key chemical compounds, etc.)
- 4.2) Provide a detailed description of the process generating this waste. (attach flow diagram if available).
- Labpack of chemicals in abandoned Chemical plant Lab

Section 5 - Is This Hazardous Waste?

Please refer to Section 5 of the EQ Resource Guide for a list of waste codes.

As determined by 40 CFR, Part 261 and Michigan Act 451 Rules:

Please list applicable waste code(s):

- 5.1) Is this an EPA RCRA listed hazardous waste (F, K, P or U)? ☐ Yes ☒ No
- Comments:
- 5.2) Is this an EPA RCRA characteristic hazardous waste (D001-D043)? ☒ Yes ☐ No
- Comments:
- 5.3) Do any State Hazardous Waste Codes apply? ☐ Yes ☒ No
- Comments:
- 5.4) Is this waste intended for wastewater treatment? ☐ Yes ☒ No

D001

If you answered "No" to questions 5.1, 5.2, and 5.3, please skip to Section 7.
If you answered "Yes" to question 5.4, please complete the WCR Addendum.

Section 6 - Hazardous Wastes

6.1) Does this waste exceed Land Disposal Restriction Levels?

6.1a) If this waste stream is greater than 50% soil, does it meet the alternative soil treatment standards of 40 CFR 268.49?

6.1b) Does this waste contain greater than 50% debris, by volume? (Debris is greater than 2.5 inches in size.)

6.2) Is the waste an oxidizer (D001)?

6.3) Does this waste contain reactive cyanide \geq 250 ppm (D003)?

6.4) Does this waste contain reactive sulfide \geq 500 ppm (D003)?

6.5) Please indicate which constituent concentrations are below or above the regulatory level. Please indicate the basis used in the determination. Either 'Below' or 'Above' **MUST** be checked for each constituent.

Based On: ☒ Generator Knowledge

☐ Analysis*

☐ MSDS*

*Please forward a copy. Analysis or MSDS are required for EQ Florida Non-hazardous wastes.

Code	Regulatory Level	TCLP (mg/l)	Concentration (If above)
D004	Arsenic	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D005	Barium	100	<input checked="" type="radio"/> Below <input type="radio"/> Above
D006	Cadmium	1	<input checked="" type="radio"/> Below <input type="radio"/> Above
D007	Chromium	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D008	Lead	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D009	Mercury	0.2	<input checked="" type="radio"/> Below <input type="radio"/> Above
D010	Selenium	1	<input checked="" type="radio"/> Below <input type="radio"/> Above
D011	Silver	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D012	Endrin	0.02	<input checked="" type="radio"/> Below <input type="radio"/> Above
D013	Lindane	0.4	<input checked="" type="radio"/> Below <input type="radio"/> Above
D014	Methoxychlor	10	<input checked="" type="radio"/> Below <input type="radio"/> Above
D015	Toxaphene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D016	2,4-D	10	<input checked="" type="radio"/> Below <input type="radio"/> Above
D017	2,4,5-TP (Silvex)	1	<input checked="" type="radio"/> Below <input type="radio"/> Above
D018	Benzene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D019	Carbon Tetrachloride	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D020	Chlordane	0.03	<input checked="" type="radio"/> Below <input type="radio"/> Above
D021	Chlorobenzene	100	<input checked="" type="radio"/> Below <input type="radio"/> Above
D022	Chloroform	6.0	<input checked="" type="radio"/> Below <input type="radio"/> Above
D023	o-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above

Code	Regulatory Level	TCLP (mg/l)	Concentration (If above)
D024	m-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above
D025	p-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above
D026	Cresols	200	<input checked="" type="radio"/> Below <input type="radio"/> Above
D027	1,4-Dichlorobenzene	7.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D028	1,2-Dichloroethane	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D029	1,1-Dichloroethylene	0.7	<input checked="" type="radio"/> Below <input type="radio"/> Above
D030	2,4-Dinitrotoluene	0.13	<input checked="" type="radio"/> Below <input type="radio"/> Above
D031	Heptachlor	0.008	<input checked="" type="radio"/> Below <input type="radio"/> Above
D032	Hexachlorobenzene	0.13	<input checked="" type="radio"/> Below <input type="radio"/> Above
D033	Hexachlorobutadiene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D034	Hexachloroethane	3.0	<input checked="" type="radio"/> Below <input type="radio"/> Above
D035	Methyl Ethyl Ketone	200	<input checked="" type="radio"/> Below <input type="radio"/> Above
D036	Nitrobenzene	2	<input checked="" type="radio"/> Below <input type="radio"/> Above
D037	Pentachlorophenol	100	<input checked="" type="radio"/> Below <input type="radio"/> Above
D038	Pyridine	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D039	Tetrachloroethylene	0.7	<input checked="" type="radio"/> Below <input type="radio"/> Above
D040	Trichloroethylene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D041	2,4,5-Trichlorophenol	400	<input checked="" type="radio"/> Below <input type="radio"/> Above
D042	2,4,6-Trichlorophenol	2	<input checked="" type="radio"/> Below <input type="radio"/> Above
D043	Vinyl Chloride	0.2	<input checked="" type="radio"/> Below <input type="radio"/> Above

6.6) If this is a characteristic hazardous waste, does it contain underlying hazardous constituents?

☐ Yes ☒ No

If you answered 'Yes', please list the constituents in Section 11.

Section 7 - Non-Hazardous Wastes

For a complete list of non-hazardous waste codes, please refer to Section 7 of the EQ Resource Guide.

Applicable waste code(s):

7.1) Is this a Michigan non-hazardous liquid industrial waste?

☐ Yes ☒ No

Comments:

7.2) Is this a Universal waste?

☐ Yes ☒ No

7.3) Is this a Recyclable Commodity? (e.g.: computer monitors, free mercury, etc.)

☐ Yes ☒ No

7.4) Is this waste a recoverable petroleum product?

☐ Yes ☒ No

7.5) Is this waste used oil as defined by 40 CFR Part 279?

☐ Yes ☒ No

Section 8 - TSCA Information

8.1) What is the concentration of PCBs in the waste?

- ☒ None ☐ 0-5 ppm ☐ 6-49 ppm
☐ 50-499 ppm ☐ 500+ ppm

8.2) Does the waste contain PCB contamination from a source with a concentration ≥ 50 ppm?

- ☐ Yes ☒ No

If you answered 'None' to 8.1 and 'No' to 8.2, please skip to Section 9.

8.3) Has this waste been processed into a non-liquid form?

- ☐ Yes ☐ No

If yes, what was the concentration of PCBs prior to processing? (ppm)

- ☐ N/A ☐ 0-499 ☐ 500+

8.4) Is the non-liquid PCB waste in the form of soil, rags, debris, or other contaminated media?

- ☐ Yes ☐ No

8.5) Are you a PCB capacitor manufacturer or a PCB equipment manufacturer?

- ☐ Yes ☐ No

8.6) Has the PCB Article (e.g., transformer, hydraulic machine, PCB-contaminated electrical equipment) been drained/flushed of all PCBs and decontaminated in accordance with 40 CFR 761.60(b)?

- ☐ N/A ☐ Yes ☐ No

Section 9 - Clean Air Act Information

9.1) Is this waste subject to regulation under 40 CFR, Part 63, Subpart DD or 40 CFR, Part 264, Subpart CC (RCRA)?

- ☐ Yes ☒ No

(Does the waste contain >500 ppm Volatile Organic Hazardous Air Pollutants - VOHAP's or Volatile Organic Compounds - VOC's?)

For a complete list of VOHAP's, please see Section 11 of the EQ Resource Guide.

9.2) Is this site, or waste, subject to any other MACT or NESHAP?

- ☐ Yes ☒ No

If yes, please specify:

9.3) Does this waste stream contain Benzene?

- ☐ Yes ☒ No

If you answered "No" to question 9.2, please skip to section 10.

9.4) Does the waste stream come from a facility with one of the SIC/NAICS codes listed under the Benzene NESHAP identified in 40 CFR 61, Subpart FF?

- ☐ Yes ☐ No

9.5) Is the generating source of this waste stream a facility with Total Annual Benzene (TAB) ≥ 10 Mg/year?

- ☐ Yes ☒ No

For assistance in calculating the TAB, please see the TAB Worksheet in Section 9 of the EQ Resource Guide.

If you answered "No" to question 9.3 and 9.4, please skip to Section 10.

9.6) Does the waste contain > 10% water?

- ☐ Yes ☐ No

9.7) What is the TAB quantity for your facility? Mg/year

9.8) Does the waste contain >1.0 mg/kg total Benzene?

- ☐ Yes ☐ No

9.9) What is the total Benzene concentration in your waste? (concentration) (unit)

(Supporting analysis must be attached. Do not use TCLP analytical results. Acceptable laboratory methods include 8020, 8240, 8260, 602 and 624.)

**For a list of NAICS codes, please refer to section 9 of the EQ Resource Guide.*

Section 10 - Fuel Blending Information

10.1) Is this waste intended for fuel blending?

- ☐ Yes* ☒ No

If you answered 'Yes' to question 10.1, please enter the following:

Heat value (BTU/lb.) _____
Chlorine (%) _____
Water (%) _____
Solids (%) _____

10.2) Is this waste intended for reclamation?

- ☐ Yes ☒ No

(5-Gallon Sample required for all reclaim waste streams)

Section 11 - Constituent Information

Please identify your waste constituents from these four categories: Underlying Hazardous Constituents (UHC's), Volatile Organic Hazardous Air Pollutants (VOHAP's), Volatile Organic Compounds (VOC's) and Toxic Release Inventory Constituents (TRI)

Constituent

Concentration


UHC?

Please see Section 11 of the EQ Resource Guide for a list of UHC's, VOHAP's and VOC's. For a complete list of TRI constituents, please refer to 40 CFR 372.65.

Section 12 - Certification

I certify that all information (including attachments) is complete and factual and is an accurate representation of the known and suspected hazards, pertaining to the waste described herein. I authorize EQ's Resource Team to add supplemental information to the waste approval file, provided I am contacted and give verbal permission. I authorize EQ's Resource Team to obtain a sample from any waste shipment for purposes of verification Generator or on Generator's behalf shall be subject to, and Generator shall be bound by, the attached Standard Terms and Conditions and confirmation. I agree that, if EQ approves the waste described herein, all such wastes that are transported, delivered, or tendered to EQ by

Comments:
logged in

Generator:  JERRY B. BANKS
Authorized Generator Signature Printed Generator Name
Company: MS Dept. of Environmental Quality Title: Chief, Groundwater Assessment Date: 11-13-07

The generator's signature MUST appear on the EQ Waste Characterization Report. If the generator has authorized a third party to certify this document, a written notice (on generator letterhead) must accompany this submittal. Although the EQ Resource Team is authorized to make certain modifications to the information provided on this form, the addition or removal of waste codes and waste constituents must be documented by the generator.

STANDARD TERMS AND CONDITIONS

The Agreement between the Customer and EQ - The Environmental Quality Company and/or its member companies (hereinafter "EQ") related to or associated with Delivered Waste, as herein defined, shall be governed by the following Standard Terms and Conditions in addition to the terms and conditions contained in any Waste Characterization Report, Customer Approval Quote Confirmation, Generator Approval Notification, Notice of Waste Approval Expiration, and/or Credit Agreement associated with such Delivered Waste.

The Customer may use its standard forms (such as purchase orders, acknowledgments of orders, and invoices) to administer its dealings under this Agreement for convenience purposes, but all provisions thereof in conflict with these terms and conditions shall be deemed stricken.

Definitions.

The following definitions shall apply for purposes of this Agreement:

"Acceptable Waste" shall mean any hazardous waste, as defined under applicable State or federal law, determined by EQ as acceptable for treatment and/or disposal in accordance with this Agreement.

"Delivered Wastes" shall mean all wastes (i) which are transported, delivered, or tendered to EQ by the Customer; (ii) which the Customer has arranged for the transport, delivery or tender to EQ; or (iii) which are transported, delivered, or tendered to EQ under a Credit Agreement between the Customer and EQ.

"Non-Conforming Wastes" shall mean wastes that (a) are not in accordance in all material respects with the warranties, descriptions, specifications or limitations stated in the Waste Characterization Report and this Agreement; (b) have constituents or components of a type or concentration not specifically identified in the Waste Characterization Report (i) which increase the nature or extent of the hazard and risk undertaken by EQ in treating and/or disposing of the waste, or (ii) for whose treatment and/or disposal a Waste Management Facility is not designed or permitted, or (iii) which increase the cost of treatment and/or disposal of waste beyond that specified in EQ's price quote; or (c) are not properly packaged, labeled, described, or placarded, or otherwise not in compliance with United States Department of Transportation and United States Environmental Protection Agency regulations.

Control of Operations.

EQ shall have sole control over all aspects of the operation of any treatment and/or disposal facility of EQ receiving Delivered Wastes under this Agreement (hereinafter, "Waste Management Facility"), including, without limitation, maintaining EQ's desired volume of Acceptable Wastes being delivered to any Waste Management Facility by the Customer or any other person or entity.

Identification of Waste.

For each waste material to be transported, delivered, or tendered to EQ under this Agreement, the Customer shall provide, or cause to be provided, to EQ a representative sample of the waste material and a completed Waste Characterization Report containing a physical and chemical description or analysis of such waste material, which description shall conform with any and all guidelines for waste acceptance provided by EQ. On the basis of EQ's analysis of such representative sample of the waste material and such Waste Characterization Report, EQ will determine whether such wastes are Acceptable Wastes. EQ does not make any guarantee that it will handle any waste material or any particular quantity or type of waste material, and EQ reserves the right to the decline to transport, treat and/or dispose of waste material. The Customer shall promptly furnish to EQ any information regarding known, suspected or planned changes in the composition of the waste material. Further, the Customer shall promptly inform EQ of any change in the characteristic or condition of the waste material which becomes known to the Customer subsequent to the date of the Waste Characterization Report.

Non-Conforming Wastes.

In the event that EQ at any time discovers that any Delivered Waste is Non-Conforming Waste, EQ may reject or revoke its acceptance of the Non-Conforming Waste. The Customer shall have seven (7) days to direct an alternative lawful manner of disposition of the waste, unless it is necessary by reason of law or otherwise to move the Non-Conforming Waste prior to expiration of the seven (7) day period. If the Customer does not direct an alternative disposal, at its option, EQ may return any such Non-Conforming Wastes to the Customer, and the Customer shall pay or reimburse EQ for all costs and expenses incurred by EQ in connection with the receipt, handling, sampling, analyses, transportation and return to the Customer of such Non-Conforming Wastes. If it is impossible or impractical for EQ to return the Non-Conforming Waste to the Customer, the Customer shall reimburse EQ for all costs, of any type or nature whatsoever, incurred by EQ, solely because such Delivered Waste was Non-Conforming Waste (including, but not limited to, all costs associated with any remedial steps necessary, due to the nature of the Non-Conforming Waste, in connection with material with which the Non-Conforming Waste may have been commingled and all expenses and charges for analyzing, handling, locating, preparing for transporting, storing and disposing of any Non-Conforming Waste).

Customer Warranty - Title to Wastes.

Either the Customer or the generator (if other than the Customer) shall hold clear title, free of any all liens, claims, encumbrances, and charges to Delivered Waste until such waste is accepted by EQ.

Customer Warranty - Acceptable Wastes.

All Delivered Wastes shall be Acceptable Wastes and shall conform in all material respects to the description and specifications contained in the Waste Characterization Report. The information set forth in the Waste Characterization Report or any manifest, placard or label associated with any Delivered Wastes, or otherwise represented by the Customer or the generator (if other than the Customer) to EQ, is and shall be true, accurate and complete as of the date of receipt of the involved waste by EQ.

Customer Warranty - Compliance with Laws.

The Customer shall comply with all applicable federal, state and local environmental statutes, regulations, and other governmental requirements, as well as directives issued by EQ from time to time, governing the transportation, treatment and/or disposal of Acceptable Wastes, including, but not limited to, all packaging, manifesting, containerization, placarding and labeling requirements.

Customer Warranty - Updating Information.

If the Customer receives information that Delivered Waste or other hazardous waste described in the Waste Characterization Report, or some component of such waste, presents or may present a hazard or risk to persons, property or the environment which was not disclosed to EQ, or if the Customer or generator (if other than the Customer) has changed the process by which such waste results, the Customer shall promptly report such information to EQ in writing.

Customer Indemnity.

The Customer shall indemnify, defend and hold harmless EQ, and its affiliated or related companies, and all of their respective present or future officers, directors, shareholders, employees and agents from and against any and all losses, damages, liabilities, penalties, fines, forfeitures, demands, claims, causes of action, suits, costs and expenses (including, but not limited to, reasonable costs of defense, settlement, and reasonable attorneys' fees), which may be asserted against any or all of them by any person or any governmental agency, or which any or all of them may hereafter suffer, incur, be responsible for or pay out, as a result of or in connection with bodily injuries (including, but not limited to, death, sickness, disease and emotional or mental distress) to any person (including EQ's employees), damage (including, but not limited to, loss of use) to any property (public or private), or any requirements to conduct or incur expense for investigative, removal or remedial expenses in connection with contamination of or adverse effect on the environment, or any violation or alleged violation of any statutes, ordinances, orders, rules or regulations of any governmental entity or agency, caused or arising out of (i) a breach of this Agreement by the Customer, (ii) the failure of any warranty of the Customer to be true, accurate and complete, or (iii) any willful or negligent act or omission of the Customer, or its employees or agents in connection with the performance of this Agreement.

Force Majeure.

EQ shall not be liable for any failure to accept, receive, handle, treat, and/or dispose of Delivered Waste due to an act of God, fire, casualty, flood, war, strike, lockout, labor trouble, failure of public utilities, equipment failure, facility shutdown, injunction, accident, epidemic, riot, insurrection, destruction of operation or transportation facilities, the inability to procure materials, equipment, or sufficient personnel or energy in order to meet operational needs without the necessity of allocation, the failure or inability to obtain any governmental approvals or to meet Environmental Requirements (including, but not limited to voluntary or involuntary compliance with any act, exercise, assertion, or requirement of any governmental authority) which may temporarily or permanently prohibit operations of EQ, the Customer, or the Generator, or any other circumstances beyond the control of EQ which prevents or delays performance of any of its obligations under this Agreement.

Governing Laws.

This Agreement shall in all respects be governed by and shall be construed in accordance with the laws of the State of Michigan applied to contracts executed and performed wholly within such state.

EQ - The Environmental Quality Company

Waste Characterization Report

☒ I authorize EQ - The Environmental Quality Company to choose the appropriate method of waste management, from the technologies offered, at the EQ facilities identified below.

<input type="checkbox"/> Michigan Disposal Waste Treatment Plant (Stabilization and Treatment)	49350 North I-94 Service Drive, Belleville, Michigan 48111 Phone: 1-800-592-5489 Fax: 1-800-592-5329	EPA ID #MID000724831
<input type="checkbox"/> Wayne Disposal, Inc. (Hazardous & PCB Waste Landfill)	49350 North I-94 Service Drive, Belleville, Michigan 48111 Phone: 1-800-592-5489 Fax: 1-800-592-5329	EPA ID #MID048090633
<input type="checkbox"/> EQ Detroit, Inc. (Stabilization, Wastewater Treatment)	1923 Frederick, Detroit, MI 48211 Phone: 1-800-495-6059 Fax: 1-313-923-3375	EPA ID #MID980991566
<input type="checkbox"/> EQ Resource Recovery, Inc. (Solvent Recycling, Fuel Blending, WW Treatment)	36345 Van Born Road, Romulus, Michigan 48174 Phone: (734) 727-5500 Fax: (734) 326-4033	EPA ID #MID060975844
<input type="checkbox"/> EQIS North Carolina (Stabilization, Treatment, Labpack Decommissioning)	1005 Investment Blvd., Apex, NC 27502 Phone: (919) 363-4700 Fax: (919) 363-4714	EPA ID #NCD982170292
<input type="checkbox"/> EQ Florida, Inc. (Drum Consolidation, Labpack Decommissioning)	7202 East Eighth Ave., Tampa, FL 33619 Phone: 1-800-624-5302 Fax: 1-813-628-0842	EPA ID #FLD981932494
<input type="checkbox"/> EQ Detroit Transfer and Processing (Drum Transfer/Universal Waste Handling)	2000 Ferry Street, Detroit, MI 48211 Phone: (313) 923-0080 Fax: (313) 922-8419	EPA ID #MIK939928313
<input type="checkbox"/> EQIS Indianapolis Transfer and Processing (Drum Transfer/Non-Hazardous Waste Processing)	4000 West 10th Street, Indianapolis, Indiana 46222 Phone: (317) 247-7160 Fax: (317) 247-7170	EPA ID #IND161049309
<input type="checkbox"/> EQIS Atlanta Transfer and Processing (Drum Transfer/Non-Hazardous Waste Processing)	5600 Fulton Industrial Blvd., Atlanta, Georgia 30336 Phone: (404) 494-3520 Fax: (404) 494-3560	EPA ID #GAR000039776
<input type="checkbox"/> EQ Augusta, Inc. (Wastewater Treatment)	3920 Goshen Industrial Blvd., Augusta, GA 30906 Phone: 706-771-9100 Fax: 706-771-9124	EPA ID #GAR000011817

Waste Common Name: Poison Liquid Lab Pack

Section 1 - Generator & Customer Info

SIC/NAICS*:

EQ Customer No.: 10958

Generator EPA ID: MST-MP0-002-452

Generator: Mississippi DEQ
Address: 4280 Rifle Range Rd
City: Vicksburg
State: MS Zip: 39180
County: Warren

Mailing Address

Address: P.O. Box 20326
City: Jackson
State: MS Zip: 39289

Generator Contact

Name: Trey Hess / Jerry Banks
Title:
Phone: (601) 961-5221/601-961-5654
Fax: () -

Invoicing Company

Company: USES JACKSON
Address: 1075 MENDELL DAVIS DRIVE
City: JACKSON
State: MS Zip: 39212
Country: USA

Invoicing Contact

Name: Wanda Horton
Phone: (601) 372-3232
Fax: () -

Technical Contact

Name: J.T. Newman
Phone: (601) 372-3232
Fax: () -
Mobile: () - Pager: () -
E-mail: jnewman@usesgroup.com

*For a list of NAICS codes, please refer to Section 9 of the EQ Resource Guide.

Section 2 - Shipping & Packaging Info

- 2.1) Shipping Volume & Unit: 30 gallon Frequency: One Time Only
- 2.2) DOT Shipping Name: Toxic liquid, inorganic, n.o.s.
- 2.3) Is this waste surcharge exempt? ☐ Yes ☒ No (If you answered "Yes" to question 2.3, select the Surcharge Exemption reason.)

2.4) Packaging (check all that apply)

- ☐ Bulk Solid (yd ³ < 2000 lbs./yd ³) ☐ Bulk Solid (Ton > 2000 lbs./yd ³) ☐ Bulk Liquids (Gallon)
- ☐ Totes, Size ☐ Cubic Yard Boxes/Bags ☒ Drums, Size 30 gallon
- ☐ Other (palletized, 5 gal. Pail, etc.)

Quoted bulk disposal charges for solid materials will be billed by the cubic yard, if the waste density is less than 2,000lbs./cubic yard. If waste density is greater than 2,000 lbs./cubic yard, then bulk disposal charges will be billed by the ton, regardless of the approved container.

Section 3 - Physical Characteristics

- 3.1) Color: VARIES 3.2) Odor: none
- 3.3) Does this waste contain any "Potentially Odorous Constituents" as defined in the EQ Resource Guide? (Section 3) ☐ Yes ☒ No
- 3.4) Physical State at 70 °F: ☐ Solid ☐ Dust/Powder ☒ Liquid ☐ Sludge
- 3.5) What is the pH of this waste? ☐ ≤ 2 ☐ 2.1-4.9 ☒ 5-10 ☒ 10.1-12.4 ☒ ≥ 12.5
- 3.6) What is the flash point of this waste? ☐ <90 °F ☐ 90-139 °F ☐ 140-199 °F ☒ ≥ 200 °F
- 3.7) Does this waste contain? (check all that apply) ☒ None
- | | | | | | |
|---|---|--|---|---|--------------------------------------|
| <input type="checkbox"/> Biodegradable Sorbants | <input type="checkbox"/> Amines | <input type="checkbox"/> Ammonia | <input type="checkbox"/> Free Liquids | <input type="checkbox"/> Oily Residue | <input type="checkbox"/> Metal Fines |
| <input type="checkbox"/> Shock Sensitive Waste | <input type="checkbox"/> Reactive Waste | <input type="checkbox"/> Radioactive Waste | <input type="checkbox"/> Water Reactive | <input type="checkbox"/> Biohazard | <input type="checkbox"/> Aluminum |
| <input type="checkbox"/> Asbestos - non-friable | <input type="checkbox"/> Asbestos - friable | <input type="checkbox"/> Dioxins | <input type="checkbox"/> Explosives | <input type="checkbox"/> Pyrophoric Waste | <input type="checkbox"/> Isocyanates |
| | | | <input type="checkbox"/> Furans | | |

Section 4 - Composition / Generating Process

- 4.1) Describe the physical composition of the waste (i.e., soil, water, PPE, debris, key chemical compounds, etc.)
- 4.2) Provide a detailed description of the process generating this waste. (attach flow diagram if available).
- Labpack of chemicals in abandoned Chemical plant Lab

Section 5 - Is This Hazardous Waste?

Please refer to Section 5 of the EQ Resource Guide for a list of waste codes.

As determined by 40 CFR, Part 261 and Michigan Act 451 Rules:

Please list applicable waste code(s):

- 5.1) Is this an EPA RCRA listed hazardous waste (F, K, P or U)? ☒ Yes ☐ No
- Comments:
- 5.2) Is this an EPA RCRA characteristic hazardous waste (D001-D043)? ☒ Yes ☐ No
- Comments:
- 5.3) Do any State Hazardous Waste Codes apply? ☐ Yes ☒ No
- Comments:
- 5.4) Is this waste intended for wastewater treatment? ☐ Yes* ☒ No

D004 D008

If you answered "No" to questions 5.1, 5.2, and 5.3, please skip to Section 7.
If you answered "Yes" to question 5.4, please complete the WCR Addendum.

Section 6 - Hazardous Wastes

6.1) Does this waste exceed Land Disposal Restriction Levels?

☐ Yes ☒ No

6.1a) If this waste stream is greater than 50% soil, does it meet the alternative soil treatment standards of 40 CFR 268.49?

☐ Yes ☒ No

6.1b) Does this waste contain greater than 50% debris, by volume? (Debris is greater than 2.5 inches in size.)

☐ Yes ☒ No

6.2) Is the waste an oxidizer (D001)?

☐ Yes ☒ No

6.3) Does this waste contain reactive cyanide ≥ 250 ppm (D003)?

☐ Yes ☒ No

6.4) Does this waste contain reactive sulfide ≥ 500 ppm (D003)?

☐ Yes ☒ No

6.5) Please indicate which constituent concentrations are below or above the regulatory level. Please indicate the basis used in the determination. Either 'Below' or 'Above' **MUST** be checked for each constituent.

Based On: ☒ Generator Knowledge

☐ Analysis*

☐ MSDS*

*Please forward a copy. Analysis or MSDS are required for EQ Florida Non-hazardous wastes.

Code	Regulatory Level	TCLP (mg/l)	Concentration (if above)
D004	Arsenic	5	<input type="radio"/> Below <input checked="" type="radio"/> Above
D005	Barium	100	<input checked="" type="radio"/> Below <input type="radio"/> Above
D006	Cadmium	1	<input checked="" type="radio"/> Below <input type="radio"/> Above
D007	Chromium	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D008	Lead	5	<input type="radio"/> Below <input checked="" type="radio"/> Above
D009	Mercury	0.2	<input checked="" type="radio"/> Below <input type="radio"/> Above
D010	Selenium	1	<input checked="" type="radio"/> Below <input type="radio"/> Above
D011	Silver	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D012	Endrin	0.02	<input checked="" type="radio"/> Below <input type="radio"/> Above
D013	Lindane	0.4	<input checked="" type="radio"/> Below <input type="radio"/> Above
D014	Methoxychlor	10	<input checked="" type="radio"/> Below <input type="radio"/> Above
D015	Toxaphene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D016	2,4-D	10	<input checked="" type="radio"/> Below <input type="radio"/> Above
D017	2,4,5-TP (Silvex)	1	<input checked="" type="radio"/> Below <input type="radio"/> Above
D018	Benzene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D019	Carbon Tetrachloride	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D020	Chlordane	0.03	<input checked="" type="radio"/> Below <input type="radio"/> Above
D021	Chlorobenzene	100	<input checked="" type="radio"/> Below <input type="radio"/> Above
D022	Chloroform	6.0	<input checked="" type="radio"/> Below <input type="radio"/> Above
D023	o-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above

Code	Regulatory Level	TCLP (mg/l)	Concentration (if above)
D024	m-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above
D025	p-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above
D026	Cresols	200	<input checked="" type="radio"/> Below <input type="radio"/> Above
D027	1,4-Dichlorobenzene	7.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D028	1,2-Dichloroethane	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D029	1,1-Dichloroethylene	0.7	<input checked="" type="radio"/> Below <input type="radio"/> Above
D030	2,4-Dinitrotoluene	0.13	<input checked="" type="radio"/> Below <input type="radio"/> Above
D031	Heptachlor	0.008	<input checked="" type="radio"/> Below <input type="radio"/> Above
D032	Hexachlorobenzene	0.13	<input checked="" type="radio"/> Below <input type="radio"/> Above
D033	Hexachlorobutadiene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D034	Hexachloroethane	3.0	<input checked="" type="radio"/> Below <input type="radio"/> Above
D035	Methyl Ethyl Ketone	200	<input checked="" type="radio"/> Below <input type="radio"/> Above
D036	Nitrobenzene	2	<input checked="" type="radio"/> Below <input type="radio"/> Above
D037	Pentachlorophenol	100	<input checked="" type="radio"/> Below <input type="radio"/> Above
D038	Pyridine	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D039	Tetrachloroethylene	0.7	<input checked="" type="radio"/> Below <input type="radio"/> Above
D040	Trichloroethylene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D041	2,4,5-Trichlorophenol	400	<input checked="" type="radio"/> Below <input type="radio"/> Above
D042	2,4,6-Trichlorophenol	2	<input checked="" type="radio"/> Below <input type="radio"/> Above
D043	Vinyl Chloride	0.2	<input checked="" type="radio"/> Below <input type="radio"/> Above

6.6) If this is a characteristic hazardous waste, does it contain underlying hazardous constituents?

☐ Yes ☒ No

If you answered 'Yes', please list the constituents in Section 11.

Section 7 - Non-Hazardous Wastes

For a complete list of non-hazardous waste codes, please refer to Section 7 of the EQ Resource Guide.

Applicable waste code(s):

7.1) Is this a Michigan non-hazardous liquid industrial waste?

☐ Yes ☒ No

Comments:

7.2) Is this a Universal waste?

☐ Yes ☒ No

7.3) Is this a Recyclable Commodity? (e.g.: computer monitors, free mercury, etc.)

☐ Yes ☒ No

7.4) Is this waste a recoverable petroleum product?

☐ Yes ☒ No

7.5) Is this waste used oil as defined by 40 CFR Part 279?

☐ Yes ☒ No

Section 8 - TSCA Information

8.1) What is the concentration of PCBs in the waste?

- ☒ None ☐ 0-5 ppm ☐ 6-49 ppm
☐ 50-499 ppm ☐ 500+ ppm

8.2) Does the waste contain PCB contamination from a source with a concentration ≥ 50 ppm?

- ☐ Yes ☒ No

If you answered 'None' to 8.1 and 'No' to 8.2, please skip to Section 9.

8.3) Has this waste been processed into a non-liquid form?

- ☐ Yes ☐ No

If yes, what was the concentration of PCBs prior to processing? (ppm)

- ☐ N/A ☐ 0-499 ☐ 500+

8.4) Is the non-liquid PCB waste in the form of soil, rags, debris, or other contaminated media?

- ☐ Yes ☐ No

8.5) Are you a PCB capacitor manufacturer or a PCB equipment manufacturer?

- ☐ Yes ☐ No

8.6) Has the PCB Article (e.g., transformer, hydraulic machine, PCB-contaminated electrical equipment) been drained/flushed of all PCBs and decontaminated in accordance with 40 CFR 761.60(b)?

- ☐ N/A ☐ Yes ☐ No

Section 9 - Clean Air Act Information

9.1) Is this waste subject to regulation under 40 CFR, Part 63, Subpart DD or 40 CFR, Part 264, Subpart CC (RCRA)?

- ☐ Yes ☒ No

(Does the waste contain >500 ppm Volatile Organic Hazardous Air Pollutants - VOHAP's or Volatile Organic Compounds - VOC's?)

For a complete list of VOHAP's, please see Section 11 of the EQ Resource Guide.

9.2) Is this site, or waste, subject to any other MACT or NESHAP?

- ☐ Yes ☒ No

If yes, please specify:

9.3) Does this waste stream contain Benzene?

- ☐ Yes ☒ No

If you answered "No" to question 9.2, please skip to section 10.

9.4) Does the waste stream come from a facility with one of the SIC/NAICS codes listed under the Benzene NESHAP identified in 40 CFR 61, Subpart FF?

- ☐ Yes ☐ No

9.5) Is the generating source of this waste stream a facility with Total Annual Benzene (TAB) ≥ 10 Mg/year?

- ☐ Yes ☒ No

For assistance in calculating the TAB, please see the TAB Worksheet in Section 9 of the EQ Resource Guide.

If you answered "No" to question 9.3 and 9.4, please skip to Section 10.

9.6) Does the waste contain > 10% water?

- ☐ Yes ☐ No

9.7) What is the TAB quantity for your facility? Mg/year

9.8) Does the waste contain >1.0 mg/kg total Benzene?

- ☐ Yes ☐ No

9.9) What is the total Benzene concentration in your waste? (concentration) (unit)

(Supporting analysis must be attached. Do not use TCLP analytical results. Acceptable laboratory methods include 8020, 8240, 8260, 602 and 624.)

**For a list of NAICS codes, please refer to section 9 of the EQ Resource Guide.*

Section 10 - Fuel Blending Information

10.1) Is this waste intended for fuel blending?

- ☐ Yes* ☒ No

If you answered 'Yes' to question 10.1, please enter the following:

Heat value (BTU/lb.) _____
Chlorine (%) _____
Water (%) _____
Solids (%) _____

10.2) Is this waste intended for reclamation?

- ☐ Yes ☒ No

(5-Gallon Sample required for all reclaim waste streams)

Section 11 - Constituent Information

Please identify your waste constituents from these four categories: Underlying Hazardous Constituents (UHC's), Volatile Organic Hazardous Air Pollutants (VOHAP's), Volatile Organic Compounds (VOC's) and Toxic Release Inventory Constituents (TRI)

Constituent

Concentration

UHC?


Please see Section 11 of the EQ Resource Guide for a list of UHC's, VOHAP's and VOC's. For a complete list of TRI constituents, please refer to 40 CFR 372.65.

Section 12 - Certification

I certify that all information (including attachments) is complete and factual and is an accurate representation of the known and suspected hazards, pertaining to the waste described herein. I authorize EQ's Resource Team to add supplemental information to the waste approval file, provided I am contacted and give verbal permission. I authorize EQ's Resource Team to obtain a sample from any waste shipment for purposes of verification. Generator or on Generator's behalf shall be subject to, and Generator shall be bound by, the attached Standard Terms and Conditions, and confirmation. I agree that, if EQ approves the waste described herein, all such wastes that are transported, delivered, or tendered to EQ by

Comments:
logged in

Generator:



Authorized Generator Signature

JERRY B. BANKS

Printed Generator Name

Company:

MS Dept. of Environmental Quality

Title:

Chief, Groundwater Assessment

Date: 11-13-07

The generator's signature MUST appear on the EQ Waste Characterization Report. If the generator has authorized a third party to certify this document, a written notice (on generator letterhead) must accompany this submittal. Although the EQ Resource Team is authorized to make certain modifications to the information provided on this form, the addition or removal of waste codes and waste constituents must be documented by the generator.

STANDARD TERMS AND CONDITIONS

The Agreement between the Customer and EQ - The Environmental Quality Company and/or its member companies (hereinafter "EQ") related to or associated with Delivered Waste, as herein defined, shall be governed by the following Standard Terms and Conditions in addition to the terms and conditions contained in any Waste Characterization Report, Customer Approval Quote Confirmation, Generator Approval Notification, Notice of Waste Approval Expiration, and/or Credit Agreement associated with such Delivered Waste.

The Customer may use its standard forms (such as purchase orders, acknowledgments of orders, and invoices) to administer its dealings under this Agreement for convenience purposes, but all provisions thereof in conflict with these terms and conditions shall be deemed stricken.

Definitions.

The following definitions shall apply for purposes of this Agreement:

"Acceptable Waste" shall mean any hazardous waste, as defined under applicable State or federal law, determined by EQ as acceptable for treatment and/or disposal in accordance with this Agreement.

"Delivered Wastes" shall mean all wastes (i) which are transported, delivered, or tendered to EQ by the Customer; (ii) which the Customer has arranged for the transport, delivery or tender to EQ; or (iii) which are transported, delivered, or tendered to EQ under a Credit Agreement between the Customer and EQ.

"Non-Conforming Wastes" shall mean wastes that (a) are not in accordance in all material respects with the warranties, descriptions, specifications or limitations stated in the Waste Characterization Report and this Agreement; (b) have constituents or components of a type or concentration not specifically identified in the Waste Characterization Report (i) which increase the nature or extent of the hazard and risk undertaken by EQ in treating and/or disposing of the waste, or (ii) for whose treatment and/or disposal a Waste Management Facility is not designed or permitted, or (iii) which increase the cost of treatment and/or disposal of waste beyond that specified in EQ's price quote; or (c) are not properly packaged, labeled, described, or placarded, or otherwise not in compliance with United States Department of Transportation and United States Environmental Protection Agency regulations.

Control of Operations.

EQ shall have sole control over all aspects of the operation of any treatment and/or disposal facility of EQ receiving Delivered Wastes under this Agreement (hereinafter, "Waste Management Facility"), including, without limitation, maintaining EQ's desired volume of Acceptable Wastes being delivered to any Waste Management Facility by the Customer or any other person or entity.

Identification of Waste.

For each waste material to be transported, delivered, or tendered to EQ under this Agreement, the Customer shall provide, or cause to be provided, to EQ a representative sample of the waste material and a completed Waste Characterization Report containing a physical and chemical description or analysis of such waste material, which description shall conform with any and all guidelines for waste acceptance provided by EQ. On the basis of EQ's analysis of such representative sample of the waste material and such Waste Characterization Report, EQ will determine whether such wastes are Acceptable Wastes. EQ does not make any guarantee that it will handle any waste material or any particular quantity or type of waste material, and EQ reserves the right to the decline to transport, treat and/or dispose of waste material. The Customer shall promptly furnish to EQ any information regarding known, suspected or planned changes in the composition of the waste material. Further, the Customer shall promptly inform EQ of any change in the characteristic or condition of the waste material which becomes known to the Customer subsequent to the date of the Waste Characterization Report.

Non-Conforming Wastes.

In the event that EQ at any time discovers that any Delivered Waste is Non-Conforming Waste, EQ may reject or revoke its acceptance of the Non-Conforming Waste. The Customer shall have seven (7) days to direct an alternative lawful manner of disposition of the waste, unless it is necessary by reason of law or otherwise to move the Non-Conforming Waste prior to expiration of the seven (7) day period. If the Customer does not direct an alternative disposal, at its option, EQ may return any such Non-Conforming Wastes to the Customer, and the Customer shall pay or reimburse EQ for all costs and expenses incurred by EQ in connection with the receipt, handling, sampling, analyses, transportation and return to the Customer of such Non-Conforming Wastes. If it is impossible or impractical for EQ to return the Non-Conforming Waste to the Customer, the Customer shall reimburse EQ for all costs, of any type or nature whatsoever, incurred by EQ, solely because such Delivered Waste was Non-Conforming Waste (including, but not limited to, all costs associated with any remedial steps necessary, due to the nature of the Non-Conforming Waste, in connection with material with which the Non-Conforming Waste may have been commingled and all expenses and charges for analyzing, handling, locating, preparing for transporting, storing and disposing of any Non-Conforming Waste).

Customer Warranty - Title to Wastes.

Either the Customer or the generator (if other than the Customer) shall hold clear title, free of any all liens, claims, encumbrances, and charges to Delivered Waste until such waste is accepted by EQ.

Customer Warranty - Acceptable Wastes.

All Delivered Wastes shall be Acceptable Wastes and shall conform in all material respects to the description and specifications contained in the Waste Characterization Report. The information set forth in the Waste Characterization Report or any manifest, placard or label associated with any Delivered Wastes, or otherwise represented by the Customer or the generator (if other than the Customer) to EQ, is and shall be true, accurate and complete as of the date of receipt of the involved waste by EQ.

Customer Warranty - Compliance with Laws.

The Customer shall comply with all applicable federal, state and local environmental statutes, regulations, and other governmental requirements, as well as directives issued by EQ from time to time, governing the transportation, treatment and/or disposal of Acceptable Wastes, including, but not limited to, all packaging, manifesting, containerization, placarding and labeling requirements.

Customer Warranty - Updating Information.

If the Customer receives information that Delivered Waste or other hazardous waste described in the Waste Characterization Report, or some component of such waste, presents or may present a hazard or risk to persons, property or the environment which was not disclosed to EQ, or if the Customer or generator (if other than the Customer) has changed the process by which such waste results, the Customer shall promptly report such information to EQ in writing.

Customer Indemnity.

The Customer shall indemnify, defend and hold harmless EQ, and its affiliated or related companies, and all of their respective present or future officers, directors, shareholders, employees and agents from and against any and all losses, damages, liabilities, penalties, fines, forfeitures, demands, claims, causes of action, suits, costs and expenses (including, but not limited to, reasonable costs of defense, settlement, and reasonable attorneys' fees), which may be asserted against any or all of them by any person or any governmental agency, or which any or all of them may hereafter suffer, incur, be responsible for or pay out, as a result of or in connection with bodily injuries (including, but not limited to, death, sickness, disease and emotional or mental distress) to any person (including EQ's employees), damage (including, but not limited to, loss of use) to any property (public or private), or any requirements to conduct or incur expense for investigative, removal or remedial expenses in connection with contamination of or adverse effect on the environment, or any violation or alleged violation of any statutes, ordinances, orders, rules or regulations of any governmental entity or agency, caused or arising out of (i) a breach of this Agreement by the Customer, (ii) the failure of any warranty of the Customer to be true, accurate and complete, or (iii) any willful or negligent act or omission of the Customer, or its employees or agents in connection with the performance of this Agreement.

Force Majeure.

EQ shall not be liable for any failure to accept, receive, handle, treat, and/or dispose of Delivered Waste due to an act of God, fire, casualty, flood, war, strike, lockout, labor trouble, failure of public utilities, equipment failure, facility shutdown, injunction, accident, epidemic, riot, insurrection, destruction of operation or transportation facilities, the inability to procure materials, equipment, or sufficient personnel or energy in order to meet operational needs without the necessity of allocation, the failure or inability to obtain any governmental approvals or to meet Environmental Requirements (including, but not limited to voluntary or involuntary compliance with any act, exercise, assertion, or requirement of any governmental authority) which may temporarily or permanently prohibit operations of EQ, the Customer, or the Generator, or any other circumstances beyond the control of EQ which prevents or delays performance of any of its obligations under this Agreement.

Governing Laws.

This Agreement shall in all respects be governed by and shall be construed in accordance with the laws of the State of Michigan applied to contracts executed and performed wholly within such state.

EQ - The Environmental Quality Company

Waste Characterization Report

☒ I authorize EQ - The Environmental Quality Company to choose the appropriate method of waste management, from the technologies offered, at the EQ facilities identified below.

<input type="checkbox"/> Michigan Disposal Waste Treatment Plant (Stabilization and Treatment)	49350 North I-94 Service Drive, Belleville, Michigan 48111 Phone: 1-800-592-5489 Fax: 1-800-592-5329	EPA ID #MID000724831
<input type="checkbox"/> Wayne Disposal, Inc. (Hazardous & PCB Waste Landfill)	49350 North I-94 Service Drive, Belleville, Michigan 48111 Phone: 1-800-592-5489 Fax: 1-800-592-5329	EPA ID #MID048090633
<input type="checkbox"/> EQ Detroit, Inc. (Stabilization, Wastewater Treatment)	1923 Frederick, Detroit, MI 48211 Phone: 1-800-495-6059 Fax: 1-313-923-3375	EPA ID #MID980991566
<input type="checkbox"/> EQ Resource Recovery, Inc. (Solvent Recycling, Fuel Blending, WW Treatment)	36345 Van Born Road, Romulus, Michigan 48174 Phone: (734) 727-5500 Fax: (734) 326-4033	EPA ID #MID060975844
<input type="checkbox"/> EQIS North Carolina (Stabilization, Treatment, Labpack Decommissioning)	1005 Investment Blvd., Apex, NC 27502 Phone: (919) 363-4700 Fax: (919) 363-4714	EPA ID #NCD982170292
<input type="checkbox"/> EQ Florida, Inc. (Drum Consolidation, Labpack Decommissioning)	7202 East Eighth Ave., Tampa, FL 33619 Phone: 1-800-624-5302 Fax: 1-813-628-0842	EPA ID #FLD981932494
<input type="checkbox"/> EQ Detroit Transfer and Processing (Drum Transfer/Universal Waste Handling)	2000 Ferry Street, Detroit, MI 48211 Phone: (313) 923-0080 Fax: (313) 922-8419	EPA ID #MIK939928313
<input type="checkbox"/> EQIS Indianapolis Transfer and Processing (Drum Transfer/Non-Hazardous Waste Processing)	4000 West 10th Street, Indianapolis, Indiana 46222 Phone: (317) 247-7160 Fax: (317) 247-7170	EPA ID #IND161049309
<input type="checkbox"/> EQIS Atlanta Transfer and Processing (Drum Transfer/Non-Hazardous Waste Processing)	5600 Fulton Industrial Blvd., Atlanta, Georgia 30336 Phone: (404) 494-3520 Fax: (404) 494-3560	EPA ID #GAR000039776
<input type="checkbox"/> EQ Augusta, Inc. (Wastewater Treatment)	3920 Goshen Industrial Blvd., Augusta, GA 30906 Phone: 706-771-9100 Fax: 706-771-9124	EPA ID #GAR000011817

Waste Common Name: Poison Solid Lab Pack

Section 1 - Generator & Customer Info

SIC/NAICS:

EQ Customer No.: 10958

Generator EPA ID: MST-MP0-002-452

Invoicing Company

Company: USES JACKSON
Address: 1075 MENDELL DAVIS DRIVE
City: JACKSON
State: MS Zip: 39212
Country: USA

Invoicing Contact

Name: Wanda Horton
Phone: (601) 372-3232
Fax: () -

Technical Contact

Name: J.T. Newman
Phone: (601) 372-3232
Fax: () -
Mobile: () - Pager: () -
E-mail: jnewman@usesgroup.com

Generator: Mississippi DEQ
Address: 4260 Rifle Range Rd
City: Vicksburg
State: MS Zip: 39180
County: Warren

Mailing Address

Address: P.O Box 20326
City: Jackson
State: MS Zip: 39289

Generator Contact

Name: Trey Hess / Jerry Banks
Title:
Phone: (601) 961-5221/601-5654
Fax: () -

*For a list of NAICS codes, please refer to Section 9 of the EQ Resource Guide.

Section 2 - Shipping & Packaging Info

- 2.1) Shipping Volume & Unit: 30 gallon Frequency: One Time Only
- 2.2) DOT Shipping Name: Toxic solid, inorganic, n.o.s.
- 2.3) Is this waste surcharge exempt? ☐ Yes ☒ No (If you answered "Yes" to question 2.3, select the Surcharge Exemption reason.)

2.4) Packaging (check all that apply)

- | | | |
|--|--|---|
| <input type="checkbox"/> Bulk Solid (yd ³ < 2000 lbs./yd ³) | <input type="checkbox"/> Bulk Solid (Ton > 2000 lbs./yd ³) | <input type="checkbox"/> Bulk Liquids (Gallon) |
| <input type="checkbox"/> Totes, Size | <input type="checkbox"/> Cubic Yard Boxes/Bags | <input checked="" type="checkbox"/> Drums, Size 30 gallon |
| <input type="checkbox"/> Other (palletized, 5 gal. Pail, etc.) | | |

Quoted bulk disposal charges for solid materials will be billed by the cubic yard, if the waste density is less than 2,000lbs./cubic yard. If waste density is greater than 2,000 lbs./cubic yard, then bulk disposal charges will be billed by the ton, regardless of the approved container.

Section 3 - Physical Characteristics

- 3.1) Color: VARIES
- 3.2) Odor: none
- 3.3) Does this waste contain any "Potentially Odorous Constituents" as defined in the EQ Resource Guide? (Section 3) ☐ Yes ☒ No
- 3.4) Physical State at 70 °F: ☒ Solid ☐ Dust/Powder ☐ Liquid ☐ Sludge
- 3.5) What is the pH of this waste? ☐ ≤ 2 ☐ 2.1-4.9 ☒ 5-10 ☒ 10.1-12.4 ☒ ≥ 12.5
- 3.6) What is the flash point of this waste? ☐ <90 °F ☐ 90-139 °F ☐ 140-199 °F ☒ ≥ 200 °F
- 3.7) Does this waste contain? (check all that apply) ☒ None
- | | | | | | |
|---|---|--|---|---|--------------------------------------|
| <input type="checkbox"/> Biodegradable Sorbants | <input type="checkbox"/> Amines | <input type="checkbox"/> Ammonia | <input type="checkbox"/> Free Liquids | <input type="checkbox"/> Oily Residue | <input type="checkbox"/> Metal Fines |
| <input type="checkbox"/> Shock Sensitive Waste | <input type="checkbox"/> Reactive Waste | <input type="checkbox"/> Radioactive Waste | <input type="checkbox"/> Water Reactive | <input type="checkbox"/> Biohazard | <input type="checkbox"/> Aluminum |
| <input type="checkbox"/> Asbestos - non-friable | <input type="checkbox"/> Asbestos - friable | <input type="checkbox"/> Dioxins | <input type="checkbox"/> Explosives | <input type="checkbox"/> Pyrophoric Waste | <input type="checkbox"/> Isocyanates |
| | | | <input type="checkbox"/> Furans | | |

Section 4 - Composition / Generating Process

- 4.1) Describe the physical composition of the waste (i.e., soil, water, PPE, debris, key chemical compounds, etc.)
- 4.2) Provide a detailed description of the process generating this waste. (attach flow diagram if available).
- Labpack of chemicals in abandoned Chemical plant Lab

Section 5 - Is This Hazardous Waste?

Please refer to Section 5 of the EQ Resource Guide for a list of waste codes.

As determined by 40 CFR, Part 261 and Michigan Act 451 Rules:

Please list applicable waste code(s):

- 5.1) Is this an EPA RCRA listed hazardous waste (F, K, P or U)? ☒ Yes ☐ No
- Comments:
- 5.2) Is this an EPA RCRA characteristic hazardous waste (D001-D043)? ☐ Yes ☒ No
- Comments:
- 5.3) Do any State Hazardous Waste Codes apply? ☐ Yes ☒ No
- Comments:
- 5.4) Is this waste intended for wastewater treatment? ☐ Yes* ☒ No

P119 U007 U204 U219

If you answered "No" to questions 5.1, 5.2, and 5.3, please skip to Section 7.
If you answered "Yes" to question 5.4, please complete the WCR Addendum.

Section 6 - Hazardous Wastes

6.1) Does this waste exceed Land Disposal Restriction Levels?

6.1a) If this waste stream is greater than 50% soil, does it meet the alternative soil treatment standards of 40 CFR 268.49?

6.1b) Does this waste contain greater than 50% debris, by volume? (Debris is greater than 2.5 inches in size.)

6.2) Is the waste an oxidizer (D001)?

6.3) Does this waste contain reactive cyanide \geq 250 ppm (D003)?

6.4) Does this waste contain reactive sulfide \geq 500 ppm (D003)?

6.5) Please indicate which constituent concentrations are below or above the regulatory level. Please indicate the basis used in the determination. Either 'Below' or 'Above' **MUST** be checked for each constituent.

Based On: ☒ Generator Knowledge

☐ Analysis*

☐ MSDS*

*Please forward a copy. Analysis or MSDS are required for EQ Florida Non-hazardous wastes.

Code	Regulatory Level	TCLP (mg/l)	Concentration (If above)
D004	Arsenic	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D005	Barium	100	<input checked="" type="radio"/> Below <input type="radio"/> Above
D006	Cadmium	1	<input checked="" type="radio"/> Below <input type="radio"/> Above
D007	Chromium	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D008	Lead	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D009	Mercury	0.2	<input checked="" type="radio"/> Below <input type="radio"/> Above
D010	Selenium	1	<input checked="" type="radio"/> Below <input type="radio"/> Above
D011	Silver	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D012	Endrin	0.02	<input checked="" type="radio"/> Below <input type="radio"/> Above
D013	Lindane	0.4	<input checked="" type="radio"/> Below <input type="radio"/> Above
D014	Methoxychlor	10	<input checked="" type="radio"/> Below <input type="radio"/> Above
D015	Toxaphene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D016	2,4-D	10	<input checked="" type="radio"/> Below <input type="radio"/> Above
D017	2,4,5-TP (Silvex)	1	<input checked="" type="radio"/> Below <input type="radio"/> Above
D018	Benzene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D019	Carbon Tetrachloride	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D020	Chlordane	0.03	<input checked="" type="radio"/> Below <input type="radio"/> Above
D021	Chlorobenzene	100	<input checked="" type="radio"/> Below <input type="radio"/> Above
D022	Chloroform	6.0	<input checked="" type="radio"/> Below <input type="radio"/> Above
D023	o-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above

Code	Regulatory Level	TCLP (mg/l)	Concentration (If above)
D024	m-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above
D025	p-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above
D026	Cresols	200	<input checked="" type="radio"/> Below <input type="radio"/> Above
D027	1,4-Dichlorobenzene	7.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D028	1,2-Dichloroethane	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D029	1,1-Dichloroethylene	0.7	<input checked="" type="radio"/> Below <input type="radio"/> Above
D030	2,4-Dinitrotoluene	0.13	<input checked="" type="radio"/> Below <input type="radio"/> Above
D031	Heptachlor	0.008	<input checked="" type="radio"/> Below <input type="radio"/> Above
D032	Hexachlorobenzene	0.13	<input checked="" type="radio"/> Below <input type="radio"/> Above
D033	Hexachlorobutadiene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D034	Hexachloroethane	3.0	<input checked="" type="radio"/> Below <input type="radio"/> Above
D035	Methyl Ethyl Ketone	200	<input checked="" type="radio"/> Below <input type="radio"/> Above
D036	Nitrobenzene	2	<input checked="" type="radio"/> Below <input type="radio"/> Above
D037	Pentachlorophenol	100	<input checked="" type="radio"/> Below <input type="radio"/> Above
D038	Pyridine	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D039	Tetrachloroethylene	0.7	<input checked="" type="radio"/> Below <input type="radio"/> Above
D040	Trichloroethylene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D041	2,4,5-Trichlorophenol	400	<input checked="" type="radio"/> Below <input type="radio"/> Above
D042	2,4,6-Trichlorophenol	2	<input checked="" type="radio"/> Below <input type="radio"/> Above
D043	Vinyl Chloride	0.2	<input checked="" type="radio"/> Below <input type="radio"/> Above

6.6) If this is a characteristic hazardous waste, does it contain underlying hazardous constituents?

If you answered 'Yes', please list the constituents in Section 11.

☐ Yes ☒ No

Section 7 - Non-Hazardous Wastes

For a complete list of non-hazardous waste codes, please refer to Section 7 of the EQ Resource Guide.

Applicable waste code(s):

7.1) Is this a Michigan non-hazardous liquid industrial waste?

Comments:

☐ Yes ☒ No

7.2) Is this a Universal waste?

☐ Yes ☒ No

7.3) Is this a Recyclable Commodity? (e.g.: computer monitors, free mercury, etc.)

☐ Yes ☒ No

7.4) Is this waste a recoverable petroleum product?

☐ Yes ☒ No

7.5) Is this waste used oil as defined by 40 CFR Part 279?

☐ Yes ☒ No

Section 8 - TSCA Information

8.1) What is the concentration of PCBs in the waste?

- ☒ None ☐ 0-5 ppm ☐ 6-49 ppm
☐ 50-499 ppm ☐ 500+ ppm

8.2) Does the waste contain PCB contamination from a source with a concentration ≥ 50 ppm?

- ☐ Yes ☒ No

If you answered 'None' to 8.1 and 'No' to 8.2, please skip to Section 9.

8.3) Has this waste been processed into a non-liquid form?

- ☐ Yes ☐ No

If yes, what was the concentration of PCBs prior to processing? (ppm)

- ☐ N/A ☐ 0-499 ☐ 500+

8.4) Is the non-liquid PCB waste in the form of soil, rags, debris, or other contaminated media?

- ☐ Yes ☐ No

8.5) Are you a PCB capacitor manufacturer or a PCB equipment manufacturer?

- ☐ Yes ☐ No

8.6) Has the PCB Article (e.g., transformer, hydraulic machine, PCB-contaminated electrical equipment) been drained/flushed of all PCBs and decontaminated in accordance with 40 CFR 761.60(b)?

- ☐ N/A ☐ Yes ☐ No

Section 9 - Clean Air Act Information

9.1) Is this waste subject to regulation under 40 CFR, Part 63, Subpart DD or 40 CFR, Part 264, Subpart CC (RCRA)?

- ☐ Yes ☒ No

(Does the waste contain >500 ppm Volatile Organic Hazardous Air Pollutants - VOHAP's or Volatile Organic Compounds - VOC's?)

For a complete list of VOHAPs, please see Section 11 of the EQ Resource Guide.

9.2) Is this site, or waste, subject to any other MACT or NESHAP?

- ☐ Yes ☒ No

If yes, please specify:

9.3) Does this waste stream contain Benzene?

- ☐ Yes ☒ No

If you answered "No" to question 9.2, please skip to section 10.

9.4) Does the waste stream come from a facility with one of the SIC/NAICS codes listed under the Benzene NESHAP identified in 40 CFR 61, Subpart FF?

- ☐ Yes ☐ No

9.5) Is the generating source of this waste stream a facility with Total Annual Benzene (TAB) ≥ 10 Mg/year?

- ☐ Yes ☒ No

For assistance in calculating the TAB, please see the TAB Worksheet in Section 9 of the EQ Resource Guide.

If you answered "No" to question 9.3 and 9.4, please skip to Section 10.

9.6) Does the waste contain > 10% water?

- ☐ Yes ☐ No

9.7) What is the TAB quantity for your facility? Mg/year

9.8) Does the waste contain >1.0 mg/kg total Benzene?

- ☐ Yes ☐ No

9.9) What is the total Benzene concentration in your waste? (concentration) (unit)

(Supporting analysis must be attached. Do not use TCLP analytical results. Acceptable laboratory methods include 8020, 8240, 8260, 602 and 624.)

**For a list of NAICS codes, please refer to section 9 of the EQ Resource Guide.*

Section 10 - Fuel Blending Information

10.1) Is this waste intended for fuel blending?

- ☐ Yes* ☒ No

If you answered 'Yes' to question 10.1, please enter the following:

Heat value (BTU/lb.) _____
Chlorine (%) _____
Water (%) _____
Solids (%) _____

10.2) Is this waste intended for reclamation?

- ☐ Yes ☒ No

(5-Gallon Sample required for all reclaim waste streams)

Section 11 - Constituent Information

Please identify your waste constituents from these four categories: Underlying Hazardous Constituents (UHC's), Volatile Organic Hazardous Air Pollutants (VOHAP's), Volatile Organic Compounds (VOC's) and Toxic Release Inventory Constituents (TRI)


Constituent	Concentration	UHC?
-------------	---------------	------

Please see Section 11 of the EQ Resource Guide for a list of UHC's, VOHAP's and VOC's. For a complete list of TRI constituents, please refer to 40 CFR 372.65.

Section 12 - Certification

I certify that all information (including attachments) is complete and factual and is an accurate representation of the known and suspected hazards, pertaining to the waste described herein. I authorize EQ's Resource Team to add supplemental information to the waste approval file, provided I am contacted and give verbal permission. I authorize EQ's Resource Team to obtain a sample from any waste shipment for purposes of verification. Generator or on Generator's behalf shall be subject to, and Generator shall be bound by, the attached Standard Terms and Conditions and confirmation. I agree that, if EQ approves the waste described herein, all such wastes that are transported, delivered, or tendered to EQ by

Comments:
logged in

Generator:  Jerry B. Banks
Authorized Generator Signature Printed Generator Name

Company: MS Dept. of Environmental Quality Title: Chief Groundwater Assessment Date: 11-13-07

The generator's signature MUST appear on the EQ Waste Characterization Report. If the generator has authorized a third party to certify this document, a written notice (on generator letterhead) must accompany this submittal. Although the EQ Resource Team is authorized to make certain modifications to the information provided on this form, the addition or removal of waste codes and waste constituents must be documented by the generator.

STANDARD TERMS AND CONDITIONS

The Agreement between the Customer and EQ - The Environmental Quality Company and/or its member companies (hereinafter "EQ") related to or associated with Delivered Waste, as herein defined, shall be governed by the following Standard Terms and Conditions in addition to the terms and conditions contained in any Waste Characterization Report, Customer Approval Quote Confirmation, Generator Approval Notification, Notice of Waste Approval Expiration, and/or Credit Agreement associated with such Delivered Waste.

The Customer may use its standard forms (such as purchase orders, acknowledgments of orders, and invoices) to administer its dealings under this Agreement for convenience purposes, but all provisions thereof in conflict with these terms and conditions shall be deemed stricken.

Definitions.

The following definitions shall apply for purposes of this Agreement:

"Acceptable Waste" shall mean any hazardous waste, as defined under applicable State or federal law, determined by EQ as acceptable for treatment and/or disposal in accordance with this Agreement.

"Delivered Wastes" shall mean all wastes (i) which are transported, delivered, or tendered to EQ by the Customer; (ii) which the Customer has arranged for the transport, delivery or tender to EQ; or (iii) which are transported, delivered, or tendered to EQ under a Credit Agreement between the Customer and EQ.

"Non-Conforming Wastes" shall mean wastes that (a) are not in accordance in all material respects with the warranties, descriptions, specifications or limitations stated in the Waste Characterization Report and this Agreement; (b) have constituents or components of a type or concentration not specifically identified in the Waste Characterization Report (i) which increase the nature or extent of the hazard and risk undertaken by EQ in treating and/or disposing of the waste, or (ii) for whose treatment and/or disposal a Waste Management Facility is not designed or permitted, or (iii) which increase the cost of treatment and/or disposal of waste beyond that specified in EQ's price quote; or (c) are not properly packaged, labeled, described, or placarded, or otherwise not in compliance with United States Department of Transportation and United States Environmental Protection Agency regulations.

Control of Operations.

EQ shall have sole control over all aspects of the operation of any treatment and/or disposal facility of EQ receiving Delivered Wastes under this Agreement (hereinafter, "Waste Management Facility"), including, without limitation, maintaining EQ's desired volume of Acceptable Wastes being delivered to any Waste Management Facility by the Customer or any other person or entity.

Identification of Waste.

For each waste material to be transported, delivered, or tendered to EQ under this Agreement, the Customer shall provide, or cause to be provided, to EQ a representative sample of the waste material and a completed Waste Characterization Report containing a physical and chemical description or analysis of such waste material, which description shall conform with any and all guidelines for waste acceptance provided by EQ. On the basis of EQ's analysis of such representative sample of the waste material and such Waste Characterization Report, EQ will determine whether such wastes are Acceptable Wastes. EQ does not make any guarantee that it will handle any waste material or any particular quantity or type of waste material, and EQ reserves the right to the decline to transport, treat and/or dispose of waste material. The Customer shall promptly furnish to EQ any information regarding known, suspected or planned changes in the composition of the waste material. Further, the Customer shall promptly inform EQ of any change in the characteristic or condition of the waste material which becomes known to the Customer subsequent to the date of the Waste Characterization Report.

Non-Conforming Wastes.

In the event that EQ at any time discovers that any Delivered Waste is Non-Conforming Waste, EQ may reject or revoke its acceptance of the Non-Conforming Waste. The Customer shall have seven (7) days to direct an alternative lawful manner of disposition of the waste, unless it is necessary by reason of law or otherwise to move the Non-Conforming Waste prior to expiration of the seven (7) day period. If the Customer does not direct an alternative disposal, at its option, EQ may return any such Non-Conforming Wastes to the Customer, and the Customer shall pay or reimburse EQ for all costs and expenses incurred by EQ in connection with the receipt, handling, sampling, analyses, transportation and return to the Customer of such Non-Conforming Wastes. If it is impossible or impractical for EQ to return the Non-Conforming Waste to the Customer, the Customer shall reimburse EQ for all costs, of any type or nature whatsoever, incurred by EQ, solely because such Delivered Waste was Non-Conforming Waste (including, but not limited to, all costs associated with any remedial steps necessary, due to the nature of the Non-Conforming Waste, in connection with material with which the Non-Conforming Waste may have been commingled and all expenses and charges for analyzing, handling, locating, preparing for transporting, storing and disposing of any Non-Conforming Waste).

Customer Warranty - Title to Wastes.

Either the Customer or the generator (if other than the Customer) shall hold clear title, free of any all liens, claims, encumbrances, and charges to Delivered Waste until such waste is accepted by EQ.

Customer Warranty - Acceptable Wastes.

All Delivered Wastes shall be Acceptable Wastes and shall conform in all material respects to the description and specifications contained in the Waste Characterization Report. The information set forth in the Waste Characterization Report or any manifest, placard or label associated with any Delivered Wastes, or otherwise represented by the Customer or the generator (if other than the Customer) to EQ, is and shall be true, accurate and complete as of the date of receipt of the involved waste by EQ.

Customer Warranty - Compliance with Laws.

The Customer shall comply with all applicable federal, state and local environmental statutes, regulations, and other governmental requirements, as well as directives issued by EQ from time to time, governing the transportation, treatment and/or disposal of Acceptable Wastes, including, but not limited to, all packaging, manifesting, containerization, placarding and labeling requirements.

Customer Warranty - Updating Information.

If the Customer receives information that Delivered Waste or other hazardous waste described in the Waste Characterization Report, or some component of such waste, presents or may present a hazard or risk to persons, property or the environment which was not disclosed to EQ, or if the Customer or generator (if other than the Customer) has changed the process by which such waste results, the Customer shall promptly report such information to EQ in writing.

Customer Indemnity.

The Customer shall indemnify, defend and hold harmless EQ, and its affiliated or related companies, and all of their respective present or future officers, directors, shareholders, employees and agents from and against any and all losses, damages, liabilities, penalties, fines, forfeitures, demands, claims, causes of action, suits, costs and expenses (including, but not limited to, reasonable costs of defense, settlement, and reasonable attorneys' fees), which may be asserted against any or all of them by any person or any governmental agency, or which any or all of them may hereafter suffer, incur, be responsible for or pay out, as a result of or in connection with bodily injuries (including, but not limited to, death, sickness, disease and emotional or mental distress) to any person (including EQ's employees), damage (including, but not limited to, loss of use) to any property (public or private), or any requirements to conduct or incur expense for investigative, removal or remedial expenses in connection with contamination of or adverse effect on the environment, or any violation or alleged violation of any statutes, ordinances, orders, rules or regulations of any governmental entity or agency, caused or arising out of (i) a breach of this Agreement by the Customer, (ii) the failure of any warranty of the Customer to be true, accurate and complete, or (iii) any willful or negligent act or omission of the Customer, or its employees or agents in connection with the performance of this Agreement.

Force Majeure.

EQ shall not be liable for any failure to accept, receive, handle, treat, and/or dispose of Delivered Waste due to an act of God, fire, casualty, flood, war, strike, lockout, labor trouble, failure of public utilities, equipment failure, facility shutdown, injunction, accident, epidemic, riot, insurrection, destruction of operation or transportation facilities, the inability to procure materials, equipment, or sufficient personnel or energy in order to meet operational needs without the necessity of allocation, the failure or inability to obtain any governmental approvals or to meet Environmental Requirements (including, but not limited to voluntary or involuntary compliance with any act, exercise, assertion, or requirement of any governmental authority) which may temporarily or permanently prohibit operations of EQ, the Customer, or the Generator, or any other circumstances beyond the control of EQ which prevents or delays performance of any of its obligations under this Agreement.

Governing Laws.

This Agreement shall in all respects be governed by and shall be construed in accordance with the laws of the State of Michigan applied to contracts executed and performed wholly within such state.

EQ - The Environmental Quality Company

Waste Characterization Report

☒ I authorize EQ - The Environmental Quality Company to choose the appropriate method of waste management, from the technologies offered, at the EQ facilities identified below.

<input type="checkbox"/> Michigan Disposal Waste Treatment Plant (Stabilization and Treatment)	49350 North I-94 Service Drive, Belleville, Michigan 48111 Phone: 1-800-592-5489 Fax: 1-800-592-5329	EPA ID #MID000724831
<input type="checkbox"/> Wayne Disposal, Inc. (Hazardous & PCB Waste Landfill)	49350 North I-94 Service Drive, Belleville, Michigan 48111 Phone: 1-800-592-5489 Fax: 1-800-592-5329	EPA ID #MID048090633
<input type="checkbox"/> EQ Detroit, Inc. (Stabilization, Wastewater Treatment)	1923 Frederick, Detroit, MI 48211 Phone: 1-800-495-6059 Fax: 1-313-923-3375	EPA ID #MID980991566
<input type="checkbox"/> EQ Resource Recovery, Inc. (Solvent Recycling, Fuel Blending, WW Treatment)	36345 Van Born Road, Romulus, Michigan 48174 Phone: (734) 727-5500 Fax: (734) 326-4033	EPA ID #MID060975844
<input type="checkbox"/> EQIS North Carolina (Stabilization, Treatment, Labpack Decommissioning)	1005 Investment Blvd., Apex, NC 27502 Phone: (919) 363-4700 Fax: (919) 363-4714	EPA ID #NCD982170292
<input type="checkbox"/> EQ Florida, Inc. (Drum Consolidation, Labpack Decommissioning)	7202 East Eighth Ave., Tampa, FL 33619 Phone: 1-800-624-5302 Fax: 1-813-628-0842	EPA ID #FLD981932494
<input type="checkbox"/> EQ Detroit Transfer and Processing (Drum Transfer/Universal Waste Handling)	2000 Ferry Street, Detroit, MI 48211 Phone: (313) 923-0080 Fax: (313) 922-8419	EPA ID #MIK939928313
<input type="checkbox"/> EQIS Indianapolis Transfer and Processing (Drum Transfer/Non-Hazardous Waste Processing)	4000 West 10th Street, Indianapolis, Indiana 46222 Phone: (317) 247-7160 Fax: (317) 247-7170	EPA ID #IND161049309
<input type="checkbox"/> EQIS Atlanta Transfer and Processing (Drum Transfer/Non-Hazardous Waste Processing)	5600 Fulton Industrial Blvd., Atlanta, Georgia 30336 Phone: (404) 494-3520 Fax: (404) 494-3560	EPA ID #GAR000039776
<input type="checkbox"/> EQ Augusta, Inc. (Wastewater Treatment)	3920 Goshen Industrial Blvd., Augusta, GA 30906 Phone: 706-771-9100 Fax: 706-771-9124	EPA ID #GAR000011817

Waste Common Name: Quicklime

Section 1 - Generator & Customer Info

SIC/NAICS*:

Generator EPA ID: MST-MP0-002-452

Generator: Mississippi DEQ
Address: 4280 Rifle Range Rd
City: Vicksburg
State: MS Zip: 39180
County: Warren

Mailing Address

Address: P.O Box 20326
City: Jackson
State: MS Zip: 39289

Generator Contact

Name: Trey Hess / Jerry Banks
Title:
Phone: (601) 961-5221/601-5654
Fax: () -

EQ Customer No.: 10958

Invoicing Company

Company: USES JACKSON
Address: 1075 MENDELL DAVIS DRIVE
City: JACKSON
State: MS Zip: 39212
Country: USA

Invoicing Contact

Name: Wanda Horton
Phone: (601) 372-3232
Fax: () -

Technical Contact

Name: J.T. Newman
Phone: (601) 372-3232
Fax: () -
Mobile: () - Pager: () -
E-mail: jnewman@usesgroup.com

*For a list of NAICS codes, please refer to Section 9 of the EQ Resource Guide.

Section 2 - Shipping & Packaging Info

- 2.1) Shipping Volume & Unit: 55 gallon Frequency: One Time Only
- 2.2) DOT Shipping Name: Calcium oxide
- 2.3) Is this waste surcharge exempt? ☐ Yes ☒ No (If you answered "Yes" to question 2.3, select the Surcharge Exemption reason.)

2.4) Packaging (check all that apply)

- | | | |
|--|--|---|
| <input type="checkbox"/> Bulk Solid (yd ³ < 2000 lbs./yd ³) | <input type="checkbox"/> Bulk Solid (Ton > 2000 lbs./yd ³) | <input type="checkbox"/> Bulk Liquids (Gallon) |
| <input type="checkbox"/> Totes, Size | <input type="checkbox"/> Cubic Yard Boxes/Bags | <input checked="" type="checkbox"/> Drums, Size 55 gallon |
| <input type="checkbox"/> Other (palletized, 5 gal. Pail, etc.) | | |

Quoted bulk disposal charges for solid materials will be billed by the cubic yard, if the waste density is less than 2,000lbs./cubic yard. If waste density is greater than 2,000 lbs./cubic yard, then bulk disposal charges will be billed by the ton, regardless of the approved container.

Section 3 - Physical Characteristics

- 3.1) Color: VARIES
- 3.2) Odor: none
- 3.3) Does this waste contain any "Potentially Odorous Constituents" as defined in the EQ Resource Guide? (Section 3) ☐ Yes ☒ No
- 3.4) Physical State at 70 °F: ☐ Solid ☒ Dust/Powder ☐ Liquid ☐ Sludge
- 3.5) What is the pH of this waste? ☐ ≤ 2 ☐ 2.1-4.9 ☐ 5-10 ☐ 10.1-12.4 ☒ ≥ 12.5
- 3.6) What is the flash point of this waste? ☐ <90 °F ☐ 90-139 °F ☐ 140-199 °F ☒ ≥ 200 °F
- 3.7) Does this waste contain? (check all that apply) ☐ None
- | | | | | | |
|---|---|--|--|---|--------------------------------------|
| <input type="checkbox"/> Biodegradable Sorbants | <input type="checkbox"/> Amines | <input type="checkbox"/> Ammonia | <input checked="" type="checkbox"/> Free Liquids | <input type="checkbox"/> Oily Residue | <input type="checkbox"/> Metal Fines |
| <input type="checkbox"/> Shock Sensitive Waste | <input type="checkbox"/> Reactive Waste | <input type="checkbox"/> Radioactive Waste | <input checked="" type="checkbox"/> Water Reactive | <input type="checkbox"/> Biohazard | <input type="checkbox"/> Aluminum |
| <input type="checkbox"/> Asbestos - non-friable | <input type="checkbox"/> Asbestos - friable | <input type="checkbox"/> Dioxins | <input type="checkbox"/> Explosives | <input type="checkbox"/> Pyrophoric Waste | <input type="checkbox"/> Isocyanates |
| | | | <input type="checkbox"/> Furans | | |

Section 4 - Composition / Generating Process

- 4.1) Describe the physical composition of the waste (i.e., soil, water, PPE, debris, key chemical compounds, etc.)
- Quicklime from 100. to 100. %
- 4.2) Provide a detailed description of the process generating this waste. (attach flow diagram if available).
- Abandoned Chemical from Plant Demolition

Section 5 - Is This Hazardous Waste?

Please refer to Section 5 of the EQ Resource Guide for a list of waste codes.

As determined by 40 CFR, Part 261 and Michigan Act 451 Rules:

Please list applicable waste code(s):

- 5.1) Is this an EPA RCRA listed hazardous waste (F, K, P or U)? ☐ Yes ☒ No
- Comments:
- 5.2) Is this an EPA RCRA characteristic hazardous waste (D001-D043)? ☒ Yes ☐ No
- Comments:
- 5.3) Do any State Hazardous Waste Codes apply? ☐ Yes ☒ No
- Comments:
- 5.4) Is this waste intended for wastewater treatment? ☐ Yes* ☒ No

D002

If you answered "No" to questions 5.1, 5.2, and 5.3, please skip to Section 7.
If you answered "Yes" to question 5.4, please complete the WCR Addendum.

Section 6 - Hazardous Wastes

6.1) Does this waste exceed Land Disposal Restriction Levels?

6.1a) If this waste stream is greater than 50% soil, does it meet the alternative soil treatment standards of 40 CFR 268.49?

6.1b) Does this waste contain greater than 50% debris, by volume? (Debris is greater than 2.5 inches in size.)

6.2) Is the waste an oxidizer (D001)?

6.3) Does this waste contain reactive cyanide \geq 250 ppm (D003)?

6.4) Does this waste contain reactive sulfide \geq 500 ppm (D003)?

6.5) Please indicate which constituent concentrations are below or above the regulatory level. Please indicate the basis used in the determination. Either 'Below' or 'Above' **MUST** be checked for each constituent.

Based On: ☒ Generator Knowledge

☐ Analysis*

☐ MSDS*

*Please forward a copy. Analysis or MSDS are required for EQ Florida Non-hazardous wastes.

Code	Regulatory Level	TCLP (mg/l)	Concentration (If above)
D004	Arsenic	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D005	Barium	100	<input checked="" type="radio"/> Below <input type="radio"/> Above
D006	Cadmium	1	<input checked="" type="radio"/> Below <input type="radio"/> Above
D007	Chromium	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D008	Lead	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D009	Mercury	0.2	<input checked="" type="radio"/> Below <input type="radio"/> Above
D010	Selenium	1	<input checked="" type="radio"/> Below <input type="radio"/> Above
D011	Silver	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D012	Endrin	0.02	<input checked="" type="radio"/> Below <input type="radio"/> Above
D013	Lindane	0.4	<input checked="" type="radio"/> Below <input type="radio"/> Above
D014	Methoxychlor	10	<input checked="" type="radio"/> Below <input type="radio"/> Above
D015	Toxaphene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D016	2,4-D	10	<input checked="" type="radio"/> Below <input type="radio"/> Above
D017	2,4,5-TP (Silvex)	1	<input checked="" type="radio"/> Below <input type="radio"/> Above
D018	Benzene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D019	Carbon Tetrachloride	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D020	Chlordane	0.03	<input checked="" type="radio"/> Below <input type="radio"/> Above
D021	Chlorobenzene	100	<input checked="" type="radio"/> Below <input type="radio"/> Above
D022	Chloroform	6.0	<input checked="" type="radio"/> Below <input type="radio"/> Above
D023	o-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above

Code	Regulatory Level	TCLP (mg/l)	Concentration (If above)
D024	m-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above
D025	p-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above
D026	Cresols	200	<input checked="" type="radio"/> Below <input type="radio"/> Above
D027	1,4-Dichlorobenzene	7.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D028	1,2-Dichloroethane	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D029	1,1-Dichloroethylene	0.7	<input checked="" type="radio"/> Below <input type="radio"/> Above
D030	2,4-Dinitrotoluene	0.13	<input checked="" type="radio"/> Below <input type="radio"/> Above
D031	Heptachlor	0.008	<input checked="" type="radio"/> Below <input type="radio"/> Above
D032	Hexachlorobenzene	0.13	<input checked="" type="radio"/> Below <input type="radio"/> Above
D033	Hexachlorobutadiene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D034	Hexachloroethane	3.0	<input checked="" type="radio"/> Below <input type="radio"/> Above
D035	Methyl Ethyl Ketone	200	<input checked="" type="radio"/> Below <input type="radio"/> Above
D036	Nitrobenzene	2	<input checked="" type="radio"/> Below <input type="radio"/> Above
D037	Pentachlorophenol	100	<input checked="" type="radio"/> Below <input type="radio"/> Above
D038	Pyridine	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D039	Tetrachloroethylene	0.7	<input checked="" type="radio"/> Below <input type="radio"/> Above
D040	Trichloroethylene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D041	2,4,5-Trichlorophenol	400	<input checked="" type="radio"/> Below <input type="radio"/> Above
D042	2,4,6-Trichlorophenol	2	<input checked="" type="radio"/> Below <input type="radio"/> Above
D043	Vinyl Chloride	0.2	<input checked="" type="radio"/> Below <input type="radio"/> Above

6.6) If this is a characteristic hazardous waste, does it contain underlying hazardous constituents?

☐ Yes ☒ No

If you answered 'Yes', please list the constituents in Section 11.

Section 7 - Non-Hazardous Wastes

For a complete list of non-hazardous waste codes, please refer to Section 7 of the EQ Resource Guide.

Applicable waste code(s):

7.1) Is this a Michigan non-hazardous liquid industrial waste?

☐ Yes ☒ No

Comments:

7.2) Is this a Universal waste?

☐ Yes ☒ No

7.3) Is this a Recyclable Commodity? (e.g., computer monitors, free mercury, etc.)

☐ Yes ☒ No

7.4) Is this waste a recoverable petroleum product?

☐ Yes ☒ No

7.5) Is this waste used oil as defined by 40 CFR Part 279?

☐ Yes ☒ No

Section 8 - TSCA Information

- 8.1) What is the concentration of PCBs in the waste? ☒ None ☐ 0-5 ppm ☐ 6-49 ppm
☐ 50-499 ppm ☐ 500+ ppm
- 8.2) Does the waste contain PCB contamination from a source with a concentration ≥ 50 ppm? ☐ Yes ☒ No
If you answered 'None' to 8.1 and 'No' to 8.2, please skip to Section 9.
- 8.3) Has this waste been processed into a non-liquid form? ☐ Yes ☐ No
If yes, what was the concentration of PCBs prior to processing? (ppm) ☐ N/A ☐ 0-499 ☐ 500+
- 8.4) Is the non-liquid PCB waste in the form of soil, rags, debris, or other contaminated media? ☐ Yes ☐ No
- 8.5) Are you a PCB capacitor manufacturer or a PCB equipment manufacturer? ☐ Yes ☐ No
- 8.6) Has the PCB Article (e.g., transformer, hydraulic machine, PCB-contaminated electrical equipment) been drained/flushed of all PCBs and decontaminated in accordance with 40 CFR 761.60(b)? ☐ N/A ☐ Yes ☐ No

Section 9 - Clean Air Act Information

- 9.1) Is this waste subject to regulation under 40 CFR, Part 63, Subpart DD or 40 CFR, Part 264, Subpart CC (RCRA)? ☐ Yes ☒ No
(Does the waste contain >500 ppm Volatile Organic Hazardous Air Pollutants - VOHAP's or Volatile Organic Compounds - VOC's?)
For a complete list of VOHAPs, please see Section 11 of the EQ Resource Guide.
- 9.2) Is this site, or waste, subject to any other MACT or NESHAP? ☐ Yes ☒ No
If yes, please specify:
- 9.3) Does this waste stream contain Benzene? ☐ Yes ☒ No
If you answered "No" to question 9.2, please skip to section 10.
- 9.4) Does the waste stream come from a facility with one of the SIC/NAICS codes listed under the Benzene NESHAP identified in 40 CFR 61, Subpart FF? ☐ Yes ☐ No
- 9.5) Is the generating source of this waste stream a facility with Total Annual Benzene (TAB) ≥ 10 Mg/year? ☐ Yes ☒ No
For assistance in calculating the TAB, please see the TAB Worksheet in Section 9 of the EQ Resource Guide.
If you answered "No" to question 9.3 and 9.4, please skip to Section 10.
- 9.6) Does the waste contain > 10% water? ☐ Yes ☐ No
- 9.7) What is the TAB quantity for your facility? _____ Mg/year
- 9.8) Does the waste contain >1.0 mg/kg total Benzene? ☐ Yes ☐ No
- 9.9) What is the total Benzene concentration in your waste? _____ (concentration) _____ (unit)
(Supporting analysis must be attached. Do not use TCLP analytical results. Acceptable laboratory methods include 8020, 8240, 8260, 602 and 624.)
**For a list of NAICS codes, please refer to section 9 of the EQ Resource Guide.*

Section 10 - Fuel Blending Information

- 10.1) Is this waste intended for fuel blending? ☐ Yes* ☒ No
If you answered 'Yes' to question 10.1, please enter the following:
Heat value (BTU/lb.) _____
Chlorine (%) _____
Water (%) _____
Solids (%) _____
- 10.2) Is this waste intended for reclamation? ☐ Yes ☒ No (5-Gallon Sample required for all reclaim waste streams)

Section 11 - Constituent Information

Please identify your waste constituents from these four categories: Underlying Hazardous Constituents (UHC's), Volatile Organic Hazardous Air Pollutants (VOHAP's), Volatile Organic Compounds (VOC's) and Toxic Release Inventory Constituents (TRI)


Constituent	Concentration	UHC?
-------------	---------------	------

Please see Section 11 of the EQ Resource Guide for a list of UHC's, VOHAP's and VOC's. For a complete list of TRI constituents, please refer to 40 CFR 372.65.

Section 12 - Certification

I certify that all information (including attachments) is complete and factual and is an accurate representation of the known and suspected hazards, pertaining to the waste described herein. I authorize EQ's Resource Team to add supplemental information to the waste approval file, provided I am contacted and give verbal permission. I authorize EQ's Resource Team to obtain a sample from any waste shipment for purposes of verification. Generator or on Generator's behalf shall be subject to, and Generator shall be bound by, the attached Standard Terms and Conditions. and confirmation. I agree that, if EQ approves the waste described herein, all such wastes that are transported, delivered, or tendered to EQ by

Comments:
logged in

Generator:  JERRY B. BANKS
Authorized Generator Signature Printed Generator Name

Company: MS Dept. of Environmental Quality Title: Chief, Groundwater Assessment Date: 11-13-07

The generator's signature MUST appear on the EQ Waste Characterization Report. If the generator has authorized a third party to certify this document, a written notice (on generator letterhead) must accompany this submittal. Although the EQ Resource Team is authorized to make certain modifications to the information provided on this form, the addition or removal of waste codes and waste constituents must be documented by the generator.

STANDARD TERMS AND CONDITIONS

The Agreement between the Customer and EQ - The Environmental Quality Company and/or its member companies (hereinafter "EQ") related to or associated with Delivered Waste, as herein defined, shall be governed by the following Standard Terms and Conditions in addition to the terms and conditions contained in any Waste Characterization Report, Customer Approval Quote Confirmation, Generator Approval Notification, Notice of Waste Approval Expiration, and/or Credit Agreement associated with such Delivered Waste.

The Customer may use its standard forms (such as purchase orders, acknowledgments of orders, and invoices) to administer its dealings under this Agreement for convenience purposes, but all provisions thereof in conflict with these terms and conditions shall be deemed stricken.

Definitions.

The following definitions shall apply for purposes of this Agreement:

"Acceptable Waste" shall mean any hazardous waste, as defined under applicable State or federal law, determined by EQ as acceptable for treatment and/or disposal in accordance with this Agreement.

"Delivered Wastes" shall mean all wastes (i) which are transported, delivered, or tendered to EQ by the Customer; (ii) which the Customer has arranged for the transport, delivery or tender to EQ; or (iii) which are transported, delivered, or tendered to EQ under a Credit Agreement between the Customer and EQ.

"Non-Conforming Wastes" shall mean wastes that (a) are not in accordance in all material respects with the warranties, descriptions, specifications or limitations stated in the Waste Characterization Report and this Agreement; (b) have constituents or components of a type or concentration not specifically identified in the Waste Characterization Report (i) which increase the nature or extent of the hazard and risk undertaken by EQ in treating and/or disposing of the waste, or (ii) for whose treatment and/or disposal a Waste Management Facility is not designed or permitted, or (iii) which increase the cost of treatment and/or disposal of waste beyond that specified in EQ's price quote; or (c) are not properly packaged, labeled, described, or placarded, or otherwise not in compliance with United States Department of Transportation and United States Environmental Protection Agency regulations.

Control of Operations.

EQ shall have sole control over all aspects of the operation of any treatment and/or disposal facility of EQ receiving Delivered Wastes under this Agreement (hereinafter, "Waste Management Facility"), including, without limitation, maintaining EQ's desired volume of Acceptable Wastes being delivered to any Waste Management Facility by the Customer or any other person or entity.

Identification of Waste.

For each waste material to be transported, delivered, or tendered to EQ under this Agreement, the Customer shall provide, or cause to be provided, to EQ a representative sample of the waste material and a completed Waste Characterization Report containing a physical and chemical description or analysis of such waste material, which description shall conform with any and all guidelines for waste acceptance provided by EQ. On the basis of EQ's analysis of such representative sample of the waste material and such Waste Characterization Report, EQ will determine whether such wastes are Acceptable Wastes. EQ does not make any guarantee that it will handle any waste material or any particular quantity or type of waste material, and EQ reserves the right to the decline to transport, treat and/or dispose of waste material. The Customer shall promptly furnish to EQ any information regarding known, suspected or planned changes in the composition of the waste material. Further, the Customer shall promptly inform EQ of any change in the characteristic or condition of the waste material which becomes known to the Customer subsequent to the date of the Waste Characterization Report.

Non-Conforming Wastes.

In the event that EQ at any time discovers that any Delivered Waste is Non-Conforming Waste, EQ may reject or revoke its acceptance of the Non-Conforming Waste. The Customer shall have seven (7) days to direct an alternative lawful manner of disposition of the waste, unless it is necessary by reason of law or otherwise to move the Non-Conforming Waste prior to expiration of the seven (7) day period. If the Customer does not direct an alternative disposal, at its option, EQ may return any such Non-Conforming Wastes to the Customer, and the Customer shall pay or reimburse EQ for all costs and expenses incurred by EQ in connection with the receipt, handling, sampling, analyses, transportation and return to the Customer of such Non-Conforming Wastes. If it is impossible or impractical for EQ to return the Non-Conforming Waste to the Customer, the Customer shall reimburse EQ for all costs, of any type or nature whatsoever, incurred by EQ, solely because such Delivered Waste was Non-Conforming Waste (including, but not limited to, all costs associated with any remedial steps necessary, due to the nature of the Non-Conforming Waste, in connection with material with which the Non-Conforming Waste may have been commingled and all expenses and charges for analyzing, handling, locating, preparing for transporting, storing and disposing of any Non-Conforming Waste).

Customer Warranty - Title to Wastes.

Either the Customer or the generator (if other than the Customer) shall hold clear title, free of any all liens, claims, encumbrances, and charges to Delivered Waste until such waste is accepted by EQ.

Customer Warranty - Acceptable Wastes.

All Delivered Wastes shall be Acceptable Wastes and shall conform in all material respects to the description and specifications contained in the Waste Characterization Report. The information set forth in the Waste Characterization Report or any manifest, placard or label associated with any Delivered Wastes, or otherwise represented by the Customer or the generator (if other than the Customer) to EQ, is and shall be true, accurate and complete as of the date of receipt of the involved waste by EQ.

Customer Warranty - Compliance with Laws.

The Customer shall comply with all applicable federal, state and local environmental statutes, regulations, and other governmental requirements, as well as directives issued by EQ from time to time, governing the transportation, treatment and/or disposal of Acceptable Wastes, including, but not limited to, all packaging, manifesting, containerization, placarding and labeling requirements.

Customer Warranty - Updating Information.

If the Customer receives information that Delivered Waste or other hazardous waste described in the Waste Characterization Report, or some component of such waste, presents or may present a hazard or risk to persons, property or the environment which was not disclosed to EQ, or if the Customer or generator (if other than the Customer) has changed the process by which such waste results, the Customer shall promptly report such information to EQ in writing.

Customer Indemnity.

The Customer shall indemnify, defend and hold harmless EQ, and its affiliated or related companies, and all of their respective present or future officers, directors, shareholders, employees and agents from and against any and all losses, damages, liabilities, penalties, fines, forfeitures, demands, claims, causes of action, suits, costs and expenses (including, but not limited to, reasonable costs of defense, settlement, and reasonable attorneys' fees), which may be asserted against any or all of them by any person or any governmental agency, or which any or all of them may hereafter suffer, incur, be responsible for or pay out, as a result of or in connection with bodily injuries (including, but not limited to, death, sickness, disease and emotional or mental distress) to any person (including EQ's employees), damage (including, but not limited to, loss of use) to any property (public or private), or any requirements to conduct or incur expense for investigative, removal or remedial expenses in connection with contamination of or adverse effect on the environment, or any violation or alleged violation of any statutes, ordinances, orders, rules or regulations of any governmental entity or agency, caused or arising out of (i) a breach of this Agreement by the Customer, (ii) the failure of any warranty of the Customer to be true, accurate and complete, or (iii) any willful or negligent act or omission of the Customer, or its employees or agents in connection with the performance of this Agreement.

Force Majeure.

EQ shall not be liable for any failure to accept, receive, handle, treat, and/or dispose of Delivered Waste due to an act of God, fire, casualty, flood, war, strike, lockout, labor trouble, failure of public utilities, equipment failure, facility shutdown, injunction, accident, epidemic, riot, insurrection, destruction of operation or transportation facilities, the inability to procure materials, equipment, or sufficient personnel or energy in order to meet operational needs without the necessity of allocation, the failure or inability to obtain any governmental approvals or to meet Environmental Requirements (including, but not limited to voluntary or involuntary compliance with any act, exercise, assertion, or requirement of any governmental authority) which may temporarily or permanently prohibit operations of EQ, the Customer, or the Generator, or any other circumstances beyond the control of EQ which prevents or delays performance of any of its obligations under this Agreement.

Governing Laws.

This Agreement shall in all respects be governed by and shall be construed in accordance with the laws of the State of Michigan applied to contracts executed and performed wholly within such state.

EQ - The Environmental Quality Company

Waste Characterization Report

☒ I authorize EQ - The Environmental Quality Company to choose the appropriate method of waste management, from the technologies offered, at the EQ facilities identified below.

<input type="checkbox"/> Michigan Disposal Waste Treatment Plant (Stabilization and Treatment)	49350 North I-94 Service Drive, Belleville, Michigan 48111 Phone: 1-800-592-5489 Fax: 1-800-592-5329	EPA ID #MID000724831
<input type="checkbox"/> Wayne Disposal, Inc. (Hazardous & PCB Waste Landfill)	49350 North I-94 Service Drive, Belleville, Michigan 48111 Phone: 1-800-592-5489 Fax: 1-800-592-5329	EPA ID #MID048090633
<input type="checkbox"/> EQ Detroit, Inc. (Stabilization, Wastewater Treatment)	1923 Frederick, Detroit, MI 48211 Phone: 1-800-495-6059 Fax: 1-313-923-3375	EPA ID #MID980991566
<input type="checkbox"/> EQ Resource Recovery, Inc. (Solvent Recycling, Fuel Blending, WW Treatment)	36345 Van Born Road, Romulus, Michigan 48174 Phone: (734) 727-5500 Fax: (734) 326-4033	EPA ID #MID060975844
<input type="checkbox"/> EQIS North Carolina (Stabilization, Treatment, Labpack Decommissioning)	1005 Investment Blvd., Apex, NC 27502 Phone: (919) 363-4700 Fax: (919) 363-4714	EPA ID #NCD982170292
<input type="checkbox"/> EQ Florida, Inc. (Drum Consolidation, Labpack Decommissioning)	7202 East Eighth Ave., Tampa, FL 33619 Phone: 1-800-624-5302 Fax: 1-813-628-0842	EPA ID #FLD981932494
<input type="checkbox"/> EQ Detroit Transfer and Processing (Drum Transfer/Universal Waste Handling)	2000 Ferry Street, Detroit, MI 48211 Phone: (313) 923-0080 Fax: (313) 922-8419	EPA ID #MIK939928313
<input type="checkbox"/> EQIS Indianapolis Transfer and Processing (Drum Transfer/Non-Hazardous Waste Processing)	4000 West 10th Street, Indianapolis, Indiana 46222 Phone: (317) 247-7160 Fax: (317) 247-7170	EPA ID #IND161049309
<input type="checkbox"/> EQIS Atlanta Transfer and Processing (Drum Transfer/Non-Hazardous Waste Processing)	5600 Fulton Industrial Blvd., Atlanta, Georgia 30336 Phone: (404) 494-3520 Fax: (404) 494-3560	EPA ID #GAR000039776
<input type="checkbox"/> EQ Augusta, Inc. (Wastewater Treatment)	3920 Goshen Industrial Blvd., Augusta, GA 30906 Phone: 706-771-9100 Fax: 706-771-9124	EPA ID #GAR000011817

Waste Common Name: Trichloroethylene

Section 1 - Generator & Customer Info

SIC/NAICS*:

EQ Customer No.: 10958

Generator EPA ID: MST-MP0-002-452

Invoicing Company

Company: USES JACKSON
Address: 1075 MENDELL DAVIS DRIVE
City: JACKSON
State: MS Zip: 39212
Country: USA

Generator: Mississippi DEQ
Address: 4280 Rifle Range Rd
City: Vicksburg
State: MS Zip: 39180
County: Warren

Invoicing Contact

Name: Wanda Horton
Phone: (601) 372-3232
Fax: () -

Mailing Address

Address: P.O Box 20326
City: Jackson
State: MS Zip: 39289

Technical Contact

Name: J.T. Newman
Phone: (601) 372-3232
Fax: () -
Mobile: () - Pager: () -
E-mail: jnewman@usesgroup.com

Generator Contact

Name: Trey Hess / Jerry Banks
Title:
Phone: (601) 961-5221/601-5654
Fax: () -

*For a list of NAICS codes, please refer to Section 9 of the EQ Resource Guide.

Section 2 - Shipping & Packaging Info

- 2.1) Shipping Volume & Unit: 5 gallon Frequency: One Time Only
- 2.2) DOT Shipping Name: Trichloroethylene
- 2.3) Is this waste surcharge exempt? ☐ Yes ☒ No (If you answered "Yes" to question 2.3, select the Surcharge Exemption reason.)

2.4) Packaging (check all that apply)

- ☐ Bulk Solid (yd³ < 2000 lbs./yd³) ☐ Bulk Solid (Ton > 2000 lbs./yd³) ☐ Bulk Liquids (Gallon)
- ☐ Totes, Size ☐ Cubic Yard Boxes/Bags ☐ Drums, Size
- ☒ Other (palletized, 5 gal. Pail, etc.) 5 gallon Pail

Quoted bulk disposal charges for solid materials will be billed by the cubic yard, if the waste density is less than 2,000 lbs./cubic yard. If waste density is greater than 2,000 lbs./cubic yard, then bulk disposal charges will be billed by the ton, regardless of the approved container.

Section 3 - Physical Characteristics

- 3.1) Color: VARIES
- 3.2) Odor: none
- 3.3) Does this waste contain any "Potentially Odorous Constituents" as defined in the EQ Resource Guide? (Section 3) ☐ Yes ☒ No
- 3.4) Physical State at 70 °F: ☐ Solid ☐ Dust/Powder ☒ Liquid ☐ Sludge
- 3.5) What is the pH of this waste? ☐ ≤ 2 ☐ 2.1-4.9 ☒ 5-10 ☐ 10.1-12.4 ☒ ≥ 12.5
- 3.6) What is the flash point of this waste? ☐ < 90 °F ☐ 90-139 °F ☐ 140-199 °F ☐ ≥ 200 °F
- 3.7) Does this waste contain? (check all that apply) ☒ None
- | | | | | | |
|---|---|--|---|---|--------------------------------------|
| <input type="checkbox"/> Biodegradable Sorbents | <input type="checkbox"/> Amines | <input type="checkbox"/> Ammonia | <input type="checkbox"/> Free Liquids | <input type="checkbox"/> Oily Residue | <input type="checkbox"/> Metal Fines |
| <input type="checkbox"/> Shock Sensitive Waste | <input type="checkbox"/> Reactive Waste | <input type="checkbox"/> Radioactive Waste | <input type="checkbox"/> Water Reactive | <input type="checkbox"/> Biohazard | <input type="checkbox"/> Aluminum |
| <input type="checkbox"/> Asbestos - non-friable | <input type="checkbox"/> Asbestos - friable | <input type="checkbox"/> Dioxins | <input type="checkbox"/> Explosives | <input type="checkbox"/> Pyrophoric Waste | <input type="checkbox"/> Isocyanates |
| | | | <input type="checkbox"/> Furans | | |

Section 4 - Composition / Generating Process

- 4.1) Describe the physical composition of the waste (i.e., soil, water, PPE, debris, key chemical compounds, etc.)
- Trichloroethylene from 100. to 100. %
- 4.2) Provide a detailed description of the process generating this waste. (attach flow diagram if available).
- Labpack of chemicals in abandoned Chemical plant Lab

Section 5 - Is This Hazardous Waste?

Please refer to Section 5 of the EQ Resource Guide for a list of waste codes.

As determined by 40 CFR, Part 261 and Michigan Act 451 Rules:

Please list applicable waste code(s):

- 5.1) Is this an EPA RCRA listed hazardous waste (F, K, P or U)? ☒ Yes ☐ No
- Comments:
- 5.2) Is this an EPA RCRA characteristic hazardous waste (D001-D043)? ☒ Yes ☐ No
- Comments:
- 5.3) Do any State Hazardous Waste Codes apply? ☐ Yes ☒ No
- Comments:
- 5.4) Is this waste intended for wastewater treatment? ☐ Yes* ☒ No

U228

D040

If you answered "No" to questions 5.1, 5.2, and 5.3, please skip to Section 7.
If you answered "Yes" to question 5.4, please complete the WCR Addendum.

Section 6 - Hazardous Wastes

6.1) Does this waste exceed Land Disposal Restriction Levels?

6.1a) If this waste stream is greater than 50% soil, does it meet the alternative soil treatment standards of 40 CFR 268.49?

6.1b) Does this waste contain greater than 50% debris, by volume? (Debris is greater than 2.5 inches in size.)

6.2) Is the waste an oxidizer (D001)?

6.3) Does this waste contain reactive cyanide ≥ 250 ppm (D003)?

6.4) Does this waste contain reactive sulfide ≥ 500 ppm (D003)?

6.5) Please indicate which constituent concentrations are below or above the regulatory level. Please indicate the basis used in the determination. Either 'Below' or 'Above' **MUST** be checked for each constituent.

Based On: ☒ Generator Knowledge

☐ Analysis*

☐ MSDS*

*Please forward a copy. Analysis or MSDS are required for EQ Florida Non-hazardous wastes.

Code	Regulatory Level	TCLP (mg/l)	Concentration (if above)
D004	Arsenic	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D005	Barium	100	<input checked="" type="radio"/> Below <input type="radio"/> Above
D006	Cadmium	1	<input checked="" type="radio"/> Below <input type="radio"/> Above
D007	Chromium	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D008	Lead	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D009	Mercury	0.2	<input type="radio"/> Below <input checked="" type="radio"/> Above
D010	Selenium	1	<input checked="" type="radio"/> Below <input type="radio"/> Above
D011	Silver	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D012	Endrin	0.02	<input checked="" type="radio"/> Below <input type="radio"/> Above
D013	Lindane	0.4	<input checked="" type="radio"/> Below <input type="radio"/> Above
D014	Methoxychlor	10	<input checked="" type="radio"/> Below <input type="radio"/> Above
D015	Toxaphene	0.5	<input type="radio"/> Below <input checked="" type="radio"/> Above
D016	2,4-D	10	<input checked="" type="radio"/> Below <input type="radio"/> Above
D017	2,4,5-TP (Silvex)	1	<input checked="" type="radio"/> Below <input type="radio"/> Above
D018	Benzene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D019	Carbon Tetrachloride	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D020	Chlordane	0.03	<input checked="" type="radio"/> Below <input type="radio"/> Above
D021	Chlorobenzene	100	<input checked="" type="radio"/> Below <input type="radio"/> Above
D022	Chloroform	6.0	<input checked="" type="radio"/> Below <input type="radio"/> Above
D023	o-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above

Code	Regulatory Level	TCLP (mg/l)	Concentration (if above)
D024	m-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above
D025	p-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above
D026	Cresols	200	<input checked="" type="radio"/> Below <input type="radio"/> Above
D027	1,4-Dichlorobenzene	7.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D028	1,2-Dichloroethane	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D029	1,1-Dichloroethylene	0.7	<input checked="" type="radio"/> Below <input type="radio"/> Above
D030	2,4-Dinitrotoluene	0.13	<input checked="" type="radio"/> Below <input type="radio"/> Above
D031	Heptachlor	0.008	<input checked="" type="radio"/> Below <input type="radio"/> Above
D032	Hexachlorobenzene	0.13	<input checked="" type="radio"/> Below <input type="radio"/> Above
D033	Hexachlorobutadiene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D034	Hexachloroethane	3.0	<input checked="" type="radio"/> Below <input type="radio"/> Above
D035	Methyl Ethyl Ketone	200	<input checked="" type="radio"/> Below <input type="radio"/> Above
D036	Nitrobenzene	2	<input checked="" type="radio"/> Below <input type="radio"/> Above
D037	Pentachlorophenol	100	<input checked="" type="radio"/> Below <input type="radio"/> Above
D038	Pyridine	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D039	Tetrachloroethylene	0.7	<input checked="" type="radio"/> Below <input type="radio"/> Above
D040	Trichloroethylene	0.5	<input type="radio"/> Below <input checked="" type="radio"/> Above
D041	2,4,5-Trichlorophenol	400	<input checked="" type="radio"/> Below <input type="radio"/> Above
D042	2,4,6-Trichlorophenol	2	<input checked="" type="radio"/> Below <input type="radio"/> Above
D043	Vinyl Chloride	0.2	<input checked="" type="radio"/> Below <input type="radio"/> Above

6.6) If this is a characteristic hazardous waste, does it contain underlying hazardous constituents?

☐ Yes ☒ No

If you answered 'Yes', please list the constituents in Section 11.

Section 7 - Non-Hazardous Wastes

For a complete list of non-hazardous waste codes, please refer to Section 7 of the EQ Resource Guide.

Applicable waste code(s):

7.1) Is this a Michigan non-hazardous liquid industrial waste?

☐ Yes ☒ No

Comments:

7.2) Is this a Universal waste?

☐ Yes ☒ No

7.3) Is this a Recyclable Commodity? (e.g.: computer monitors, free mercury, etc.)

☐ Yes ☒ No

7.4) Is this waste a recoverable petroleum product?

☐ Yes ☒ No

7.5) Is this waste used oil as defined by 40 CFR Part 279?

☐ Yes ☒ No

Section 8 - TSCA Information

- 8.1) What is the concentration of PCBs in the waste? ☒ None ☐ 0-5 ppm ☐ 6-49 ppm
☐ 50-499 ppm ☐ 500+ ppm
- 8.2) Does the waste contain PCB contamination from a source with a concentration ≥ 50 ppm? ☐ Yes ☒ No
If you answered 'None' to 8.1 and 'No' to 8.2, please skip to Section 9.
- 8.3) Has this waste been processed into a non-liquid form? ☐ Yes ☐ No
If yes, what was the concentration of PCBs prior to processing? (ppm) ☐ N/A ☐ 0-499 ☐ 500+
- 8.4) Is the non-liquid PCB waste in the form of soil, rags, debris, or other contaminated media? ☐ Yes ☐ No
- 8.5) Are you a PCB capacitor manufacturer or a PCB equipment manufacturer? ☐ Yes ☐ No
- 8.6) Has the PCB Article (e.g., transformer, hydraulic machine, PCB-contaminated electrical equipment) been drained/flushed of all PCBs and decontaminated in accordance with 40 CFR 761.60(b)? ☐ N/A ☐ Yes ☐ No

Section 9 - Clean Air Act Information

- 9.1) Is this waste subject to regulation under 40 CFR, Part 63, Subpart DD or 40 CFR, Part 264, Subpart CC (RCRA)? ☐ Yes ☒ No
(Does the waste contain >500 ppm Volatile Organic Hazardous Air Pollutants - VOHAP's or Volatile Organic Compounds - VOC's?)
For a complete list of VOHAPs, please see Section 11 of the EQ Resource Guide.
- 9.2) Is this site, or waste, subject to any other MACT or NESHAP? ☐ Yes ☒ No
If yes, please specify:
- 9.3) Does this waste stream contain Benzene? ☐ Yes ☒ No
If you answered "No" to question 9.2, please skip to section 10.
- 9.4) Does the waste stream come from a facility with one of the SIC/NAICS codes listed under the Benzene NESHAP identified in 40 CFR 61, Subpart FF? ☐ Yes ☐ No
- 9.5) Is the generating source of this waste stream a facility with Total Annual Benzene (TAB) ≥ 10 Mg/year? ☐ Yes ☒ No
For assistance in calculating the TAB, please see the TAB Worksheet in Section 9 of the EQ Resource Guide.
If you answered "No" to question 9.3 and 9.4, please skip to Section 10.
- 9.6) Does the waste contain $> 10\%$ water? ☐ Yes ☐ No
- 9.7) What is the TAB quantity for your facility? _____ Mg/year
- 9.8) Does the waste contain >1.0 mg/kg total Benzene? ☐ Yes ☐ No
- 9.9) What is the total Benzene concentration in your waste? _____ (concentration) _____ (unit)

(Supporting analysis must be attached. Do not use TCLP analytical results. Acceptable laboratory methods include 8020, 8240, 8260, 602 and 624.)

*For a list of NAICS codes, please refer to section 9 of the EQ Resource Guide.

Section 10 - Fuel Blending Information

- 10.1) Is this waste intended for fuel blending? ☐ Yes* ☒ No
If you answered 'Yes' to question 10.1, please enter the following:
- Heat value (BTU/lb.) _____
- Chlorine (%) _____
- Water (%) _____
- Solids (%) _____
- 10.2) Is this waste intended for reclamation? ☐ Yes ☒ No (5-Gallon Sample required for all reclaim waste streams)

Section 11 - Constituent Information

Please identify your waste constituents from these four categories: Underlying Hazardous Constituents (UHC's), Volatile Organic Hazardous Air Pollutants (VOHAP's), Volatile Organic Compounds (VOC's) and Toxic Release Inventory Constituents (TRI)


Constituent	Concentration	UHC?
-------------	---------------	------

Please see Section 11 of the EQ Resource Guide for a list of UHC's, VOHAP's and VOC's. For a complete list of TRI constituents, please refer to 40 CFR 372.65.

Section 12 - Certification

I certify that all information (including attachments) is complete and factual and is an accurate representation of the known and suspected hazards, pertaining to the waste described herein. I authorize EQ's Resource Team to add supplemental information to the waste approval file, provided I am contacted and give verbal permission. I authorize EQ's Resource Team to obtain a sample from any waste shipment for purposes of verification. Generator or on Generator's behalf shall be subject to, and Generator shall be bound by, the attached Standard Terms and Conditions. and confirmation. I agree that, if EQ approves the waste described herein, all such wastes that are transported, delivered, or tendered to EQ by

Comments:
logged in:

Generator:  JERRY B. BANKS
Authorized Generator Signature Printed Generator Name
Company: MS Dept of Environmental Quality Title: Chief, Groundwater Assessment Date: 11-13-07

The generator's signature MUST appear on the EQ Waste Characterization Report. If the generator has authorized a third party to certify this document, a written notice (on generator letterhead) must accompany this submittal. Although the EQ Resource Team is authorized to make certain modifications to the information provided on this form, the addition or removal of waste codes and waste constituents must be documented by the generator.

STANDARD TERMS AND CONDITIONS

The Agreement between the Customer and EQ - The Environmental Quality Company and/or its member companies (hereinafter "EQ") related to or associated with Delivered Waste, as herein defined, shall be governed by the following Standard Terms and Conditions in addition to the terms and conditions contained in any Waste Characterization Report, Customer Approval Quote Confirmation, Generator Approval Notification, Notice of Waste Approval Expiration, and/or Credit Agreement associated with such Delivered Waste.

The Customer may use its standard forms (such as purchase orders, acknowledgments of orders, and invoices) to administer its dealings under this Agreement for convenience purposes, but all provisions thereof in conflict with these terms and conditions shall be deemed stricken.

Definitions.

The following definitions shall apply for purposes of this Agreement:

"Acceptable Waste" shall mean any hazardous waste, as defined under applicable State or federal law, determined by EQ as acceptable for treatment and/or disposal in accordance with this Agreement.

"Delivered Wastes" shall mean all wastes (i) which are transported, delivered, or tendered to EQ by the Customer, (ii) which the Customer has arranged for the transport, delivery or tender to EQ; or (iii) which are transported, delivered, or tendered to EQ under a Credit Agreement between the Customer and EQ.

"Non-Conforming Wastes" shall mean wastes that (a) are not in accordance in all material respects with the warranties, descriptions, specifications or limitations stated in the Waste Characterization Report and this Agreement; (b) have constituents or components of a type or concentration not specifically identified in the Waste Characterization Report (i) which increase the nature or extent of the hazard and risk undertaken by EQ in treating and/or disposing of the waste, or (ii) for whose treatment and/or disposal a Waste Management Facility is not designed or permitted, or (iii) which increase the cost of treatment and/or disposal of waste beyond that specified in EQ's price quote; or (c) are not properly packaged, labeled, described, or placarded, or otherwise not in compliance with United States Department of Transportation and United States Environmental Protection Agency regulations.

Control of Operations.

EQ shall have sole control over all aspects of the operation of any treatment and/or disposal facility of EQ receiving Delivered Wastes under this Agreement (hereinafter, "Waste Management Facility"), including, without limitation, maintaining EQ's desired volume of Acceptable Wastes being delivered to any Waste Management Facility by the Customer or any other person or entity.

Identification of Waste.

For each waste material to be transported, delivered, or tendered to EQ under this Agreement, the Customer shall provide, or cause to be provided, to EQ a representative sample of the waste material and a completed Waste Characterization Report containing a physical and chemical description or analysis of such waste material, which description shall conform with any and all guidelines for waste acceptance provided by EQ. On the basis of EQ's analysis of such representative sample of the waste material and such Waste Characterization Report, EQ will determine whether such wastes are Acceptable Wastes. EQ does not make any guarantee that it will handle any waste material or any particular quantity or type of waste material, and EQ reserves the right to the decline to transport, treat and/or dispose of waste material. The Customer shall promptly furnish to EQ any information regarding known, suspected or planned changes in the composition of the waste material. Further, the Customer shall promptly inform EQ of any change in the characteristic or condition of the waste material which becomes known to the Customer subsequent to the date of the Waste Characterization Report.

Non-Conforming Wastes.

In the event that EQ at any time discovers that any Delivered Waste is Non-Conforming Waste, EQ may reject or revoke its acceptance of the Non-Conforming Waste. The Customer shall have seven (7) days to direct an alternative lawful manner of disposition of the waste, unless it is necessary by reason of law or otherwise to move the Non-Conforming Waste prior to expiration of the seven (7) day period. If the Customer does not direct an alternative disposal, at its option, EQ may return any such Non-Conforming Wastes to the Customer, and the Customer shall pay or reimburse EQ for all costs and expenses incurred by EQ in connection with the receipt, handling, sampling, analyses, transportation and return to the Customer of such Non-Conforming Wastes. If it is impossible or impractical for EQ to return the Non-Conforming Waste to the Customer, the Customer shall reimburse EQ for all costs, of any type or nature whatsoever, incurred by EQ, solely because such Delivered Waste was Non-Conforming Waste (including, but not limited to, all costs associated with any remedial steps necessary, due to the nature of the Non-Conforming Waste, in connection with material with which the Non-Conforming Waste may have been commingled and all expenses and charges for analyzing, handling, locating, preparing for transporting, storing and disposing of any Non-Conforming Waste).

Customer Warranty - Title to Wastes.

Either the Customer or the generator (if other than the Customer) shall hold clear title, free of any all liens, claims, encumbrances, and charges to Delivered Waste until such waste is accepted by EQ.

Customer Warranty - Acceptable Wastes.

All Delivered Wastes shall be Acceptable Wastes and shall conform in all material respects to the description and specifications contained in the Waste Characterization Report. The information set forth in the Waste Characterization Report or any manifest, placard or label associated with any Delivered Wastes, or otherwise represented by the Customer or the generator (if other than the Customer) to EQ, is and shall be true, accurate and complete as of the date of receipt of the involved waste by EQ.

Customer Warranty - Compliance with Laws.

The Customer shall comply with all applicable federal, state and local environmental statutes, regulations, and other governmental requirements, as well as directives issued by EQ from time to time, governing the transportation, treatment and/or disposal of Acceptable Wastes, including, but not limited to, all packaging, manifesting, containerization, placarding and labeling requirements.

Customer Warranty - Updating Information.

If the Customer receives information that Delivered Waste or other hazardous waste described in the Waste Characterization Report, or some component of such waste, presents or may present a hazard or risk to persons, property or the environment which was not disclosed to EQ, or if the Customer or generator (if other than the Customer) has changed the process by which such waste results, the Customer shall promptly report such information to EQ in writing.

Customer Indemnity.

The Customer shall indemnify, defend and hold harmless EQ, and its affiliated or related companies, and all of their respective present or future officers, directors, shareholders, employees and agents from and against any and all losses, damages, liabilities, penalties, fines, forfeitures, demands, claims, causes of action, suits, costs and expenses (including, but not limited to, reasonable costs of defense, settlement, and reasonable attorneys' fees), which may be asserted against any or all of them by any person or any governmental agency, or which any or all of them may hereafter suffer, incur, be responsible for or pay out, as a result of or in connection with bodily injuries (including, but not limited to, death, sickness, disease and emotional or mental distress) to any person (including EQ's employees), damage (including, but not limited to, loss of use) to any property (public or private), or any requirements to conduct or incur expense for investigative, removal or remedial expenses in connection with contamination of or adverse effect on the environment, or any violation or alleged violation of any statutes, ordinances, orders, rules or regulations of any governmental entity or agency, caused or arising out of (i) a breach of this Agreement by the Customer, (ii) the failure of any warranty of the Customer to be true, accurate and complete, or (iii) any willful or negligent act or omission of the Customer, or its employees or agents in connection with the performance of this Agreement.

Force Majeure.

EQ shall not be liable for any failure to accept, receive, handle, treat, and/or dispose of Delivered Waste due to an act of God, fire, casualty, flood, war, strike, lockout, labor trouble, failure of public utilities, equipment failure, facility shutdown, injunction, accident, epidemic, riot, insurrection, destruction of operation or transportation facilities, the inability to procure materials, equipment, or sufficient personnel or energy in order to meet operational needs without the necessity of allocation, the failure or inability to obtain any governmental approvals or to meet Environmental Requirements (including, but not limited to voluntary or involuntary compliance with any act, exercise, assertion, or requirement of any governmental authority) which may temporarily or permanently prohibit operations of EQ, the Customer, or the Generator, or any other circumstances beyond the control of EQ which prevents or delays performance of any of its obligations under this Agreement.

Governing Laws.

This Agreement shall in all respects be governed by and shall be construed in accordance with the laws of the State of Michigan applied to contracts executed and performed wholly within such state.

EQ - The Environmental Quality Company

Waste Characterization Report

☒ I authorize EQ - The Environmental Quality Company to choose the appropriate method of waste management, from the technologies offered, at the EQ facilities identified below.

<input type="checkbox"/> Michigan Disposal Waste Treatment Plant (Stabilization and Treatment)	49350 North I-94 Service Drive, Belleville, Michigan 48111 Phone: 1-800-592-5489 Fax: 1-800-592-5329	EPA ID #MID000724831
<input type="checkbox"/> Wayne Disposal, Inc. (Hazardous & PCB Waste Landfill)	49350 North I-94 Service Drive, Belleville, Michigan 48111 Phone: 1-800-592-5489 Fax: 1-800-592-5329	EPA ID #MID048090633
<input type="checkbox"/> EQ Detroit, Inc. (Stabilization, Wastewater Treatment)	1923 Frederick, Detroit, MI 48211 Phone: 1-800-495-6059 Fax: 1-313-923-3375	EPA ID #MID980991566
<input type="checkbox"/> EQ Resource Recovery, Inc. (Solvent Recycling, Fuel Blending, WW Treatment)	36345 Van Born Road, Romulus, Michigan 48174 Phone: (734) 727-5500 Fax: (734) 326-4033	EPA ID #MID060975844
<input type="checkbox"/> EQIS North Carolina (Stabilization, Treatment, Labpack Decommissioning)	1005 Investment Blvd., Apex, NC 27502 Phone: (919) 363-4700 Fax: (919) 363-4714	EPA ID #NCD982170292
<input type="checkbox"/> EQ Florida, Inc. (Drum Consolidation, Labpack Decommissioning)	7202 East Eighth Ave., Tampa, FL 33619 Phone: 1-800-624-5302 Fax: 1-813-628-0842	EPA ID #FLD981932494
<input type="checkbox"/> EQ Detroit Transfer and Processing (Drum Transfer/Universal Waste Handling)	2000 Ferry Street, Detroit, MI 48211 Phone: (313) 923-0080 Fax: (313) 922-8419	EPA ID #MIK939928313
<input type="checkbox"/> EQIS Indianapolis Transfer and Processing (Drum Transfer/Non-Hazardous Waste Processing)	4000 West 10th Street, Indianapolis, Indiana 46222 Phone: (317) 247-7160 Fax: (317) 247-7170	EPA ID #IND161049309
<input type="checkbox"/> EQIS Atlanta Transfer and Processing (Drum Transfer/Non-Hazardous Waste Processing)	5600 Fulton Industrial Blvd., Atlanta, Georgia 30336 Phone: (404) 494-3520 Fax: (404) 494-3560	EPA ID #GAR000039776
<input type="checkbox"/> EQ Augusta, Inc. (Wastewater Treatment)	3920 Goshen Industrial Blvd., Augusta, GA 30906 Phone: 706-771-9100 Fax: 706-771-9124	EPA ID #GAR000011817

Waste Common Name: Nickel Sulphate

Section 1 - Generator & Customer Info

SIC/NAICS:

Generator EPA ID: MST-MP0-002-452

Generator: Mississippi DEQ
Address: 4280 Rifle Range Rd
City: Vicksburg
State: MS Zip: 39180
County: Warren

Mailing Address

Address: P.O Box 20326
City: Jackson
State: MS Zip: 39289

Generator Contact

Name: Trey Hess / Jerry Banks
Title:
Phone: (601) 961-5221/6019615654
Fax: () -

EQ Customer No.: 10958

Invoicing Company

Company: USES JACKSON
Address: 1075 MENDELL DAVIS DRIVE
City: JACKSON
State: MS Zip: 39212
Country: USA

Invoicing Contact

Name: Wanda Horton
Phone: (601) 372-3232
Fax: () -

Technical Contact

Name: J.T. Newman
Phone: (601) 372-3232
Fax: () -
Mobile: () - Pager: () -
E-mail: jnewman@usesgroup.com

*For a list of NAICS codes, please refer to Section 9 of the EQ Resource Guide.

Section 2 - Shipping & Packaging Info

- 2.1) Shipping Volume & Unit: 85 gallon Frequency: One Time Only
- 2.2) DOT Shipping Name: Environmentally hazardous substances, solid, n.o.s.
- 2.3) Is this waste surcharge exempt? ☐ Yes ☒ No (If you answered "Yes" to question 2.3, select the Surcharge Exemption reason.)

2.4) Packaging (check all that apply)

- | | | |
|--|--|---|
| <input type="checkbox"/> Bulk Solid (yd ³ < 2000 lbs./yd ³) | <input type="checkbox"/> Bulk Solid (Ton > 2000 lbs./yd ³) | <input type="checkbox"/> Bulk Liquids (Gallon) |
| <input type="checkbox"/> Totes, Size | <input type="checkbox"/> Cubic Yard Boxes/Bags | <input checked="" type="checkbox"/> Drums, Size 85 gallon |
| <input type="checkbox"/> Other (palletized, 5 gal. Pail, etc.) | | |

Quoted bulk disposal charges for solid materials will be billed by the cubic yard, if the waste density is less than 2,000lbs./cubic yard. If waste density is greater than 2,000 lbs./cubic yard, then bulk disposal charges will be billed by the ton, regardless of the approved container.

Section 3 - Physical Characteristics

- 3.1) Color: LIGHT GREEN
- 3.2) Odor: none
- 3.3) Does this waste contain any "Potentially Odorous Constituents" as defined in the EQ Resource Guide? (Section 3) ☐ Yes ☒ No
- 3.4) Physical State at 70 °F: ☒ Solid ☐ Dust/Powder ☐ Liquid ☐ Sludge
- 3.5) What is the pH of this waste? ☐ ≤ 2 ☐ 2.1-4.9 ☒ 5-10 ☐ 10.1-12.4 ☐ ≥ 12.5
- 3.6) What is the flash point of this waste? ☐ <90 °F ☐ 90-139 °F ☐ 140-199 °F ☐ ≥ 200 °F
- 3.7) Does this waste contain? (check all that apply) ☒ None
- | | | | | | |
|---|---|--|---|---|--------------------------------------|
| <input type="checkbox"/> Biodegradable Sorbants | <input type="checkbox"/> Amines | <input type="checkbox"/> Ammonia | <input type="checkbox"/> Free Liquids | <input type="checkbox"/> Oily Residue | <input type="checkbox"/> Metal Fines |
| <input type="checkbox"/> Shock Sensitive Waste | <input type="checkbox"/> Reactive Waste | <input type="checkbox"/> Radioactive Waste | <input type="checkbox"/> Water Reactive | <input type="checkbox"/> Biohazard | <input type="checkbox"/> Aluminum |
| <input type="checkbox"/> Asbestos - non-friable | <input type="checkbox"/> Asbestos - friable | <input type="checkbox"/> Dioxins | <input type="checkbox"/> Explosives | <input type="checkbox"/> Pyrophoric Waste | <input type="checkbox"/> Isocyanates |
| | | | <input type="checkbox"/> Furans | | |

Section 4 - Composition / Generating Process

- 4.1) Describe the physical composition of the waste (i.e., soil, water, PPE, debris, key chemical compounds, etc.)
Nickel Sulphate from 100. to 100. %
- 4.2) Provide a detailed description of the process generating this waste. (attach flow diagram if available).
Cleanup of abandoned Chemicals from site demolition

Section 5 - Is This Hazardous Waste?

Please refer to Section 5 of the EQ Resource Guide for a list of waste codes.

As determined by 40 CFR, Part 261 and Michigan Act 451 Rules:

Please list applicable waste code(s):

- 5.1) Is this an EPA RCRA listed hazardous waste (F, K, P or U)? ☐ Yes ☒ No
Comments:
- 5.2) Is this an EPA RCRA characteristic hazardous waste (D001-D043)? ☐ Yes ☒ No
Comments:
- 5.3) Do any State Hazardous Waste Codes apply? ☐ Yes ☒ No
Comments:
- 5.4) Is this waste intended for wastewater treatment? ☐ Yes* ☒ No

If you answered "No" to questions 5.1, 5.2, and 5.3, please skip to Section 7.

If you answered "Yes" to question 5.4, please complete the WCR Addendum.

Section 6 - Hazardous Wastes

6.1) Does this waste exceed Land Disposal Restriction Levels?

☒ Yes ☐ No

6.1a) If this waste stream is greater than 50% soil, does it meet the alternative soil treatment standards of 40 CFR 268.49?

☐ Yes ☒ No

6.1b) Does this waste contain greater than 50% debris, by volume? (Debris is greater than 2.5 inches in size.)

☐ Yes ☒ No

6.2) Is the waste an oxidizer (D001)?

☐ Yes ☒ No

6.3) Does this waste contain reactive cyanide \geq 250 ppm (D003)?

☐ Yes ☒ No

6.4) Does this waste contain reactive sulfide \geq 500 ppm (D003)?

☐ Yes ☒ No

6.5) Please indicate which constituent concentrations are below or above the regulatory level. Please indicate the basis used in the determination. Either 'Below' or 'Above' **MUST** be checked for each constituent.

Based On: ☒ Generator Knowledge ☐ Analysis* ☐ MSDS*

*Please forward a copy. Analysis or MSDS are required for EQ Florida Non-hazardous wastes.

Code	Regulatory Level	TCLP (mg/l)		Concentration (if above)
D004	Arsenic	5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D005	Barium	100	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D006	Cadmium	1	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D007	Chromium	5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D008	Lead	5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D009	Mercury	0.2	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D010	Selenium	1	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D011	Silver	5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D012	Endrin	0.02	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D013	Lindane	0.4	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D014	Methoxychlor	10	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D015	Toxaphene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D016	2,4-D	10	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D017	2,4,5-TP (Silvex)	1	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D018	Benzene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D019	Carbon Tetrachloride	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D020	Chlordane	0.03	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D021	Chlorobenzene	100	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D022	Chloroform	6.0	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D023	o-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above	

Code	Regulatory Level	TCLP (mg/l)		Concentration (if above)
D024	m-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D025	p-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D026	Cresols	200	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D027	1,4-Dichlorobenzene	7.5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D028	1,2-Dichloroethane	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D029	1,1-Dichloroethylene	0.7	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D030	2,4-Dinitrotoluene	0.13	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D031	Heptachlor	0.008	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D032	Hexachlorobenzene	0.13	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D033	Hexachlorobutadiene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D034	Hexachloroethane	3.0	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D035	Methyl Ethyl Ketone	200	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D036	Nitrobenzene	2	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D037	Pentachlorophenol	100	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D038	Pyridine	5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D039	Tetrachloroethylene	0.7	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D040	Trichloroethylene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D041	2,4,5-Trichlorophenol	400	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D042	2,4,6-Trichlorophenol	2	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D043	Vinyl Chloride	0.2	<input checked="" type="radio"/> Below <input type="radio"/> Above	

6.6) If this is a characteristic hazardous waste, does it contain underlying hazardous constituents?

☐ Yes ☒ No

If you answered 'Yes', please list the constituents in Section 11.

Section 7 - Non-Hazardous Wastes

For a complete list of non-hazardous waste codes, please refer to Section 7 of the EQ Resource Guide.

Applicable waste code(s):

7.1) Is this a Michigan non-hazardous liquid industrial waste?

☐ Yes ☒ No

Comments:

7.2) Is this a Universal waste?

☐ Yes ☒ No

7.3) Is this a Recyclable Commodity? (e.g.: computer monitors, free mercury, etc.)

☐ Yes ☒ No

7.4) Is this waste a recoverable petroleum product?

☐ Yes ☒ No

7.5) Is this waste used oil as defined by 40 CFR Part 279?

☐ Yes ☒ No

Section 8 - TSCA Information

- 8.1) What is the concentration of PCBs in the waste? ☒ None ☐ 0-5 ppm ☐ 6-49 ppm
☐ 50-499 ppm ☐ 500+ ppm
- 8.2) Does the waste contain PCB contamination from a source with a concentration ≥ 50 ppm? ☐ Yes ☒ No
If you answered 'None' to 8.1 and 'No' to 8.2, please skip to Section 9.
- 8.3) Has this waste been processed into a non-liquid form? ☐ Yes ☐ No
If yes, what was the concentration of PCBs prior to processing? (ppm) ☐ N/A ☐ 0-499 ☐ 500+
- 8.4) Is the non-liquid PCB waste in the form of soil, rags, debris, or other contaminated media? ☐ Yes ☐ No
- 8.5) Are you a PCB capacitor manufacturer or a PCB equipment manufacturer? ☐ Yes ☐ No
- 8.6) Has the PCB Article (e.g., transformer, hydraulic machine, PCB-contaminated electrical equipment) been drained/flushed of all PCBs and decontaminated in accordance with 40 CFR 761.60(b)? ☐ N/A ☐ Yes ☐ No

Section 9 - Clean Air Act Information

- 9.1) Is this waste subject to regulation under 40 CFR, Part 63, Subpart DD or 40 CFR, Part 264, Subpart CC (RCRA)? ☐ Yes ☒ No
(Does the waste contain >500 ppm Volatile Organic Hazardous Air Pollutants - VOHAP's or Volatile Organic Compounds - VOC's?)
For a complete list of VOHAPs, please see Section 11 of the EQ Resource Guide.
- 9.2) Is this site, or waste, subject to any other MACT or NESHAP? ☐ Yes ☒ No
If yes, please specify:
- 9.3) Does this waste stream contain Benzene? ☐ Yes ☒ No
If you answered "No" to question 9.2, please skip to section 10.
- 9.4) Does the waste stream come from a facility with one of the SIC/NAICS codes listed under the Benzene NESHAP identified in 40 CFR 61, Subpart FF? ☐ Yes ☐ No
- 9.5) Is the generating source of this waste stream a facility with Total Annual Benzene (TAB) ≥ 10 Mg/year? ☐ Yes ☒ No
For assistance in calculating the TAB, please see the TAB Worksheet in Section 9 of the EQ Resource Guide.
If you answered "No" to question 9.3 and 9.4, please skip to Section 10.
- 9.6) Does the waste contain > 10% water? ☐ Yes ☐ No
- 9.7) What is the TAB quantity for your facility? _____ Mg/year
- 9.8) Does the waste contain >1.0 mg/kg total Benzene? ☐ Yes ☐ No
- 9.9) What is the total Benzene concentration in your waste? _____ (concentration) _____ (unit)

(Supporting analysis must be attached. Do not use TCLP analytical results. Acceptable laboratory methods include 8020, 8240, 8260, 802 and 824.)

*For a list of NAICS codes, please refer to section 9 of the EQ Resource Guide.

Section 10 - Fuel Blending Information

- 10.1) Is this waste intended for fuel blending? ☐ Yes* ☒ No
If you answered 'Yes' to question 10.1, please enter the following:
- Heat value (BTU/lb.) _____
- Chlorine (%) _____
- Water (%) _____
- Solids (%) _____
- 10.2) Is this waste intended for reclamation? ☐ Yes ☒ No (5-Gallon Sample required for all reclaim waste streams)

Section 11 - Constituent Information

Please identify your waste constituents from these four categories: Underlying Hazardous Constituents (UHC's), Volatile Organic Hazardous Air Pollutants (VOHAP's), Volatile Organic Compounds (VOC's) and Toxic Release Inventory Constituents (TRI)


Constituent	Concentration	UHC?
-------------	---------------	------

Please see Section 11 of the EQ Resource Guide for a list of UHC's, VOHAP's and VOC's. For a complete list of TRI constituents, please refer to 40 CFR 372.65.

Section 12 - Certification

I certify that all information (including attachments) is complete and factual and is an accurate representation of the known and suspected hazards, pertaining to the waste described herein. I authorize EQ's Resource Team to add supplemental information to the waste approval file, provided I am contacted and give verbal permission. I authorize EQ's Resource Team to obtain a sample from any waste shipment for purposes of verification. Generator or on Generator's behalf shall be subject to, and Generator shall be bound by, the attached Standard Terms and Conditions and confirmation. I agree that, if EQ approves the waste described herein, all such wastes that are transported, delivered, or tendered to EQ by

Comments:
logged in

Generator:  Trey Hess
Authorized Generator Signature Printed Generator Name
Company: MDEQ Title: EEIV Date: 11/13/07

The generator's signature **MUST** appear on the EQ Waste Characterization Report. If the generator has authorized a third party to certify this document, a written notice (on generator letterhead) must accompany this submittal. Although the EQ Resource Team is authorized to make certain modifications to the information provided on this form, the addition or removal of waste codes and waste constituents must be documented by the generator.

STANDARD TERMS AND CONDITIONS

The Agreement between the Customer and EQ - The Environmental Quality Company and/or its member companies (hereinafter "EQ") related to or associated with Delivered Waste, as herein defined, shall be governed by the following Standard Terms and Conditions in addition to the terms and conditions contained in any Waste Characterization Report, Customer Approval Quote Confirmation, Generator Approval Notification, Notice of Waste Approval Expiration, and/or Credit Agreement associated with such Delivered Waste.

The Customer may use its standard forms (such as purchase orders, acknowledgments of orders, and invoices) to administer its dealings under this Agreement for convenience purposes, but all provisions thereof in conflict with these terms and conditions shall be deemed stricken.

Definitions.

The following definitions shall apply for purposes of this Agreement:

"Acceptable Waste" shall mean any hazardous waste, as defined under applicable State or federal law, determined by EQ as acceptable for treatment and/or disposal in accordance with this Agreement.

"Delivered Wastes" shall mean all wastes (i) which are transported, delivered, or tendered to EQ by the Customer; (ii) which the Customer has arranged for the transport, delivery or tender to EQ; or (iii) which are transported, delivered, or tendered to EQ under a Credit Agreement between the Customer and EQ.

"Non-Conforming Wastes" shall mean wastes that (a) are not in accordance in all material respects with the warranties, descriptions, specifications or limitations stated in the Waste Characterization Report and this Agreement; (b) have constituents or components of a type or concentration not specifically identified in the Waste Characterization Report (i) which increase the nature or extent of the hazard and risk undertaken by EQ in treating and/or disposing of the waste, or (ii) for whose treatment and/or disposal a Waste Management Facility is not designed or permitted, or (iii) which increase the cost of treatment and/or disposal of waste beyond that specified in EQ's price quote; or (c) are not properly packaged, labeled, described, or placarded, or otherwise not in compliance with United States Department of Transportation and United States Environmental Protection Agency regulations.

Control of Operations.

EQ shall have sole control over all aspects of the operation of any treatment and/or disposal facility of EQ receiving Delivered Wastes under this Agreement (hereinafter, "Waste Management Facility"), including, without limitation, maintaining EQ's desired volume of Acceptable Wastes being delivered to any Waste Management Facility by the Customer or any other person or entity.

Identification of Waste.

For each waste material to be transported, delivered, or tendered to EQ under this Agreement, the Customer shall provide, or cause to be provided, to EQ a representative sample of the waste material and a completed Waste Characterization Report containing a physical and chemical description or analysis of such waste material, which description shall conform with any and all guidelines for waste acceptance provided by EQ. On the basis of EQ's analysis of such representative sample of the waste material and such Waste Characterization Report, EQ will determine whether such wastes are Acceptable Wastes. EQ does not make any guarantee that it will handle any waste material or any particular quantity or type of waste material, and EQ reserves the right to the decline to transport, treat and/or dispose of waste material. The Customer shall promptly furnish to EQ any information regarding known, suspected or planned changes in the composition of the waste material. Further, the Customer shall promptly inform EQ of any change in the characteristic or condition of the waste material which becomes known to the Customer subsequent to the date of the Waste Characterization Report.

Non-Conforming Wastes.

In the event that EQ at any time discovers that any Delivered Waste is Non-Conforming Waste, EQ may reject or revoke its acceptance of the Non-Conforming Waste. The Customer shall have seven (7) days to direct an alternative lawful manner of disposition of the waste, unless it is necessary by reason of law or otherwise to move the Non-Conforming Waste prior to expiration of the seven (7) day period. If the Customer does not direct an alternative disposal, at its option, EQ may return any such Non-Conforming Wastes to the Customer, and the Customer shall pay or reimburse EQ for all costs and expenses incurred by EQ in connection with the receipt, handling, sampling, analyses, transportation and return to the Customer of such Non-Conforming Wastes. If it is impossible or impractical for EQ to return the Non-Conforming Waste to the Customer, the Customer shall reimburse EQ for all costs, of any type or nature whatsoever, incurred by EQ, solely because such Delivered Waste was Non-Conforming Waste (including, but not limited to, all costs associated with any remedial steps necessary, due to the nature of the Non-Conforming Waste, in connection with material with which the Non-Conforming Waste may have been commingled and all expenses and charges for analyzing, handling, locating, preparing for transporting, storing and disposing of any Non-Conforming Waste).

Customer Warranty - Title to Wastes.

Either the Customer or the generator (if other than the Customer) shall hold clear title, free of any all liens, claims, encumbrances, and charges to Delivered Waste until such waste is accepted by EQ.

Customer Warranty - Acceptable Wastes.

All Delivered Wastes shall be Acceptable Wastes and shall conform in all material respects to the description and specifications contained in the Waste Characterization Report. The information set forth in the Waste Characterization Report or any manifest, placard or label associated with any Delivered Wastes, or otherwise represented by the Customer or the generator (if other than the Customer) to EQ, is and shall be true, accurate and complete as of the date of receipt of the involved waste by EQ.

Customer Warranty - Compliance with Laws.

The Customer shall comply with all applicable federal, state and local environmental statutes, regulations, and other governmental requirements, as well as directives issued by EQ from time to time, governing the transportation, treatment and/or disposal of Acceptable Wastes, including, but not limited to, all packaging, manifesting, containerization, placarding and labeling requirements.

Customer Warranty - Updating Information.

If the Customer receives information that Delivered Waste or other hazardous waste described in the Waste Characterization Report, or some component of such waste, presents or may present a hazard or risk to persons, property or the environment which was not disclosed to EQ, or if the Customer or generator (if other than the Customer) has changed the process by which such waste results, the Customer shall promptly report such information to EQ in writing.

Customer Indemnity.

The Customer shall indemnify, defend and hold harmless EQ, and its affiliated or related companies, and all of their respective present or future officers, directors, shareholders, employees and agents from and against any and all losses, damages, liabilities, penalties, fines, forfeitures, demands, claims, causes of action, suits, costs and expenses (including, but not limited to, reasonable costs of defense, settlement, and reasonable attorneys' fees), which may be asserted against any or all of them by any person or any governmental agency, or which any or all of them may hereafter suffer, incur, be responsible for or pay out, as a result of or in connection with bodily injuries (including, but not limited to, death, sickness, disease and emotional or mental distress) to any person (including EQ's employees), damage (including, but not limited to, loss of use) to any property (public or private), or any requirements to conduct or incur expense for investigative, removal or remedial expenses in connection with contamination of or adverse effect on the environment, or any violation or alleged violation of any statutes, ordinances, orders, rules or regulations of any governmental entity or agency, caused or arising out of (i) a breach of this Agreement by the Customer, (ii) the failure of any warranty of the Customer to be true, accurate and complete, or (iii) any willful or negligent act or omission of the Customer, or its employees or agents in connection with the performance of this Agreement.

Force Majeure.

EQ shall not be liable for any failure to accept, receive, handle, treat, and/or dispose of Delivered Waste due to an act of God, fire, casualty, flood, war, strike, lockout, labor trouble, failure of public utilities, equipment failure, facility shutdown, injunction, accident, epidemic, riot, insurrection, destruction of operation or transportation facilities, the inability to procure materials, equipment, or sufficient personnel or energy in order to meet operational needs without the necessity of allocation, the failure or inability to obtain any governmental approvals or to meet Environmental Requirements (including, but not limited to voluntary or involuntary compliance with any act, exercise, assertion, or requirement of any governmental authority) which may temporarily or permanently prohibit operations of EQ, the Customer, or the Generator, or any other circumstances beyond the control of EQ which prevents or delays performance of any of its obligations under this Agreement.

Governing Laws.

This Agreement shall in all respects be governed by and shall be construed in accordance with the laws of the State of Michigan applied to contracts executed and performed wholly within such state.

EQ - The Environmental Quality Company

Waste Characterization Report

☒ I authorize EQ - The Environmental Quality Company to choose the appropriate method of waste management, from the technologies offered, at the EQ facilities identified below.

<input type="checkbox"/> Michigan Disposal Waste Treatment Plant (Stabilization and Treatment)	49350 North I-94 Service Drive, Belleville, Michigan 48111 Phone: 1-800-592-5489 Fax: 1-800-592-5329	EPA ID #MID000724831
<input type="checkbox"/> Wayne Disposal, Inc. (Hazardous & PCB Waste Landfill)	49350 North I-94 Service Drive, Belleville, Michigan 48111 Phone: 1-800-592-5489 Fax: 1-800-592-5329	EPA ID #MID048090633
<input type="checkbox"/> EQ Detroit, Inc. (Stabilization, Wastewater Treatment)	1923 Frederick, Detroit, MI 48211 Phone: 1-800-495-6059 Fax: 1-313-923-3375	EPA ID #MID980991566
<input type="checkbox"/> EQ Resource Recovery, Inc. (Solvent Recycling, Fuel Blending, WW Treatment)	36345 Van Born Road, Romulus, Michigan 48174 Phone: (734) 727-5500 Fax: (734) 326-4033	EPA ID #MID060975844
<input type="checkbox"/> EQIS North Carolina (Stabilization, Treatment, Labpack Decommissioning)	1005 Investment Blvd., Apex, NC 27502 Phone: (919) 363-4700 Fax: (919) 363-4714	EPA ID #NCD982170292
<input type="checkbox"/> EQ Florida, Inc. (Drum Consolidation, Labpack Decommissioning)	7202 East Eighth Ave., Tampa, FL 33619 Phone: 1-800-624-5302 Fax: 1-813-628-0842	EPA ID #FLD981932494
<input type="checkbox"/> EQ Detroit Transfer and Processing (Drum Transfer/Universal Waste Handling)	2000 Ferry Street, Detroit, MI 48211 Phone: (313) 923-0080 Fax: (313) 922-8419	EPA ID #MIK939928313
<input type="checkbox"/> EQIS Indianapolis Transfer and Processing (Drum Transfer/Non-Hazardous Waste Processing)	4000 West 10th Street, Indianapolis, Indiana 46222 Phone: (317) 247-7160 Fax: (317) 247-7170	EPA ID #IND161049309
<input type="checkbox"/> EQIS Atlanta Transfer and Processing (Drum Transfer/Non-Hazardous Waste Processing)	5600 Fulton Industrial Blvd., Atlanta, Georgia 30336 Phone: (404) 494-3520 Fax: (404) 494-3560	EPA ID #GAR000039776
<input type="checkbox"/> EQ Augusta, Inc. (Wastewater Treatment)	3920 Goshen Industrial Blvd., Augusta, GA 30906 Phone: 706-771-9100 Fax: 706-771-9124	EPA ID #GAR000011817

Waste Common Name: Metal Compounds Bucket

Section 1 - Generator & Customer Info

SIC/NAICS*:

EQ Customer No.: 10958

Generator EPA ID: MST-MP0-002-452

Invoicing Company

Company: USES JACKSON
Address: 1075 MENDELL DAVIS DRIVE
City: JACKSON
State: MS Zip: 39212
Country: USA

Invoicing Contact

Name: Wanda Horton
Phone: (601) 372-3232
Fax: () -

Technical Contact

Name: J.T. Newman
Phone: (601) 372-3232
Fax: () -
Mobile: () - Pager: () -
E-mail: jnewman@usesgroup.com

Generator: Mississippi DEQ
Address: 4280 Rifle Range Rd
City: Vicksburg
State: MS Zip: 39180
County: Warren

Mailing Address

Address: P.O Box 20326
City: Jackson
State: MS Zip: 39289

Generator Contact

Name: Trey Hess / Jerry Banks
Title:
Phone: (601) 961-5221/6019615654
Fax: () -

*For a list of NAICS codes, please refer to Section 9 of the EQ Resource Guide.

Section 2 - Shipping & Packaging Info

- 2.1) Shipping Volume & Unit: 5 gallon Frequency: One Time Only
- 2.2) DOT Shipping Name: Toxic solid, inorganic, n.o.s.
- 2.3) Is this waste surcharge exempt? ☐ Yes ☒ No (If you answered "Yes" to question 2.3, select the Surcharge Exemption reason.)

2.4) Packaging (check all that apply)

- ☐ Bulk Solid (yd³ < 2000 lbs./yd³) ☐ Bulk Solid (Ton > 2000 lbs./yd³) ☐ Bulk Liquids (Gallon)
- ☐ Totes, Size ☐ Cubic Yard Boxes/Bags ☐ Drums, Size
- ☒ Other (palletized, 5 gal. Pail, etc.) 5 gallon Pail

Quoted bulk disposal charges for solid materials will be billed by the cubic yard, if the waste density is less than 2,000lbs./cubic yard. If waste density is greater than 2,000 lbs./cubic yard, then bulk disposal charges will be billed by the ton, regardless of the approved container.

Section 3 - Physical Characteristics

- 3.1) Color: VARIES 3.2) Odor: none
- 3.3) Does this waste contain any "Potentially Odorous Constituents" as defined in the EQ Resource Guide? (Section 3) ☐ Yes ☒ No
- 3.4) Physical State at 70 °F: ☒ Solid ☐ Dust/Powder ☐ Liquid ☐ Sludge
- 3.5) What is the pH of this waste? ☐ ≤ 2 ☐ 2.1-4.9 ☒ 5-10 ☐ 10.1-12.4 ☐ ≥ 12.5
- 3.6) What is the flash point of this waste? ☐ <90 °F ☐ 90-139 °F ☐ 140-199 °F ☐ ≥ 200 °F
- 3.7) Does this waste contain? (check all that apply) ☒ None
- | | | | | | |
|---|---|--|---|---|--------------------------------------|
| <input type="checkbox"/> Biodegradable Sorbents | <input type="checkbox"/> Amines | <input type="checkbox"/> Ammonia | <input type="checkbox"/> Free Liquids | <input type="checkbox"/> Oily Residue | <input type="checkbox"/> Metal Fines |
| <input type="checkbox"/> Shock Sensitive Waste | <input type="checkbox"/> Reactive Waste | <input type="checkbox"/> Radioactive Waste | <input type="checkbox"/> Water Reactive | <input type="checkbox"/> Biohazard | <input type="checkbox"/> Aluminum |
| <input type="checkbox"/> Asbestos - non-friable | <input type="checkbox"/> Asbestos - friable | <input type="checkbox"/> Dioxins | <input type="checkbox"/> Explosives | <input type="checkbox"/> Pyrophoric Waste | <input type="checkbox"/> Isocyanates |
| | | | <input type="checkbox"/> Furans | | |

Section 4 - Composition / Generating Process

- 4.1) Describe the physical composition of the waste (i.e., soil, water, PPE, debris, key chemical compounds, etc.)
- 4.2) Provide a detailed description of the process generating this waste. (attach flow diagram if available).
- Labpack of chemicals in abandoned Chemical plant Lab

Section 5 - Is This Hazardous Waste?

Please refer to Section 5 of the EQ Resource Guide for a list of waste codes.

As determined by 40 CFR, Part 261 and Michigan Act 451 Rules:

Please list applicable waste code(s):

- 5.1) Is this an EPA RCRA listed hazardous waste (F, K, P or U)? ☐ Yes ☒ No
Comments:
- 5.2) Is this an EPA RCRA characteristic hazardous waste (D001-D043)? ☒ Yes ☐ No
Comments:
- 5.3) Do any State Hazardous Waste Codes apply? ☐ Yes ☒ No
Comments:
- 5.4) Is this waste intended for wastewater treatment? ☐ Yes* ☒ No

D009 D011

If you answered "No" to questions 5.1, 5.2, and 5.3, please skip to Section 7.
If you answered "Yes" to question 5.4, please complete the WCR Addendum.

Section 6 - Hazardous Wastes

6.1) Does this waste exceed Land Disposal Restriction Levels?

☒ Yes ☐ No

6.1a) If this waste stream is greater than 50% soil, does it meet the alternative soil treatment standards of 40 CFR 268.49?

☐ Yes ☒ No

6.1b) Does this waste contain greater than 50% debris, by volume? (Debris is greater than 2.5 inches in size.)

☐ Yes ☒ No

6.2) Is the waste an oxidizer (D001)?

☐ Yes ☒ No

6.3) Does this waste contain reactive cyanide ≥ 250 ppm (D003)?

☐ Yes ☒ No

6.4) Does this waste contain reactive sulfide ≥ 500 ppm (D003)?

☐ Yes ☒ No

6.5) Please indicate which constituent concentrations are below or above the regulatory level. Please indicate the basis used in the determination. Either 'Below' or 'Above' **MUST** be checked for each constituent.

Based On: ☒ Generator Knowledge ☐ Analysis*

☐ MSDS*

*Please forward a copy. Analysis or MSDS are required for EQ Florida Non-hazardous wastes.

Code	Regulatory Level	TCLP (mg/l)		Concentration (if above)
D004	Arsenic	5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D005	Barium	100	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D006	Cadmium	1	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D007	Chromium	5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D008	Lead	5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D009	Mercury	0.2	<input type="radio"/> Below <input checked="" type="radio"/> Above	
D010	Selenium	1	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D011	Silver	5	<input type="radio"/> Below <input checked="" type="radio"/> Above	
D012	Endrin	0.02	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D013	Lindane	0.4	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D014	Methoxychlor	10	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D015	Toxaphene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D016	2,4-D	10	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D017	2,4,5-TP (Silvex)	1	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D018	Benzene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D019	Carbon Tetrachloride	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D020	Chlordane	0.03	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D021	Chlorobenzene	100	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D022	Chloroform	6.0	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D023	o-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above	

Code	Regulatory Level	TCLP (mg/l)		Concentration (if above)
D024	m-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D025	p-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D026	Cresols	200	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D027	1,4-Dichlorobenzene	7.5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D028	1,2-Dichloroethane	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D029	1,1-Dichloroethylene	0.7	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D030	2,4-Dinitrotoluene	0.13	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D031	Heptachlor	0.008	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D032	Hexachlorobenzene	0.13	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D033	Hexachlorobutadiene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D034	Hexachloroethane	3.0	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D035	Methyl Ethyl Ketone	200	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D036	Nitrobenzene	2	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D037	Pentachlorophenol	100	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D038	Pyridine	5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D039	Tetrachloroethylene	0.7	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D040	Trichloroethylene	0.5	<input type="radio"/> Below <input checked="" type="radio"/> Above	
D041	2,4,5-Trichlorophenol	400	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D042	2,4,6-Trichlorophenol	2	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D043	Vinyl Chloride	0.2	<input checked="" type="radio"/> Below <input type="radio"/> Above	

6.6) If this is a characteristic hazardous waste, does it contain underlying hazardous constituents?

☐ Yes ☒ No

If you answered 'Yes', please list the constituents in Section 11.

Section 7 - Non-Hazardous Wastes

For a complete list of non-hazardous waste codes, please refer to Section 7 of the EQ Resource Guide.

Applicable waste code(s):

7.1) Is this a Michigan non-hazardous liquid industrial waste?

☐ Yes ☒ No

Comments:

7.2) Is this a Universal waste?

☐ Yes ☒ No

7.3) Is this a Recyclable Commodity? (e.g.: computer monitors, free mercury, etc.)

☐ Yes ☒ No

7.4) Is this waste a recoverable petroleum product?

☐ Yes ☒ No

7.5) Is this waste used oil as defined by 40 CFR Part 279?

☐ Yes ☒ No

Section 8 - TSCA Information

- 8.1) What is the concentration of PCBs in the waste? ☒ None ☐ 0-5 ppm ☐ 6-49 ppm
☐ 50-499 ppm ☐ 500+ ppm
- 8.2) Does the waste contain PCB contamination from a source with a concentration ≥ 50 ppm? ☐ Yes ☒ No
If you answered 'None' to 8.1 and 'No' to 8.2, please skip to Section 9.
- 8.3) Has this waste been processed into a non-liquid form? ☐ Yes ☐ No
If yes, what was the concentration of PCBs prior to processing? (ppm) ☐ N/A ☐ 0-499 ☐ 500+
- 8.4) Is the non-liquid PCB waste in the form of soil, rags, debris, or other contaminated media? ☐ Yes ☐ No
- 8.5) Are you a PCB capacitor manufacturer or a PCB equipment manufacturer? ☐ Yes ☐ No
- 8.6) Has the PCB Article (e.g., transformer, hydraulic machine, PCB-contaminated electrical equipment) been drained/flushed of all PCBs and decontaminated in accordance with 40 CFR 761.60(b)? ☐ N/A ☐ Yes ☐ No

Section 9 - Clean Air Act Information

- 9.1) Is this waste subject to regulation under 40 CFR, Part 63, Subpart DD or 40 CFR, Part 264, Subpart CC (RCRA)? ☐ Yes ☒ No
(Does the waste contain >500 ppm Volatile Organic Hazardous Air Pollutants - VOHAP's or Volatile Organic Compounds - VOC's?)
For a complete list of VOHAPs, please see Section 11 of the EQ Resource Guide.
- 9.2) Is this site, or waste, subject to any other MACT or NESHAP? ☐ Yes ☒ No
If yes, please specify:
- 9.3) Does this waste stream contain Benzene? ☐ Yes ☒ No
If you answered "No" to question 9.2, please skip to section 10.
- 9.4) Does the waste stream come from a facility with one of the SIC/NAICS codes listed under the Benzene NESHAP identified in 40 CFR 61, Subpart FF? ☐ Yes ☐ No
- 9.5) Is the generating source of this waste stream a facility with Total Annual Benzene (TAB) ≥ 10 Mg/year? ☐ Yes ☒ No
For assistance in calculating the TAB, please see the TAB Worksheet in Section 9 of the EQ Resource Guide.
If you answered "No" to question 9.3 and 9.4, please skip to Section 10.
- 9.6) Does the waste contain > 10% water? ☐ Yes ☐ No
- 9.7) What is the TAB quantity for your facility? _____ Mg/year
- 9.8) Does the waste contain >1.0 mg/kg total Benzene? ☐ Yes ☐ No
- 9.9) What is the total Benzene concentration in your waste? _____ (concentration) _____ (unit)
(Supporting analysis must be attached. Do not use TCLP analytical results. Acceptable laboratory methods include 8020, 8240, 8260, 802 and 824.)

*For a list of NAICS codes, please refer to section 9 of the EQ Resource Guide.

Section 10 - Fuel Blending Information

- 10.1) Is this waste intended for fuel blending? ☐ Yes* ☒ No
If you answered 'Yes' to question 10.1, please enter the following:
- Heat value (BTU/lb.) _____
Chlorine (%) _____
Water (%) _____
Solids (%) _____
- 10.2) Is this waste intended for reclamation? ☐ Yes ☒ No (5-Gallon Sample required for all reclaim waste streams)

Section 11 - Constituent Information

Please identify your waste constituents from these four categories: Underlying Hazardous Constituents (UHC's), Volatile Organic Hazardous Air Pollutants (VOHAP's), Volatile Organic Compounds (VOC's) and Toxic Release Inventory Constituents (TRI)


Constituent	Concentration	UHC?
-------------	---------------	------

Please see Section 11 of the EQ Resource Guide for a list of UHC's, VOHAP's and VOC's. For a complete list of TRI constituents, please refer to 40 CFR 372.65.

Section 12 - Certification

I certify that all information (including attachments) is complete and factual and is an accurate representation of the known and suspected hazards, pertaining to the waste described herein. I authorize EQ's Resource Team to add supplemental information to the waste approval file, provided I am contacted and give verbal permission. I authorize EQ's Resource Team to obtain a sample from any waste shipment for purposes of verification Generator or on Generator's behalf shall be subject to, and Generator shall be bound by, the attached Standard Terms and Conditions. and confirmation. I agree that, if EQ approves the waste described herein, all such wastes that are transported, delivered, or tendered to EQ by

Comments:
logged in

Generator:  TREY HESS
Authorized Generator Signature Printed Generator Name

Company: MDEQ Title: EEIV Date: 11/13/07

The generator's signature MUST appear on the EQ Waste Characterization Report. If the generator has authorized a third party to certify this document, a written notice (on generator letterhead) must accompany this submittal. Although the EQ Resource Team is authorized to make certain modifications to the information provided on this form, the addition or removal of waste codes and waste constituents must be documented by the generator.

STANDARD TERMS AND CONDITIONS

The Agreement between the Customer and EQ - The Environmental Quality Company and/or its member companies (hereinafter "EQ") related to or associated with Delivered Waste, as herein defined, shall be governed by the following Standard Terms and Conditions in addition to the terms and conditions contained in any Waste Characterization Report, Customer Approval Quote Confirmation, Generator Approval Notification, Notice of Waste Approval Expiration, and/or Credit Agreement associated with such Delivered Waste.

The Customer may use its standard forms (such as purchase orders, acknowledgments of orders, and invoices) to administer its dealings under this Agreement for convenience purposes, but all provisions thereof in conflict with these terms and conditions shall be deemed stricken.

Definitions.

The following definitions shall apply for purposes of this Agreement:

"Acceptable Waste" shall mean any hazardous waste, as defined under applicable State or federal law, determined by EQ as acceptable for treatment and/or disposal in accordance with this Agreement.

"Delivered Wastes" shall mean all wastes (i) which are transported, delivered, or tendered to EQ by the Customer; (ii) which the Customer has arranged for the transport, delivery or tender to EQ; or (iii) which are transported, delivered, or tendered to EQ under a Credit Agreement between the Customer and EQ.

"Non-Conforming Wastes" shall mean wastes that (a) are not in accordance in all material respects with the warranties, descriptions, specifications or limitations stated in the Waste Characterization Report and this Agreement; (b) have constituents or components of a type or concentration not specifically identified in the Waste Characterization Report (i) which increase the nature or extent of the hazard and risk undertaken by EQ in treating and/or disposing of the waste, or (ii) for whose treatment and/or disposal a Waste Management Facility is not designed or permitted, or (iii) which increase the cost of treatment and/or disposal of waste beyond that specified in EQ's price quote; or (c) are not properly packaged, labeled, described, or placarded, or otherwise not in compliance with United States Department of Transportation and United States Environmental Protection Agency regulations.

Control of Operations.

EQ shall have sole control over all aspects of the operation of any treatment and/or disposal facility of EQ receiving Delivered Wastes under this Agreement (hereinafter,

"Waste Management Facility"), including, without limitation, maintaining EQ's desired volume of Acceptable Wastes being delivered to any Waste Management Facility by the Customer or any other person or entity.

Identification of Waste.

For each waste material to be transported, delivered, or tendered to EQ under this Agreement, the Customer shall provide, or cause to be provided, to EQ a representative sample of the waste material and a completed Waste Characterization Report containing a physical and chemical description or analysis of such waste material, which description shall conform with any and all guidelines for waste acceptance provided by EQ. On the basis of EQ's analysis of such representative sample of the waste material and such Waste Characterization Report, EQ will determine whether such wastes are Acceptable Wastes. EQ does not make any guarantee that it will handle any waste material or any particular quantity or type of waste material, and EQ reserves the right to the decline to transport, treat and/or dispose of waste material. The Customer shall promptly furnish to EQ any information regarding known, suspected or planned changes in the composition of the waste material. Further, the Customer shall promptly inform EQ of any change in the characteristic or condition of the waste material which becomes known to the Customer subsequent to the date of the Waste Characterization Report.

Non-Conforming Wastes.

In the event that EQ at any time discovers that any Delivered Waste is Non-Conforming Waste, EQ may reject or revoke its acceptance of the Non-Conforming Waste. The Customer shall have seven (7) days to direct an alternative lawful manner of disposition of the waste, unless it is necessary by reason of law or otherwise to move the Non-Conforming Waste prior to expiration of the seven (7) day period. If the Customer does not direct an alternative disposal, at its option, EQ may return any such Non-Conforming Wastes to the Customer, and the Customer shall pay or reimburse EQ for all costs and expenses incurred by EQ in connection with the receipt, handling, sampling, analysis, transportation and return to the Customer of such Non-Conforming Wastes. If it is impossible or impractical for EQ to return the Non-Conforming Waste to the Customer, the Customer shall reimburse EQ for all costs, of any type or nature whatsoever, incurred by EQ, solely because such Delivered Waste was Non-Conforming Waste (including, but not limited to, all costs associated with any remedial steps necessary, due to the nature of the Non-Conforming Waste, in connection with material with which the Non-Conforming Waste may have been commingled and all expenses and charges for analyzing, handling, locating, preparing for transporting, storing and disposing of any Non-Conforming Waste).

Customer Warranty - Title to Wastes.

Either the Customer or the generator (if other than the Customer) shall hold clear title, free of any all liens, claims, encumbrances, and charges to Delivered Waste until such waste is accepted by EQ.

Customer Warranty - Acceptable Wastes.

All Delivered Wastes shall be Acceptable Wastes and shall conform in all material respects to the description and specifications contained in the Waste Characterization Report. The information set forth in the Waste Characterization Report or any manifest, placard or label associated with any Delivered Wastes, or otherwise represented by the Customer or the generator (if other than the Customer) to EQ, is and shall be true, accurate and complete as of the date of receipt of the involved waste by EQ.

Customer Warranty - Compliance with Laws.

The Customer shall comply with all applicable federal, state and local environmental statutes, regulations, and other governmental requirements, as well as directives issued by EQ from time to time, governing the transportation, treatment and/or disposal of Acceptable Wastes, including, but not limited to, all packaging, manifesting, containerization, placarding and labeling requirements.

Customer Warranty - Updating Information.

If the Customer receives information that Delivered Waste or other hazardous waste described in the Waste Characterization Report, or some component of such waste, presents or may present a hazard or risk to persons, property or the environment which was not disclosed to EQ, or if the Customer or generator (if other than the Customer) has changed the process by which such waste results, the Customer shall promptly report such information to EQ in writing.

Customer Indemnity.

The Customer shall indemnify, defend and hold harmless EQ, and its affiliated or related companies, and all of their respective present or future officers, directors, shareholders, employees and agents from and against any and all losses, damages, liabilities, penalties, fines, forfeitures, demands, claims, causes of action, suits, costs and expenses (including, but not limited to, reasonable costs of defense, settlement, and reasonable attorneys' fees), which may be asserted against any or all of them by any person or any governmental agency, or which any or all of them may hereafter suffer, incur, be responsible for or pay out, as a result of or in connection with bodily injuries (including, but not limited to, death, sickness, disease and emotional or mental distress) to any person (including EQ's employees), damage (including, but not limited to, loss of use) to any property (public or private), or any requirements to conduct or incur expense for investigative, removal or remedial expenses in connection with contamination of or adverse effect on the environment, or any violation or alleged violation of any statutes, ordinances, orders, rules or regulations of any governmental entity or agency, caused or arising out of (i) a breach of this Agreement by the Customer, (ii) the failure of any warranty of the Customer to be true, accurate and complete, or (iii) any willful or negligent act or omission of the Customer, or its employees or agents in connection with the performance of this Agreement.

Force Majeure.

EQ shall not be liable for any failure to accept, receive, handle, treat, and/or dispose of Delivered Waste due to an act of God, fire, casualty, flood, war, strike, lockout, labor trouble, failure of public utilities, equipment failure, facility shutdown, injunction, accident, epidemic, riot, insurrection, destruction of operation or transportation facilities, the inability to procure materials, equipment, or sufficient personnel or energy in order to meet operational needs without the necessity of allocation, the failure or inability to obtain any governmental approvals or to meet Environmental Requirements (including, but not limited to voluntary or involuntary compliance with any act, exercise, assertion, or requirement of any governmental authority) which may temporarily or permanently prohibit operations of EQ, the Customer, or the Generator, or any other circumstances beyond the control of EQ which prevents or delays performance of any of its obligations under this Agreement.

Governing Laws.

This Agreement shall in all respects be governed by and shall be construed in accordance with the laws of the State of Michigan applied to contracts executed and performed wholly within such state.

EQ - The Environmental Quality Company

Waste Characterization Report

☒ I authorize EQ - The Environmental Quality Company to choose the appropriate method of waste management, from the technologies offered, at the EQ facilities identified below.

<input type="checkbox"/> Michigan Disposal Waste Treatment Plant (Stabilization and Treatment)	49350 North I-94 Service Drive, Belleville, Michigan 48111 Phone: 1-800-592-5489 Fax: 1-800-592-5329	EPA ID #MID000724831
<input type="checkbox"/> Wayne Disposal, Inc. (Hazardous & PCB Waste Landfill)	49350 North I-94 Service Drive, Belleville, Michigan 48111 Phone: 1-800-592-5489 Fax: 1-800-592-5329	EPA ID #MID048090633
<input type="checkbox"/> EQ Detroit, Inc. (Stabilization, Wastewater Treatment)	1923 Frederick, Detroit, MI 48211 Phone: 1-800-495-6059 Fax: 1-313-923-3375	EPA ID #MID980991566
<input type="checkbox"/> EQ Resource Recovery, Inc. (Solvent Recycling, Fuel Blending, WW Treatment)	36345 Van Born Road, Romulus, Michigan 48174 Phone: (734) 727-5500 Fax: (734) 326-4033	EPA ID #MID060975844
<input type="checkbox"/> EQIS North Carolina (Stabilization, Treatment, Labpack Decommissioning)	1005 Investment Blvd., Apex, NC 27502 Phone: (919) 363-4700 Fax: (919) 363-4714	EPA ID #NCD982170292
<input type="checkbox"/> EQ Florida, Inc. (Drum Consolidation, Labpack Decommissioning)	7202 East Eighth Ave., Tampa, FL 33619 Phone: 1-800-624-5302 Fax: 1-813-628-0842	EPA ID #FLD981932494
<input type="checkbox"/> EQ Detroit Transfer and Processing (Drum Transfer/Universal Waste Handling)	2000 Ferry Street, Detroit, MI 48211 Phone: (313) 923-0080 Fax: (313) 922-8419	EPA ID #MIK939928313
<input type="checkbox"/> EQIS Indianapolis Transfer and Processing (Drum Transfer/Non-Hazardous Waste Processing)	4000 West 10th Street, Indianapolis, Indiana 46222 Phone: (317) 247-7160 Fax: (317) 247-7170	EPA ID #IND161049309
<input type="checkbox"/> EQIS Atlanta Transfer and Processing (Drum Transfer/Non-Hazardous Waste Processing)	5600 Fulton Industrial Blvd., Atlanta, Georgia 30336 Phone: (404) 494-3520 Fax: (404) 494-3560	EPA ID #GAR000039776
<input type="checkbox"/> EQ Augusta, Inc. (Wastewater Treatment)	3920 Goshen Industrial Blvd., Augusta, GA 30906 Phone: 706-771-9100 Fax: 706-771-9124	EPA ID #GAR000011817

Waste Common Name: Nickel Sulphate

Section 1 - Generator & Customer Info

SIC/NAICS*:

EQ Customer No.: 10958

Generator EPA ID: MST-MP0-002-452

Generator: Mississippi DEQ
Address: 4280 Rifle Range Rd
City: Vicksburg
State: MS Zip: 39180
County: Warren

Mailing Address

Address: P.O. Box 20326
City: Jackson
State: MS Zip: 39289

Generator Contact

Name: Trey Hess / Jerry Banks
Title:
Phone: (601) 961-5221/601-961-5654
Fax: () -

Invoicing Company

Company: USES JACKSON
Address: 1075 MENDELL DAVIS DRIVE
City: JACKSON
State: MS Zip: 39212
Country: USA

Invoicing Contact

Name: Wanda Horton
Phone: (601) 372-3232
Fax: () -

Technical Contact

Name: J.T. Newman
Phone: (601) 372-3232
Fax: () -
Mobile: () - Pager: () -
E-mail: jnewman@usesgroup.com

*For a list of NAICS codes, please refer to Section 9 of the EQ Resource Guide.

Section 2 - Shipping & Packaging Info

- 2.1) Shipping Volume & Unit: 85 gallon Frequency: One Time Only
- 2.2) DOT Shipping Name: Environmentally hazardous substances, solid, n.o.s.
- 2.3) Is this waste surcharge exempt? ☐ Yes ☒ No (If you answered "Yes" to question 2.3, select the Surcharge Exemption reason.)

2.4) Packaging (check all that apply)

- | | | |
|--|--|---|
| <input type="checkbox"/> Bulk Solid (yd ³ < 2000 lbs./yd ³) | <input type="checkbox"/> Bulk Solid (Ton > 2000 lbs./yd ³) | <input type="checkbox"/> Bulk Liquids (Gallon) |
| <input type="checkbox"/> Totes, Size | <input type="checkbox"/> Cubic Yard Boxes/Bags | <input checked="" type="checkbox"/> Drums, Size 85 gallon |
| <input type="checkbox"/> Other (palletized, 5 gal. Pail, etc.) | | |

Quoted bulk disposal charges for solid materials will be billed by the cubic yard, if the waste density is less than 2,000lbs./cubic yard. If waste density is greater than 2,000 lbs./cubic yard, then bulk disposal charges will be billed by the ton, regardless of the approved container.

Section 3 - Physical Characteristics

- 3.1) Color: LIGHT GREEN
- 3.2) Odor: none
- 3.3) Does this waste contain any "Potentially Odorous Constituents" as defined in the EQ Resource Guide? (Section 3) ☐ Yes ☒ No
- 3.4) Physical State at 70 °F: ☒ Solid ☐ Dust/Powder ☐ Liquid ☐ Sludge
- 3.5) What is the pH of this waste? ☐ ≤ 2 ☐ 2.1-4.9 ☒ 5-10 ☐ 10.1-12.4 ☐ ≥ 12.5
- 3.6) What is the flash point of this waste? ☐ <90 °F ☐ 90-139 °F ☐ 140-199 °F ☐ ≥ 200 °F
- 3.7) Does this waste contain? (check all that apply) ☒ None
- | | | | | | |
|---|---|--|---|---|--------------------------------------|
| <input type="checkbox"/> Biodegradable Sorbents | <input type="checkbox"/> Amines | <input type="checkbox"/> Ammonia | <input type="checkbox"/> Free Liquids | <input type="checkbox"/> Oily Residue | <input type="checkbox"/> Metal Fines |
| <input type="checkbox"/> Shock Sensitive Waste | <input type="checkbox"/> Reactive Waste | <input type="checkbox"/> Radioactive Waste | <input type="checkbox"/> Water Reactive | <input type="checkbox"/> Biohazard | <input type="checkbox"/> Aluminum |
| <input type="checkbox"/> Asbestos - non-friable | <input type="checkbox"/> Asbestos - friable | <input type="checkbox"/> Dioxins | <input type="checkbox"/> Explosives | <input type="checkbox"/> Pyrophoric Waste | <input type="checkbox"/> Isocyanates |
| | | | <input type="checkbox"/> Furans | | |

Section 4 - Composition / Generating Process

- 4.1) Describe the physical composition of the waste (i.e., soil, water, PPE, debris, key chemical compounds, etc.)
Nickel Sulphate from 100. to 100. %
- 4.2) Provide a detailed description of the process generating this waste. (attach flow diagram if available).
Cleanup of abandoned Chemicals from site demolition

Section 5 - Is This Hazardous Waste?

Please refer to Section 5 of the EQ Resource Guide for a list of waste codes.

As determined by 40 CFR, Part 261 and Michigan Act 451 Rules:

Please list applicable waste code(s):

- 5.1) Is this an EPA RCRA listed hazardous waste (F, K, P or U)? ☐ Yes ☒ No
Comments:
- 5.2) Is this an EPA RCRA characteristic hazardous waste (D001-D043)? ☐ Yes ☒ No
Comments:
- 5.3) Do any State Hazardous Waste Codes apply? ☐ Yes ☒ No
Comments:
- 5.4) Is this waste intended for wastewater treatment? ☐ Yes* ☒ No

If you answered "No" to questions 5.1, 5.2, and 5.3, please skip to Section 7.
If you answered "Yes" to question 5.4, please complete the WCR Addendum.

Section 6 - Hazardous Wastes

6.1) Does this waste exceed Land Disposal Restriction Levels?

☒ Yes ☐ No

6.1a) If this waste stream is greater than 50% soil, does it meet the alternative soil treatment standards of 40 CFR 268.49?

☐ Yes ☒ No

6.1b) Does this waste contain greater than 50% debris, by volume? (Debris is greater than 2.5 inches in size.)

☐ Yes ☒ No

6.2) Is the waste an oxidizer (D001)?

☐ Yes ☒ No

6.3) Does this waste contain reactive cyanide \geq 250 ppm (D003)?

☐ Yes ☒ No

6.4) Does this waste contain reactive sulfide \geq 500 ppm (D003)?

☐ Yes ☒ No

6.5) Please indicate which constituent concentrations are below or above the regulatory level. Please indicate the basis used in the determination. Either 'Below' or 'Above' **MUST** be checked for each constituent.

Based On: ☒ Generator Knowledge ☐ Analysis*

☐ MSDS*

*Please forward a copy. Analysis or MSDS are required for EQ Florida Non-hazardous wastes.

Code	Regulatory Level	TCLP (mg/l)		Concentration (if above)
D004	Arsenic	5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D005	Barium	100	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D006	Cadmium	1	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D007	Chromium	5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D008	Lead	5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D009	Mercury	0.2	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D010	Selenium	1	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D011	Silver	5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D012	Endrin	0.02	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D013	Lindane	0.4	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D014	Methoxychlor	10	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D015	Toxaphene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D016	2,4-D	10	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D017	2,4,5-TP (Silvex)	1	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D018	Benzene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D019	Carbon Tetrachloride	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D020	Chlordane	0.03	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D021	Chlorobenzene	100	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D022	Chloroform	6.0	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D023	o-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above	

Code	Regulatory Level	TCLP (mg/l)		Concentration (if above)
D024	m-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D025	p-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D026	Cresols	200	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D027	1,4-Dichlorobenzene	7.5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D028	1,2-Dichloroethane	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D029	1,1-Dichloroethylene	0.7	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D030	2,4-Dinitrotoluene	0.13	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D031	Heptachlor	0.008	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D032	Hexachlorobenzene	0.13	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D033	Hexachlorobutadiene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D034	Hexachloroethane	3.0	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D035	Methyl Ethyl Ketone	200	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D036	Nitrobenzene	2	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D037	Pentachlorophenol	100	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D038	Pyridine	5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D039	Tetrachloroethylene	0.7	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D040	Trichloroethylene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D041	2,4,5-Trichlorophenol	400	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D042	2,4,6-Trichlorophenol	2	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D043	Vinyl Chloride	0.2	<input checked="" type="radio"/> Below <input type="radio"/> Above	

6.6) If this is a characteristic hazardous waste, does it contain underlying hazardous constituents?

☐ Yes ☒ No

If you answered 'Yes', please list the constituents in Section 11.

Section 7 - Non-Hazardous Wastes

For a complete list of non-hazardous waste codes, please refer to Section 7 of the EQ Resource Guide.

Applicable waste code(s):

7.1) Is this a Michigan non-hazardous liquid industrial waste?

☐ Yes ☒ No

Comments:

7.2) Is this a Universal waste?

☐ Yes ☒ No

7.3) Is this a Recyclable Commodity? (e.g.: computer monitors, free mercury, etc.)

☐ Yes ☒ No

7.4) Is this waste a recoverable petroleum product?

☐ Yes ☒ No

7.5) Is this waste used oil as defined by 40 CFR Part 279?

☐ Yes ☒ No

Section 8 - TSCA Information

- 8.1) What is the concentration of PCBs in the waste? ☒ None ☐ 0-5 ppm ☐ 6-49 ppm
☐ 50-499 ppm ☐ 500+ ppm
- 8.2) Does the waste contain PCB contamination from a source with a concentration ≥ 50 ppm? ☐ Yes ☒ No
If you answered 'None' to 8.1 and 'No' to 8.2, please skip to Section 9.
- 8.3) Has this waste been processed into a non-liquid form? ☐ Yes ☐ No
If yes, what was the concentration of PCBs prior to processing? (ppm) ☐ N/A ☐ 0-499 ☐ 500+
- 8.4) Is the non-liquid PCB waste in the form of soil, rags, debris, or other contaminated media? ☐ Yes ☐ No
- 8.5) Are you a PCB capacitor manufacturer or a PCB equipment manufacturer? ☐ Yes ☐ No
- 8.6) Has the PCB Article (e.g., transformer, hydraulic machine, PCB-contaminated electrical equipment) been drained/flushed of all PCBs and decontaminated in accordance with 40 CFR 761.60(b)? ☐ N/A ☐ Yes ☐ No

Section 9 - Clean Air Act Information

- 9.1) Is this waste subject to regulation under 40 CFR, Part 63, Subpart DD or 40 CFR, Part 264, Subpart CC (RCRA)? ☐ Yes ☒ No
(Does the waste contain >500 ppm Volatile Organic Hazardous Air Pollutants - VOHAP's or Volatile Organic Compounds - VOC's?)
For a complete list of VOHAPs, please see Section 11 of the EQ Resource Guide.
- 9.2) Is this site, or waste, subject to any other MACT or NESHAP? ☐ Yes ☒ No
If yes, please specify:
- 9.3) Does this waste stream contain Benzene? ☐ Yes ☒ No
If you answered "No" to question 9.2, please skip to section 10.
- 9.4) Does the waste stream come from a facility with one of the SIC/NAICS codes listed under the Benzene NESHAP identified in 40 CFR 61, Subpart FF? ☐ Yes ☐ No
- 9.5) Is the generating source of this waste stream a facility with Total Annual Benzene (TAB) ≥ 10 Mg/year? ☐ Yes ☒ No
For assistance in calculating the TAB, please see the TAB Worksheet in Section 9 of the EQ Resource Guide.
If you answered "No" to question 9.3 and 9.4, please skip to Section 10.
- 9.6) Does the waste contain > 10% water? ☐ Yes ☐ No
- 9.7) What is the TAB quantity for your facility? _____ Mg/year
- 9.8) Does the waste contain >1.0 mg/kg total Benzene? ☐ Yes ☐ No
- 9.9) What is the total Benzene concentration in your waste? _____ (concentration) _____ (unit)

(Supporting analysis must be attached. Do not use TCLP analytical results. Acceptable laboratory methods include 8020, 8240, 8260, 802 and 824.)

*For a list of NAICS codes, please refer to section 9 of the EQ Resource Guide.

Section 10 - Fuel Blending Information

- 10.1) Is this waste intended for fuel blending? ☐ Yes* ☒ No
If you answered 'Yes' to question 10.1, please enter the following:
- Heat value (BTU/lb.) _____
- Chlorine (%) _____
- Water (%) _____
- Solids (%) _____
- 10.2) Is this waste intended for reclamation? ☐ Yes ☒ No (5-Gallon Sample required for all reclaim waste streams)

Section 11 - Constituent Information

Please identify your waste constituents from these four categories: Underlying Hazardous Constituents (UHC's), Volatile Organic Hazardous Air Pollutants (VOHAP's), Volatile Organic Compounds (VOC's) and Toxic Release Inventory Constituents (TRI)


Constituent	Concentration	UHC?
-------------	---------------	------

Please see Section 11 of the EQ Resource Guide for a list of UHC's, VOHAP's and VOC's. For a complete list of TRI constituents, please refer to 40 CFR 372.65.

Section 12 - Certification

I certify that all information (including attachments) is complete and factual and is an accurate representation of the known and suspected hazards, pertaining to the waste described herein. I authorize EQ's Resource Team to add supplemental information to the waste approval file, provided I am contacted and give verbal permission. I authorize EQ's Resource Team to obtain a sample from any waste shipment for purposes of verification Generator or on Generator's behalf shall be subject to, and Generator shall be bound by, the attached Standard Terms and Conditions. and confirmation. I agree that, if EQ approves the waste described herein, all such wastes that are transported, delivered, or tendered to EQ by

Comments:
logged in

Generator:  TREY HESS
Authorized Generator Signature Printed Generator Name
Company: MDEQ Title: EEIV Date: 11/13/07

The generator's signature MUST appear on the EQ Waste Characterization Report. If the generator has authorized a third party to certify this document, a written notice (on generator letterhead) must accompany this submittal. Although the EQ Resource Team is authorized to make certain modifications to the information provided on this form, the addition or removal of waste codes and waste constituents must be documented by the generator.

STANDARD TERMS AND CONDITIONS

The Agreement between the Customer and EQ - The Environmental Quality Company and/or its member companies (hereinafter "EQ") related to or associated with Delivered Waste, as herein defined, shall be governed by the following Standard Terms and Conditions in addition to the terms and conditions contained in any Waste Characterization Report, Customer Approval Quote Confirmation, Generator Approval Notification, Notice of Waste Approval Expiration, and/or Credit Agreement associated with such Delivered Waste.

The Customer may use its standard forms (such as purchase orders, acknowledgments of orders, and invoices) to administer its dealings under this Agreement for convenience purposes, but all provisions thereof in conflict with these terms and conditions shall be deemed stricken.

Definitions.

The following definitions shall apply for purposes of this Agreement:

"Acceptable Waste" shall mean any hazardous waste, as defined under applicable State or federal law, determined by EQ as acceptable for treatment and/or disposal in accordance with this Agreement.

"Delivered Wastes" shall mean all wastes (i) which are transported, delivered, or tendered to EQ by the Customer; (ii) which the Customer has arranged for the transport, delivery or tender to EQ; or (iii) which are transported, delivered, or tendered to EQ under a Credit Agreement between the Customer and EQ.

"Non-Conforming Wastes" shall mean wastes that (a) are not in accordance in all material respects with the warranties, descriptions, specifications or limitations stated in the Waste Characterization Report and this Agreement; (b) have constituents or components of a type or concentration not specifically identified in the Waste Characterization Report (i) which increase the nature or extent of the hazard and risk undertaken by EQ in treating and/or disposing of the waste, or (ii) for whose treatment and/or disposal a Waste Management Facility is not designed or permitted, or (iii) which increase the cost of treatment and/or disposal of waste beyond that specified in EQ's price quote; or (c) are not properly packaged, labeled, described, or placarded, or otherwise not in compliance with United States Department of Transportation and United States Environmental Protection Agency regulations.

Control of Operations.

EQ shall have sole control over all aspects of the operation of any treatment and/or disposal facility of EQ receiving Delivered Wastes under this Agreement (hereinafter, "Waste Management Facility"), including, without limitation, maintaining EQ's desired volume of Acceptable Wastes being delivered to any Waste Management Facility by the Customer or any other person or entity.

Identification of Waste.

For each waste material to be transported, delivered, or tendered to EQ under this Agreement, the Customer shall provide, or cause to be provided, to EQ a representative sample of the waste material and a completed Waste Characterization Report containing a physical and chemical description or analysis of such waste material, which description shall conform with any and all guidelines for waste acceptance provided by EQ. On the basis of EQ's analysis of such representative sample of the waste material and such Waste Characterization Report, EQ will determine whether such wastes are Acceptable Wastes. EQ does not make any guarantee that it will handle any waste material or any particular quantity or type of waste material, and EQ reserves the right to decline to transport, treat and/or dispose of waste material. The Customer shall promptly furnish to EQ any information regarding known, suspected or planned changes in the composition of the waste material. Further, the Customer shall promptly inform EQ of any change in the characteristic or condition of the waste material which becomes known to the Customer subsequent to the date of the Waste Characterization Report.

Non-Conforming Wastes.

In the event that EQ at any time discovers that any Delivered Waste is Non-Conforming Waste, EQ may reject or revoke its acceptance of the Non-Conforming Waste. The Customer shall have seven (7) days to direct an alternative lawful manner of disposition of the waste, unless it is necessary by reason of law or otherwise to move the Non-Conforming Waste prior to expiration of the seven (7) day period. If the Customer does not direct an alternative disposal, at its option, EQ may return any such Non-Conforming Wastes to the Customer, and the Customer shall pay or reimburse EQ for all costs and expenses incurred by EQ in connection with the receipt, handling, sampling, analyses, transportation and return to the Customer of such Non-Conforming Wastes. If it is impossible or impractical for EQ to return the Non-Conforming Waste to the Customer, the Customer shall reimburse EQ for all costs, of any type or nature whatsoever, incurred by EQ, solely because such Delivered Waste was Non-Conforming Waste (including, but not limited to, all costs associated with any remedial steps necessary, due to the nature of the Non-Conforming Waste, in connection with material with which the Non-Conforming Waste may have been commingled and all expenses and charges for analyzing, handling, locating, preparing for transporting, storing and disposing of any Non-Conforming Waste).

Customer Warranty - Title to Wastes.

Either the Customer or the generator (if other than the Customer) shall hold clear title, free of any all liens, claims, encumbrances, and charges to Delivered Waste until such waste is accepted by EQ.

Customer Warranty - Acceptable Wastes.

All Delivered Wastes shall be Acceptable Wastes and shall conform in all material respects to the description and specifications contained in the Waste Characterization Report. The information set forth in the Waste Characterization Report or any manifest, placard or label associated with any Delivered Wastes, or otherwise represented by the Customer or the generator (if other than the Customer) to EQ, is and shall be true, accurate and complete as of the date of receipt of the involved waste by EQ.

Customer Warranty - Compliance with Laws.

The Customer shall comply with all applicable federal, state and local environmental statutes, regulations, and other governmental requirements, as well as directives issued by EQ from time to time, governing the transportation, treatment and/or disposal of Acceptable Wastes, including, but not limited to, all packaging, manifesting, containerization, placarding and labeling requirements.

Customer Warranty - Updating Information.

If the Customer receives information that Delivered Waste or other hazardous waste described in the Waste Characterization Report, or some component of such waste, presents or may present a hazard or risk to persons, property or the environment which was not disclosed to EQ, or if the Customer or generator (if other than the Customer) has changed the process by which such waste results, the Customer shall promptly report such information to EQ in writing.

Customer Indemnity.

The Customer shall indemnify, defend and hold harmless EQ, and its affiliated or related companies, and all of their respective present or future officers, directors, shareholders, employees and agents from and against any and all losses, damages, liabilities, penalties, fines, forfeitures, demands, claims, causes of action, suits, costs and expenses (including, but not limited to, reasonable costs of defense, settlement, and reasonable attorneys' fees), which may be asserted against any or all of them by any person or any governmental agency, or which any or all of them may hereafter suffer, incur, be responsible for or pay out, as a result of or in connection with bodily injuries (including, but not limited to, death, sickness, disease and emotional or mental distress) to any person (including EQ's employees), damage (including, but not limited to, loss of use) to any property (public or private), or any requirements to conduct or incur expense for investigative, removal or remedial expenses in connection with contamination of or adverse effect on the environment, or any violation or alleged violation of any statutes, ordinances, orders, rules or regulations of any governmental entity or agency, caused or arising out of (i) a breach of this Agreement by the Customer, (ii) the failure of any warranty of the Customer to be true, accurate and complete, or (iii) any willful or negligent act or omission of the Customer, or its employees or agents in connection with the performance of this Agreement.

Force Majeure.

EQ shall not be liable for any failure to accept, receive, handle, treat, and/or dispose of Delivered Waste due to an act of God, fire, casualty, flood, war, strike, lockout, labor trouble, failure of public utilities, equipment failure, facility shutdown, injunction, accident, epidemic, riot, insurrection, destruction of operation or transportation facilities, the inability to procure materials, equipment, or sufficient personnel or energy in order to meet operational needs without the necessity of allocation, the failure or inability to obtain any governmental approvals or to meet Environmental Requirements (including, but not limited to voluntary or involuntary compliance with any act, exercise, assertion, or requirement of any governmental authority) which may temporarily or permanently prohibit operations of EQ, the Customer, or the Generator, or any other circumstances beyond the control of EQ which prevents or delays performance of any of its obligations under this Agreement.

Governing Laws.

This Agreement shall in all respects be governed by and shall be construed in accordance with the laws of the State of Michigan applied to contracts executed and performed wholly within such state.

EQ - The Environmental Quality Company

Waste Characterization Report

☒ I authorize EQ - The Environmental Quality Company to choose the appropriate method of waste management, from the technologies offered, at the EQ facilities identified below.

<input type="checkbox"/> Michigan Disposal Waste Treatment Plant (Stabilization and Treatment)	49350 North I-94 Service Drive, Belleville, Michigan 48111 Phone: 1-800-592-5489 Fax: 1-800-592-5329	EPA ID #MID000724831
<input type="checkbox"/> Wayne Disposal, Inc. (Hazardous & PCB Waste Landfill)	49350 North I-94 Service Drive, Belleville, Michigan 48111 Phone: 1-800-592-5489 Fax: 1-800-592-5329	EPA ID #MID048090633
<input type="checkbox"/> EQ Detroit, Inc. (Stabilization, Wastewater Treatment)	1923 Frederick, Detroit, MI 48211 Phone: 1-800-495-6059 Fax: 1-313-923-3375	EPA ID #MID980991566
<input type="checkbox"/> EQ Resource Recovery, Inc. (Solvent Recycling, Fuel Blending, WW Treatment)	36345 Van Bom Road, Romulus, Michigan 48174 Phone: (734) 727-5500 Fax: (734) 326-4033	EPA ID #MID060975844
<input type="checkbox"/> EQIS North Carolina (Stabilization, Treatment, Labpack Decommissioning)	1005 Investment Blvd., Apex, NC 27502 Phone: (919) 363-4700 Fax: (919) 363-4714	EPA ID #NCD982170292
<input type="checkbox"/> EQ Florida, Inc. (Drum Consolidation, Labpack Decommissioning)	7202 East Eighth Ave., Tampa, FL 33619 Phone: 1-800-624-5302 Fax: 1-813-628-0842	EPA ID #FLD981932494
<input type="checkbox"/> EQ Detroit Transfer and Processing (Drum Transfer/Universal Waste Handling)	2000 Ferry Street, Detroit, MI 48211 Phone: (313) 923-0080 Fax: (313) 922-8419	EPA ID #MIK939928313
<input type="checkbox"/> EQIS Indianapolis Transfer and Processing (Drum Transfer/Non-Hazardous Waste Processing)	4000 West 10th Street, Indianapolis, Indiana 46222 Phone: (317) 247-7180 Fax: (317) 247-7170	EPA ID #IND161049309
<input type="checkbox"/> EQIS Atlanta Transfer and Processing (Drum Transfer/Non-Hazardous Waste Processing)	5600 Fulton Industrial Blvd., Atlanta, Georgia 30336 Phone: (404) 494-3520 Fax: (404) 494-3560	EPA ID #GAR000039776
<input type="checkbox"/> EQ Augusta, Inc. (Wastewater Treatment)	3920 Goshen Industrial Blvd., Augusta, GA 30906 Phone: 706-771-9100 Fax: 706-771-9124	EPA ID #GAR000011817

Waste Common Name: Sodium Hydroxide Solid

Section 1 - Generator & Customer Info

SIC/NAICS*:

EQ Customer No.: 10958

Generator EPA ID: MST-MP0-002-452

Generator: Mississippi DEQ
Address: 4280 Rifle Range Rd
City: Vicksburg
State: MS Zip: 39180
County: Warren

Mailing Address

Address: P.O Box 20326
City: Jackson
State: MS Zip: 39289

Generator Contact

Name: Trey Hess / Jerry Banks
Title:
Phone: (601) 961-5221/6019615654
Fax: () -

Invoicing Company

Company: USES JACKSON
Address: 1075 MENDELL DAVIS DRIVE
City: JACKSON
State: MS Zip: 39212
Country: USA

Invoicing Contact

Name: Wanda Horton
Phone: (601) 372-3232
Fax: () -

Technical Contact

Name: J.T. Newman
Phone: (601) 372-3232
Fax: () -
Mobile: () - Pager: () -
E-mail: jnewman@usesgroup.com

*For a list of NAICS codes, please refer to Section 9 of the EQ Resource Guide.

Section 2 - Shipping & Packaging Info

- 2.1) Shipping Volume & Unit: 95 gallon Frequency: One Time Only
- 2.2) DOT Shipping Name: Corrosive solid, basic, inorganic, n.o.s.
- 2.3) Is this waste surcharge exempt? ☐ Yes ☒ No (If you answered "Yes" to question 2.3, select the Surcharge Exemption reason.)

2.4) Packaging (check all that apply)

- | | | |
|---|---|---|
| <input type="checkbox"/> Bulk Solid (yd ³ < 2000 lbs/yd ³) | <input type="checkbox"/> Bulk Solid (Ton > 2000 lbs/yd ³) | <input type="checkbox"/> Bulk Liquids (Gallon) |
| <input type="checkbox"/> Totes, Size | <input type="checkbox"/> Cubic Yard Boxes/Bags | <input checked="" type="checkbox"/> Drums, Size 95 gallon |
| <input type="checkbox"/> Other (palletized, 5 gal. Pail, etc.) | | |

Quoted bulk disposal charges for solid materials will be billed by the cubic yard, if the waste density is less than 2,000lbs./cubic yard. If waste density is greater than 2,000 lbs./cubic yard, then bulk disposal charges will be billed by the ton, regardless of the approved container.

Section 3 - Physical Characteristics

- 3.1) Color: VARIES
- 3.2) Odor: none
- 3.3) Does this waste contain any "Potentially Odorous Constituents" as defined in the EQ Resource Guide? (Section 3) ☐ Yes ☒ No
- 3.4) Physical State at 70 °F: ☒ Solid ☐ Dust/Powder ☐ Liquid ☐ Sludge
- 3.5) What is the pH of this waste? ☐ ≤ 2 ☐ 2.1-4.9 ☐ 5-10 ☐ 10.1-12.4 ☒ ≥ 12.5
- 3.6) What is the flash point of this waste? ☐ <90 °F ☐ 90-139 °F ☐ 140-199 °F ☐ ≥ 200 °F
- 3.7) Does this waste contain? (check all that apply) ☒ None
- | | | | | | |
|---|---|--|---|---|--------------------------------------|
| <input type="checkbox"/> Biodegradable Sorbants | <input type="checkbox"/> Amines | <input type="checkbox"/> Ammonia | <input type="checkbox"/> Free Liquids | <input type="checkbox"/> Oily Residue | <input type="checkbox"/> Metal Fines |
| <input type="checkbox"/> Shock Sensitive Waste | <input type="checkbox"/> Reactive Waste | <input type="checkbox"/> Radioactive Waste | <input type="checkbox"/> Water Reactive | <input type="checkbox"/> Biohazard | <input type="checkbox"/> Aluminum |
| <input type="checkbox"/> Asbestos - non-friable | <input type="checkbox"/> Asbestos - friable | <input type="checkbox"/> Dioxins | <input type="checkbox"/> Explosives | <input type="checkbox"/> Pyrophoric Waste | <input type="checkbox"/> Isocyanates |
| | | | <input type="checkbox"/> Furans | | |

Section 4 - Composition / Generating Process

- 4.1) Describe the physical composition of the waste (i.e., soil, water, PPE, debris, key chemical compounds, etc.)
Sodium Hydroxide from 100. to 100. %
- 4.2) Provide a detailed description of the process generating this waste. (attach flow diagram if available).
Cleanup of abandoned Chemicals from site demolition

Section 5 - Is This Hazardous Waste?

Please refer to Section 5 of the EQ Resource Guide for a list of waste codes.

As determined by 40 CFR, Part 261 and Michigan Act 451 Rules:

Please list applicable waste code(s):

- 5.1) Is this an EPA RCRA listed hazardous waste (F, K, P or U)? ☐ Yes ☒ No
Comments:
- 5.2) Is this an EPA RCRA characteristic hazardous waste (D001-D043)? ☒ Yes ☐ No
Comments: D001
- 5.3) Do any State Hazardous Waste Codes apply? ☐ Yes ☒ No
Comments:
- 5.4) Is this waste intended for wastewater treatment? ☐ Yes* ☒ No

If you answered "No" to questions 5.1, 5.2, and 5.3, please skip to Section 7.
If you answered "Yes" to question 5.4, please complete the WCR Addendum.

Section 6 - Hazardous Wastes

6.1) Does this waste exceed Land Disposal Restriction Levels?

☒ Yes ☐ No

6.1a) If this waste stream is greater than 50% soil, does it meet the alternative soil treatment standards of 40 CFR 268.49?

☐ Yes ☒ No

6.1b) Does this waste contain greater than 50% debris, by volume? (Debris is greater than 2.5 inches in size.)

☐ Yes ☒ No

6.2) Is the waste an oxidizer (D001)?

☐ Yes ☒ No

6.3) Does this waste contain reactive cyanide \geq 250 ppm (D003)?

☐ Yes ☒ No

6.4) Does this waste contain reactive sulfide \geq 500 ppm (D003)?

☐ Yes ☒ No

6.5) Please indicate which constituent concentrations are below or above the regulatory level. Please indicate the basis used in the determination. Either 'Below' or 'Above' **MUST** be checked for each constituent.

Based On: ☒ Generator Knowledge ☐ Analysis*

☐ MSDS*

*Please forward a copy. Analysis or MSDS are required for EQ Florida Non-hazardous wastes.

Code	Regulatory Level	TCLP (mg/l)	Concentration (if above)
D004	Arsenic	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D005	Barium	100	<input checked="" type="radio"/> Below <input type="radio"/> Above
D006	Cadmium	1	<input checked="" type="radio"/> Below <input type="radio"/> Above
D007	Chromium	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D008	Lead	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D009	Mercury	0.2	<input checked="" type="radio"/> Below <input type="radio"/> Above
D010	Selenium	1	<input checked="" type="radio"/> Below <input type="radio"/> Above
D011	Silver	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D012	Endrin	0.02	<input checked="" type="radio"/> Below <input type="radio"/> Above
D013	Lindane	0.4	<input checked="" type="radio"/> Below <input type="radio"/> Above
D014	Methoxychlor	10	<input checked="" type="radio"/> Below <input type="radio"/> Above
D015	Toxaphene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D016	2,4-D	10	<input checked="" type="radio"/> Below <input type="radio"/> Above
D017	2,4,5-TP (Silvex)	1	<input checked="" type="radio"/> Below <input type="radio"/> Above
D018	Benzene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D019	Carbon Tetrachloride	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D020	Chlordane	0.03	<input checked="" type="radio"/> Below <input type="radio"/> Above
D021	Chlorobenzene	100	<input checked="" type="radio"/> Below <input type="radio"/> Above
D022	Chloroform	6.0	<input checked="" type="radio"/> Below <input type="radio"/> Above
D023	o-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above

Code	Regulatory Level	TCLP (mg/l)	Concentration (if above)
D024	m-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above
D025	p-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above
D026	Cresols	200	<input checked="" type="radio"/> Below <input type="radio"/> Above
D027	1,4-Dichlorobenzene	7.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D028	1,2-Dichloroethane	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D029	1,1-Dichloroethylene	0.7	<input checked="" type="radio"/> Below <input type="radio"/> Above
D030	2,4-Dinitrotoluene	0.13	<input checked="" type="radio"/> Below <input type="radio"/> Above
D031	Heptachlor	0.008	<input checked="" type="radio"/> Below <input type="radio"/> Above
D032	Hexachlorobenzene	0.13	<input checked="" type="radio"/> Below <input type="radio"/> Above
D033	Hexachlorobutadiene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D034	Hexachloroethane	3.0	<input checked="" type="radio"/> Below <input type="radio"/> Above
D035	Methyl Ethyl Ketone	200	<input checked="" type="radio"/> Below <input type="radio"/> Above
D036	Nitrobenzene	2	<input checked="" type="radio"/> Below <input type="radio"/> Above
D037	Pentachlorophenol	100	<input checked="" type="radio"/> Below <input type="radio"/> Above
D038	Pyridine	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D039	Tetrachloroethylene	0.7	<input checked="" type="radio"/> Below <input type="radio"/> Above
D040	Trichloroethylene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D041	2,4,5-Trichlorophenol	400	<input checked="" type="radio"/> Below <input type="radio"/> Above
D042	2,4,6-Trichlorophenol	2	<input checked="" type="radio"/> Below <input type="radio"/> Above
D043	Vinyl Chloride	0.2	<input checked="" type="radio"/> Below <input type="radio"/> Above

6.6) If this is a characteristic hazardous waste, does it contain underlying hazardous constituents?

☐ Yes ☒ No

If you answered 'Yes', please list the constituents in Section 11.

Section 7 - Non-Hazardous Wastes

For a complete list of non-hazardous waste codes, please refer to Section 7 of the EQ Resource Guide.

Applicable waste code(s):

7.1) Is this a Michigan non-hazardous liquid industrial waste?

☐ Yes ☒ No

Comments:

7.2) Is this a Universal waste?

☐ Yes ☒ No

7.3) Is this a Recyclable Commodity? (e.g.: computer monitors, free mercury, etc.)

☐ Yes ☒ No

7.4) Is this waste a recoverable petroleum product?

☐ Yes ☒ No

7.5) Is this waste used oil as defined by 40 CFR Part 279?

☐ Yes ☒ No

Section 8 - TSCA Information

8.1) What is the concentration of PCBs in the waste?

- ☒ None ☐ 0-5 ppm ☐ 6-49 ppm
☐ 50-499 ppm ☐ 500+ ppm

8.2) Does the waste contain PCB contamination from a source with a concentration ≥ 50 ppm?

- ☐ Yes ☒ No

If you answered 'None' to 8.1 and 'No' to 8.2, please skip to Section 9.

8.3) Has this waste been processed into a non-liquid form?

- ☐ Yes ☐ No

If yes, what was the concentration of PCBs prior to processing? (ppm)

- ☐ N/A ☐ 0-499 ☐ 500+

8.4) Is the non-liquid PCB waste in the form of soil, rags, debris, or other contaminated media?

- ☐ Yes ☐ No

8.5) Are you a PCB capacitor manufacturer or a PCB equipment manufacturer?

- ☐ Yes ☐ No

8.6) Has the PCB Article (e.g., transformer, hydraulic machine, PCB-contaminated electrical equipment) been drained/flushed of all PCBs and decontaminated in accordance with 40 CFR 761.60(b)?

- ☐ N/A ☐ Yes ☐ No

Section 9 - Clean Air Act Information

9.1) Is this waste subject to regulation under 40 CFR, Part 63, Subpart DD or 40 CFR, Part 264, Subpart CC (RCRA)?

- ☐ Yes ☒ No

(Does the waste contain >500 ppm Volatile Organic Hazardous Air Pollutants - VOHAP's or Volatile Organic Compounds - VOC's?)

For a complete list of VOHAPs, please see Section 11 of the EQ Resource Guide.

9.2) Is this site, or waste, subject to any other MACT or NESHAP?

- ☐ Yes ☒ No

If yes, please specify:

9.3) Does this waste stream contain Benzene?

- ☐ Yes ☒ No

If you answered "No" to question 9.2, please skip to section 10.

9.4) Does the waste stream come from a facility with one of the SIC/NAICS codes listed under the Benzene NESHAP identified in 40 CFR 61, Subpart FF?

- ☐ Yes ☐ No

9.5) Is the generating source of this waste stream a facility with Total Annual Benzene (TAB) ≥ 10 Mg/year?

- ☐ Yes ☒ No

For assistance in calculating the TAB, please see the TAB Worksheet in Section 9 of the EQ Resource Guide.

If you answered "No" to question 9.3 and 9.4, please skip to Section 10.

9.6) Does the waste contain > 10% water?

- ☐ Yes ☐ No

9.7) What is the TAB quantity for your facility? Mg/year

9.8) Does the waste contain >1.0 mg/kg total Benzene?

- ☐ Yes ☐ No

9.9) What is the total Benzene concentration in your waste? (concentration) (unit)

(Supporting analysis must be attached. Do not use TCLP analytical results. Acceptable laboratory methods include 8020, 8240, 8260, 802 and 624.)

**For a list of NAICS codes, please refer to section 9 of the EQ Resource Guide.*

Section 10 - Fuel Blending Information

10.1) Is this waste intended for fuel blending?

- ☐ Yes* ☒ No

If you answered 'Yes' to question 10.1, please enter the following:

Heat value (BTU/lb.) _____

Chlorine (%) _____

Water (%) _____

Solids (%) _____

10.2) Is this waste intended for reclamation?

- ☐ Yes ☒ No

(5-Gallon Sample required for all reclaim waste streams)

Section 11 - Constituent Information

Please identify your waste constituents from these four categories: Underlying Hazardous Constituents (UHC's), Volatile Organic Hazardous Air Pollutants (VOHAP's), Volatile Organic Compounds (VOC's) and Toxic Release Inventory Constituents (TRI)

Constituent

Concentration

UHC?


Please see Section 11 of the EQ Resource Guide for a list of UHC's, VOHAP's and VOC's. For a complete list of TRI constituents, please refer to 40 CFR 372.65.

Section 12 - Certification

I certify that all information (including attachments) is complete and factual and is an accurate representation of the known and suspected hazards, pertaining to the waste described herein. I authorize EQ's Resource Team to add supplemental information to the waste approval file, provided I am contacted and give verbal permission. I authorize EQ's Resource Team to obtain a sample from any waste shipment for purposes of verification. Generator or on Generator's behalf shall be subject to, and Generator shall be bound by, the attached Standard Terms and Conditions. and confirmation. I agree that, if EQ approves the waste described herein, all such wastes that are transported, delivered, or tendered to EQ by

Comments:
logged in

Generator:


Authorized Generator Signature

TREY HESS
Printed Generator Name

Company:

MDEQ

Title:

EETV

Date:

11/13/07

The generator's signature **MUST** appear on the EQ Waste Characterization Report. If the generator has authorized a third party to certify this document, a written notice (on generator letterhead) must accompany this submittal. Although the EQ Resource Team is authorized to make certain modifications to the information provided on this form, the addition or removal of waste codes and waste constituents must be documented by the generator.

STANDARD TERMS AND CONDITIONS

The Agreement between the Customer and EQ - The Environmental Quality Company and/or its member companies (hereinafter "EQ") related to or associated with Delivered Waste, as herein defined, shall be governed by the following Standard Terms and Conditions in addition to the terms and conditions contained in any Waste Characterization Report, Customer Approval Quote Confirmation, Generator Approval Notification, Notice of Waste Approval Expiration, and/or Credit Agreement associated with such Delivered Waste.

The Customer may use its standard forms (such as purchase orders, acknowledgments of orders, and invoices) to administer its dealings under this Agreement for convenience purposes, but all provisions thereof in conflict with these terms and conditions shall be deemed stricken.

Definitions.

The following definitions shall apply for purposes of this Agreement:

"Acceptable Waste" shall mean any hazardous waste, as defined under applicable State or federal law, determined by EQ as acceptable for treatment and/or disposal in accordance with this Agreement.

"Delivered Wastes" shall mean all wastes (i) which are transported, delivered, or tendered to EQ by the Customer; (ii) which the Customer has arranged for the transport, delivery or tender to EQ; or (iii) which are transported, delivered, or tendered to EQ under a Credit Agreement between the Customer and EQ.

"Non-Conforming Wastes" shall mean wastes that (a) are not in accordance in all material respects with the warranties, descriptions, specifications or limitations stated in the Waste Characterization Report and this Agreement; (b) have constituents or components of a type or concentration not specifically identified in the Waste Characterization Report (i) which increase the nature or extent of the hazard and risk undertaken by EQ in treating and/or disposing of the waste, or (ii) for whose treatment and/or disposal a Waste Management Facility is not designed or permitted, or (iii) which increase the cost of treatment and/or disposal of waste beyond that specified in EQ's price quote; or (c) are not properly packaged, labeled, described, or placarded, or otherwise not in compliance with United States Department of Transportation and United States Environmental Protection Agency regulations.

Control of Operations.

EQ shall have sole control over all aspects of the operation of any treatment and/or disposal facility of EQ receiving Delivered Wastes under this Agreement (hereinafter, "Waste Management Facility"), including, without limitation, maintaining EQ's desired volume of Acceptable Wastes being delivered to any Waste Management Facility by the Customer or any other person or entity.

Identification of Waste.

For each waste material to be transported, delivered, or tendered to EQ under this Agreement, the Customer shall provide, or cause to be provided, to EQ a representative sample of the waste material and a completed Waste Characterization Report containing a physical and chemical description or analysis of such waste material, which description shall conform with any and all guidelines for waste acceptance provided by EQ. On the basis of EQ's analysis of such representative sample of the waste material and such Waste Characterization Report, EQ will determine whether such wastes are Acceptable Wastes. EQ does not make any guarantee that it will handle any waste material or any particular quantity or type of waste material, and EQ reserves the right to the decline to transport, treat and/or dispose of waste material. The Customer shall promptly furnish to EQ any information regarding known, suspected or planned changes in the composition of the waste material. Further, the Customer shall promptly inform EQ of any change in the characteristic or condition of the waste material which becomes known to the Customer subsequent to the date of the Waste Characterization Report.

Non-Conforming Wastes.

In the event that EQ at any time discovers that any Delivered Waste is Non-Conforming Waste, EQ may reject or revoke its acceptance of the Non-Conforming Waste. The Customer shall have seven (7) days to direct an alternative lawful manner of disposition of the waste, unless it is necessary by reason of law or otherwise to move the Non-Conforming Waste prior to expiration of the seven (7) day period. If the Customer does not direct an alternative disposal, at its option, EQ may return any such Non-Conforming Wastes to the Customer, and the Customer shall pay or reimburse EQ for all costs and expenses incurred by EQ in connection with the receipt, handling, sampling, analyses, transportation and return to the Customer of such Non-Conforming Wastes. If it is impossible or impractical for EQ to return the Non-Conforming Waste to the Customer, the Customer shall reimburse EQ for all costs, of any type or nature whatsoever, incurred by EQ, solely because such Delivered Waste was Non-Conforming Waste (including, but not limited to, all costs associated with any remedial steps necessary, due to the nature of the Non-Conforming Waste, in connection with material with which the Non-Conforming Waste may have been commingled and all expenses and charges for analyzing, handling, locating, preparing for transporting, storing and disposing of any Non-Conforming Waste).

Customer Warranty - Title to Wastes.

Either the Customer or the generator (if other than the Customer) shall hold clear title, free of any all liens, claims, encumbrances, and charges to Delivered Waste until such waste is accepted by EQ.

Customer Warranty - Acceptable Wastes.

All Delivered Wastes shall be Acceptable Wastes and shall conform in all material respects to the description and specifications contained in the Waste Characterization Report. The information set forth in the Waste Characterization Report or any manifest, placard or label associated with any Delivered Wastes, or otherwise represented by the Customer or the generator (if other than the Customer) to EQ, is and shall be true, accurate and complete as of the date of receipt of the involved waste by EQ.

Customer Warranty - Compliance with Laws.

The Customer shall comply with all applicable federal, state and local environmental statutes, regulations, and other governmental requirements, as well as directives issued by EQ from time to time, governing the transportation, treatment and/or disposal of Acceptable Wastes, including, but not limited to, all packaging, manifesting, containerization, placarding and labeling requirements.

Customer Warranty - Updating Information.

If the Customer receives information that Delivered Waste or other hazardous waste described in the Waste Characterization Report, or some component of such waste, presents or may present a hazard or risk to persons, property or the environment which was not disclosed to EQ, or if the Customer or generator (if other than the Customer) has changed the process by which such waste results, the Customer shall promptly report such information to EQ in writing.

Customer Indemnity.

The Customer shall indemnify, defend and hold harmless EQ, and its affiliated or related companies, and all of their respective present or future officers, directors, shareholders, employees and agents from and against any and all losses, damages, liabilities, penalties, fines, forfeitures, demands, claims, causes of action, suits, costs and expenses (including, but not limited to, reasonable costs of defense, settlement, and reasonable attorneys' fees), which may be asserted against any or all of them by any person or any governmental agency, or which any or all of them may hereafter suffer, incur, be responsible for or pay out, as a result of or in connection with bodily injuries (including, but not limited to, death, sickness, disease and emotional or mental distress) to any person (including EQ's employees), damage (including, but not limited to, loss of use) to any property (public or private), or any requirements to conduct or incur expense for investigative, removal or remedial expenses in connection with contamination of or adverse effect on the environment, or any violation or alleged violation of any statutes, ordinances, orders, rules or regulations of any governmental entity or agency, caused or arising out of (i) a breach of this Agreement by the Customer, (ii) the failure of any warranty of the Customer to be true, accurate and complete, or (iii) any willful or negligent act or omission of the Customer, or its employees or agents in connection with the performance of this Agreement.

Force Majeure.

EQ shall not be liable for any failure to accept, receive, handle, treat, and/or dispose of Delivered Waste due to an act of God, fire, casualty, flood, war, strike, lockout, labor trouble, failure of public utilities, equipment failure, facility shutdown, injunction, accident, epidemic, riot, insurrection, destruction of operation or transportation facilities, the inability to procure materials, equipment, or sufficient personnel or energy in order to meet operational needs without the necessity of allocation, the failure or inability to obtain any governmental approvals or to meet Environmental Requirements (including, but not limited to voluntary or involuntary compliance with any act, exercise, assertion, or requirement of any governmental authority) which may temporarily or permanently prohibit operations of EQ, the Customer, or the Generator, or any other circumstances beyond the control of EQ which prevents or delays performance of any of its obligations under this Agreement.

Governing Laws.

This Agreement shall in all respects be governed by and shall be construed in accordance with the laws of the State of Michigan applied to contracts executed and performed wholly within such state.

EQ - The Environmental Quality Company

Waste Characterization Report

☒ I authorize EQ - The Environmental Quality Company to choose the appropriate method of waste management, from the technologies offered, at the EQ facilities identified below.

<input type="checkbox"/> Michigan Disposal Waste Treatment Plant (Stabilization and Treatment)	49350 North I-94 Service Drive, Belleville, Michigan 48111 Phone: 1-800-592-5489 Fax: 1-800-592-5329	EPA ID #MID000724831
<input type="checkbox"/> Wayne Disposal, Inc. (Hazardous & PCB Waste Landfill)	49350 North I-94 Service Drive, Belleville, Michigan 48111 Phone: 1-800-592-5489 Fax: 1-800-592-5329	EPA ID #MID048090633
<input type="checkbox"/> EQ Detroit, Inc. (Stabilization, Wastewater Treatment)	1923 Frederick, Detroit, MI 48211 Phone: 1-800-495-6059 Fax: 1-313-923-3375	EPA ID #MID980991566
<input type="checkbox"/> EQ Resource Recovery, Inc. (Solvent Recycling, Fuel Blending, WW Treatment)	36345 Van Born Road, Romulus, Michigan 48174 Phone: (734) 727-5500 Fax: (734) 326-4033	EPA ID #MID060975844
<input type="checkbox"/> EQIS North Carolina (Stabilization, Treatment, Labpack Decommissioning)	1005 Investment Blvd., Apex, NC 27502 Phone: (919) 363-4700 Fax: (919) 363-4714	EPA ID #NCD982170292
<input type="checkbox"/> EQ Florida, Inc. (Drum Consolidation, Labpack Decommissioning)	7202 East Eighth Ave., Tampa, FL 33619 Phone: 1-800-624-5302 Fax: 1-813-628-0842	EPA ID #FLD981932494
<input type="checkbox"/> EQ Detroit Transfer and Processing (Drum Transfer/Universal Waste Handling)	2000 Ferry Street, Detroit, MI 48211 Phone: (313) 923-0080 Fax: (313) 922-8419	EPA ID #MIK939928313
<input type="checkbox"/> EQIS Indianapolis Transfer and Processing (Drum Transfer/Non-Hazardous Waste Processing)	4000 West 10th Street, Indianapolis, Indiana 46222 Phone: (317) 247-7160 Fax: (317) 247-7170	EPA ID #IND161049309
<input type="checkbox"/> EQIS Atlanta Transfer and Processing (Drum Transfer/Non-Hazardous Waste Processing)	5600 Fulton Industrial Blvd., Atlanta, Georgia 30336 Phone: (404) 494-3520 Fax: (404) 494-3560	EPA ID #GAR000039776
<input type="checkbox"/> EQ Augusta, Inc. (Wastewater Treatment)	3920 Goshen Industrial Blvd., Augusta, GA 30906 Phone: 706-771-9100 Fax: 706-771-9124	EPA ID #GAR000011817

Waste Common Name: Sulfuric Acid Solids from Nebraska Bioler

Section 1 - Generator & Customer Info

SIC/NAICS:

Generator EPA ID: MST-MP0-002-452

Generator: Mississippi DEQ
Address: 4280 Rifle Range Rd
City: Vicksburg
State: MS Zip: 39180
County: Warren

Mailing Address

Address: P.O Box 20326
City: Jackson
State: MS Zip: 39289

Generator Contact

Name: Trey Hess / Jerry Banks
Title:
Phone: (601) 961-5221/6019615654
Fax: () -

EQ Customer No.: 10958

Invoicing Company

Company: USES JACKSON
Address: 1075 MENDELL DAVIS DRIVE
City: JACKSON
State: MS Zip: 39212
Country: USA

Invoicing Contact

Name: Wanda Horton
Phone: (601) 372-3232
Fax: () -

Technical Contact

Name: J.T. Newman
Phone: (601) 372-3232
Fax: () -
Mobile: () - Pager: () -
E-mail: jnewman@usesgroup.com

*For a list of NAICS codes, please refer to Section 9 of the EQ Resource Guide.

Section 2 - Shipping & Packaging Info

- 2.1) Shipping Volume & Unit: 55 gallon Frequency: One Time Only
- 2.2) DOT Shipping Name: Corrosive solid, acidic, inorganic, n.o.s.
- 2.3) Is this waste surcharge exempt? ☐ Yes ☒ No (If you answered "Yes" to question 2.3, select the Surcharge Exemption reason.)

2.4) Packaging (check all that apply)

- | | | |
|---|---|---|
| <input type="checkbox"/> Bulk Solid (yd ³ < 2000 lbs/yd ³) | <input type="checkbox"/> Bulk Solid (Ton > 2000 lbs/yd ³) | <input type="checkbox"/> Bulk Liquids (Gallon) |
| <input type="checkbox"/> Totes, Size | <input type="checkbox"/> Cubic Yard Boxes/Bags | <input checked="" type="checkbox"/> Drums, Size 55 gallon |
| <input type="checkbox"/> Other (palletized, 5 gal. Pail, etc.) | | |

Quoted bulk disposal charges for solid materials will be billed by the cubic yard, if the waste density is less than 2,000lbs./cubic yard. If waste density is greater than 2,000 lbs./cubic yard, then bulk disposal charges will be billed by the ton, regardless of the approved container.

Section 3 - Physical Characteristics

- 3.1) Color: VARIES 3.2) Odor: none
- 3.3) Does this waste contain any "Potentially Odorous Constituents" as defined in the EQ Resource Guide? (Section 3) ☐ Yes ☒ No
- 3.4) Physical State at 70 °F: ☐ Solid ☐ Dust/Powder ☐ Liquid ☒ Sludge
- 3.5) What is the pH of this waste? ☒ ≤ 2 ☐ 2.1-4.9 ☐ 5-10 ☐ 10.1-12.4 ☐ ≥ 12.5
- 3.6) What is the flash point of this waste? ☐ <90 °F ☐ 90-139 °F ☐ 140-199 °F ☐ ≥ 200 °F
- 3.7) Does this waste contain? (check all that apply) ☒ None
- | | | | | | |
|---|---|--|---|---|--------------------------------------|
| <input type="checkbox"/> Biodegradable Sorbants | <input type="checkbox"/> Amines | <input type="checkbox"/> Ammonia | <input type="checkbox"/> Free Liquids | <input type="checkbox"/> Oily Residue | <input type="checkbox"/> Metal Fines |
| <input type="checkbox"/> Shock Sensitive Waste | <input type="checkbox"/> Reactive Waste | <input type="checkbox"/> Radioactive Waste | <input type="checkbox"/> Water Reactive | <input type="checkbox"/> Biohazard | <input type="checkbox"/> Aluminum |
| <input type="checkbox"/> Asbestos - non-friable | <input type="checkbox"/> Asbestos - friable | <input type="checkbox"/> Dioxins | <input type="checkbox"/> Explosives | <input type="checkbox"/> Pyrophoric Waste | <input type="checkbox"/> Isocyanates |
| | | | <input type="checkbox"/> Furans | | |

Section 4 - Composition / Generating Process

- 4.1) Describe the physical composition of the waste (i.e., soil, water, PPE, debris, key chemical compounds, etc.)
sulfuric Acid from 100. to 100. %
- 4.2) Provide a detailed description of the process generating this waste. (attach flow diagram if available).
Cleanup of abandoned Chemicals from site demolition

Section 5 - Is This Hazardous Waste?

Please refer to Section 5 of the EQ Resource Guide for a list of waste codes.

As determined by 40 CFR, Part 261 and Michigan Act 451 Rules:

Please list applicable waste code(s):

- 5.1) Is this an EPA RCRA listed hazardous waste (F, K, P or U)? ☐ Yes ☒ No
Comments:
- 5.2) Is this an EPA RCRA characteristic hazardous waste (D001-D043)? ☒ Yes ☐ No
Comments: D002
- 5.3) Do any State Hazardous Waste Codes apply? ☐ Yes ☒ No
Comments:
- 5.4) Is this waste intended for wastewater treatment? ☐ Yes ☒ No

If you answered "No" to questions 5.1, 5.2, and 5.3, please skip to Section 7.
If you answered "Yes" to question 5.4, please complete the WCR Addendum.

Section 6 - Hazardous Wastes

6.1) Does this waste exceed Land Disposal Restriction Levels?

☒ Yes ☐ No

6.1a) If this waste stream is greater than 50% soil, does it meet the alternative soil treatment standards of 40 CFR 268.49?

☐ Yes ☒ No

6.1b) Does this waste contain greater than 50% debris, by volume? (Debris is greater than 2.5 inches in size.)

☐ Yes ☒ No

6.2) Is the waste an oxidizer (D001)?

☐ Yes ☒ No

6.3) Does this waste contain reactive cyanide ≥ 250 ppm (D003)?

☐ Yes ☒ No

6.4) Does this waste contain reactive sulfide ≥ 500 ppm (D003)?

☐ Yes ☒ No

6.5) Please indicate which constituent concentrations are below or above the regulatory level. Please indicate the basis used in the determination. Either 'Below' or 'Above' **MUST** be checked for each constituent.

Based On: ☒ Generator Knowledge ☐ Analysis* ☐ MSDS*

*Please forward a copy. Analysis or MSDS are required for EQ Florida Non-hazardous wastes.

Code	Regulatory Level	TCLP (mg/l)		Concentration (if above)
D004	Arsenic	5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D005	Barium	100	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D006	Cadmium	1	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D007	Chromium	5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D008	Lead	5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D009	Mercury	0.2	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D010	Selenium	1	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D011	Silver	5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D012	Endrin	0.02	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D013	Lindane	0.4	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D014	Methoxychlor	10	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D015	Toxaphene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D016	2,4-D	10	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D017	2,4,5-TP (Silvex)	1	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D018	Benzene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D019	Carbon Tetrachloride	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D020	Chlordane	0.03	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D021	Chlorobenzene	100	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D022	Chloroform	6.0	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D023	o-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above	

Code	Regulatory Level	TCLP (mg/l)		Concentration (if above)
D024	m-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D025	p-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D026	Cresols	200	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D027	1,4-Dichlorobenzene	7.5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D028	1,2-Dichloroethane	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D029	1,1-Dichloroethylene	0.7	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D030	2,4-Dinitrotoluene	0.13	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D031	Heptachlor	0.008	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D032	Hexachlorobenzene	0.13	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D033	Hexachlorobutadiene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D034	Hexachloroethane	3.0	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D035	Methyl Ethyl Ketone	200	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D036	Nitrobenzene	2	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D037	Pentachlorophenol	100	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D038	Pyridine	5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D039	Tetrachloroethylene	0.7	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D040	Trichloroethylene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D041	2,4,5-Trichlorophenol	400	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D042	2,4,6-Trichlorophenol	2	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D043	Vinyl Chloride	0.2	<input checked="" type="radio"/> Below <input type="radio"/> Above	

6.6) If this is a characteristic hazardous waste, does it contain underlying hazardous constituents?

☐ Yes ☒ No

If you answered 'Yes', please list the constituents in Section 11.

Section 7 - Non-Hazardous Wastes

For a complete list of non-hazardous waste codes, please refer to Section 7 of the EQ Resource Guide.

Applicable waste code(s):

7.1) Is this a Michigan non-hazardous liquid industrial waste?

☐ Yes ☒ No

Comments:

7.2) Is this a Universal waste?

☐ Yes ☒ No

7.3) Is this a Recyclable Commodity? (e.g.: computer monitors, free mercury, etc.)

☐ Yes ☒ No

7.4) Is this waste a recoverable petroleum product?

☐ Yes ☒ No

7.5) Is this waste used oil as defined by 40 CFR Part 279?

☐ Yes ☒ No

Section 8 - TSCA Information

8.1) What is the concentration of PCBs in the waste?

- ☒ None ☐ 0-5 ppm ☐ 6-49 ppm
☐ 50-499 ppm ☐ 500+ ppm

8.2) Does the waste contain PCB contamination from a source with a concentration ≥ 50 ppm?

- ☐ Yes ☒ No

If you answered 'None' to 8.1 and 'No' to 8.2, please skip to Section 9.

8.3) Has this waste been processed into a non-liquid form?

- ☐ Yes ☐ No

If yes, what was the concentration of PCBs prior to processing? (ppm)

- ☐ N/A ☐ 0-499 ☐ 500+

8.4) Is the non-liquid PCB waste in the form of soil, rags, debris, or other contaminated media?

- ☐ Yes ☐ No

8.5) Are you a PCB capacitor manufacturer or a PCB equipment manufacturer?

- ☐ Yes ☐ No

8.6) Has the PCB Article (e.g., transformer, hydraulic machine, PCB-contaminated electrical equipment) been drained/flushed of all PCBs and decontaminated in accordance with 40 CFR 761.60(b)?

- ☐ N/A ☐ Yes ☐ No

Section 9 - Clean Air Act Information

9.1) Is this waste subject to regulation under 40 CFR, Part 63, Subpart DD or 40 CFR, Part 264, Subpart CC (RCRA)?

- ☐ Yes ☒ No

(Does the waste contain >500 ppm Volatile Organic Hazardous Air Pollutants - VOHAP's or Volatile Organic Compounds - VOC's?)

For a complete list of VOHAPs, please see Section 11 of the EQ Resource Guide.

9.2) Is this site, or waste, subject to any other MACT or NESHAP?

- ☐ Yes ☒ No

If yes, please specify:

9.3) Does this waste stream contain Benzene?

- ☐ Yes ☒ No

If you answered "No" to question 9.2, please skip to section 10.

9.4) Does the waste stream come from a facility with one of the SIC/NAICS codes listed under the Benzene NESHAP identified in 40 CFR 61, Subpart FF?

- ☐ Yes ☐ No

9.5) Is the generating source of this waste stream a facility with Total Annual Benzene (TAB) ≥ 10 Mg/year?

- ☐ Yes ☒ No

For assistance in calculating the TAB, please see the TAB Worksheet in Section 9 of the EQ Resource Guide.

If you answered "No" to question 9.3 and 9.4, please skip to Section 10.

9.6) Does the waste contain > 10% water?

- ☐ Yes ☐ No

9.7) What is the TAB quantity for your facility?

Mg/year

9.8) Does the waste contain >1.0 mg/kg total Benzene?

- ☐ Yes ☐ No

9.9) What is the total Benzene concentration in your waste?

(concentration)

(unit)

(Supporting analysis must be attached. Do not use TCLP analytical results. Acceptable laboratory methods include 8020, 8240, 8260, 602 and 624.)

**For a list of NAICS codes, please refer to section 9 of the EQ Resource Guide.*

Section 10 - Fuel Blending Information

10.1) Is this waste intended for fuel blending?

- ☐ Yes* ☒ No

If you answered 'Yes' to question 10.1, please enter the following:

Heat value (BTU/lb.)

Chlorine (%)

Water (%)

Solids (%)

10.2) Is this waste intended for reclamation?

- ☐ Yes ☒ No

(5-Gallon Sample required for all reclaim waste streams)

Section 11 - Constituent Information

Please identify your waste constituents from these four categories: Underlying Hazardous Constituents (UHC's), Volatile Organic Hazardous Air Pollutants (VOHAP's), Volatile Organic Compounds (VOC's) and Toxic Release Inventory Constituents (TRI)

Constituent

Concentration

UHC?

Please see Section 11 of the EQ Resource Guide for a list of UHC's, VOHAP's and VOC's. For a complete list of TRI constituents, please refer to 40 CFR 372.65.

Section 12 - Certification

I certify that all information (including attachments) is complete and factual and is an accurate representation of the known and suspected hazards, pertaining to the waste described herein. I authorize EQ's Resource Team to add supplemental information to the waste approval file, provided I am contacted and give verbal permission. I authorize EQ's Resource Team to obtain a sample from any waste shipment for purposes of verification. Generator or on Generator's behalf shall be subject to, and Generator shall be bound by, the attached Standard Terms and Conditions and confirmation. I agree that, if EQ approves the waste described herein, all such wastes that are transported, delivered, or tendered to EQ by

Comments:
logged in

Generator:



Authorized Generator Signature

TREY HESS

Printed Generator Name

Company:

MD&Q

Title:

EETV

Date:

11/13/07

The generator's signature MUST appear on the EQ Waste Characterization Report. If the generator has authorized a third party to certify this document, a written notice (on generator letterhead) must accompany this submittal. Although the EQ Resource Team is authorized to make certain modifications to the information provided on this form, the addition or removal of waste codes and waste constituents must be documented by the generator.

STANDARD TERMS AND CONDITIONS

The Agreement between the Customer and EQ - The Environmental Quality Company and/or its member companies (hereinafter "EQ") related to or associated with Delivered Waste, as herein defined, shall be governed by the following Standard Terms and Conditions in addition to the terms and conditions contained in any Waste Characterization Report, Customer Approval Quote Confirmation, Generator Approval Notification, Notice of Waste Approval Expiration, and/or Credit Agreement associated with such Delivered Waste.

The Customer may use its standard forms (such as purchase orders, acknowledgments of orders, and invoices) to administer its dealings under this Agreement for convenience purposes, but all provisions thereof in conflict with these terms and conditions shall be deemed stricken.

Definitions.

The following definitions shall apply for purposes of this Agreement:

"Acceptable Waste" shall mean any hazardous waste, as defined under applicable State or federal law, determined by EQ as acceptable for treatment and/or disposal in accordance with this Agreement.

"Delivered Wastes" shall mean all wastes (i) which are transported, delivered, or tendered to EQ by the Customer; (ii) which the Customer has arranged for the transport, delivery or tender to EQ; or (iii) which are transported, delivered, or tendered to EQ under a Credit Agreement between the Customer and EQ.

"Non-Conforming Wastes" shall mean wastes that (a) are not in accordance in all material respects with the warranties, descriptions, specifications or limitations stated in the Waste Characterization Report and this Agreement; (b) have constituents or components of a type or concentration not specifically identified in the Waste Characterization Report (i) which increase the nature or extent of the hazard and risk undertaken by EQ in treating and/or disposing of the waste, or (ii) for whose treatment and/or disposal a Waste Management Facility is not designed or permitted, or (iii) which increase the cost of treatment and/or disposal of waste beyond that specified in EQ's price quote; or (c) are not properly packaged, labeled, described, or placarded, or otherwise not in compliance with United States Department of Transportation and United States Environmental Protection Agency regulations.

Control of Operations.

EQ shall have sole control over all aspects of the operation of any treatment and/or disposal facility of EQ receiving Delivered Wastes under this Agreement (hereinafter,

"Waste Management Facility"), including, without limitation, maintaining EQ's desired volume of Acceptable Wastes being delivered to any Waste Management Facility by the Customer or any other person or entity.

Identification of Waste.

For each waste material to be transported, delivered, or tendered to EQ under this Agreement, the Customer shall provide, or cause to be provided, to EQ a representative sample of the waste material and a completed Waste Characterization Report containing a physical and chemical description or analysis of such waste material, which description shall conform with any and all guidelines for waste acceptance provided by EQ. On the basis of EQ's analysis of such representative sample of the waste material and such Waste Characterization Report, EQ will determine whether such wastes are Acceptable Wastes. EQ does not make any guarantee that it will handle any waste material or any particular quantity or type of waste material, and EQ reserves the right to the decline to transport, treat and/or dispose of waste material. The Customer shall promptly furnish to EQ any information regarding known, suspected or planned changes in the composition of the waste material. Further, the Customer shall promptly inform EQ of any change in the characteristic or condition of the waste material which becomes known to the Customer subsequent to the date of the Waste Characterization Report.

Non-Conforming Wastes.

In the event that EQ at any time discovers that any Delivered Waste is Non-Conforming Waste, EQ may reject or revoke its acceptance of the Non-Conforming Waste. The Customer shall have seven (7) days to direct an alternative lawful manner of disposition of the waste, unless it is necessary by reason of law or otherwise to move the Non-Conforming Waste prior to expiration of the seven (7) day period. If the Customer does not direct an alternative disposal, at its option, EQ may return any such Non-Conforming Wastes to the Customer, and the Customer shall pay or reimburse EQ for all costs and expenses incurred by EQ in connection with the receipt, handling, sampling, analyses, transportation and return to the Customer of such Non-Conforming Wastes. If it is impossible or impractical for EQ to return the Non-Conforming Waste to the Customer, the Customer shall reimburse EQ for all costs, of any type or nature whatsoever, incurred by EQ, solely because such Delivered Waste was Non-Conforming Waste (including, but not limited to, all costs associated with any remedial steps necessary, due to the nature of the Non-Conforming Waste, in connection with material with which the Non-Conforming Waste may have been commingled and all expenses and charges for analyzing, handling, locating, preparing for transporting, storing and disposing of any Non-Conforming Wastes).

Customer Warranty - Title to Wastes.

Either the Customer or the generator (if other than the Customer) shall hold clear title, free of any all liens, claims, encumbrances, and charges to Delivered Waste until such waste is accepted by EQ.

Customer Warranty - Acceptable Wastes.

All Delivered Wastes shall be Acceptable Wastes and shall conform in all material respects to the description and specifications contained in the Waste Characterization Report. The information set forth in the Waste Characterization Report or any manifest, placard or label associated with any Delivered Wastes, or otherwise represented by the Customer or the generator (if other than the Customer) to EQ, is and shall be true, accurate and complete as of the date of receipt of the involved waste by EQ.

Customer Warranty - Compliance with Laws.

The Customer shall comply with all applicable federal, state and local environmental statutes, regulations, and other governmental requirements, as well as directives issued by EQ from time to time, governing the transportation, treatment and/or disposal of Acceptable Wastes, including, but not limited to, all packaging, manifesting, containerization, placarding and labeling requirements.

Customer Warranty - Updating Information.

If the Customer receives information that Delivered Waste or other hazardous waste described in the Waste Characterization Report, or some component of such waste, presents or may present a hazard or risk to persons, property or the environment which was not disclosed to EQ, or if the Customer or generator (if other than the Customer) has changed the process by which such waste results, the Customer shall promptly report such information to EQ in writing.

Customer Indemnity.

The Customer shall indemnify, defend and hold harmless EQ, and its affiliated or related companies, and all of their respective present or future officers, directors, shareholders, employees and agents from and against any and all losses, damages, liabilities, penalties, fines, forfeitures, demands, claims, causes of action, suits, costs and expenses (including, but not limited to, reasonable costs of defense, settlement, and reasonable attorneys' fees), which may be asserted against any or all of them by any person or any governmental agency, or which any or all of them may hereafter suffer, incur, be responsible for or pay out, as a result of or in connection with bodily injuries (including, but not limited to, death, sickness, disease and emotional or mental distress) to any person (including EQ's employees), damage (including, but not limited to, loss of use) to any property (public or private), or any requirements to conduct or incur expense for investigative, removal or remedial expenses in connection with contamination of or adverse effect on the environment, or any violation or alleged violation of any statutes, ordinances, orders, rules or regulations of any governmental entity or agency, caused or arising out of (i) a breach of this Agreement by the Customer, (ii) the failure of any warranty of the Customer to be true, accurate and complete, or (iii) any willful or negligent act or omission of the Customer, or its employees or agents in connection with the performance of this Agreement.

Force Majeure.

EQ shall not be liable for any failure to accept, receive, handle, treat, and/or dispose of Delivered Waste due to an act of God, fire, casualty, flood, war, strike, lockout, labor trouble, failure of public utilities, equipment failure, facility shutdown, injunction, accident, epidemic, riot, insurrection, destruction of operation or transportation facilities, the inability to procure materials, equipment, or sufficient personnel or energy in order to meet operational needs without the necessity of allocation, the failure or inability to obtain any governmental approvals or to meet Environmental Requirements (including, but not limited to voluntary or involuntary compliance with any act, exercise, assertion, or requirement of any governmental authority) which may temporarily or permanently prohibit operations of EQ, the Customer, or the Generator, or any other circumstances beyond the control of EQ which prevents or delays performance of any of its obligations under this Agreement.

Governing Laws.

This Agreement shall in all respects be governed by and shall be construed in accordance with the laws of the State of Michigan applied to contracts executed and performed wholly within such state.

EQ - The Environmental Quality Company

Waste Characterization Report

☒ I authorize EQ - The Environmental Quality Company to choose the appropriate method of waste management, from the technologies offered, at the EQ facilities identified below.

<input type="checkbox"/> Michigan Disposal Waste Treatment Plant (Stabilization and Treatment)	49350 North I-94 Service Drive, Belleville, Michigan 48111 Phone: 1-800-592-5489 Fax: 1-800-592-5329	EPA ID #MID000724831
<input type="checkbox"/> Wayne Disposal, Inc. (Hazardous & PCB Waste Landfill)	49350 North I-94 Service Drive, Belleville, Michigan 48111 Phone: 1-800-592-5489 Fax: 1-800-592-5329	EPA ID #MID048090633
<input type="checkbox"/> EQ Detroit, Inc. (Stabilization, Wastewater Treatment)	1923 Frederick, Detroit, MI 48211 Phone: 1-800-495-6059 Fax: 1-313-923-3375	EPA ID #MID980991566
<input type="checkbox"/> EQ Resource Recovery, Inc. (Solvent Recycling, Fuel Blending, WW Treatment)	36345 Van Born Road, Romulus, Michigan 48174 Phone: (734) 727-5500 Fax: (734) 326-4033	EPA ID #MID060975844
<input type="checkbox"/> EQIS North Carolina (Stabilization, Treatment, Labpack Decommissioning)	1005 Investment Blvd., Apex, NC 27502 Phone: (919) 363-4700 Fax: (919) 363-4714	EPA ID #NCD982170292
<input type="checkbox"/> EQ Florida, Inc. (Drum Consolidation, Labpack Decommissioning)	7202 East Eighth Ave., Tampa, FL 33619 Phone: 1-800-624-5302 Fax: 1-813-628-0842	EPA ID #FLD981932494
<input type="checkbox"/> EQ Detroit Transfer and Processing (Drum Transfer/Universal Waste Handling)	2000 Ferry Street, Detroit, MI 48211 Phone: (313) 923-0080 Fax: (313) 922-8419	EPA ID #MIK939928313
<input type="checkbox"/> EQIS Indianapolis Transfer and Processing (Drum Transfer/Non-Hazardous Waste Processing)	4000 West 10th Street, Indianapolis, Indiana 46222 Phone: (317) 247-7160 Fax: (317) 247-7170	EPA ID #IND161049309
<input type="checkbox"/> EQIS Atlanta Transfer and Processing (Drum Transfer/Non-Hazardous Waste Processing)	5600 Fulton Industrial Blvd., Atlanta, Georgia 30336 Phone: (404) 494-3520 Fax: (404) 494-3560	EPA ID #GAR000039776
<input type="checkbox"/> EQ Augusta, Inc. (Wastewater Treatment)	3920 Goshen Industrial Blvd., Augusta, GA 30906 Phone: 706-771-9100 Fax: 706-771-9124	EPA ID #GAR000011817

Waste Common Name: Sulfuric Acid Liquids from Nebraska Bioler

Section 1 - Generator & Customer Info

SIC/NAICS*:

EQ Customer No.:

Generator EPA ID: MST-MP0-002-452

Invoicing Company

Company: USES JACKSON
Address: 1075 MENDELL DAVIS DRIVE
City: JACKSON
State: MS Zip: 39212
Country: USA

Invoicing Contact

Name: Wanda Horton
Phone: (601) 372-3232
Fax: () -

Technical Contact

Name: J.T. Newman
Phone: (601) 372-3232
Fax: () -
Mobile: () - Pager: () -
E-mail: jnewman@usesgroup.com

Generator: Mississippi DEQ
Address: 4280 Riffe Range Rd
City: Vicksburg
State: MS Zip: 39180
County: Warren

Mailing Address

Address: P.O. Box 20326
City: Jackson
State: MS Zip: 39289

Generator Contact

Name: Trey Hess / Jerry Banks
Title:
Phone: (601) 961-5221/6019615654
Fax: () -

*For a list of NAICS codes, please refer to Section 9 of the EQ Resource Guide.

Section 2 - Shipping & Packaging Info

- 2.1) Shipping Volume & Unit: 55 gallon Frequency: One Time Only
- 2.2) DOT Shipping Name: Corrosive liquid, acidic, inorganic, n.o.s.
- 2.3) Is this waste surcharge exempt? ☐ Yes ☒ No (If you answered "Yes" to question 2.3, select the Surcharge Exemption reason.)

2.4) Packaging (check all that apply)

- | | | |
|---|--|---|
| <input type="checkbox"/> Bulk Solid (yd ³ < 2000 lbs/yd ³) | <input type="checkbox"/> Bulk Solid (Ton > 2000 lbs./yd ³) | <input type="checkbox"/> Bulk Liquids (Gallon) |
| <input type="checkbox"/> Totes, Size | <input type="checkbox"/> Cubic Yard Boxes/Bags | <input checked="" type="checkbox"/> Drums, Size 55 gallon |
| <input type="checkbox"/> Other (palletized, 5 gal. Pail, etc.) | | |

Quoted bulk disposal charges for solid materials will be billed by the cubic yard, if the waste density is less than 2,000lbs./cubic yard. If waste density is greater than 2,000 lbs./cubic yard, then bulk disposal charges will be billed by the ton, regardless of the approved container.

Section 3 - Physical Characteristics

- 3.1) Color: VARIES
- 3.2) Odor: none
- 3.3) Does this waste contain any "Potentially Odorous Constituents" as defined in the EQ Resource Guide? (Section 3) ☐ Yes ☒ No
- 3.4) Physical State at 70 °F: ☐ Solid ☐ Dust/Powder ☒ Liquid ☐ Sludge
- 3.5) What is the pH of this waste? ☒ ≤ 2 ☐ 2.1-4.9 ☐ 5-10 ☐ 10.1-12.4 ☐ ≥ 12.5
- 3.6) What is the flash point of this waste? ☐ <90 °F ☐ 90-139 °F ☐ 140-199 °F ☐ ≥ 200 °F
- 3.7) Does this waste contain? (check all that apply) ☒ None
- | | | | | | |
|---|---|--|---|---|--------------------------------------|
| <input type="checkbox"/> Biodegradable Sorbants | <input type="checkbox"/> Amines | <input type="checkbox"/> Ammonia | <input type="checkbox"/> Free Liquids | <input type="checkbox"/> Oily Residue | <input type="checkbox"/> Metal Fines |
| <input type="checkbox"/> Shock Sensitive Waste | <input type="checkbox"/> Reactive Waste | <input type="checkbox"/> Radioactive Waste | <input type="checkbox"/> Water Reactive | <input type="checkbox"/> Biohazard | <input type="checkbox"/> Aluminum |
| <input type="checkbox"/> Asbestos - non-friable | <input type="checkbox"/> Asbestos - friable | <input type="checkbox"/> Dioxins | <input type="checkbox"/> Explosives | <input type="checkbox"/> Pyrophoric Waste | <input type="checkbox"/> Isocyanates |
| | | | <input type="checkbox"/> Furans | | |

Section 4 - Composition / Generating Process

- 4.1) Describe the physical composition of the waste (i.e., soil, water, PPE, debris, key chemical compounds, etc.)
- Sulfuric Acid from 100 to 100 %
- 4.2) Provide a detailed description of the process generating this waste. (attach flow diagram if available).
- Cleanup of abandoned Chemicals from site demolition

Section 5 - Is This Hazardous Waste?

Please refer to Section 5 of the EQ Resource Guide for a list of waste codes.

As determined by 40 CFR, Part 261 and Michigan Act 451 Rules:

Please list applicable waste code(s):

- 5.1) Is this an EPA RCRA listed hazardous waste (F, K, P or U)? ☐ Yes ☒ No
- Comments:
- 5.2) Is this an EPA RCRA characteristic hazardous waste (D001-D043)? ☒ Yes ☐ No
- Comments:
- 5.3) Do any State Hazardous Waste Codes apply? ☐ Yes ☒ No
- Comments:
- 5.4) Is this waste intended for wastewater treatment? ☐ Yes* ☒ No

D002

If you answered "No" to questions 5.1, 5.2, and 5.3, please skip to Section 7.
If you answered "Yes" to question 5.4, please complete the WCR Addendum.

Section 6 - Hazardous Wastes

6.1) Does this waste exceed Land Disposal Restriction Levels?

☒ Yes ☐ No

6.1a) If this waste stream is greater than 50% soil, does it meet the alternative soil treatment standards of 40 CFR 268.49?

☐ Yes ☒ No

6.1b) Does this waste contain greater than 50% debris, by volume? (Debris is greater than 2.5 inches in size.)

☐ Yes ☒ No

6.2) Is the waste an oxidizer (D001)?

☐ Yes ☒ No

6.3) Does this waste contain reactive cyanide \geq 250 ppm (D003)?

☐ Yes ☒ No

6.4) Does this waste contain reactive sulfide \geq 500 ppm (D003)?

☐ Yes ☒ No

6.5) Please indicate which constituent concentrations are below or above the regulatory level. Please indicate the basis used in the determination. Either 'Below' or 'Above' **MUST** be checked for each constituent.

Based On: ☒ Generator Knowledge ☐ Analysis*

☐ MSDS*

*Please forward a copy. Analysis or MSDS are required for EQ Florida Non-hazardous wastes.

Code	Regulatory Level	TCLP (mg/l)	Concentration (if above)
D004	Arsenic	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D005	Barium	100	<input checked="" type="radio"/> Below <input type="radio"/> Above
D006	Cadmium	1	<input checked="" type="radio"/> Below <input type="radio"/> Above
D007	Chromium	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D008	Lead	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D009	Mercury	0.2	<input checked="" type="radio"/> Below <input type="radio"/> Above
D010	Selenium	1	<input checked="" type="radio"/> Below <input type="radio"/> Above
D011	Silver	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D012	Endrin	0.02	<input checked="" type="radio"/> Below <input type="radio"/> Above
D013	Lindane	0.4	<input checked="" type="radio"/> Below <input type="radio"/> Above
D014	Methoxychlor	10	<input checked="" type="radio"/> Below <input type="radio"/> Above
D015	Toxaphene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D016	2,4-D	10	<input checked="" type="radio"/> Below <input type="radio"/> Above
D017	2,4,5-TP (Silvex)	1	<input checked="" type="radio"/> Below <input type="radio"/> Above
D018	Benzene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D019	Carbon Tetrachloride	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D020	Chlordane	0.03	<input checked="" type="radio"/> Below <input type="radio"/> Above
D021	Chlorobenzene	100	<input checked="" type="radio"/> Below <input type="radio"/> Above
D022	Chloroform	6.0	<input checked="" type="radio"/> Below <input type="radio"/> Above
D023	o-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above

Code	Regulatory Level	TCLP (mg/l)	Concentration (if above)
D024	m-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above
D025	p-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above
D026	Cresols	200	<input checked="" type="radio"/> Below <input type="radio"/> Above
D027	1,4-Dichlorobenzene	7.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D028	1,2-Dichloroethane	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D029	1,1-Dichloroethylene	0.7	<input checked="" type="radio"/> Below <input type="radio"/> Above
D030	2,4-Dinitrotoluene	0.13	<input checked="" type="radio"/> Below <input type="radio"/> Above
D031	Heptachlor	0.008	<input checked="" type="radio"/> Below <input type="radio"/> Above
D032	Hexachlorobenzene	0.13	<input checked="" type="radio"/> Below <input type="radio"/> Above
D033	Hexachlorobutadiene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D034	Hexachloroethane	3.0	<input checked="" type="radio"/> Below <input type="radio"/> Above
D035	Methyl Ethyl Ketone	200	<input checked="" type="radio"/> Below <input type="radio"/> Above
D036	Nitrobenzene	2	<input checked="" type="radio"/> Below <input type="radio"/> Above
D037	Pentachlorophenol	100	<input checked="" type="radio"/> Below <input type="radio"/> Above
D038	Pyridine	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D039	Tetrachloroethylene	0.7	<input checked="" type="radio"/> Below <input type="radio"/> Above
D040	Trichloroethylene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D041	2,4,5-Trichlorophenol	400	<input checked="" type="radio"/> Below <input type="radio"/> Above
D042	2,4,6-Trichlorophenol	2	<input checked="" type="radio"/> Below <input type="radio"/> Above
D043	Vinyl Chloride	0.2	<input checked="" type="radio"/> Below <input type="radio"/> Above

6.6) If this is a characteristic hazardous waste, does it contain underlying hazardous constituents?

☐ Yes ☒ No

If you answered 'Yes', please list the constituents in Section 11.

Section 7 - Non-Hazardous Wastes

For a complete list of non-hazardous waste codes, please refer to Section 7 of the EQ Resource Guide.

Applicable waste code(s):

7.1) Is this a Michigan non-hazardous liquid industrial waste?

☐ Yes ☒ No

Comments:

7.2) Is this a Universal waste?

☐ Yes ☒ No

7.3) Is this a Recyclable Commodity? (e.g.: computer monitors, free mercury, etc.)

☐ Yes ☒ No

7.4) Is this waste a recoverable petroleum product?

☐ Yes ☒ No

7.5) Is this waste used oil as defined by 40 CFR Part 279?

☐ Yes ☒ No

Section 8 - TSCA Information

8.1) What is the concentration of PCBs in the waste?

- ☒ None ☐ 0-5 ppm ☐ 6-49 ppm
☐ 50-499 ppm ☐ 500+ ppm

8.2) Does the waste contain PCB contamination from a source with a concentration ≥ 50 ppm?

- ☐ Yes ☒ No

If you answered 'None' to 8.1 and 'No' to 8.2, please skip to Section 9.

8.3) Has this waste been processed into a non-liquid form?

- ☐ Yes ☐ No

If yes, what was the concentration of PCBs prior to processing? (ppm)

- ☐ N/A ☐ 0-499 ☐ 500+

8.4) Is the non-liquid PCB waste in the form of soil, rags, debris, or other contaminated media?

- ☐ Yes ☐ No

8.5) Are you a PCB capacitor manufacturer or a PCB equipment manufacturer?

- ☐ Yes ☐ No

8.6) Has the PCB Article (e.g., transformer, hydraulic machine, PCB-contaminated electrical equipment) been drained/flushed of all PCBs and decontaminated in accordance with 40 CFR 761.60(b)?

- ☐ N/A ☐ Yes ☐ No

Section 9 - Clean Air Act Information

9.1) Is this waste subject to regulation under 40 CFR, Part 63, Subpart DD or 40 CFR, Part 264, Subpart CC (RCRA)?

- ☐ Yes ☒ No

(Does the waste contain >500 ppm Volatile Organic Hazardous Air Pollutants - VOHAP's or Volatile Organic Compounds - VOC's?)

For a complete list of VOHAPs, please see Section 11 of the EQ Resource Guide.

9.2) Is this site, or waste, subject to any other MACT or NESHAP?

- ☐ Yes ☒ No

If yes, please specify:

9.3) Does this waste stream contain Benzene?

- ☐ Yes ☒ No

If you answered "No" to question 9.2, please skip to section 10.

9.4) Does the waste stream come from a facility with one of the SIC/NAICS codes listed under the Benzene NESHAP identified in 40 CFR 61, Subpart FF?

- ☐ Yes ☐ No

9.5) Is the generating source of this waste stream a facility with Total Annual Benzene (TAB) ≥ 10 Mg/year?

- ☐ Yes ☒ No

For assistance in calculating the TAB, please see the TAB Worksheet in Section 9 of the EQ Resource Guide.

If you answered "No" to question 9.3 and 9.4, please skip to Section 10.

9.6) Does the waste contain > 10% water?

- ☐ Yes ☐ No

9.7) What is the TAB quantity for your facility? _____ Mg/year

9.8) Does the waste contain >1.0 mg/kg total Benzene?

- ☐ Yes ☐ No

9.9) What is the total Benzene concentration in your waste? _____ (concentration) _____ (unit)

(Supporting analysis must be attached. Do not use TCLP analytical results. Acceptable laboratory methods include 8020, 8240, 8260, 802 and 624.)

**For a list of NAICS codes, please refer to section 9 of the EQ Resource Guide.*

Section 10 - Fuel Blending Information

10.1) Is this waste intended for fuel blending?

- ☐ Yes* ☒ No

If you answered 'Yes' to question 10.1, please enter the following:

Heat value (BTU/lb.) _____

Chlorine (%) _____

Water (%) _____

Solids (%) _____

10.2) Is this waste intended for reclamation? ☐ Yes ☒ No

(5-Gallon Sample required for all reclaim waste streams)

Section 11 - Constituent Information

Please identify your waste constituents from these four categories: Underlying Hazardous Constituents (UHC's), Volatile Organic Hazardous Air Pollutants (VOHAP's), Volatile Organic Compounds (VOC's) and Toxic Release Inventory Constituents (TRI)


Constituent	Concentration	UHC?
-------------	---------------	------

Please see Section 11 of the EQ Resource Guide for a list of UHC's, VOHAP's and VOC's. For a complete list of TRI constituents, please refer to 40 CFR 372.65.

Section 12 - Certification

I certify that all information (including attachments) is complete and factual and is an accurate representation of the known and suspected hazards, pertaining to the waste described herein. I authorize EQ's Resource Team to add supplemental information to the waste approval file, provided I am contacted and give verbal permission. I authorize EQ's Resource Team to obtain a sample from any waste shipment for purposes of verification. Generator or on Generator's behalf shall be subject to, and Generator shall be bound by, the attached Standard Terms and Conditions and confirmation. I agree that, if EQ approves the waste described herein, all such wastes that are transported, delivered, or tendered to EQ by

Comments:
not logged in

Generator:  TREY HESS
Authorized Generator Signature Printed Generator Name

Company: MDEQ Title: EE IV Date: 11/13/07

The generator's signature MUST appear on the EQ Waste Characterization Report. If the generator has authorized a third party to certify this document, a written notice (on generator letterhead) must accompany this submittal. Although the EQ Resource Team is authorized to make certain modifications to the information provided on this form, the addition or removal of waste codes and waste constituents must be documented by the generator.

STANDARD TERMS AND CONDITIONS

The Agreement between the Customer and EQ - The Environmental Quality Company and/or its member companies (hereinafter "EQ") related to or associated with Delivered Waste, as herein defined, shall be governed by the following Standard Terms and Conditions in addition to the terms and conditions contained in any Waste Characterization Report, Customer Approval Quote Confirmation, Generator Approval Notification, Notice of Waste Approval Expiration, and/or Credit Agreement associated with such Delivered Waste.

The Customer may use its standard forms (such as purchase orders, acknowledgments of orders, and invoices) to administer its dealings under this Agreement for convenience purposes, but all provisions thereof in conflict with these terms and conditions shall be deemed stricken.

Definitions.

The following definitions shall apply for purposes of this Agreement:

"Acceptable Waste" shall mean any hazardous waste, as defined under applicable State or federal law, determined by EQ as acceptable for treatment and/or disposal in accordance with this Agreement.

"Delivered Wastes" shall mean all wastes (i) which are transported, delivered, or tendered to EQ by the Customer, (ii) which the Customer has arranged for the transport, delivery or tender to EQ; or (iii) which are transported, delivered, or tendered to EQ under a Credit Agreement between the Customer and EQ.

"Non-Conforming Wastes" shall mean wastes that (a) are not in accordance in all material respects with the warranties, descriptions, specifications or limitations stated in the Waste Characterization Report and this Agreement; (b) have constituents or components of a type or concentration not specifically identified in the Waste Characterization Report (i) which increase the nature or extent of the hazard and risk undertaken by EQ in treating and/or disposing of the waste, or (ii) for whose treatment and/or disposal a Waste Management Facility is not designed or permitted; or (iii) which increase the cost of treatment and/or disposal of waste beyond that specified in EQ's price quote; or (c) are not properly packaged, labeled, described, or placarded, or otherwise not in compliance with United States Department of Transportation and United States Environmental Protection Agency regulations.

Control of Operations.

EQ shall have sole control over all aspects of the operation of any treatment and/or disposal facility of EQ receiving Delivered Wastes under this Agreement (hereinafter, "Waste Management Facility"), including, without limitation, maintaining EQ's desired volume of Acceptable Wastes being delivered to any Waste Management Facility by the Customer or any other person or entity.

Identification of Waste.

For each waste material to be transported, delivered, or tendered to EQ under this Agreement, the Customer shall provide, or cause to be provided, to EQ a representative sample of the waste material and a completed Waste Characterization Report containing a physical and chemical description or analysis of such waste material, which description shall conform with any and all guidelines for waste acceptance provided by EQ. On the basis of EQ's analysis of such representative sample of the waste material and such Waste Characterization Report, EQ will determine whether such wastes are Acceptable Wastes. EQ does not make any guarantee that it will handle any waste material or any particular quantity or type of waste material, and EQ reserves the right to the decline to transport, treat and/or dispose of waste material. The Customer shall promptly furnish to EQ any information regarding known, suspected or planned changes in the composition of the waste material. Further, the Customer shall promptly inform EQ of any change in the characteristic or condition of the waste material which becomes known to the Customer subsequent to the date of the Waste Characterization Report.

Non-Conforming Wastes.

In the event that EQ at any time discovers that any Delivered Waste is Non-Conforming Waste, EQ may reject or revoke its acceptance of the Non-Conforming Waste. The Customer shall have seven (7) days to direct an alternative lawful manner of disposition of the waste, unless it is necessary by reason of law or otherwise to move the Non-Conforming Waste prior to expiration of the seven (7) day period. If the Customer does not direct an alternative disposal, at its option, EQ may return any such Non-Conforming Wastes to the Customer, and the Customer shall pay or reimburse EQ for all costs and expenses incurred by EQ in connection with the receipt, handling, sampling, analyses, transportation and return to the Customer of such Non-Conforming Wastes. If it is impossible or impractical for EQ to return the Non-Conforming Waste to the Customer, the Customer shall reimburse EQ for all costs, of any type or nature whatsoever, incurred by EQ, solely because such Delivered Waste was Non-Conforming Waste (including, but not limited to, all costs associated with any remedial steps necessary, due to the nature of the Non-Conforming Waste, in connection with material with which the Non-Conforming Waste may have been commingled and all expenses and charges for analyzing, handling, locating, preparing for transporting, storing and disposing of any Non-Conforming Waste).

Customer Warranty - Title to Wastes.

Either the Customer or the generator (if other than the Customer) shall hold clear title, free of any all liens, claims, encumbrances, and charges to Delivered Waste until such waste is accepted by EQ.

Customer Warranty - Acceptable Wastes.

All Delivered Wastes shall be Acceptable Wastes and shall conform in all material respects to the description and specifications contained in the Waste Characterization Report. The information set forth in the Waste Characterization Report or any manifest, placard or label associated with any Delivered Wastes, or otherwise represented by the Customer or the generator (if other than the Customer) to EQ, is and shall be true, accurate and complete as of the date of receipt of the involved waste by EQ.

Customer Warranty - Compliance with Laws.

The Customer shall comply with all applicable federal, state and local environmental statutes, regulations, and other governmental requirements, as well as directives issued by EQ from time to time, governing the transportation, treatment and/or disposal of Acceptable Wastes, including, but not limited to, all packaging, manifesting, containerization, placarding and labeling requirements.

Customer Warranty - Updating Information.

If the Customer receives information that Delivered Waste or other hazardous waste described in the Waste Characterization Report, or some component of such waste, presents or may present a hazard or risk to persons, property or the environment which was not disclosed to EQ, or if the Customer or generator (if other than the Customer) has changed the process by which such waste results, the Customer shall promptly report such information to EQ in writing.

Customer Indemnity.

The Customer shall indemnify, defend and hold harmless EQ, and its affiliated or related companies, and all of their respective present or future officers, directors, shareholders, employees and agents from and against any and all losses, damages, liabilities, penalties, fines, forfeitures, demands, claims, causes of action, suits, costs and expenses (including, but not limited to, reasonable costs of defense, settlement, and reasonable attorneys' fees), which may be asserted against any or all of them by any person or any governmental agency, or which any or all of them may hereafter suffer, incur, be responsible for or pay out, as a result of or in connection with bodily injuries (including, but not limited to, death, sickness, disease and emotional or mental distress) to any person (including EQ's employees), damage (including, but not limited to, loss of use) to any property (public or private), or any requirements to conduct or incur expense for investigative, removal or remedial expenses in connection with contamination of or adverse effect on the environment, or any violation or alleged violation of any statutes, ordinances, orders, rules or regulations of any governmental entity or agency, caused or arising out of (i) a breach of this Agreement by the Customer, (ii) the failure of any warranty of the Customer to be true, accurate and complete, or (iii) any willful or negligent act or omission of the Customer, or its employees or agents in connection with the performance of this Agreement.

Force Majeure.

EQ shall not be liable for any failure to accept, receive, handle, treat, and/or dispose of Delivered Waste due to an act of God, fire, casualty, flood, war, strike, lockout, labor trouble, failure of public utilities, equipment failure, facility shutdown, injunction, accident, epidemic, riot, insurrection, destruction of operation or transportation facilities, the inability to procure materials, equipment, or sufficient personnel or energy in order to meet operational needs without the necessity of allocation, the failure or inability to obtain any governmental approvals or to meet Environmental Requirements (including, but not limited to voluntary or involuntary compliance with any act, exercise, assertion, or requirement of any governmental authority) which may temporarily or permanently prohibit operations of EQ, the Customer, or the Generator, or any other circumstances beyond the control of EQ which prevents or delays performance of any of its obligations under this Agreement.

Governing Laws.

This Agreement shall in all respects be governed by and shall be construed in accordance with the laws of the State of Michigan applied to contracts executed and performed wholly within such state.

EQ - The Environmental Quality Company

Waste Characterization Report

☒ I authorize EQ - The Environmental Quality Company to choose the appropriate method of waste management, from the technologies offered, at the EQ facilities identified below.

<input type="checkbox"/> Michigan Disposal Waste Treatment Plant (Stabilization and Treatment)	49350 North I-94 Service Drive, Belleville, Michigan 48111 Phone: 1-800-592-5489 Fax: 1-800-592-5329	EPA ID #MID000724831
<input type="checkbox"/> Wayne Disposal, Inc. (Hazardous & PCB Waste Landfill)	49350 North I-94 Service Drive, Belleville, Michigan 48111 Phone: 1-800-592-5489 Fax: 1-800-592-5329	EPA ID #MID048090633
<input type="checkbox"/> EQ Detroit, Inc. (Stabilization, Wastewater Treatment)	1923 Frederick, Detroit, MI 48211 Phone: 1-800-495-6059 Fax: 1-313-923-3375	EPA ID #MID980991566
<input type="checkbox"/> EQ Resource Recovery, Inc. (Solvent Recycling, Fuel Blending, WW Treatment)	36345 Van Born Road, Romulus, Michigan 48174 Phone: (734) 727-5500 Fax: (734) 326-4033	EPA ID #MID060975844
<input type="checkbox"/> EQIS North Carolina (Stabilization, Treatment, Labpack Decommissioning)	1005 Investment Blvd., Apex, NC 27502 Phone: (919) 363-4700 Fax: (919) 363-4714	EPA ID #NCD982170292
<input type="checkbox"/> EQ Florida, Inc. (Drum Consolidation, Labpack Decommissioning)	7202 East Eighth Ave., Tampa, FL 33619 Phone: 1-800-624-5302 Fax: 1-813-628-0842	EPA ID #FLD981932494
<input type="checkbox"/> EQ Detroit Transfer and Processing (Drum Transfer/Universal Waste Handling)	2000 Ferry Street, Detroit, MI 48211 Phone: (313) 923-0080 Fax: (313) 922-8419	EPA ID #MIK939928313
<input type="checkbox"/> EQIS Indianapolis Transfer and Processing (Drum Transfer/Non-Hazardous Waste Processing)	4000 West 10th Street, Indianapolis, Indiana 46222 Phone: (317) 247-7160 Fax: (317) 247-7170	EPA ID #IND161049309
<input type="checkbox"/> EQIS Atlanta Transfer and Processing (Drum Transfer/Non-Hazardous Waste Processing)	5600 Fulton Industrial Blvd., Atlanta, Georgia 30336 Phone: (404) 494-3520 Fax: (404) 494-3560	EPA ID #GAR000039776
<input type="checkbox"/> EQ Augusta, Inc. (Wastewater Treatment)	3920 Goshen Industrial Blvd., Augusta, GA 30906 Phone: 706-771-9100 Fax: 706-771-9124	EPA ID #GAR000011817

Waste Common Name: Solids From C-15 tank

Section 1 - Generator & Customer Info

SIC/NAICS*:

EQ Customer No.:

Generator EPA ID: MST-MP0-002-452

Invoicing Company

Company: USES JACKSON
Address: 1075 MENDELL DAVIS DRIVE
City: JACKSON
State: MS Zip: 39212
Country: USA

Invoicing Contact

Name: Wanda Horton
Phone: (601) 372-3232
Fax: () -

Technical Contact

Name: J.T. Newman
Phone: (601) 372-3232
Fax: () -
Mobile: () - Pager: () -
E-mail: jnewman@usesgroup.com

Generator: Mississippi DEQ
Address: 4280 Rifle Range Rd
City: Vicksburg
State: MS Zip: 39180
County: Warren

Mailing Address

Address: P.O Box 20326
City: Jackson
State: MS Zip: 39289

Generator Contact

Name: Trey Hess / Jerry Banks
Title:
Phone: (601) 961-5221/601-5654
Fax: () -

*For a list of NAICS codes, please refer to Section 9 of the EQ Resource Guide.

Section 2 - Shipping & Packaging Info

- 2.1) Shipping Volume & Unit: 55 gallon Frequency: One Time Only
- 2.2) DOT Shipping Name: Environmentally hazardous substances, solid, n.o.s.
- 2.3) Is this waste surcharge exempt? ☐ Yes ☒ No (If you answered "Yes" to question 2.3, select the Surcharge Exemption reason.)

2.4) Packaging (check all that apply)

- | | | |
|--|--|---|
| <input type="checkbox"/> Bulk Solid (yd ³ < 2000 lbs./yd ³) | <input type="checkbox"/> Bulk Solid (Ton > 2000 lbs./yd ³) | <input type="checkbox"/> Bulk Liquids (Gallon) |
| <input type="checkbox"/> Totes, Size | <input type="checkbox"/> Cubic Yard Boxes/Bags | <input checked="" type="checkbox"/> Drums, Size 55 gallon |
| <input type="checkbox"/> Other (palletized, 5 gal. Pail, etc.) | | |

Quoted bulk disposal charges for solid materials will be billed by the cubic yard, if the waste density is less than 2,000lbs./cubic yard. If waste density is greater than 2,000 lbs./cubic yard, then bulk disposal charges will be billed by the ton, regardless of the approved container.

Section 3 - Physical Characteristics

- 3.1) Color: VARIES
- 3.2) Odor: none
- 3.3) Does this waste contain any "Potentially Odorous Constituents" as defined in the EQ Resource Guide? (Section 3) ☐ Yes ☒ No
- 3.4) Physical State at 70 °F: ☒ Solid ☐ Dust/Powder ☐ Liquid ☐ Sludge
- 3.5) What is the pH of this waste? ☐ ≤ 2 ☐ 2.1-4.9 ☒ 5-10 ☐ 10.1-12.4 ☐ ≥ 12.5
- 3.6) What is the flash point of this waste? ☐ <90 °F ☐ 90-139 °F ☐ 140-199 °F ☐ ≥ 200 °F
- 3.7) Does this waste contain? (check all that apply) ☒ None
- | | | | | | |
|---|---|--|---|---|--------------------------------------|
| <input type="checkbox"/> Biodegradable Sorbants | <input type="checkbox"/> Amines | <input type="checkbox"/> Ammonia | <input type="checkbox"/> Free Liquids | <input type="checkbox"/> Oily Residue | <input type="checkbox"/> Metal Fines |
| <input type="checkbox"/> Shock Sensitive Waste | <input type="checkbox"/> Reactive Waste | <input type="checkbox"/> Radioactive Waste | <input type="checkbox"/> Water Reactive | <input type="checkbox"/> Biohazard | <input type="checkbox"/> Aluminum |
| <input type="checkbox"/> Asbestos - non-friable | <input type="checkbox"/> Asbestos - friable | <input type="checkbox"/> Dioxins | <input type="checkbox"/> Explosives | <input type="checkbox"/> Pyrophoric Waste | <input type="checkbox"/> Isocyanates |
| | | | <input type="checkbox"/> Furans | | |

Section 4 - Composition / Generating Process

- 4.1) Describe the physical composition of the waste (i.e., soil, water, PPE, debris, key chemical compounds, etc.)
- C-15 Tank Solids from 100 to 100 %
- 4.2) Provide a detailed description of the process generating this waste. (attach flow diagram if available).
- Cleanup of abandoned Chemicals from site demolition

Section 5 - Is This Hazardous Waste?

Please refer to Section 5 of the EQ Resource Guide for a list of waste codes.

As determined by 40 CFR, Part 261 and Michigan Act 451 Rules:

Please list applicable waste code(s):

- 5.1) Is this an EPA RCRA listed hazardous waste (F, K, P or U)? ☐ Yes ☒ No
- Comments:
- 5.2) Is this an EPA RCRA characteristic hazardous waste (D001-D043)? ☒ Yes ☐ No
- Comments:
- 5.3) Do any State Hazardous Waste Codes apply? ☐ Yes ☒ No
- Comments:
- 5.4) Is this waste intended for wastewater treatment? ☐ Yes* ☒ No

If you answered "No" to questions 5.1, 5.2, and 5.3, please skip to Section 7.
If you answered "Yes" to question 5.4, please complete the WCR Addendum.

D007

Section 6 - Hazardous Wastes

6.1) Does this waste exceed Land Disposal Restriction Levels?

☒ Yes ☐ No

6.1a) If this waste stream is greater than 50% soil, does it meet the alternative soil treatment standards of 40 CFR 268.49?

☐ Yes ☒ No

6.1b) Does this waste contain greater than 50% debris, by volume? (Debris is greater than 2.5 inches in size.)

☐ Yes ☒ No

6.2) Is the waste an oxidizer (D001)?

☐ Yes ☒ No

6.3) Does this waste contain reactive cyanide \geq 250 ppm (D003)?

☐ Yes ☒ No

6.4) Does this waste contain reactive sulfide \geq 500 ppm (D003)?

☐ Yes ☒ No

6.5) Please indicate which constituent concentrations are below or above the regulatory level. Please indicate the basis used in the determination. Either 'Below' or 'Above' **MUST** be checked for each constituent.

Based On: ☐ Generator Knowledge ☒ Analysis*

☐ MSDS*

*Please forward a copy. Analysis or MSDS are required for EQ Florida Non-hazardous wastes.

Code	Regulatory Level	TCLP (mg/l)		Concentration (If above)
D004	Arsenic	5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D005	Barium	100	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D006	Cadmium	1	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D007	Chromium	5	<input type="radio"/> Below <input checked="" type="radio"/> Above	63.9
D008	Lead	5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D009	Mercury	0.2	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D010	Selenium	1	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D011	Silver	5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D012	Endrin	0.02	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D013	Lindane	0.4	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D014	Methoxychlor	10	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D015	Toxaphene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D016	2,4-D	10	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D017	2,4,5-TP (Silvex)	1	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D018	Benzene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D019	Carbon Tetrachloride	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D020	Chlordane	0.03	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D021	Chlorobenzene	100	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D022	Chloroform	6.0	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D023	o-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above	

Code	Regulatory Level	TCLP (mg/l)		Concentration (If above)
D024	m-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D025	p-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D026	Cresols	200	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D027	1,4-Dichlorobenzene	7.5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D028	1,2-Dichloroethane	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D029	1,1-Dichloroethylene	0.7	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D030	2,4-Dinitrotoluene	0.13	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D031	Heptachlor	0.008	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D032	Hexachlorobenzene	0.13	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D033	Hexachlorobutadiene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D034	Hexachloroethane	3.0	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D035	Methyl Ethyl Ketone	200	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D036	Nitrobenzene	2	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D037	Pentachlorophenol	100	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D038	Pyridine	5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D039	Tetrachloroethylene	0.7	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D040	Trichloroethylene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D041	2,4,5-Trichlorophenol	400	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D042	2,4,6-Trichlorophenol	2	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D043	Vinyl Chloride	0.2	<input checked="" type="radio"/> Below <input type="radio"/> Above	

6.6) If this is a characteristic hazardous waste, does it contain underlying hazardous constituents?

☐ Yes ☒ No

If you answered 'Yes', please list the constituents in Section 11.

Section 7 - Non-Hazardous Wastes

For a complete list of non-hazardous waste codes, please refer to Section 7 of the EQ Resource Guide.

Applicable waste code(s):

7.1) Is this a Michigan non-hazardous liquid industrial waste?

☐ Yes ☒ No

Comments:

7.2) Is this a Universal waste?

☐ Yes ☒ No

7.3) Is this a Recyclable Commodity? (e.g.: computer monitors, free mercury, etc.)

☐ Yes ☒ No

7.4) Is this waste a recoverable petroleum product?

☐ Yes ☒ No

7.5) Is this waste used oil as defined by 40 CFR Part 279?

☐ Yes ☒ No

Section 8 - TSCA Information

- 8.1) What is the concentration of PCBs in the waste? ☒ None ☐ 0-5 ppm ☐ 6-49 ppm
☐ 50-499 ppm ☐ 500+ ppm
- 8.2) Does the waste contain PCB contamination from a source with a concentration ≥ 50 ppm? ☐ Yes ☒ No
If you answered 'None' to 8.1 and 'No' to 8.2, please skip to Section 9.
- 8.3) Has this waste been processed into a non-liquid form? ☐ Yes ☐ No
If yes, what was the concentration of PCBs prior to processing? (ppm) ☐ N/A ☐ 0-499 ☐ 500+
- 8.4) Is the non-liquid PCB waste in the form of soil, rags, debris, or other contaminated media? ☐ Yes ☐ No
- 8.5) Are you a PCB capacitor manufacturer or a PCB equipment manufacturer? ☐ Yes ☐ No
- 8.6) Has the PCB Article (e.g., transformer, hydraulic machine, PCB-contaminated electrical equipment) been drained/flushed of all PCBs and decontaminated in accordance with 40 CFR 761.60(b)? ☐ N/A ☐ Yes ☐ No

Section 9 - Clean Air Act Information

- 9.1) Is this waste subject to regulation under 40 CFR, Part 63, Subpart DD or 40 CFR, Part 264, Subpart CC (RCRA)? ☐ Yes ☒ No
(Does the waste contain >500 ppm Volatile Organic Hazardous Air Pollutants - VOHAP's or Volatile Organic Compounds - VOC's?)
For a complete list of VOHAPs, please see Section 11 of the EQ Resource Guide.
- 9.2) Is this site, or waste, subject to any other MACT or NESHAP? ☐ Yes ☒ No
If yes, please specify:
- 9.3) Does this waste stream contain Benzene? ☐ Yes ☒ No
If you answered "No" to question 9.2, please skip to section 10.
- 9.4) Does the waste stream come from a facility with one of the SIC/NAICS codes listed under the Benzene NESHAP identified in 40 CFR 61, Subpart FF? ☐ Yes ☐ No
- 9.5) Is the generating source of this waste stream a facility with Total Annual Benzene (TAB) ≥ 10 Mg/year? ☐ Yes ☒ No
For assistance in calculating the TAB, please see the TAB Worksheet in Section 9 of the EQ Resource Guide.
If you answered "No" to question 9.3 and 9.4, please skip to Section 10.
- 9.6) Does the waste contain > 10% water? ☐ Yes ☐ No
- 9.7) What is the TAB quantity for your facility? _____ Mg/year
- 9.8) Does the waste contain >1.0 mg/kg total Benzene? ☐ Yes ☐ No
- 9.9) What is the total Benzene concentration in your waste? _____ (concentration) _____ (unit)

(Supporting analysis must be attached. Do not use TCLP analytical results. Acceptable laboratory methods include 8020, 8240, 8260, 802 and 824.)

*For a list of NAICS codes, please refer to section 9 of the EQ Resource Guide.

Section 10 - Fuel Blending Information

- 10.1) Is this waste intended for fuel blending? ☐ Yes* ☒ No
If you answered 'Yes' to question 10.1, please enter the following:
- Heat value (BTU/lb.) _____
- Chlorine (%) _____
- Water (%) _____
- Solids (%) _____
- 10.2) Is this waste intended for reclamation? ☐ Yes ☒ No (5-Gallon Sample required for all reclaim waste streams)

Section 11 - Constituent Information

Please identify your waste constituents from these four categories: Underlying Hazardous Constituents (UHC's), Volatile Organic Hazardous Air Pollutants (VOHAP's), Volatile Organic Compounds (VOC's) and Toxic Release Inventory Constituents (TRI)


Constituent	Concentration	UHC?
-------------	---------------	------

Please see Section 11 of the EQ Resource Guide for a list of UHC's, VOHAP's and VOC's. For a complete list of TRI constituents, please refer to 40 CFR 372.85.

Section 12 - Certification

I certify that all information (including attachments) is complete and factual and is an accurate representation of the known and suspected hazards, pertaining to the waste described herein. I authorize EQ's Resource Team to add supplemental information to the waste approval file, provided I am contacted and give verbal permission. I authorize EQ's Resource Team to obtain a sample from any waste shipment for purposes of verification Generator or on Generator's behalf shall be subject to, and Generator shall be bound by, the attached Standard Terms and Conditions. and confirmation. I agree that, if EQ approves the waste described herein, all such wastes that are transported, delivered, or tendered to EQ by

Comments:
not logged in

Generator:  TREY HESS
Authorized Generator Signature Printed Generator Name
Company: MDEQ Title: EEIV Date: 11/13/07

The generator's signature MUST appear on the EQ Waste Characterization Report. If the generator has authorized a third party to certify this document, a written notice (on generator letterhead) must accompany this submittal. Although the EQ Resource Team is authorized to make certain modifications to the information provided on this form, the addition or removal of waste codes and waste constituents must be documented by the generator.

STANDARD TERMS AND CONDITIONS

The Agreement between the Customer and EQ - The Environmental Quality Company and/or its member companies (hereinafter "EQ") related to or associated with Delivered Waste, as herein defined, shall be governed by the following Standard Terms and Conditions in addition to the terms and conditions contained in any Waste Characterization Report, Customer Approval Quote Confirmation, Generator Approval Notification, Notice of Waste Approval Expiration, and/or Credit Agreement associated with such Delivered Waste.

The Customer may use its standard forms (such as purchase orders, acknowledgments of orders, and invoices) to administer its dealings under this Agreement for convenience purposes, but all provisions thereof in conflict with these terms and conditions shall be deemed stricken.

Definitions.

The following definitions shall apply for purposes of this Agreement:

"Acceptable Waste" shall mean any hazardous waste, as defined under applicable State or federal law, determined by EQ as acceptable for treatment and/or disposal in accordance with this Agreement.

"Delivered Wastes" shall mean all wastes (i) which are transported, delivered, or tendered to EQ by the Customer; (ii) which the Customer has arranged for the transport, delivery or tender to EQ; or (iii) which are transported, delivered, or tendered to EQ under a Credit Agreement between the Customer and EQ.

"Non-Conforming Wastes" shall mean wastes that (a) are not in accordance in all material respects with the warranties, descriptions, specifications or limitations stated in the Waste Characterization Report and this Agreement; (b) have constituents or components of a type or concentration not specifically identified in the Waste Characterization Report (i) which increase the nature or extent of the hazard and risk undertaken by EQ in treating and/or disposing of the waste, or (ii) for whose treatment and/or disposal a Waste Management Facility is not designed or permitted, or (iii) which increase the cost of treatment and/or disposal of waste beyond that specified in EQ's price quote; or (c) are not properly packaged, labeled, described, or placarded, or otherwise not in compliance with United States Department of Transportation and United States Environmental Protection Agency regulations.

Control of Operations.

EQ shall have sole control over all aspects of the operation of any treatment and/or disposal facility of EQ receiving Delivered Wastes under this Agreement (hereinafter, "Waste Management Facility"), including, without limitation, maintaining EQ's desired volume of Acceptable Wastes being delivered to any Waste Management Facility by the Customer or any other person or entity.

Identification of Waste.

For each waste material to be transported, delivered, or tendered to EQ under this Agreement, the Customer shall provide, or cause to be provided, to EQ a representative sample of the waste material and a completed Waste Characterization Report containing a physical and chemical description or analysis of such waste material, which description shall conform with any and all guidelines for waste acceptance provided by EQ. On the basis of EQ's analysis of such representative sample of the waste material and such Waste Characterization Report, EQ will determine whether such wastes are Acceptable Wastes. EQ does not make any guarantee that it will handle any waste material or any particular quantity or type of waste material, and EQ reserves the right to the decline to transport, treat and/or dispose of waste material. The Customer shall promptly furnish to EQ any information regarding known, suspected or planned changes in the composition of the waste material. Further, the Customer shall promptly inform EQ of any change in the characteristic or condition of the waste material which becomes known to the Customer subsequent to the date of the Waste Characterization Report.

Non-Conforming Wastes.

In the event that EQ at any time discovers that any Delivered Waste is Non-Conforming Waste, EQ may reject or revoke its acceptance of the Non-Conforming Waste. The Customer shall have seven (7) days to direct an alternative lawful manner of disposition of the waste, unless it is necessary by reason of law or otherwise to move the Non-Conforming Waste prior to expiration of the seven (7) day period. If the Customer does not direct an alternative disposal, at its option, EQ may return any such Non-Conforming Wastes to the Customer, and the Customer shall pay or reimburse EQ for all costs and expenses incurred by EQ in connection with the receipt, handling, sampling, analyses, transportation and return to the Customer of such Non-Conforming Wastes. If it is impossible or impractical for EQ to return the Non-Conforming Waste to the Customer, the Customer shall reimburse EQ for all costs, of any type or nature whatsoever, incurred by EQ, solely because such Delivered Waste was Non-Conforming Waste (including, but not limited to, all costs associated with any remedial steps necessary, due to the nature of the Non-Conforming Waste, in connection with material with which the Non-Conforming Waste may have been commingled and all expenses and charges for analyzing, handling, locating, preparing for transporting, storing and disposing of any Non-Conforming Waste).

Customer Warranty - Title to Wastes.

Either the Customer or the generator (if other than the Customer) shall hold clear title, free of any all liens, claims, encumbrances, and charges to Delivered Waste until such waste is accepted by EQ.

Customer Warranty - Acceptable Wastes.

All Delivered Wastes shall be Acceptable Wastes and shall conform in all material respects to the description and specifications contained in the Waste Characterization Report. The information set forth in the Waste Characterization Report or any manifest, placard or label associated with any Delivered Wastes, or otherwise represented by the Customer or the generator (if other than the Customer) to EQ, is and shall be true, accurate and complete as of the date of receipt of the involved waste by EQ.

Customer Warranty - Compliance with Laws.

The Customer shall comply with all applicable federal, state and local environmental statutes, regulations, and other governmental requirements, as well as directives issued by EQ from time to time, governing the transportation, treatment and/or disposal of Acceptable Wastes, including, but not limited to, all packaging, manifesting, containerization, placarding and labeling requirements.

Customer Warranty - Updating Information.

If the Customer receives information that Delivered Waste or other hazardous waste described in the Waste Characterization Report, or some component of such waste, presents or may present a hazard or risk to persons, property or the environment which was not disclosed to EQ, or if the Customer or generator (if other than the Customer) has changed the process by which such waste results, the Customer shall promptly report such information to EQ in writing.

Customer Indemnity.

The Customer shall indemnify, defend and hold harmless EQ, and its affiliated or related companies, and all of their respective present or future officers, directors, shareholders, employees and agents from and against any and all losses, damages, liabilities, penalties, fines, forfeitures, demands, claims, causes of action, suits, costs and expenses (including, but not limited to, reasonable costs of defense, settlement, and reasonable attorneys' fees), which may be asserted against any or all of them by any person or any governmental agency, or which any or all of them may hereafter suffer, incur, be responsible for or pay out, as a result of or in connection with bodily injuries (including, but not limited to, death, sickness, disease and emotional or mental distress) to any person (including EQ's employees), damage (including, but not limited to, loss of use) to any property (public or private), or any requirements to conduct or incur expense for investigative, removal or remedial expenses in connection with contamination of or adverse effect on the environment, or any violation or alleged violation of any statutes, ordinances, orders, rules or regulations of any governmental entity or agency, caused or arising out of (i) a breach of this Agreement by the Customer, (ii) the failure of any warranty of the Customer to be true, accurate and complete, or (iii) any willful or negligent act or omission of the Customer, or its employees or agents in connection with the performance of this Agreement.

Force Majeure.

EQ shall not be liable for any failure to accept, receive, handle, treat, and/or dispose of Delivered Waste due to an act of God, fire, casualty, flood, war, strike, lockout, labor trouble, failure of public utilities, equipment failure, facility shutdown, injunction, accident, epidemic, riot, insurrection, destruction of operation or transportation facilities, the inability to procure materials, equipment, or sufficient personnel or energy in order to meet operational needs without the necessity of allocation, the failure or inability to obtain any governmental approvals or to meet Environmental Requirements (including, but not limited to voluntary or involuntary compliance with any act, exercise, assertion, or requirement of any governmental authority) which may temporarily or permanently prohibit operations of EQ, the Customer, or the Generator, or any other circumstances beyond the control of EQ which prevents or delays performance of any of its obligations under this Agreement.

Governing Laws.

This Agreement shall in all respects be governed by and shall be construed in accordance with the laws of the State of Michigan applied to contracts executed and performed wholly within such state.

EQ - The Environmental Quality Company Waste Characterization Report

☒ I authorize EQ - The Environmental Quality Company to choose the appropriate method of waste management, from the technologies offered, at the EQ facilities identified below.

<input type="checkbox"/> Michigan Disposal Waste Treatment Plant (Stabilization and Treatment)	49350 North I-94 Service Drive, Belleville, Michigan 48111 Phone: 1-800-592-5489 Fax: 1-800-592-5329	EPA ID #MID000724831
<input type="checkbox"/> Wayne Disposal, Inc. (Hazardous & PCB Waste Landfill)	49350 North I-94 Service Drive, Belleville, Michigan 48111 Phone: 1-800-592-5489 Fax: 1-800-592-5329	EPA ID #MID048090633
<input type="checkbox"/> EQ Detroit, Inc. (Stabilization, Wastewater Treatment)	1923 Frederick, Detroit, MI 48211 Phone: 1-800-495-6059 Fax: 1-313-923-3375	EPA ID #MID980991566
<input type="checkbox"/> EQ Resource Recovery, Inc. (Solvent Recycling, Fuel Blending, WW Treatment)	36345 Van Born Road, Romulus, Michigan 48174 Phone: (734) 727-5500 Fax: (734) 326-4033	EPA ID #MID060975844
<input type="checkbox"/> EQIS North Carolina (Stabilization, Treatment, Labpack Decommissioning)	1005 Investment Blvd., Apex, NC 27502 Phone: (919) 363-4700 Fax: (919) 363-4714	EPA ID #NCD982170292
<input type="checkbox"/> EQ Florida, Inc. (Drum Consolidation, Labpack Decommissioning)	7202 East Eighth Ave., Tampa, FL 33619 Phone: 1-800-624-5302 Fax: 1-813-628-0842	EPA ID #FLD981932494
<input type="checkbox"/> EQ Detroit Transfer and Processing (Drum Transfer/Universal Waste Handling)	2000 Ferry Street, Detroit, MI 48211 Phone: (313) 923-0080 Fax: (313) 922-8419	EPA ID #MIK939928313
<input type="checkbox"/> EQIS Indianapolis Transfer and Processing (Drum Transfer/Non-Hazardous Waste Processing)	4000 West 10th Street, Indianapolis, Indiana 46222 Phone: (317) 247-7160 Fax: (317) 247-7170	EPA ID #IND161049309
<input type="checkbox"/> EQIS Atlanta Transfer and Processing (Drum Transfer/Non-Hazardous Waste Processing)	5600 Fulton Industrial Blvd., Atlanta, Georgia 30336 Phone: (404) 494-3520 Fax: (404) 494-3560	EPA ID #GAR000039776
<input type="checkbox"/> EQ Augusta, Inc. (Wastewater Treatment)	3920 Goshen Industrial Blvd., Augusta, GA 30906 Phone: 706-771-9100 Fax: 706-771-9124	EPA ID #GAR000011817

Waste Common Name: Liquids From C-15 tank

Section 1 - Generator & Customer Info

SIC/NAICS*:

Generator EPA ID: MST-MP0-002-452

Generator: Mississippi DEQ
Address: 4280 Rifle Range Rd
City: Vicksburg
State: MS Zip: 39180
County: Warren

Mailing Address

Address: P.O Box 20326
City: Jackson
State: MS Zip: 39289

Generator Contact

Name: Trey Hess / Jerry Banks
Title:
Phone: (601) 961-5221/6019615654
Fax: () -

EQ Customer No.:

Invoicing Company

Company: USES JACKSON
Address: 1075 MENDELL DAVIS DRIVE
City: JACKSON
State: MS Zip: 39212
Country: USA

Invoicing Contact

Name: Wanda Horton
Phone: (601) 372-3232
Fax: () -

Technical Contact

Name: J.T. Newman
Phone: (601) 372-3232
Fax: () -

Mobile: () - Pager: () -
E-mail: jnewman@usesgroup.com

*For a list of NAICS codes, please refer to Section 9 of the EQ Resource Guide.

Section 2 - Shipping & Packaging Info

- 2.1) Shipping Volume & Unit: 55 gallon Frequency: One Time Only
2.2) DOT Shipping Name: Environmentally hazardous substances, liquid, n.o.s.
2.3) Is this waste surcharge exempt? ☐ Yes ☒ No (If you answered "Yes" to question 2.3, select the Surcharge Exemption reason.)

2.4) Packaging (check all that apply)

- ☐ Bulk Solid (yd³ < 2000 lbs./yd³) ☐ Bulk Solid (Ton > 2000 lbs./yd³) ☐ Bulk Liquids (Gallon)
☐ Totes, Size ☐ Cubic Yard Boxes/Bags ☒ Drums, Size 55 gallon
☐ Other (palletized, 5 gal. Pail, etc.)

Quoted bulk disposal charges for solid materials will be billed by the cubic yard, if the waste density is less than 2,000lbs./cubic yard. If waste density is greater than 2,000 lbs./cubic yard, then bulk disposal charges will be billed by the ton, regardless of the approved container.

Section 3 - Physical Characteristics

- 3.1) Color: VARIES 3.2) Odor: none
3.3) Does this waste contain any "Potentially Odorous Constituents" as defined in the EQ Resource Guide? (Section 3) ☐ Yes ☒ No
3.4) Physical State at 70 °F: ☐ Solid ☐ Dust/Powder ☒ Liquid ☐ Sludge
3.5) What is the pH of this waste? ☐ ≤ 2 ☐ 2.1-4.9 ☒ 5-10 ☐ 10.1-12.4 ☐ ≥ 12.5
3.6) What is the flash point of this waste? ☐ <90 °F ☐ 90-139 °F ☐ 140-199 °F ☐ ≥ 200 °F
3.7) Does this waste contain? (check all that apply) ☒ None
☐ Biodegradable Sorbants ☐ Amines ☐ Ammonia ☐ Free Liquids ☐ Oily Residue ☐ Metal Fines
☐ Shock Sensitive Waste ☐ Reactive Waste ☐ Radioactive Waste ☐ Water Reactive ☐ Biohazard ☐ Aluminum
☐ Asbestos - non-friable ☐ Asbestos - friable ☐ Dioxins ☐ Explosives ☐ Pyrophoric Waste ☐ Isocyanates
☐ Furan

Section 4 - Composition / Generating Process

- 4.1) Describe the physical composition of the waste (i.e., soil, water, PPE, debris, key chemical compounds, etc.)
C-15 Tank Liquids from 100 to 100 %
4.2) Provide a detailed description of the process generating this waste. (attach flow diagram if available).
Cleanup of abandoned Chemicals from site demolition

Section 5 - Is This Hazardous Waste?

Please refer to Section 5 of the EQ Resource Guide for a list of waste codes.

As determined by 40 CFR, Part 261 and Michigan Act 451 Rules:

Please list applicable waste code(s):

- 5.1) Is this an EPA RCRA listed hazardous waste (F, K, P or U)? ☐ Yes ☒ No
Comments:
5.2) Is this an EPA RCRA characteristic hazardous waste (D001-D043)? ☒ Yes ☐ No
Comments:
5.3) Do any State Hazardous Waste Codes apply? ☐ Yes ☒ No
Comments:
5.4) Is this waste intended for wastewater treatment? ☐ Yes* ☒ No

D007

If you answered "No" to questions 5.1, 5.2, and 5.3, please skip to Section 7.
If you answered "Yes" to question 5.4, please complete the WCR Addendum.

Section 6 - Hazardous Wastes

6.1) Does this waste exceed Land Disposal Restriction Levels?

6.1a) If this waste stream is greater than 50% soil, does it meet the alternative soil treatment standards of 40 CFR 268.49?

6.1b) Does this waste contain greater than 50% debris, by volume? (Debris is greater than 2.5 inches in size.)

6.2) Is the waste an oxidizer (D001)?

6.3) Does this waste contain reactive cyanide ≥ 250 ppm (D003)?

6.4) Does this waste contain reactive sulfide ≥ 500 ppm (D003)?

6.5) Please indicate which constituent concentrations are below or above the regulatory level. Please indicate the basis used in the determination. Either 'Below' or 'Above' **MUST** be checked for each constituent.

Based On: ☐ Generator Knowledge ☒ Analysis* ☐ MSDS*

*Please forward a copy. Analysis or MSDS are required for EQ Florida Non-hazardous wastes.

Code	Regulatory Level	TCLP (mg/l)		Concentration (If above)
D004	Arsenic	5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D005	Barium	100	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D006	Cadmium	1	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D007	Chromium	5	<input type="radio"/> Below <input checked="" type="radio"/> Above	63.9
D008	Lead	5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D009	Mercury	0.2	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D010	Selenium	1	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D011	Silver	5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D012	Endrin	0.02	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D013	Lindane	0.4	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D014	Methoxychlor	10	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D015	Toxaphene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D016	2,4-D	10	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D017	2,4,5-TP (Silvex)	1	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D018	Benzene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D019	Carbon Tetrachloride	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D020	Chlordane	0.03	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D021	Chlorobenzene	100	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D022	Chloroform	6.0	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D023	o-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above	

Code	Regulatory Level	TCLP (mg/l)		Concentration (If above)
D024	m-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D025	p-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D026	Cresols	200	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D027	1,4-Dichlorobenzene	7.5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D028	1,2-Dichloroethane	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D029	1,1-Dichloroethylene	0.7	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D030	2,4-Dinitrotoluene	0.13	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D031	Heptachlor	0.008	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D032	Hexachlorobenzene	0.13	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D033	Hexachlorobutadiene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D034	Hexachloroethane	3.0	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D035	Methyl Ethyl Ketone	200	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D036	Nitrobenzene	2	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D037	Pentachlorophenol	100	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D038	Pyridine	5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D039	Tetrachloroethylene	0.7	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D040	Trichloroethylene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D041	2,4,5-Trichlorophenol	400	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D042	2,4,6-Trichlorophenol	2	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D043	Vinyl Chloride	0.2	<input checked="" type="radio"/> Below <input type="radio"/> Above	

6.6) If this is a characteristic hazardous waste, does it contain underlying hazardous constituents?

If you answered "Yes", please list the constituents in Section 11.

☐ Yes ☒ No

Section 7 - Non-Hazardous Wastes

For a complete list of non-hazardous waste codes, please refer to Section 7 of the EQ Resource Guide.

7.1) Is this a Michigan non-hazardous liquid industrial waste?

Comments:

☐ Yes ☒ No

7.2) Is this a Universal waste?

☐ Yes ☒ No

7.3) Is this a Recyclable Commodity? (e.g.: computer monitors, free mercury, etc.)

☐ Yes ☒ No

7.4) Is this waste a recoverable petroleum product?

☐ Yes ☒ No

7.5) Is this waste used oil as defined by 40 CFR Part 279?

☐ Yes ☒ No

Applicable waste code(s):

Section 8 - TSCA Information

8.1) What is the concentration of PCBs in the waste?

☒ None ☐ 0-5 ppm ☐ 6-49 ppm
☐ 50-499 ppm ☐ 500+ ppm

8.2) Does the waste contain PCB contamination from a source with a concentration ≥ 50 ppm?

☐ Yes ☒ No

If you answered 'None' to 8.1 and 'No' to 8.2, please skip to Section 9.

8.3) Has this waste been processed into a non-liquid form?

☐ Yes ☐ No

If yes, what was the concentration of PCBs prior to processing? (ppm)

☐ N/A ☐ 0-499 ☐ 500+

8.4) Is the non-liquid PCB waste in the form of soil, rags, debris, or other contaminated media?

☐ Yes ☐ No

8.5) Are you a PCB capacitor manufacturer or a PCB equipment manufacturer?

☐ Yes ☐ No

8.6) Has the PCB Article (e.g., transformer, hydraulic machine, PCB-contaminated electrical equipment) been drained/flushed of all PCBs and decontaminated in accordance with 40 CFR 761.60(b)?

☐ N/A ☐ Yes ☐ No

Section 9 - Clean Air Act Information

9.1) Is this waste subject to regulation under 40 CFR, Part 63, Subpart DD or 40 CFR, Part 264, Subpart CC (RCRA)?

☐ Yes ☒ No

(Does the waste contain >500 ppm Volatile Organic Hazardous Air Pollutants - VOHAP's or Volatile Organic Compounds - VOC's?)

For a complete list of VOHAPs, please see Section 11 of the EQ Resource Guide.

9.2) Is this site, or waste, subject to any other MACT or NESHAP?

☐ Yes ☒ No

If yes, please specify:

9.3) Does this waste stream contain Benzene?

☐ Yes ☒ No

If you answered "No" to question 9.2, please skip to section 10.

9.4) Does the waste stream come from a facility with one of the SIC/NAICS codes listed under the Benzene NESHAP identified in 40 CFR 61, Subpart FF?

☐ Yes ☐ No

9.5) Is the generating source of this waste stream a facility with Total Annual Benzene (TAB) ≥ 10 Mg/year?

☐ Yes ☒ No

For assistance in calculating the TAB, please see the TAB Worksheet in Section 9 of the EQ Resource Guide.

If you answered "No" to question 9.3 and 9.4, please skip to Section 10.

9.6) Does the waste contain > 10% water?

☐ Yes ☐ No

9.7) What is the TAB quantity for your facility?

Mg/year

9.8) Does the waste contain >1.0 mg/kg total Benzene?

☐ Yes ☐ No

9.9) What is the total Benzene concentration in your waste?

(concentration)

(unit)

(Supporting analysis must be attached. Do not use TCLP analytical results. Acceptable laboratory methods include 8020, 8240, 8260, 602 and 624.)

**For a list of NAICS codes, please refer to section 9 of the EQ Resource Guide.*

Section 10 - Fuel Blending Information

10.1) Is this waste intended for fuel blending?

☐ Yes* ☒ No

If you answered 'Yes' to question 10.1, please enter the following:

Heat value (BTU/lb.) _____

Chlorine (%) _____

Water (%) _____

Solids (%) _____

10.2) Is this waste intended for reclamation?

☐ Yes

☒ No

(5-Gallon Sample required for all reclaim waste streams)

Section 11 - Constituent Information

Please identify your waste constituents from these four categories: Underlying Hazardous Constituents (UHC's), Volatile Organic Hazardous Air Pollutants (VOHAP's), Volatile Organic Compounds (VOC's) and Toxic Release Inventory Constituents (TRI)

Constituent

Concentration


UHC?

Please see Section 11 of the EQ Resource Guide for a list of UHC's, VOHAP's and VOC's. For a complete list of TRI constituents, please refer to 40 CFR 372.66.

Section 12 - Certification

I certify that all information (including attachments) is complete and factual and is an accurate representation of the known and suspected hazards, pertaining to the waste described herein. I authorize EQ's Resource Team to add supplemental information to the waste approval file, provided I am contacted and give verbal permission. I authorize EQ's Resource Team to obtain a sample from any waste shipment for purposes of verification. Generator or on Generator's behalf shall be subject to, and Generator shall be bound by, the attached Standard Terms and Conditions and confirmation. I agree that, if EQ approves the waste described herein, all such wastes that are transported, delivered, or tendered to EQ by

Comments:
not logged in

Generator:  TREY HESS
Authorized Generator Signature Printed Generator Name
Company: MDEQ Title: EETV Date: 11/13/07

The generator's signature MUST appear on the EQ Waste Characterization Report. If the generator has authorized a third party to certify this document, a written notice (on generator letterhead) must accompany this submittal. Although the EQ Resource Team is authorized to make certain modifications to the information provided on this form, the addition or removal of waste codes and waste constituents must be documented by the generator.

STANDARD TERMS AND CONDITIONS

The Agreement between the Customer and EQ - The Environmental Quality Company and/or its member companies (hereinafter "EQ") related to or associated with Delivered Waste, as herein defined, shall be governed by the following Standard Terms and Conditions in addition to the terms and conditions contained in any Waste Characterization Report, Customer Approval Quote Confirmation, Generator Approval Notification, Notice of Waste Approval Expiration, and/or Credit Agreement associated with such Delivered Waste.

The Customer may use its standard forms (such as purchase orders, acknowledgments of orders, and invoices) to administer its dealings under this Agreement for convenience purposes, but all provisions thereof in conflict with these terms and conditions shall be deemed stricken.

Definitions.

The following definitions shall apply for purposes of this Agreement:

"Acceptable Waste" shall mean any hazardous waste, as defined under applicable State or federal law, determined by EQ as acceptable for treatment and/or disposal in accordance with this Agreement.

"Delivered Wastes" shall mean all wastes (i) which are transported, delivered, or tendered to EQ by the Customer; (ii) which the Customer has arranged for the transport, delivery or tender to EQ; or (iii) which are transported, delivered, or tendered to EQ under a Credit Agreement between the Customer and EQ.

"Non-Conforming Wastes" shall mean wastes that (a) are not in accordance in all material respects with the warranties, descriptions, specifications or limitations stated in the Waste Characterization Report and this Agreement; (b) have constituents or components of a type or concentration not specifically identified in the Waste Characterization Report (i) which increase the nature or extent of the hazard and risk undertaken by EQ in treating and/or disposing of the waste, or (ii) for whose treatment and/or disposal a Waste Management Facility is not designed or permitted, or (iii) which increase the cost of treatment and/or disposal of waste beyond that specified in EQ's price quote; or (c) are not properly packaged, labeled, described, or placarded, or otherwise not in compliance with United States Department of Transportation and United States Environmental Protection Agency regulations.

Control of Operations.

EQ shall have sole control over all aspects of the operation of any treatment and/or disposal facility of EQ receiving Delivered Wastes under this Agreement (hereinafter,

"Waste Management Facility"), including, without limitation, maintaining EQ's desired volume of Acceptable Wastes being delivered to any Waste Management Facility by the Customer or any other person or entity.

Identification of Waste.

For each waste material to be transported, delivered, or tendered to EQ under this Agreement, the Customer shall provide, or cause to be provided, to EQ a representative sample of the waste material and a completed Waste Characterization Report containing a physical and chemical description or analysis of such waste material, which description shall conform with any and all guidelines for waste acceptance provided by EQ. On the basis of EQ's analysis of such representative sample of the waste material and such Waste Characterization Report, EQ will determine whether such wastes are Acceptable Wastes. EQ does not make any guarantee that it will handle any waste material or any particular quantity or type of waste material, and EQ reserves the right to the decline to transport, treat and/or dispose of waste material. The Customer shall promptly furnish to EQ any information regarding known, suspected or planned changes in the composition of the waste material. Further, the Customer shall promptly inform EQ of any change in the characteristic or condition of the waste material which becomes known to the Customer subsequent to the date of the Waste Characterization Report.

Non-Conforming Wastes.

In the event that EQ at any time discovers that any Delivered Waste is Non-Conforming Waste, EQ may reject or revoke its acceptance of the Non-Conforming Waste. The Customer shall have seven (7) days to direct an alternative lawful manner of disposition of the waste, unless it is necessary by reason of law or otherwise to move the Non-Conforming Waste prior to expiration of the seven (7) day period. If the Customer does not direct an alternative disposal, at its option, EQ may return any such Non-Conforming Wastes to the Customer, and the Customer shall pay or reimburse EQ for all costs and expenses incurred by EQ in connection with the receipt, handling, sampling, analyses, transportation and return to the Customer of such Non-Conforming Wastes. If it is impossible or impractical for EQ to return the Non-Conforming Waste to the Customer, the Customer shall reimburse EQ for all costs, of any type or nature whatsoever, incurred by EQ, solely because such Delivered Waste was Non-Conforming Waste (including, but not limited to, all costs associated with any remedial steps necessary, due to the nature of the Non-Conforming Waste, in connection with material with which the Non-Conforming Waste may have been commingled and all expenses and charges for analyzing, handling, locating, preparing for transporting, storing and disposing of any Non-Conforming Waste).

Customer Warranty - Title to Wastes.

Either the Customer or the generator (if other than the Customer) shall hold clear title, free of any all liens, claims, encumbrances, and charges to Delivered Waste until such waste is accepted by EQ.

Customer Warranty - Acceptable Wastes.

All Delivered Wastes shall be Acceptable Wastes and shall conform in all material respects to the description and specifications contained in the Waste Characterization Report. The information set forth in the Waste Characterization Report or any manifest, placard or label associated with any Delivered Wastes, or otherwise represented by the Customer or the generator (if other than the Customer) to EQ, is and shall be true, accurate and complete as of the date of receipt of the involved waste by EQ.

Customer Warranty - Compliance with Laws.

The Customer shall comply with all applicable federal, state and local environmental statutes, regulations, and other governmental requirements, as well as directives issued by EQ from time to time, governing the transportation, treatment and/or disposal of Acceptable Wastes, including, but not limited to, all packaging, manifesting, containerization, placarding and labeling requirements.

Customer Warranty - Updating Information.

If the Customer receives information that Delivered Waste or other hazardous waste described in the Waste Characterization Report, or some component of such waste, presents or may present a hazard or risk to persons, property or the environment which was not disclosed to EQ, or if the Customer or generator (if other than the Customer) has changed the process by which such waste results, the Customer shall promptly report such information to EQ in writing.

Customer Indemnity.

The Customer shall indemnify, defend and hold harmless EQ, and its affiliated or related companies, and all of their respective present or future officers, directors, shareholders, employees and agents from and against any and all losses, damages, liabilities, penalties, fines, forfeitures, demands, claims, causes of action, suits, costs and expenses (including, but not limited to, reasonable costs of defense, settlement, and reasonable attorneys' fees), which may be asserted against any or all of them by any person or any governmental agency, or which any or all of them may hereafter suffer, incur, be responsible for or pay out, as a result of or in connection with bodily injuries (including, but not limited to, death, sickness, disease and emotional or mental distress) to any person (including EQ's employees), damage (including, but not limited to, loss of use) to any property (public or private), or any requirements to conduct or incur expense for investigative, removal or remedial expenses in connection with contamination of or adverse effect on the environment, or any violation or alleged violation of any statutes, ordinances, orders, rules or regulations of any governmental entity or agency, caused or arising out of (i) a breach of this Agreement by the Customer, (ii) the failure of any warranty of the Customer to be true, accurate and complete, or (iii) any willful or negligent act or omission of the Customer, or its employees or agents in connection with the performance of this Agreement.

Force Majeure.

EQ shall not be liable for any failure to accept, receive, handle, treat, and/or dispose of Delivered Waste due to an act of God, fire, casualty, flood, war, strike, lockout, labor trouble, failure of public utilities, equipment failure, facility shutdown, injunction, accident, epidemic, riot, insurrection, destruction of operation or transportation facilities, the inability to procure materials, equipment, or sufficient personnel or energy in order to meet operational needs without the necessity of allocation, the failure or inability to obtain any governmental approvals or to meet Environmental Requirements (including, but not limited to voluntary or involuntary compliance with any act, exercise, assertion, or requirement of any governmental authority) which may temporarily or permanently prohibit operations of EQ, the Customer, or the Generator, or any other circumstances beyond the control of EQ which prevents or delays performance of any of its obligations under this Agreement.

Governing Laws.

This Agreement shall in all respects be governed by and shall be construed in accordance with the laws of the State of Michigan applied to contracts executed and performed wholly within such state.

EQ - The Environmental Quality Company

Waste Characterization Report

☒ I authorize EQ - The Environmental Quality Company to choose the appropriate method of waste management, from the technologies offered, at the EQ facilities identified below.

<input type="checkbox"/> Michigan Disposal Waste Treatment Plant (Stabilization and Treatment)	49350 North I-94 Service Drive, Belleville, Michigan 48111 Phone: 1-800-592-5489 Fax: 1-800-592-5329	EPA ID #MID000724831
<input type="checkbox"/> Wayne Disposal, Inc. (Hazardous & PCB Waste Landfill)	49350 North I-94 Service Drive, Belleville, Michigan 48111 Phone: 1-800-592-5489 Fax: 1-800-592-5329	EPA ID #MID048090633
<input type="checkbox"/> EQ Detroit, Inc. (Stabilization, Wastewater Treatment)	1923 Frederick, Detroit, MI 48211 Phone: 1-800-495-6059 Fax: 1-313-923-3375	EPA ID #MID980991566
<input type="checkbox"/> EQ Resource Recovery, Inc. (Solvent Recycling, Fuel Blending, WW Treatment)	36345 Van Born Road, Romulus, Michigan 48174 Phone: (734) 727-5500 Fax: (734) 326-4033	EPA ID #MID060975844
<input type="checkbox"/> EQIS North Carolina (Stabilization, Treatment, Labpack Decommissioning)	1005 Investment Blvd., Apex, NC 27502 Phone: (919) 363-4700 Fax: (919) 363-4714	EPA ID #NCD982170292
<input type="checkbox"/> EQ Florida, Inc. (Drum Consolidation, Labpack Decommissioning)	7202 East Eighth Ave., Tampa, FL 33619 Phone: 1-800-624-5302 Fax: 1-813-628-0842	EPA ID #FLD981932494
<input type="checkbox"/> EQ Detroit Transfer and Processing (Drum Transfer/Universal Waste Handling)	2000 Ferry Street, Detroit, MI 48211 Phone: (313) 923-0080 Fax: (313) 922-8419	EPA ID #MIK939928313
<input type="checkbox"/> EQIS Indianapolis Transfer and Processing (Drum Transfer/Non-Hazardous Waste Processing)	4000 West 10th Street, Indianapolis, Indiana 46222 Phone: (317) 247-7160 Fax: (317) 247-7170	EPA ID #IND161049309
<input type="checkbox"/> EQIS Atlanta Transfer and Processing (Drum Transfer/Non-Hazardous Waste Processing)	5600 Fulton Industrial Blvd., Atlanta, Georgia 30336 Phone: (404) 494-3520 Fax: (404) 494-3560	EPA ID #GAR000039776
<input type="checkbox"/> EQ Augusta, Inc. (Wastewater Treatment)	3920 Goshen Industrial Blvd., Augusta, GA 30906 Phone: 706-771-9100 Fax: 706-771-9124	EPA ID #GAR000011817

Waste Common Name: Toxaphene

Section 1 - Generator & Customer Info

SIC/NAICS*:

Generator EPA ID: MST-MP0-002-452

EQ Customer No.: 10958

Generator: Mississippi DEQ
Address: 4280 Rifle Range Rd
City: Vicksburg
State: MS Zip: 39180
County: Warren

Mailing Address

Address: P.O. Box 20326
City: Jackson
State: MS Zip: 39289

Generator Contact

Name: Trey Hess / Jerry Banks
Title:
Phone: (601) 961-5221/6019615654
Fax: () -

Invoicing Company

Company: USES JACKSON
Address: 1075 MENDELL DAVIS DRIVE
City: JACKSON
State: MS Zip: 39212
Country: USA

Invoicing Contact

Name: Wanda Horton
Phone: (601) 372-3232
Fax: () -

Technical Contact

Name: J.T. Newman
Phone: (601) 372-3232
Fax: () -
Mobile: () - Pager: () -
E-mail: jnewman@usesgroup.com

*For a list of NAICS codes, please refer to Section 9 of the EQ Resource Guide.

Section 2 - Shipping & Packaging Info

- 2.1) Shipping Volume & Unit: 5 gallon Frequency: One Time Only
2.2) DOT Shipping Name: Toxic liquid, inorganic, n.o.s.
2.3) Is this waste surcharge exempt? ☐ Yes ☒ No (If you answered "Yes" to question 2.3, select the Surcharge Exemption reason.)

2.4) Packaging (check all that apply)

- ☐ Bulk Solid (yd ³ < 2000 lbs./yd ³) ☐ Bulk Solid (Ton > 2000 lbs./yd ³) ☐ Bulk Liquids (Gallon)
☐ Totes, Size ☐ Cubic Yard Boxes/Bags ☐ Drums, Size
☒ Other (palletized, 5 gal. Pail, etc.) 5 gallon Pail

Quoted bulk disposal charges for solid materials will be billed by the cubic yard, if the waste density is less than 2,000lbs./cubic yard. If waste density is greater than 2,000 lbs./cubic yard, then bulk disposal charges will be billed by the ton, regardless of the approved container.

Section 3 - Physical Characteristics

- 3.1) Color: VARIES 3.2) Odor: none
3.3) Does this waste contain any "Potentially Odorous Constituents" as defined in the EQ Resource Guide? (Section 3) ☐ Yes ☒ No
3.4) Physical State at 70 °F: ☐ Solid ☐ Dust/Powder ☒ Liquid ☐ Sludge
3.5) What is the pH of this waste? ☐ ≤ 2 ☐ 2.1-4.9 ☒ 5-10 ☐ 10.1-12.4 ☒ ≥ 12.5
3.6) What is the flash point of this waste? ☐ <90 °F ☐ 90-139 °F ☐ 140-199 °F ☐ ≥ 200 °F
3.7) Does this waste contain? (check all that apply) ☒ None ☐ Free Liquids ☐ Oily Residue ☐ Metal Fines
☐ Biodegradable Sorbants ☐ Amines ☐ Ammonia ☐ Water Reactive ☐ Biohazard ☐ Aluminum
☐ Shock Sensitive Waste ☐ Reactive Waste ☐ Radioactive Waste ☐ Explosives ☐ Pyrophoric Waste ☐ Isocyanates
☐ Asbestos - non-friable ☐ Asbestos - friable ☐ Dioxins ☐ Furans

Section 4 - Composition / Generating Process

- 4.1) Describe the physical composition of the waste (i.e., soil, water, PPE, debris, key chemical compounds, etc.)
Toxaphene from 100. to 100. %
4.2) Provide a detailed description of the process generating this waste. (attach flow diagram if available).
Labpack of chemicals in abandoned Chemical plant Lab

Section 5 - Is This Hazardous Waste?

Please refer to Section 5 of the EQ Resource Guide for a list of waste codes.

As determined by 40 CFR, Part 261 and Michigan Act 451 Rules:

Please list applicable waste code(s):

- 5.1) Is this an EPA RCRA listed hazardous waste (F, K, P or U)? ☒ Yes ☐ No
Comments: P123
5.2) Is this an EPA RCRA characteristic hazardous waste (D001-D043)? ☒ Yes ☐ No
Comments: D015
5.3) Do any State Hazardous Waste Codes apply? ☐ Yes ☒ No
Comments:
5.4) Is this waste intended for wastewater treatment? ☐ Yes* ☒ No

If you answered "No" to questions 5.1, 5.2, and 5.3, please skip to Section 7.
If you answered "Yes" to question 5.4, please complete the WCR Addendum.

Section 6 - Hazardous Wastes

6.1) Does this waste exceed Land Disposal Restriction Levels?

6.1a) If this waste stream is greater than 50% soil, does it meet the alternative soil treatment standards of 40 CFR 268.49?

6.1b) Does this waste contain greater than 50% debris, by volume? (Debris is greater than 2.5 inches in size.)

6.2) Is the waste an oxidizer (D001)?

6.3) Does this waste contain reactive cyanide \geq 250 ppm (D003)?

6.4) Does this waste contain reactive sulfide \geq 500 ppm (D003)?

6.5) Please indicate which constituent concentrations are below or above the regulatory level. Please indicate the basis used in the determination. Either 'Below' or 'Above' **MUST** be checked for each constituent.

Based On: ☒ Generator Knowledge ☐ Analysis* ☐ MSDS*

*Please forward a copy. Analysis or MSDS are required for EQ Florida Non-hazardous wastes.

Code	Regulatory Level	TCLP (mg/l)	Concentration (If above)
D004	Arsenic	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D005	Barium	100	<input checked="" type="radio"/> Below <input type="radio"/> Above
D006	Cadmium	1	<input checked="" type="radio"/> Below <input type="radio"/> Above
D007	Chromium	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D008	Lead	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D009	Mercury	0.2	<input type="radio"/> Below <input checked="" type="radio"/> Above
D010	Selenium	1	<input checked="" type="radio"/> Below <input type="radio"/> Above
D011	Silver	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D012	Endrin	0.02	<input checked="" type="radio"/> Below <input type="radio"/> Above
D013	Lindane	0.4	<input checked="" type="radio"/> Below <input type="radio"/> Above
D014	Methoxychlor	10	<input checked="" type="radio"/> Below <input type="radio"/> Above
D015	Toxaphene	0.5	<input type="radio"/> Below <input checked="" type="radio"/> Above
D016	2,4-D	10	<input checked="" type="radio"/> Below <input type="radio"/> Above
D017	2,4,5-TP (Silvex)	1	<input checked="" type="radio"/> Below <input type="radio"/> Above
D018	Benzene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D019	Carbon Tetrachloride	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D020	Chlordane	0.03	<input checked="" type="radio"/> Below <input type="radio"/> Above
D021	Chlorobenzene	100	<input checked="" type="radio"/> Below <input type="radio"/> Above
D022	Chloroform	6.0	<input checked="" type="radio"/> Below <input type="radio"/> Above
D023	o-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above

Code	Regulatory Level	TCLP (mg/l)	Concentration (If above)
D024	m-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above
D025	p-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above
D026	Cresols	200	<input checked="" type="radio"/> Below <input type="radio"/> Above
D027	1,4-Dichlorobenzene	7.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D028	1,2-Dichloroethane	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D029	1,1-Dichloroethylene	0.7	<input checked="" type="radio"/> Below <input type="radio"/> Above
D030	2,4-Dinitrotoluene	0.13	<input checked="" type="radio"/> Below <input type="radio"/> Above
D031	Heptachlor	0.008	<input checked="" type="radio"/> Below <input type="radio"/> Above
D032	Hexachlorobenzene	0.13	<input checked="" type="radio"/> Below <input type="radio"/> Above
D033	Hexachlorobutadiene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D034	Hexachloroethane	3.0	<input checked="" type="radio"/> Below <input type="radio"/> Above
D035	Methyl Ethyl Ketone	200	<input checked="" type="radio"/> Below <input type="radio"/> Above
D036	Nitrobenzene	2	<input checked="" type="radio"/> Below <input type="radio"/> Above
D037	Pentachlorophenol	100	<input checked="" type="radio"/> Below <input type="radio"/> Above
D038	Pyridine	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D039	Tetrachloroethylene	0.7	<input checked="" type="radio"/> Below <input type="radio"/> Above
D040	Trichloroethylene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D041	2,4,5-Trichlorophenol	400	<input checked="" type="radio"/> Below <input type="radio"/> Above
D042	2,4,6-Trichlorophenol	2	<input checked="" type="radio"/> Below <input type="radio"/> Above
D043	Vinyl Chloride	0.2	<input checked="" type="radio"/> Below <input type="radio"/> Above

6.6) If this is a characteristic hazardous waste, does it contain underlying hazardous constituents?

If you answered 'Yes', please list the constituents in Section 11.

☐ Yes ☒ No

Section 7 - Non-Hazardous Wastes

For a complete list of non-hazardous waste codes, please refer to Section 7 of the EQ Resource Guide.

Applicable waste code(s):

7.1) Is this a Michigan non-hazardous liquid industrial waste?

Comments:

☐ Yes ☒ No

7.2) Is this a Universal waste?

☐ Yes ☒ No

7.3) Is this a Recyclable Commodity? (e.g.: computer monitors, free mercury, etc.)

☐ Yes ☒ No

7.4) Is this waste a recoverable petroleum product?

☐ Yes ☒ No

7.5) Is this waste used oil as defined by 40 CFR Part 279?

☐ Yes ☒ No

Section 8 - TSCA Information

- 8.1) What is the concentration of PCBs in the waste? ☒ None ☐ 0-5 ppm ☐ 6-49 ppm
☐ 50-499 ppm ☐ 500+ ppm
- 8.2) Does the waste contain PCB contamination from a source with a concentration ≥ 50 ppm? ☐ Yes ☒ No
If you answered 'None' to 8.1 and 'No' to 8.2, please skip to Section 9.
- 8.3) Has this waste been processed into a non-liquid form? ☐ Yes ☐ No
If yes, what was the concentration of PCBs prior to processing? (ppm) ☐ N/A ☐ 0-499 ☐ 500+
- 8.4) Is the non-liquid PCB waste in the form of soil, rags, debris, or other contaminated media? ☐ Yes ☐ No
- 8.5) Are you a PCB capacitor manufacturer or a PCB equipment manufacturer? ☐ Yes ☐ No
- 8.6) Has the PCB Article (e.g., transformer, hydraulic machine, PCB-contaminated electrical equipment) been drained/flushed of all PCBs and decontaminated in accordance with 40 CFR 761.60(b)? ☐ N/A ☐ Yes ☐ No

Section 9 - Clean Air Act Information

- 9.1) Is this waste subject to regulation under 40 CFR, Part 63, Subpart DD or 40 CFR, Part 264, Subpart CC (RCRA)? ☐ Yes ☒ No
(Does the waste contain >500 ppm Volatile Organic Hazardous Air Pollutants - VOHAP's or Volatile Organic Compounds - VOC's?)
For a complete list of VOHAPs, please see Section 11 of the EQ Resource Guide.
- 9.2) Is this site, or waste, subject to any other MACT or NESHAP? ☐ Yes ☒ No
If yes, please specify:
- 9.3) Does this waste stream contain Benzene? ☐ Yes ☒ No
If you answered "No" to question 9.2, please skip to section 10.
- 9.4) Does the waste stream come from a facility with one of the SIC/NAICS codes listed under the Benzene NESHAP identified in 40 CFR 61, Subpart FF? ☐ Yes ☐ No
- 9.5) Is the generating source of this waste stream a facility with Total Annual Benzene (TAB) ≥ 10 Mg/year? ☐ Yes ☒ No
For assistance in calculating the TAB, please see the TAB Worksheet in Section 9 of the EQ Resource Guide.
If you answered "No" to question 9.3 and 9.4, please skip to Section 10.
- 9.6) Does the waste contain > 10% water? ☐ Yes ☐ No
- 9.7) What is the TAB quantity for your facility? _____ Mg/year
- 9.8) Does the waste contain >1.0 mg/kg total Benzene? ☐ Yes ☐ No
- 9.9) What is the total Benzene concentration in your waste? _____ (concentration) _____ (unit)

(Supporting analysis must be attached. Do not use TCLP analytical results. Acceptable laboratory methods include 8020, 8240, 8260, 602 and 624.)

**For a list of NAICS codes, please refer to section 9 of the EQ Resource Guide.*

Section 10 - Fuel Blending Information

- 10.1) Is this waste intended for fuel blending? ☐ Yes* ☒ No
If you answered 'Yes' to question 10.1, please enter the following:
- Heat value (BTU/lb.) _____
- Chlorine (%) _____
- Water (%) _____
- Solids (%) _____
- 10.2) Is this waste intended for reclamation? ☐ Yes ☒ No (5-Gallon Sample required for all reclaim waste streams)

Section 11 - Constituent Information

Please identify your waste constituents from these four categories: Underlying Hazardous Constituents (UHC's), Volatile Organic Hazardous Air Pollutants (VOHAP's), Volatile Organic Compounds (VOC's) and Toxic Release Inventory Constituents (TRI)


Constituent	Concentration	UHC?
-------------	---------------	------

Please see Section 11 of the EQ Resource Guide for a list of UHC's, VOHAP's and VOC's. For a complete list of TRI constituents, please refer to 40 CFR 372.65.

Section 12 - Certification

I certify that all information (including attachments) is complete and factual and is an accurate representation of the known and suspected hazards, pertaining to the waste described herein. I authorize EQ's Resource Team to add supplemental information to the waste approval file, provided I am contacted and give verbal permission. I authorize EQ's Resource Team to obtain a sample from any waste shipment for purposes of verification. Generator or on Generator's behalf shall be subject to, and Generator shall be bound by, the attached Standard Terms and Conditions and confirmation. I agree that, if EQ approves the waste described herein, all such wastes that are transported, delivered, or tendered to EQ by

Comments:
logged in

Generator:  JERRY B. BANKS
Authorized Generator Signature Printed Generator Name

Company: MS Dept. of Environment Title: Chief Groundwater Assessment Date: 11/13/07

The generator's signature **MUST** appear on the EQ Waste Characterization Report. If the generator has authorized a third party to certify this document, a written notice (on generator letterhead) must accompany this submittal. Although the EQ Resource Team is authorized to make certain modifications to the information provided on this form, the addition or removal of waste codes and waste constituents must be documented by the generator.

STANDARD TERMS AND CONDITIONS

The Agreement between the Customer and EQ - The Environmental Quality Company and/or its member companies (hereinafter "EQ") related to or associated with Delivered Waste, as herein defined, shall be governed by the following Standard Terms and Conditions in addition to the terms and conditions contained in any Waste Characterization Report, Customer Approval Quote Confirmation, Generator Approval Notification, Notice of Waste Approval Expiration, and/or Credit Agreement associated with such Delivered Waste.

The Customer may use its standard forms (such as purchase orders, acknowledgments of orders, and invoices) to administer its dealings under this Agreement for convenience purposes, but all provisions thereof in conflict with these terms and conditions shall be deemed stricken.

Definitions.

The following definitions shall apply for purposes of this Agreement:

"Acceptable Waste" shall mean any hazardous waste, as defined under applicable State or federal law, determined by EQ as acceptable for treatment and/or disposal in accordance with this Agreement.

"Delivered Wastes" shall mean all wastes (i) which are transported, delivered, or tendered to EQ by the Customer; (ii) which the Customer has arranged for the transport, delivery or tender to EQ; or (iii) which are transported, delivered, or tendered to EQ under a Credit Agreement between the Customer and EQ.

"Non-Conforming Wastes" shall mean wastes that (a) are not in accordance in all material respects with the warranties, descriptions, specifications or limitations stated in the Waste Characterization Report and this Agreement; (b) have constituents or components of a type or concentration not specifically identified in the Waste Characterization Report (i) which increase the nature or extent of the hazard and risk undertaken by EQ in treating and/or disposing of the waste, or (ii) for whose treatment and/or disposal a Waste Management Facility is not designed or permitted, or (iii) which increase the cost of treatment and/or disposal of waste beyond that specified in EQ's price quote; or (c) are not properly packaged, labeled, described, or placarded, or otherwise not in compliance with United States Department of Transportation and United States Environmental Protection Agency regulations.

Control of Operations.

EQ shall have sole control over all aspects of the operation of any treatment and/or disposal facility of EQ receiving Delivered Wastes under this Agreement (hereinafter, "Waste Management Facility"), including, without limitation, maintaining EQ's desired volume of Acceptable Wastes being delivered to any Waste Management Facility by the Customer or any other person or entity.

Identification of Waste.

For each waste material to be transported, delivered, or tendered to EQ under this Agreement, the Customer shall provide, or cause to be provided, to EQ a representative sample of the waste material and a completed Waste Characterization Report containing a physical and chemical description or analysis of such waste material, which description shall conform with any and all guidelines for waste acceptance provided by EQ. On the basis of EQ's analysis of such representative sample of the waste material and such Waste Characterization Report, EQ will determine whether such wastes are Acceptable Wastes. EQ does not make any guarantee that it will handle any waste material or any particular quantity or type of waste material, and EQ reserves the right to the decline to transport, treat and/or dispose of waste material. The Customer shall promptly furnish to EQ any information regarding known, suspected or planned changes in the composition of the waste material. Further, the Customer shall promptly inform EQ of any change in the characteristic or condition of the waste material which becomes known to the Customer subsequent to the date of the Waste Characterization Report.

Non-Conforming Wastes.

In the event that EQ at any time discovers that any Delivered Waste is Non-Conforming Waste, EQ may reject or revoke its acceptance of the Non-Conforming Waste. The Customer shall have seven (7) days to direct an alternative lawful manner of disposition of the waste, unless it is necessary by reason of law or otherwise to move the Non-Conforming Waste prior to expiration of the seven (7) day period. If the Customer does not direct an alternative disposal, at its option, EQ may return any such Non-Conforming Wastes to the Customer, and the Customer shall pay or reimburse EQ for all costs and expenses incurred by EQ in connection with the receipt, handling, sampling, analyses, transportation and return to the Customer of such Non-Conforming Wastes. If it is impossible or impractical for EQ to return the Non-Conforming Waste to the Customer, the Customer shall reimburse EQ for all costs, of any type or nature whatsoever, incurred by EQ, solely because such Delivered Waste was Non-Conforming Waste (including, but not limited to, all costs associated with any remedial steps necessary, due to the nature of the Non-Conforming Waste, in connection with material with which the Non-Conforming Waste may have been commingled and all expenses and charges for analyzing, handling, locating, preparing for transporting, storing and disposing of any Non-Conforming Wastes).

Customer Warranty - Title to Wastes.

Either the Customer or the generator (if other than the Customer) shall hold clear title, free of any all liens, claims, encumbrances, and charges to Delivered Waste until such waste is accepted by EQ.

Customer Warranty - Acceptable Wastes.

All Delivered Wastes shall be Acceptable Wastes and shall conform in all material respects to the description and specifications contained in the Waste Characterization Report. The information set forth in the Waste Characterization Report or any manifest, placard or label associated with any Delivered Wastes, or otherwise represented by the Customer or the generator (if other than the Customer) to EQ, is and shall be true, accurate and complete as of the date of receipt of the involved waste by EQ.

Customer Warranty - Compliance with Laws.

The Customer shall comply with all applicable federal, state and local environmental statutes, regulations, and other governmental requirements, as well as directives issued by EQ from time to time, governing the transportation, treatment and/or disposal of Acceptable Wastes, including, but not limited to, all packaging, manifesting, containerization, placarding and labeling requirements.

Customer Warranty - Updating Information.

If the Customer receives information that Delivered Waste or other hazardous waste described in the Waste Characterization Report, or some component of such waste, presents or may present a hazard or risk to persons, property or the environment which was not disclosed to EQ, or if the Customer or generator (if other than the Customer) has changed the process by which such waste results, the Customer shall promptly report such information to EQ in writing.

Customer Indemnity.

The Customer shall indemnify, defend and hold harmless EQ, and its affiliated or related companies, and all of their respective present or future officers, directors, shareholders, employees and agents from and against any and all losses, damages, liabilities, penalties, fines, forfeitures, demands, claims, causes of action, suits, costs and expenses (including, but not limited to, reasonable costs of defense, settlement, and reasonable attorneys' fees), which may be asserted against any or all of them by any person or any governmental agency, or which any or all of them may hereafter suffer, incur, be responsible for or pay out, as a result of or in connection with bodily injuries (including, but not limited to, death, sickness, disease and emotional or mental distress) to any person (including EQ's employees), damage (including, but not limited to, loss of use) to any property (public or private), or any requirements to conduct or incur expense for investigative, removal or remedial expenses in connection with contamination of or adverse effect on the environment, or any violation or alleged violation of any statutes, ordinances, orders, rules or regulations of any governmental entity or agency, caused or arising out of (i) a breach of this Agreement by the Customer, (ii) the failure of any warranty of the Customer to be true, accurate and complete, or (iii) any willful or negligent act or omission of the Customer, or its employees or agents in connection with the performance of this Agreement.

Force Majeure.

EQ shall not be liable for any failure to accept, receive, handle, treat, and/or dispose of Delivered Waste due to an act of God, fire, casualty, flood, war, strike, lockout, labor trouble, failure of public utilities, equipment failure, facility shutdown, injunction, accident, epidemic, riot, insurrection, destruction of operation or transportation facilities, the inability to procure materials, equipment, or sufficient personnel or energy in order to meet operational needs without the necessity of allocation, the failure or inability to obtain any governmental approvals or to meet Environmental Requirements (including, but not limited to voluntary or involuntary compliance with any act, exercise, assertion, or requirement of any governmental authority) which may temporarily or permanently prohibit operations of EQ, the Customer, or the Generator, or any other circumstances beyond the control of EQ which prevents or delays performance of any of its obligations under this Agreement.

Governing Laws.

This Agreement shall in all respects be governed by and shall be construed in accordance with the laws of the State of Michigan applied to contracts executed and performed wholly within such state.

EQ - The Environmental Quality Company
Waste Characterization Report

☒ I authorize EQ - The Environmental Quality Company to choose the appropriate method of waste management, from the technologies offered, at the EQ facilities identified below.

<input type="checkbox"/> Michigan Disposal Waste Treatment Plant (Stabilization and Treatment)	49350 North I-94 Service Drive, Belleville, Michigan 48111 Phone: 1-800-592-5489 Fax: 1-800-592-5329	EPA ID #MID000724831
<input type="checkbox"/> Wayne Disposal, Inc. (Hazardous & PCB Waste Landfill)	49350 North I-94 Service Drive, Belleville, Michigan 48111 Phone: 1-800-592-5489 Fax: 1-800-592-5329	EPA ID #MID048090633
<input type="checkbox"/> EQ Detroit, Inc. (Stabilization, Wastewater Treatment)	1923 Frederick, Detroit, MI 48211 Phone: 1-800-495-6059 Fax: 1-313-923-3375	EPA ID #MID980991566
<input type="checkbox"/> EQ Resource Recovery, Inc. (Solvent Recycling, Fuel Blending, WW Treatment)	36345 Van Born Road, Romulus, Michigan 48174 Phone: (734) 727-5500 Fax: (734) 326-4033	EPA ID #MID060975844
<input type="checkbox"/> EQIS North Carolina (Stabilization, Treatment, Labpack Decommissioning)	1005 Investment Blvd., Apex, NC 27502 Phone: (919) 363-4700 Fax: (919) 363-4714	EPA ID #NCD982170292
<input type="checkbox"/> EQ Florida, Inc. (Drum Consolidation, Labpack Decommissioning)	7202 East Eighth Ave., Tampa, FL 33619 Phone: 1-800-624-5302 Fax: 1-813-628-0842	EPA ID #FLD981932494
<input type="checkbox"/> EQ Detroit Transfer and Processing (Drum Transfer/Universal Waste Handling)	2000 Ferry Street, Detroit, MI 48211 Phone: (313) 923-0080 Fax: (313) 922-8419	EPA ID #MIK939928313
<input type="checkbox"/> EQIS Indianapolis Transfer and Processing (Drum Transfer/Non-Hazardous Waste Processing)	4000 West 10th Street, Indianapolis, Indiana 46222 Phone: (317) 247-7160 Fax: (317) 247-7170	EPA ID #IND161049309
<input type="checkbox"/> EQIS Atlanta Transfer and Processing (Drum Transfer/Non-Hazardous Waste Processing)	5600 Fulton Industrial Blvd., Atlanta, Georgia 30336 Phone: (404) 494-3520 Fax: (404) 494-3560	EPA ID #GAR000039776
<input type="checkbox"/> EQ Augusta, Inc. (Wastewater Treatment)	3920 Goshen Industrial Blvd., Augusta, GA 30906 Phone: 706-771-9100 Fax: 706-771-9124	EPA ID #GAR000011817

Waste Common Name: Acid Liquids Lab Pack

Section 1 - Generator & Customer Info

SIC/NAICS*:

Generator EPA ID: MST-MP0-002-452

EQ Customer No.: 10958

Generator: Mississippi DEQ
Address: 4280 Rifle Range Rd
City: Vicksburg
State: MS **Zip:** 39180
County: Warren

Mailing Address

Address: P.O Box 20326
City: Jackson
State: MS **Zip:** 39289

Generator Contact

Name: Trey Hess / Jerry Banks
Title:
Phone: (601) 961-5221/6019615654
Fax: () -

Invoicing Company

Company: USES JACKSON
Address: 1075 MENDELL DAVIS DRIVE
City: JACKSON
State: MS **Zip:** 39212
Country: USA

Invoicing Contact

Name: Wanda Horton
Phone: (601) 372-3232
Fax: () -

Technical Contact

Name: J.T. Newman
Phone: (601) 372-3232
Fax: () -
Mobile: () - **Pager:** () -
E-mail: jnewman@usesgroup.com

*For a list of NAICS codes, please refer to Section 9 of the EQ Resource Guide.

Section 2 - Shipping & Packaging Info

- 2.1) Shipping Volume & Unit: 55 gallon Frequency: One Time Only
2.2) DOT Shipping Name: Corrosive liquid, acidic, inorganic, n.o.s.
2.3) Is this waste surcharge exempt? ☐ Yes ☒ No (If you answered "Yes" to question 2.3, select the Surcharge Exemption reason.)

2.4) Packaging (check all that apply)

- ☐ Bulk Solid (yd ³ < 2000 lbs./yd ³) ☐ Bulk Solid (Ton > 2000 lbs./yd ³) ☐ Bulk Liquids (Gallon)
☐ Totes, Size ☐ Cubic Yard Boxes/Bags ☒ Drums, Size: 55 gallon
☐ Other (palletized, 5 gal. Pail, etc.)

Quoted bulk disposal charges for solid materials will be billed by the cubic yard, if the waste density is less than 2,000lbs./cubic yard. If waste density is greater than 2,000 lbs./cubic yard, then bulk disposal charges will be billed by the ton, regardless of the approved container.

Section 3 - Physical Characteristics

- 3.1) Color: VARIES 3.2) Odor: none
3.3) Does this waste contain any "Potentially Odorous Constituents" as defined in the EQ Resource Guide? (Section 3) ☐ Yes ☒ No
3.4) Physical State at 70 °F: ☐ Solid ☐ Dust/Powder ☒ Liquid ☐ Sludge
3.5) What is the pH of this waste? ☒ ≤ 2 ☐ 2.1-4.9 ☐ 5-10 ☐ 10.1-12.4 ☐ ≥ 12.5
3.6) What is the flash point of this waste? ☐ <90 °F ☐ 90-139 °F ☐ 140-199 °F ☒ ≥ 200 °F
3.7) Does this waste contain? (check all that apply) ☒ None
☐ Biodegradable Sorbants ☐ Amines ☐ Ammonia ☐ Free Liquids ☐ Oily Residue ☐ Metal Fines
☐ Shock Sensitive Waste ☐ Reactive Waste ☐ Radioactive Waste ☐ Water Reactive ☐ Biohazard ☐ Aluminum
☐ Asbestos - non-friable ☐ Asbestos - friable ☐ Dioxins ☐ Explosives ☐ Pyrophoric Waste ☐ Isocyanates
☐ Furans

Section 4 - Composition / Generating Process

- 4.1) Describe the physical composition of the waste (i.e., soil, water, PPE, debris, key chemical compounds, etc.)
4.2) Provide a detailed description of the process generating this waste. (attach flow diagram if available).
Labpack of chemicals in abandoned Chemical plant Lab

Section 5 - Is This Hazardous Waste?

Please refer to Section 5 of the EQ Resource Guide for a list of waste codes.

As determined by 40 CFR, Part 261 and Michigan Act 451 Rules:

Please list applicable waste code(s):

- 5.1) Is this an EPA RCRA listed hazardous waste (F, K, P or U)? ☐ Yes ☒ No
Comments:
5.2) Is this an EPA RCRA characteristic hazardous waste (D001-D043)? ☒ Yes ☐ No
Comments:
5.3) Do any State Hazardous Waste Codes apply? ☐ Yes ☒ No
Comments:
5.4) Is this waste intended for wastewater treatment? ☐ Yes* ☒ No

D002

If you answered "No" to questions 5.1, 5.2, and 5.3, please skip to Section 7.
If you answered "Yes" to question 5.4, please complete the WCR Addendum.

Section 6 - Hazardous Wastes

6.1) Does this waste exceed Land Disposal Restriction Levels?

6.1a) If this waste stream is greater than 50% soil, does it meet the alternative soil treatment standards of 40 CFR 268.49?

6.1b) Does this waste contain greater than 50% debris, by volume? (Debris is greater than 2.5 inches in size.)

6.2) Is the waste an oxidizer (D001)?

6.3) Does this waste contain reactive cyanide ≥ 250 ppm (D003)?

6.4) Does this waste contain reactive sulfide ≥ 500 ppm (D003)?

6.5) Please indicate which constituent concentrations are below or above the regulatory level. Please indicate the basis used in the determination. Either 'Below' or 'Above' **MUST** be checked for each constituent.

Based On: ☒ Generator Knowledge ☐ Analysis* ☐ MSDS*

*Please forward a copy. Analysis or MSDS are required for EQ Florida Non-hazardous wastes.

Code	Regulatory Level	TCLP (mg/l)	Concentration (If above)
D004	Arsenic	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D005	Barium	100	<input checked="" type="radio"/> Below <input type="radio"/> Above
D006	Cadmium	1	<input checked="" type="radio"/> Below <input type="radio"/> Above
D007	Chromium	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D008	Lead	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D009	Mercury	0.2	<input checked="" type="radio"/> Below <input type="radio"/> Above
D010	Selenium	1	<input checked="" type="radio"/> Below <input type="radio"/> Above
D011	Silver	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D012	Endrin	0.02	<input checked="" type="radio"/> Below <input type="radio"/> Above
D013	Lindane	0.4	<input checked="" type="radio"/> Below <input type="radio"/> Above
D014	Methoxychlor	10	<input checked="" type="radio"/> Below <input type="radio"/> Above
D015	Toxaphene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D016	2,4-D	10	<input checked="" type="radio"/> Below <input type="radio"/> Above
D017	2,4,5-TP (Silvex)	1	<input checked="" type="radio"/> Below <input type="radio"/> Above
D018	Benzene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D019	Carbon Tetrachloride	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D020	Chlordane	0.03	<input checked="" type="radio"/> Below <input type="radio"/> Above
D021	Chlorobenzene	100	<input checked="" type="radio"/> Below <input type="radio"/> Above
D022	Chloroform	6.0	<input checked="" type="radio"/> Below <input type="radio"/> Above
D023	o-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above

Code	Regulatory Level	TCLP (mg/l)	Concentration (If above)
D024	m-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above
D025	p-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above
D026	Cresols	200	<input checked="" type="radio"/> Below <input type="radio"/> Above
D027	1,4-Dichlorobenzene	7.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D028	1,2-Dichloroethane	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D029	1,1-Dichloroethylene	0.7	<input checked="" type="radio"/> Below <input type="radio"/> Above
D030	2,4-Dinitrotoluene	0.13	<input checked="" type="radio"/> Below <input type="radio"/> Above
D031	Heptachlor	0.008	<input checked="" type="radio"/> Below <input type="radio"/> Above
D032	Hexachlorobenzene	0.13	<input checked="" type="radio"/> Below <input type="radio"/> Above
D033	Hexachlorobutadiene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D034	Hexachloroethane	3.0	<input checked="" type="radio"/> Below <input type="radio"/> Above
D035	Methyl Ethyl Ketone	200	<input checked="" type="radio"/> Below <input type="radio"/> Above
D036	Nitrobenzene	2	<input checked="" type="radio"/> Below <input type="radio"/> Above
D037	Pentachlorophenol	100	<input checked="" type="radio"/> Below <input type="radio"/> Above
D038	Pyridine	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D039	Tetrachloroethylene	0.7	<input checked="" type="radio"/> Below <input type="radio"/> Above
D040	Trichloroethylene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D041	2,4,5-Trichlorophenol	400	<input checked="" type="radio"/> Below <input type="radio"/> Above
D042	2,4,6-Trichlorophenol	2	<input checked="" type="radio"/> Below <input type="radio"/> Above
D043	Vinyl Chloride	0.2	<input checked="" type="radio"/> Below <input type="radio"/> Above

6.6) If this is a characteristic hazardous waste, does it contain underlying hazardous constituents?

If you answered "Yes", please list the constituents in Section 11.

☐ Yes ☒ No

Section 7 - Non-Hazardous Wastes

For a complete list of non-hazardous waste codes, please refer to Section 7 of the EQ Resource Guide.

Applicable waste code(s):

7.1) Is this a Michigan non-hazardous liquid industrial waste?

☐ Yes ☒ No

Comments:

7.2) Is this a Universal waste?

☐ Yes ☒ No

7.3) Is this a Recyclable Commodity? (e.g.: computer monitors, free mercury, etc.)

☐ Yes ☒ No

7.4) Is this waste a recoverable petroleum product?

☐ Yes ☒ No

7.5) Is this waste used oil as defined by 40 CFR Part 279?

☐ Yes ☒ No

Section 8 - TSCA Information

8.1) What is the concentration of PCBs in the waste?

- ☒ None ☐ 0-5 ppm ☐ 6-49 ppm
☐ 50-499 ppm ☐ 500+ ppm

8.2) Does the waste contain PCB contamination from a source with a concentration ≥ 50 ppm?

- ☐ Yes ☒ No

If you answered 'None' to 8.1 and 'No' to 8.2, please skip to Section 9.

8.3) Has this waste been processed into a non-liquid form?

- ☐ Yes ☐ No

If yes, what was the concentration of PCBs prior to processing? (ppm)

- ☐ N/A ☐ 0-499 ☐ 500+

8.4) Is the non-liquid PCB waste in the form of soil, rags, debris, or other contaminated media?

- ☐ Yes ☐ No

8.5) Are you a PCB capacitor manufacturer or a PCB equipment manufacturer?

- ☐ Yes ☐ No

8.6) Has the PCB Article (e.g., transformer, hydraulic machine, PCB-contaminated electrical equipment) been drained/flushed of all PCBs and decontaminated in accordance with 40 CFR 761.60(b)?

- ☐ N/A ☐ Yes ☐ No

Section 9 - Clean Air Act Information

9.1) Is this waste subject to regulation under 40 CFR, Part 63, Subpart DD or 40 CFR, Part 264, Subpart CC (RCRA)?

- ☐ Yes ☒ No

(Does the waste contain >500 ppm Volatile Organic Hazardous Air Pollutants - VOHAP's or Volatile Organic Compounds - VOC's?)

For a complete list of VOHAPs, please see Section 11 of the EQ Resource Guide.

9.2) Is this site, or waste, subject to any other MACT or NESHAP?

- ☐ Yes ☒ No

If yes, please specify:

9.3) Does this waste stream contain Benzene?

- ☐ Yes ☒ No

If you answered "No" to question 9.2, please skip to section 10.

9.4) Does the waste stream come from a facility with one of the SIC/NAICS codes listed under the Benzene NESHAP identified in 40 CFR 61, Subpart FF?

- ☐ Yes ☐ No

9.5) Is the generating source of this waste stream a facility with Total Annual Benzene (TAB) ≥ 10 Mg/year?

- ☐ Yes ☒ No

For assistance in calculating the TAB, please see the TAB Worksheet in Section 9 of the EQ Resource Guide.

If you answered "No" to question 9.3 and 9.4, please skip to Section 10.

9.6) Does the waste contain > 10% water?

- ☐ Yes ☐ No

9.7) What is the TAB quantity for your facility?

Mg/year

9.8) Does the waste contain >1.0 mg/kg total Benzene?

- ☐ Yes ☐ No

9.9) What is the total Benzene concentration in your waste?

(concentration)

(unit)

(Supporting analysis must be attached. Do not use TCLP analytical results. Acceptable laboratory methods include 8020, 8240, 8260, 602 and 624.)

**For a list of NAICS codes, please refer to section 9 of the EQ Resource Guide.*

Section 10 - Fuel Blending Information

10.1) Is this waste intended for fuel blending?

- ☐ Yes* ☒ No

If you answered 'Yes' to question 10.1, please enter the following:

Heat value (BTU/lb.)

Chlorine (%)

Water (%)

Solids (%)

10.2) Is this waste intended for reclamation?

- ☐ Yes ☒ No

(5-Gallon Sample required for all reclaim waste streams)

Section 11 - Constituent Information

Please identify your waste constituents from these four categories: Underlying Hazardous Constituents (UHC's), Volatile Organic Hazardous Air Pollutants (VOHAP's), Volatile Organic Compounds (VOC's) and Toxic Release Inventory Constituents (TRI)

Constituent

Concentration


UHC?

Please see Section 11 of the EQ Resource Guide for a list of UHC's, VOHAP's and VOC's. For a complete list of TRI constituents, please refer to 40 CFR 372.65.

Section 12 - Certification

I certify that all information (including attachments) is complete and factual and is an accurate representation of the known and suspected hazards, pertaining to the waste described herein. I authorize EQ's Resource Team to add supplemental information to the waste approval file, provided I am contacted and give verbal permission. I authorize EQ's Resource Team to obtain a sample from any waste shipment for purposes of verification. Generator or on Generator's behalf shall be subject to, and Generator shall be bound by, the attached Standard Terms and Conditions and confirmation. I agree that, if EQ approves the waste described herein, all such wastes that are transported, delivered, or tendered to EQ by

Comments:
logged in

Generator:  JERRY B. BANKS
Authorized Generator Signature Printed Generator Name

Company: MS Dept. of Environmental Quality Title: Chief, Groundwater Assessment Date: 11-13-07

The generator's signature MUST appear on the EQ Waste Characterization Report. If the generator has authorized a third party to certify this document, a written notice (on generator letterhead) must accompany this submittal. Although the EQ Resource Team is authorized to make certain modifications to the information provided on this form, the addition or removal of waste codes and waste constituents must be documented by the generator.

STANDARD TERMS AND CONDITIONS

The Agreement between the Customer and EQ - The Environmental Quality Company and/or its member companies (hereinafter "EQ") related to or associated with Delivered Waste, as herein defined, shall be governed by the following Standard Terms and Conditions in addition to the terms and conditions contained in any Waste Characterization Report, Customer Approval Quote Confirmation, Generator Approval Notification, Notice of Waste Approval Expiration, and/or Credit Agreement associated with such Delivered Waste.

The Customer may use its standard forms (such as purchase orders, acknowledgments of orders, and invoices) to administer its dealings under this Agreement for convenience purposes, but all provisions thereof in conflict with these terms and conditions shall be deemed stricken.

Definitions.

The following definitions shall apply for purposes of this Agreement:

"Acceptable Waste" shall mean any hazardous waste, as defined under applicable State or federal law, determined by EQ as acceptable for treatment and/or disposal in accordance with this Agreement.

"Delivered Wastes" shall mean all wastes (i) which are transported, delivered, or tendered to EQ by the Customer; (ii) which the Customer has arranged for the transport, delivery or tender to EQ; or (iii) which are transported, delivered, or tendered to EQ under a Credit Agreement between the Customer and EQ.

"Non-Conforming Wastes" shall mean wastes that (a) are not in accordance in all material respects with the warranties, descriptions, specifications or limitations stated in the Waste Characterization Report and this Agreement; (b) have constituents or components of a type or concentration not specifically identified in the Waste Characterization Report (i) which increase the nature or extent of the hazard and risk undertaken by EQ in treating and/or disposing of the waste, or (ii) for whose treatment and/or disposal a Waste Management Facility is not designed or permitted, or (iii) which increase the cost of treatment and/or disposal of waste beyond that specified in EQ's price quote; or (c) are not properly packaged, labeled, described, or placarded, or otherwise not in compliance with United States Department of Transportation and United States Environmental Protection Agency regulations.

Control of Operations.

EQ shall have sole control over all aspects of the operation of any treatment and/or disposal facility of EQ receiving Delivered Wastes under this Agreement (hereinafter, "Waste Management Facility"), including, without limitation, maintaining EQ's desired volume of Acceptable Wastes being delivered to any Waste Management Facility by the Customer or any other person or entity.

Identification of Waste.

For each waste material to be transported, delivered, or tendered to EQ under this Agreement, the Customer shall provide, or cause to be provided, to EQ a representative sample of the waste material and a completed Waste Characterization Report containing a physical and chemical description or analysis of such waste material, which description shall conform with any and all guidelines for waste acceptance provided by EQ. On the basis of EQ's analysis of such representative sample of the waste material and such Waste Characterization Report, EQ will determine whether such wastes are Acceptable Wastes. EQ does not make any guarantee that it will handle any waste material or any particular quantity or type of waste material, and EQ reserves the right to the decline to transport, treat and/or dispose of waste material. The Customer shall promptly furnish to EQ any information regarding known, suspected or planned changes in the composition of the waste material. Further, the Customer shall promptly inform EQ of any change in the characteristic or condition of the waste material which becomes known to the Customer subsequent to the date of the Waste Characterization Report.

Non-Conforming Wastes.

In the event that EQ at any time discovers that any Delivered Waste is Non-Conforming Waste, EQ may reject or revoke its acceptance of the Non-Conforming Waste. The Customer shall have seven (7) days to direct an alternative lawful manner of disposition of the waste, unless it is necessary by reason of law or otherwise to move the Non-Conforming Waste prior to expiration of the seven (7) day period. If the Customer does not direct an alternative disposal, at its option, EQ may return any such Non-Conforming Wastes to the Customer, and the Customer shall pay or reimburse EQ for all costs and expenses incurred by EQ in connection with the receipt, handling, sampling, analyses, transportation and return to the Customer of such Non-Conforming Wastes. If it is impossible or impractical for EQ to return the Non-Conforming Waste to the Customer, the Customer shall reimburse EQ for all costs, of any type or nature whatsoever, incurred by EQ, solely because such Delivered Waste was Non-Conforming Waste (including, but not limited to, all costs associated with any remedial steps necessary, due to the nature of the Non-Conforming Waste, in connection with material with which the Non-Conforming Waste may have been commingled and all expenses and charges for analyzing, handling, locating, preparing for transporting, storing and disposing of any Non-Conforming Waste).

Customer Warranty - Title to Wastes.

Either the Customer or the generator (if other than the Customer) shall hold clear title, free of any all liens, claims, encumbrances, and charges to Delivered Waste until such waste is accepted by EQ.

Customer Warranty - Acceptable Wastes.

All Delivered Wastes shall be Acceptable Wastes and shall conform in all material respects to the description and specifications contained in the Waste Characterization Report. The information set forth in the Waste Characterization Report or any manifest, placard or label associated with any Delivered Wastes, or otherwise represented by the Customer or the generator (if other than the Customer) to EQ, is and shall be true, accurate and complete as of the date of receipt of the involved waste by EQ.

Customer Warranty - Compliance with Laws.

The Customer shall comply with all applicable federal, state and local environmental statutes, regulations, and other governmental requirements, as well as directives issued by EQ from time to time, governing the transportation, treatment and/or disposal of Acceptable Wastes, including, but not limited to, all packaging, manifesting, containerization, placarding and labeling requirements.

Customer Warranty - Updating Information.

If the Customer receives information that Delivered Waste or other hazardous waste described in the Waste Characterization Report, or some component of such waste, presents or may present a hazard or risk to persons, property or the environment which was not disclosed to EQ, or if the Customer or generator (if other than the Customer) has changed the process by which such waste results, the Customer shall promptly report such information to EQ in writing.

Customer Indemnity.

The Customer shall indemnify, defend and hold harmless EQ, and its affiliated or related companies, and all of their respective present or future officers, directors, shareholders, employees and agents from and against any and all losses, damages, liabilities, penalties, fines, forfeitures, demands, claims, causes of action, suits, costs and expenses (including, but not limited to, reasonable costs of defense, settlement, and reasonable attorneys' fees), which may be asserted against any or all of them by any person or any governmental agency, or which any or all of them may hereafter suffer, incur, be responsible for or pay out, as a result of or in connection with bodily injuries (including, but not limited to, death, sickness, disease and emotional or mental distress) to any person (including EQ's employees), damage (including, but not limited to, loss of use) to any property (public or private), or any requirements to conduct or incur expense for investigative, removal or remedial expenses in connection with contamination of or adverse effect on the environment, or any violation or alleged violation of any statutes, ordinances, orders, rules or regulations of any governmental entity or agency, caused or arising out of (i) a breach of this Agreement by the Customer, (ii) the failure of any warranty of the Customer to be true, accurate and complete, or (iii) any willful or negligent act or omission of the Customer, or its employees or agents in connection with the performance of this Agreement.

Force Majeure.

EQ shall not be liable for any failure to accept, receive, handle, treat, and/or dispose of Delivered Waste due to an act of God, fire, casualty, flood, war, strike, lockout, labor trouble, failure of public utilities, equipment failure, facility shutdown, injunction, accident, epidemic, riot, insurrection, destruction of operation or transportation facilities, the inability to procure materials, equipment, or sufficient personnel or energy in order to meet operational needs without the necessity of allocation, the failure or inability to obtain any governmental approvals or to meet Environmental Requirements (including, but not limited to voluntary or involuntary compliance with any act, exercise, assertion, or requirement of any governmental authority) which may temporarily or permanently prohibit operations of EQ, the Customer, or the Generator, or any other circumstances beyond the control of EQ which prevents or delays performance of any of its obligations under this Agreement.

Governing Laws.

This Agreement shall in all respects be governed by and shall be construed in accordance with the laws of the State of Michigan applied to contracts executed and performed wholly within such state.

EQ - The Environmental Quality Company

Waste Characterization Report

☒ I authorize EQ - The Environmental Quality Company to choose the appropriate method of waste management, from the technologies offered, at the EQ facilities identified below.

<input type="checkbox"/> Michigan Disposal Waste Treatment Plant (Stabilization and Treatment)	49350 North I-94 Service Drive, Belleville, Michigan 48111 Phone: 1-800-592-5489 Fax: 1-800-592-5329	EPA ID #MID000724831
<input type="checkbox"/> Wayne Disposal, Inc. (Hazardous & PCB Waste Landfill)	49350 North I-94 Service Drive, Belleville, Michigan 48111 Phone: 1-800-592-5489 Fax: 1-800-592-5329	EPA ID #MID048090633
<input type="checkbox"/> EQ Detroit, Inc. (Stabilization, Wastewater Treatment)	1923 Frederick, Detroit, MI 48211 Phone: 1-800-495-6059 Fax: 1-313-923-3375	EPA ID #MID980991566
<input type="checkbox"/> EQ Resource Recovery, Inc. (Solvent Recycling, Fuel Blending, WW Treatment)	36345 Van Born Road, Romulus, Michigan 48174 Phone: (734) 727-5500 Fax: (734) 326-4033	EPA ID #MID060975844
<input type="checkbox"/> EQIS North Carolina (Stabilization, Treatment, Labpack Decommissioning)	1005 Investment Blvd., Apex, NC 27502 Phone: (919) 363-4700 Fax: (919) 363-4714	EPA ID #NCD982170292
<input type="checkbox"/> EQ Florida, Inc. (Drum Consolidation, Labpack Decommissioning)	7202 East Eighth Ave., Tampa, FL 33619 Phone: 1-800-624-5302 Fax: 1-813-628-0842	EPA ID #FLD981932494
<input type="checkbox"/> EQ Detroit Transfer and Processing (Drum Transfer/Universal Waste Handling)	2000 Ferry Street, Detroit, MI 48211 Phone: (313) 923-0080 Fax: (313) 922-8419	EPA ID #MIK939928313
<input type="checkbox"/> EQIS Indianapolis Transfer and Processing (Drum Transfer/Non-Hazardous Waste Processing)	4000 West 10th Street, Indianapolis, Indiana 46222 Phone: (317) 247-7160 Fax: (317) 247-7170	EPA ID #IND161049309
<input type="checkbox"/> EQIS Atlanta Transfer and Processing (Drum Transfer/Non-Hazardous Waste Processing)	5600 Fulton Industrial Blvd., Atlanta, Georgia 30336 Phone: (404) 494-3520 Fax: (404) 494-3560	EPA ID #GAR000039776
<input type="checkbox"/> EQ Augusta, Inc. (Wastewater Treatment)	3920 Goshen Industrial Blvd., Augusta, GA 30906 Phone: 706-771-9100 Fax: 706-771-9124	EPA ID #GAR000011817

Waste Common Name: Acid Solids Lab Pack

Section 1 - Generator & Customer Info

SIC/NAICS:

Generator EPA ID: MST-MP0-002-452

EQ Customer No.: 10958

Generator: Mississippi DEQ
Address: 4280 Rifle Range Rd
City: Vicksburg
State: MS Zip: 39180
County: Warren

Invoicing Company

Company: USES JACKSON
Address: 1075 MENDELL DAVIS DRIVE
City: JACKSON
State: MS Zip: 39212
Country: USA

Mailing Address

Address: P.O. Box 20326
City: Jackson
State: MS Zip: 39289

Invoicing Contact

Name: Wanda Horton
Phone: (601) 372-3232
Fax: () -

Generator Contact

Name: Trey Hess / Jerry Banks
Title:
Phone: (601) 961-5221/601-961-5654
Fax: () -

Technical Contact

Name: J.T. Newman
Phone: (601) 372-3232
Fax: () -
Mobile: () - Pager: () -
E-mail: jnewman@usesgroup.com

*For a list of NAICS codes, please refer to Section 9 of the EQ Resource Guide.

Section 2 - Shipping & Packaging Info

- 2.1) Shipping Volume & Unit: 55 gallon Frequency: One Time Only
- 2.2) DOT Shipping Name: Corrosive solid, acidic, inorganic, n.o.s.
- 2.3) Is this waste surcharge exempt? ☐ Yes ☒ No (If you answered "Yes" to question 2.3, select the Surcharge Exemption reason.)

2.4) Packaging (check all that apply)

- | | | |
|--|--|---|
| <input type="checkbox"/> Bulk Solid (yd ³ < 2000 lbs./yd ³) | <input type="checkbox"/> Bulk Solid (Ton > 2000 lbs./yd ³) | <input type="checkbox"/> Bulk Liquids (Gallon) |
| <input type="checkbox"/> Totes, Size | <input type="checkbox"/> Cubic Yard Boxes/Bags | <input checked="" type="checkbox"/> Drums, Size 55 gallon |
| <input type="checkbox"/> Other (palletized, 5 gal. Pail, etc.) | | |

Quoted bulk disposal charges for solid materials will be billed by the cubic yard, if the waste density is less than 2,000 lbs./cubic yard. If waste density is greater than 2,000 lbs./cubic yard, then bulk disposal charges will be billed by the ton, regardless of the approved container.

Section 3 - Physical Characteristics

- 3.1) Color: VARIES
- 3.2) Odor: none
- 3.3) Does this waste contain any "Potentially Odorous Constituents" as defined in the EQ Resource Guide? (Section 3) ☐ Yes ☒ No
- 3.4) Physical State at 70 °F: ☒ Solid ☐ Dust/Powder ☐ Liquid ☐ Sludge
- 3.5) What is the pH of this waste? ☒ ≤ 2 ☐ 2.1-4.9 ☐ 5-10 ☐ 10.1-12.4 ☐ ≥ 12.5
- 3.6) What is the flash point of this waste? ☐ <90 °F ☐ 90-139 °F ☐ 140-199 °F ☒ ≥ 200 °F
- 3.7) Does this waste contain? (check all that apply) ☒ None
- | | | | | | |
|---|---|--|---|---|--------------------------------------|
| <input type="checkbox"/> Biodegradable Sorbants | <input type="checkbox"/> Amines | <input type="checkbox"/> Ammonia | <input type="checkbox"/> Free Liquids | <input type="checkbox"/> Oily Residue | <input type="checkbox"/> Metal Fines |
| <input type="checkbox"/> Shock Sensitive Waste | <input type="checkbox"/> Reactive Waste | <input type="checkbox"/> Radioactive Waste | <input type="checkbox"/> Water Reactive | <input type="checkbox"/> Biohazard | <input type="checkbox"/> Aluminum |
| <input type="checkbox"/> Asbestos - non-friable | <input type="checkbox"/> Asbestos - friable | <input type="checkbox"/> Dioxins | <input type="checkbox"/> Explosives | <input type="checkbox"/> Pyrophoric Waste | <input type="checkbox"/> Isocyanates |
| | | | <input type="checkbox"/> Furans | | |

Section 4 - Composition / Generating Process

- 4.1) Describe the physical composition of the waste (i.e., soil, water, PPE, debris, key chemical compounds, etc.)
- 4.2) Provide a detailed description of the process generating this waste. (attach flow diagram if available).
- Labpack of chemicals in abandoned Chemical plant Lab

Section 5 - Is This Hazardous Waste?

Please refer to Section 5 of the EQ Resource Guide for a list of waste codes.

As determined by 40 CFR, Part 261 and Michigan Act 451 Rules:

Please list applicable waste code(s):

- 5.1) Is this an EPA RCRA listed hazardous waste (F, K, P or U)? ☐ Yes ☒ No
- Comments:
- 5.2) Is this an EPA RCRA characteristic hazardous waste (D001-D043)? ☒ Yes ☐ No
- Comments:
- 5.3) Do any State Hazardous Waste Codes apply? ☐ Yes ☒ No
- Comments:
- 5.4) Is this waste intended for wastewater treatment? ☐ Yes* ☒ No

D002

If you answered "No" to questions 5.1, 5.2, and 5.3, please skip to Section 7.
If you answered "Yes" to question 5.4, please complete the WCR Addendum.

Section 6 - Hazardous Wastes

6.1) Does this waste exceed Land Disposal Restriction Levels?

6.1a) If this waste stream is greater than 50% soil, does it meet the alternative soil treatment standards of 40 CFR 268.49?

6.1b) Does this waste contain greater than 50% debris, by volume? (Debris is greater than 2.5 inches in size.)

6.2) Is the waste an oxidizer (D001)?

6.3) Does this waste contain reactive cyanide \geq 250 ppm (D003)?

6.4) Does this waste contain reactive sulfide \geq 500 ppm (D003)?

6.5) Please indicate which constituent concentrations are below or above the regulatory level. Please indicate the basis used in the determination. Either 'Below' or 'Above' **MUST** be checked for each constituent.

Based On: ☒ Generator Knowledge ☐ Analysis* ☐ MSDS*

*Please forward a copy. Analysis or MSDS are required for EQ Florida Non-hazardous wastes.

Code	Regulatory Level	TCLP (mg/l)	Concentration (if above)
D004	Arsenic	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D005	Barium	100	<input checked="" type="radio"/> Below <input type="radio"/> Above
D006	Cadmium	1	<input checked="" type="radio"/> Below <input type="radio"/> Above
D007	Chromium	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D008	Lead	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D009	Mercury	0.2	<input checked="" type="radio"/> Below <input type="radio"/> Above
D010	Selenium	1	<input checked="" type="radio"/> Below <input type="radio"/> Above
D011	Silver	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D012	Endrin	0.02	<input checked="" type="radio"/> Below <input type="radio"/> Above
D013	Lindane	0.4	<input checked="" type="radio"/> Below <input type="radio"/> Above
D014	Methoxychlor	10	<input checked="" type="radio"/> Below <input type="radio"/> Above
D015	Toxaphene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D016	2,4-D	10	<input checked="" type="radio"/> Below <input type="radio"/> Above
D017	2,4,5-TP (Silvex)	1	<input checked="" type="radio"/> Below <input type="radio"/> Above
D018	Benzene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D019	Carbon Tetrachloride	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D020	Chlordane	0.03	<input checked="" type="radio"/> Below <input type="radio"/> Above
D021	Chlorobenzene	100	<input checked="" type="radio"/> Below <input type="radio"/> Above
D022	Chloroform	6.0	<input checked="" type="radio"/> Below <input type="radio"/> Above
D023	o-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above

Code	Regulatory Level	TCLP (mg/l)	Concentration (if above)
D024	m-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above
D025	p-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above
D026	Cresols	200	<input checked="" type="radio"/> Below <input type="radio"/> Above
D027	1,4-Dichlorobenzene	7.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D028	1,2-Dichloroethane	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D029	1,1-Dichloroethylene	0.7	<input checked="" type="radio"/> Below <input type="radio"/> Above
D030	2,4-Dinitrotoluene	0.13	<input checked="" type="radio"/> Below <input type="radio"/> Above
D031	Heptachlor	0.008	<input checked="" type="radio"/> Below <input type="radio"/> Above
D032	Hexachlorobenzene	0.13	<input checked="" type="radio"/> Below <input type="radio"/> Above
D033	Hexachlorobutadiene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D034	Hexachloroethane	3.0	<input checked="" type="radio"/> Below <input type="radio"/> Above
D035	Methyl Ethyl Ketone	200	<input checked="" type="radio"/> Below <input type="radio"/> Above
D036	Nitrobenzene	2	<input checked="" type="radio"/> Below <input type="radio"/> Above
D037	Pentachlorophenol	100	<input checked="" type="radio"/> Below <input type="radio"/> Above
D038	Pyridine	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D039	Tetrachloroethylene	0.7	<input checked="" type="radio"/> Below <input type="radio"/> Above
D040	Trichloroethylene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D041	2,4,5-Trichlorophenol	400	<input checked="" type="radio"/> Below <input type="radio"/> Above
D042	2,4,6-Trichlorophenol	2	<input checked="" type="radio"/> Below <input type="radio"/> Above
D043	Vinyl Chloride	0.2	<input checked="" type="radio"/> Below <input type="radio"/> Above

6.6) If this is a characteristic hazardous waste, does it contain underlying hazardous constituents?

If you answered 'Yes', please list the constituents in Section 11.

☐ Yes ☒ No

Section 7 - Non-Hazardous Wastes

For a complete list of non-hazardous waste codes, please refer to Section 7 of the EQ Resource Guide.

Applicable waste code(s):

7.1) Is this a Michigan non-hazardous liquid industrial waste?

Comments:

☐ Yes ☒ No

7.2) Is this a Universal waste?

☐ Yes ☒ No

7.3) Is this a Recyclable Commodity? (e.g.: computer monitors, free mercury, etc.)

☐ Yes ☒ No

7.4) Is this waste a recoverable petroleum product?

☐ Yes ☒ No

7.5) Is this waste used oil as defined by 40 CFR Part 279?

☐ Yes ☒ No

Section 8 - TSCA Information

- 8.1) What is the concentration of PCBs in the waste? ☒ None ☐ 0-5 ppm ☐ 6-49 ppm
☐ 50-499 ppm ☐ 500+ ppm
- 8.2) Does the waste contain PCB contamination from a source with a concentration ≥ 50 ppm? ☐ Yes ☒ No
If you answered 'None' to 8.1 and 'No' to 8.2, please skip to Section 9.
- 8.3) Has this waste been processed into a non-liquid form? ☐ Yes ☐ No
If yes, what was the concentration of PCBs prior to processing? (ppm) ☐ N/A ☐ 0-499 ☐ 500+
- 8.4) Is the non-liquid PCB waste in the form of soil, rags, debris, or other contaminated media? ☐ Yes ☐ No
- 8.5) Are you a PCB capacitor manufacturer or a PCB equipment manufacturer? ☐ Yes ☐ No
- 8.6) Has the PCB Article (e.g., transformer, hydraulic machine, PCB-contaminated electrical equipment) been drained/flushed of all PCBs and decontaminated in accordance with 40 CFR 761.60(b)? ☐ N/A ☐ Yes ☐ No

Section 9 - Clean Air Act Information

- 9.1) Is this waste subject to regulation under 40 CFR, Part 63, Subpart DD or 40 CFR, Part 264, Subpart CC (RCRA)? ☐ Yes ☒ No
(Does the waste contain >500 ppm Volatile Organic Hazardous Air Pollutants - VOHAP's or Volatile Organic Compounds - VOC's?)
For a complete list of VOHAPs, please see Section 11 of the EQ Resource Guide.
- 9.2) Is this site, or waste, subject to any other MACT or NESHAP? ☐ Yes ☒ No
If yes, please specify:
- 9.3) Does this waste stream contain Benzene? ☐ Yes ☒ No
If you answered "No" to question 9.2, please skip to section 10.
- 9.4) Does the waste stream come from a facility with one of the SIC/NAICS codes listed under the Benzene NESHAP identified in 40 CFR 61, Subpart FF? ☐ Yes ☐ No
- 9.5) Is the generating source of this waste stream a facility with Total Annual Benzene (TAB) ≥ 10 Mg/year? ☐ Yes ☒ No
For assistance in calculating the TAB, please see the TAB Worksheet in Section 9 of the EQ Resource Guide.
If you answered "No" to question 9.3 and 9.4, please skip to Section 10.
- 9.6) Does the waste contain > 10% water? ☐ Yes ☐ No
- 9.7) What is the TAB quantity for your facility? _____ Mg/year
- 9.8) Does the waste contain >1.0 mg/kg total Benzene? ☐ Yes ☐ No
- 9.9) What is the total Benzene concentration in your waste? _____ (concentration) _____ (unit)

(Supporting analysis must be attached. Do not use TCLP analytical results. Acceptable laboratory methods include 8020, 8240, 8260, 602 and 624.)

**For a list of NAICS codes, please refer to section 9 of the EQ Resource Guide.*

Section 10 - Fuel Blending Information

- 10.1) Is this waste intended for fuel blending? ☐ Yes* ☒ No
If you answered 'Yes' to question 10.1, please enter the following:
- Heat value (BTU/lb.) _____
- Chlorine (%) _____
- Water (%) _____
- Solids (%) _____
- 10.2) Is this waste intended for reclamation? ☐ Yes ☒ No (5-Gallon Sample required for all reclaim waste streams)

Section 11 - Constituent Information

Please identify your waste constituents from these four categories: Underlying Hazardous Constituents (UHC's), Volatile Organic Hazardous Air Pollutants (VOHAP's), Volatile Organic Compounds (VOC's) and Toxic Release Inventory Constituents (TRI)

Constituent	Concentration	UHC?
-------------	---------------	------


Please see Section 11 of the EQ Resource Guide for a list of UHC's, VOHAP's and VOC's. For a complete list of TRI constituents, please refer to 40 CFR 372.65.

Section 12 - Certification

I certify that all information (including attachments) is complete and factual and is an accurate representation of the known and suspected hazards, pertaining to the waste described herein. I authorize EQ's Resource Team to add supplemental information to the waste approval file, provided I am contacted and give verbal permission. I authorize EQ's Resource Team to obtain a sample from any waste shipment for purposes of verification. Generator or on Generator's behalf shall be subject to, and Generator shall be bound by, the attached Standard Terms and Conditions and confirmation. I agree that, if EQ approves the waste described herein, all such wastes that are transported, delivered, or tendered to EQ by

Comments:
logged in

Generator:



Authorized Generator Signature

JERRY B. BANKS

Printed Generator Name

Company:

MS Dept. of Environmental Quality

Title:

Chief Groundwater Assessor

Date: 11/13/07

The generator's signature MUST appear on the EQ Waste Characterization Report. If the generator has authorized a third party to certify this document, a written notice (on generator letterhead) must accompany this submittal. Although the EQ Resource Team is authorized to make certain modifications to the information provided on this form, the addition or removal of waste codes and waste constituents must be documented by the generator.

STANDARD TERMS AND CONDITIONS

The Agreement between the Customer and EQ - The Environmental Quality Company and/or its member companies (hereinafter "EQ") related to or associated with Delivered Waste, as herein defined, shall be governed by the following Standard Terms and Conditions in addition to the terms and conditions contained in any Waste Characterization Report, Customer Approval Quote Confirmation, Generator Approval Notification, Notice of Waste Approval Expiration, and/or Credit Agreement associated with such Delivered Waste.

The Customer may use its standard forms (such as purchase orders, acknowledgments of orders, and invoices) to administer its dealings under this Agreement for convenience purposes, but all provisions thereof in conflict with these terms and conditions shall be deemed stricken.

Definitions.

The following definitions shall apply for purposes of this Agreement:

"Acceptable Waste" shall mean any hazardous waste, as defined under applicable State or federal law, determined by EQ as acceptable for treatment and/or disposal in accordance with this Agreement.

"Delivered Wastes" shall mean all wastes (i) which are transported, delivered, or tendered to EQ by the Customer; (ii) which the Customer has arranged for the transport, delivery or tender to EQ; or (iii) which are transported, delivered, or tendered to EQ under a Credit Agreement between the Customer and EQ.

"Non-Conforming Wastes" shall mean wastes that (a) are not in accordance in all material respects with the warranties, descriptions, specifications or limitations stated in the Waste Characterization Report and this Agreement; (b) have constituents or components of a type or concentration not specifically identified in the Waste Characterization Report (i) which increase the nature or extent of the hazard and risk undertaken by EQ in treating and/or disposing of the waste, or (ii) for whose treatment and/or disposal a Waste Management Facility is not designed or permitted, or (iii) which increase the cost of treatment and/or disposal of waste beyond that specified in EQ's price quote; or (c) are not properly packaged, labeled, described, or placarded, or otherwise not in compliance with United States Department of Transportation and United States Environmental Protection Agency regulations.

Control of Operations.

EQ shall have sole control over all aspects of the operation of any treatment and/or disposal facility of EQ receiving Delivered Wastes under this Agreement (hereinafter, "Waste Management Facility"), including, without limitation, maintaining EQ's desired volume of Acceptable Wastes being delivered to any Waste Management Facility by the Customer or any other person or entity.

Identification of Waste.

For each waste material to be transported, delivered, or tendered to EQ under this Agreement, the Customer shall provide, or cause to be provided, to EQ a representative sample of the waste material and a completed Waste Characterization Report containing a physical and chemical description or analysis of such waste material, which description shall conform with any and all guidelines for waste acceptance provided by EQ. On the basis of EQ's analysis of such representative sample of the waste material and such Waste Characterization Report, EQ will determine whether such wastes are Acceptable Wastes. EQ does not make any guarantee that it will handle any waste material or any particular quantity or type of waste material, and EQ reserves the right to the decline to transport, treat and/or dispose of waste material. The Customer shall promptly furnish to EQ any information regarding known, suspected or planned changes in the composition of the waste material. Further, the Customer shall promptly inform EQ of any change in the characteristic or condition of the waste material which becomes known to the Customer subsequent to the date of the Waste Characterization Report.

Non-Conforming Wastes.

In the event that EQ at any time discovers that any Delivered Waste is Non-Conforming Waste, EQ may reject or revoke its acceptance of the Non-Conforming Waste. The Customer shall have seven (7) days to direct an alternative lawful manner of disposition of the waste, unless it is necessary by reason of law or otherwise to move the Non-Conforming Waste prior to expiration of the seven (7) day period. If the Customer does not direct an alternative disposal, at its option, EQ may return any such Non-Conforming Wastes to the Customer, and the Customer shall pay or reimburse EQ for all costs and expenses incurred by EQ in connection with the receipt, handling, sampling, analyses, transportation and return to the Customer of such Non-Conforming Wastes. If it is impossible or impractical for EQ to return the Non-Conforming Waste to the Customer, the Customer shall reimburse EQ for all costs, of any type or nature whatsoever, incurred by EQ, solely because such Delivered Waste was Non-Conforming Waste (including, but not limited to, all costs associated with any remedial steps necessary, due to the nature of the Non-Conforming Waste, in connection with material with which the Non-Conforming Waste may have been commingled and all expenses and charges for analyzing, handling, locating, preparing for transporting, storing and disposing of any Non-Conforming Waste).

Customer Warranty - Title to Wastes.

Either the Customer or the generator (if other than the Customer) shall hold clear title, free of any all liens, claims, encumbrances, and charges to Delivered Waste until such waste is accepted by EQ.

Customer Warranty - Acceptable Wastes.

All Delivered Wastes shall be Acceptable Wastes and shall conform in all material respects to the description and specifications contained in the Waste Characterization Report. The information set forth in the Waste Characterization Report or any manifest, placard or label associated with any Delivered Wastes, or otherwise represented by the Customer or the generator (if other than the Customer) to EQ, is and shall be true, accurate and complete as of the date of receipt of the involved waste by EQ.

Customer Warranty - Compliance with Laws.

The Customer shall comply with all applicable federal, state and local environmental statutes, regulations, and other governmental requirements, as well as directives issued by EQ from time to time, governing the transportation, treatment and/or disposal of Acceptable Wastes, including, but not limited to, all packaging, manifesting, containerization, placarding and labeling requirements.

Customer Warranty - Updating Information.

If the Customer receives information that Delivered Waste or other hazardous waste described in the Waste Characterization Report, or some component of such waste, presents or may present a hazard or risk to persons, property or the environment which was not disclosed to EQ, or if the Customer or generator (if other than the Customer) has changed the process by which such waste results, the Customer shall promptly report such information to EQ in writing.

Customer Indemnity.

The Customer shall indemnify, defend and hold harmless EQ, and its affiliated or related companies, and all of their respective present or future officers, directors, shareholders, employees and agents from and against any and all losses, damages, liabilities, penalties, fines, forfeitures, demands, claims, causes of action, suits, costs and expenses (including, but not limited to, reasonable costs of defense, settlement, and reasonable attorneys' fees), which may be asserted against any or all of them by any person or any governmental agency, or which any or all of them may hereafter suffer, incur, be responsible for or pay out, as a result of or in connection with bodily injuries (including, but not limited to, death, sickness, disease and emotional or mental distress) to any person (including EQ's employees), damage (including, but not limited to, loss of use) to any property (public or private), or any requirements to conduct or incur expense for investigative, removal or remedial expenses in connection with contamination of or adverse effect on the environment, or any violation or alleged violation of any statutes, ordinances, orders, rules or regulations of any governmental entity or agency, caused or arising out of (i) a breach of this Agreement by the Customer, (ii) the failure of any warranty of the Customer to be true, accurate and complete, or (iii) any willful or negligent act or omission of the Customer, or its employees or agents in connection with the performance of this Agreement.

Force Majeure.

EQ shall not be liable for any failure to accept, receive, handle, treat, and/or dispose of Delivered Waste due to an act of God, fire, casualty, flood, war, strike, lockout, labor trouble, failure of public utilities, equipment failure, facility shutdown, injunction, accident, epidemic, riot, insurrection, destruction of operation or transportation facilities, the inability to procure materials, equipment, or sufficient personnel or energy in order to meet operational needs without the necessity of allocation, the failure or inability to obtain any governmental approvals or to meet Environmental Requirements (including, but not limited to voluntary or involuntary compliance with any act, exercise, assertion, or requirement of any governmental authority) which may temporarily or permanently prohibit operations of EQ, the Customer, or the Generator, or any other circumstances beyond the control of EQ which prevents or delays performance of any of its obligations under this Agreement.

Governing Laws.

This Agreement shall in all respects be governed by and shall be construed in accordance with the laws of the State of Michigan applied to contracts executed and performed wholly within such state.

EQ - The Environmental Quality Company

Waste Characterization Report

☒ I authorize EQ - The Environmental Quality Company to choose the appropriate method of waste management, from the technologies offered, at the EQ facilities identified below.

<input type="checkbox"/> Michigan Disposal Waste Treatment Plant (Stabilization and Treatment)	49350 North I-94 Service Drive, Belleville, Michigan 48111 Phone: 1-800-592-5489 Fax: 1-800-592-5329	EPA ID #MID000724831
<input type="checkbox"/> Wayne Disposal, Inc. (Hazardous & PCB Waste Landfill)	49350 North I-94 Service Drive, Belleville, Michigan 48111 Phone: 1-800-592-5489 Fax: 1-800-592-5329	EPA ID #MID048090633
<input type="checkbox"/> EQ Detroit, Inc. (Stabilization, Wastewater Treatment)	1923 Frederick, Detroit, MI 48211 Phone: 1-800-495-6059 Fax: 1-313-923-3375	EPA ID #MID980991566
<input type="checkbox"/> EQ Resource Recovery, Inc. (Solvent Recycling, Fuel Blending, WW Treatment)	36345 Van Born Road, Romulus, Michigan 48174 Phone: (734) 727-5500 Fax: (734) 326-4033	EPA ID #MID060975844
<input type="checkbox"/> EQIS North Carolina (Stabilization, Treatment, Labpack Decommissioning)	1005 Investment Blvd., Apex, NC 27502 Phone: (919) 363-4700 Fax: (919) 363-4714	EPA ID #NCD982170292
<input type="checkbox"/> EQ Florida, Inc. (Drum Consolidation, Labpack Decommissioning)	7202 East Eighth Ave., Tampa, FL 33619 Phone: 1-800-624-5302 Fax: 1-813-628-0842	EPA ID #FLD981932494
<input type="checkbox"/> EQ Detroit Transfer and Processing (Drum Transfer/Universal Waste Handling)	2000 Ferry Street, Detroit, MI 48211 Phone: (313) 923-0080 Fax: (313) 922-8419	EPA ID #MIK939928313
<input type="checkbox"/> EQIS Indianapolis Transfer and Processing (Drum Transfer/Non-Hazardous Waste Processing)	4000 West 10th Street, Indianapolis, Indiana 46222 Phone: (317) 247-7160 Fax: (317) 247-7170	EPA ID #IND161049309
<input type="checkbox"/> EQIS Atlanta Transfer and Processing (Drum Transfer/Non-Hazardous Waste Processing)	5600 Fulton Industrial Blvd., Atlanta, Georgia 30336 Phone: (404) 494-3520 Fax: (404) 494-3560	EPA ID #GAR000039776
<input type="checkbox"/> EQ Augusta, Inc. (Wastewater Treatment)	3920 Goshen Industrial Blvd., Augusta, GA 30906 Phone: 706-771-9100 Fax: 706-771-9124	EPA ID #GAR000011817

Waste Common Name: Basic Solids Labpack

Section 1 - Generator & Customer Info

SIC/NAICS*:

Generator EPA ID: MST-MP0-002-452

EQ Customer No.: 10958

Generator: Mississippi DEQ
Address: 4280 Rifle Range Rd
City: Vicksburg
State: MS Zip: 39180
County: Warren

Invoicing Company

Company: USES JACKSON
Address: 1075 MENDELL DAVIS DRIVE
City: JACKSON
State: MS Zip: 39212
Country: USA

Mailing Address

Address: P.O. Box 20326
City: Jackson
State: MS Zip: 39289

Invoicing Contact

Name: Wanda Horton
Phone: (601) 372-3232
Fax: () -

Generator Contact

Name: Trey Hess / Jerry Banks
Title:
Phone: (601) 961-5221/601-961-5654
Fax: () -

Technical Contact

Name: J.T. Newman
Phone: (601) 372-3232
Fax: () -
Mobile: () - Pager: () -
E-mail: jnewman@usesgroup.com

*For a list of NAICS codes, please refer to Section 9 of the EQ Resource Guide.

Section 2 - Shipping & Packaging Info

- 2.1) Shipping Volume & Unit: 55 gallon Frequency: One Time Only
- 2.2) DOT Shipping Name: Corrosive solid, basic, inorganic, n.o.s.
- 2.3) Is this waste surcharge exempt? ☐ Yes ☒ No (If you answered "Yes" to question 2.3, select the Surcharge Exemption reason.)

2.4) Packaging (check all that apply)

- | | | |
|---|--|---|
| <input type="checkbox"/> Bulk Solid (yd ³ < 2000 lbs/yd ³) | <input type="checkbox"/> Bulk Solid (Ton > 2000 lbs./yd ³) | <input type="checkbox"/> Bulk Liquids (Gallon) |
| <input type="checkbox"/> Totes, Size | <input type="checkbox"/> Cubic Yard Boxes/Bags | <input checked="" type="checkbox"/> Drums, Size 55 gallon |
| <input type="checkbox"/> Other (palletized, 5 gal. Pail, etc.) | | |

Quoted bulk disposal charges for solid materials will be billed by the cubic yard, if the waste density is less than 2,000lbs./cubic yard. If waste density is greater than 2,000 lbs./cubic yard, then bulk disposal charges will be billed by the ton, regardless of the approved container.

Section 3 - Physical Characteristics

- 3.1) Color: VARIES
- 3.2) Odor: none
- 3.3) Does this waste contain any "Potentially Odorous Constituents" as defined in the EQ Resource Guide? (Section 3) ☐ Yes ☒ No
- 3.4) Physical State at 70 °F: ☒ Solid ☐ Dust/Powder ☐ Liquid ☐ Sludge
- 3.5) What is the pH of this waste? ☐ ≤ 2 ☐ 2.1-4.9 ☐ 5-10 ☐ 10.1-12.4 ☒ ≥ 12.5
- 3.6) What is the flash point of this waste? ☐ <90 °F ☐ 90-139 °F ☐ 140-199 °F ☒ ≥ 200 °F
- 3.7) Does this waste contain? (check all that apply) ☒ None
- | | | | | | |
|---|---|--|---|---|--------------------------------------|
| <input type="checkbox"/> Biodegradable Sorbants | <input type="checkbox"/> Amines | <input type="checkbox"/> Ammonia | <input type="checkbox"/> Free Liquids | <input type="checkbox"/> Oily Residue | <input type="checkbox"/> Metal Fines |
| <input type="checkbox"/> Shock Sensitive Waste | <input type="checkbox"/> Reactive Waste | <input type="checkbox"/> Radioactive Waste | <input type="checkbox"/> Water Reactive | <input type="checkbox"/> Biohazard | <input type="checkbox"/> Aluminum |
| <input type="checkbox"/> Asbestos - non-friable | <input type="checkbox"/> Asbestos - friable | <input type="checkbox"/> Dioxins | <input type="checkbox"/> Explosives | <input type="checkbox"/> Pyrophoric Waste | <input type="checkbox"/> Isocyanates |
| | | | <input type="checkbox"/> Furans | | |

Section 4 - Composition / Generating Process

- 4.1) Describe the physical composition of the waste (i.e., soil, water, PPE, debris, key chemical compounds, etc.)
- 4.2) Provide a detailed description of the process generating this waste. (attach flow diagram if available).
- Labpack of chemicals in abandoned Chemical plant Lab

Section 5 - Is This Hazardous Waste?

Please refer to Section 5 of the EQ Resource Guide for a list of waste codes.

As determined by 40 CFR, Part 261 and Michigan Act 451 Rules:

Please list applicable waste code(s):

- 5.1) Is this an EPA RCRA listed hazardous waste (F, K, P or U)? ☐ Yes ☒ No
- Comments:
- 5.2) Is this an EPA RCRA characteristic hazardous waste (D001-D043)? ☒ Yes ☐ No
- Comments:
- 5.3) Do any State Hazardous Waste Codes apply? ☐ Yes ☒ No
- Comments:
- 5.4) Is this waste intended for wastewater treatment? ☐ Yes* ☒ No

D002

If you answered "No" to questions 5.1, 5.2, and 5.3, please skip to Section 7.
If you answered "Yes" to question 5.4, please complete the WCR Addendum.

Section 6 - Hazardous Wastes

6.1) Does this waste exceed Land Disposal Restriction Levels?

☒ Yes ☐ No

6.1a) If this waste stream is greater than 50% soil, does it meet the alternative soil treatment standards of 40 CFR 268.497

☐ Yes ☒ No

6.1b) Does this waste contain greater than 50% debris, by volume? (Debris is greater than 2.5 inches in size.)

☐ Yes ☒ No

6.2) Is the waste an oxidizer (D001)?

☐ Yes ☒ No

6.3) Does this waste contain reactive cyanide \geq 250 ppm (D003)?

☐ Yes ☒ No

6.4) Does this waste contain reactive sulfide \geq 500 ppm (D003)?

☐ Yes ☒ No

6.5) Please indicate which constituent concentrations are below or above the regulatory level. Please indicate the basis used in the determination. Either 'Below' or 'Above' **MUST** be checked for each constituent.

Based On: ☒ Generator Knowledge ☐ Analysis* ☐ MSDS*

*Please forward a copy. Analysis or MSDS are required for EQ Florida Non-hazardous wastes.

Code	Regulatory Level	TCLP (mg/l)	Concentration (If above)
D004	Arsenic	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D005	Barium	100	<input checked="" type="radio"/> Below <input type="radio"/> Above
D006	Cadmium	1	<input checked="" type="radio"/> Below <input type="radio"/> Above
D007	Chromium	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D008	Lead	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D009	Mercury	0.2	<input checked="" type="radio"/> Below <input type="radio"/> Above
D010	Selenium	1	<input checked="" type="radio"/> Below <input type="radio"/> Above
D011	Silver	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D012	Endrin	0.02	<input checked="" type="radio"/> Below <input type="radio"/> Above
D013	Lindane	0.4	<input checked="" type="radio"/> Below <input type="radio"/> Above
D014	Methoxychlor	10	<input checked="" type="radio"/> Below <input type="radio"/> Above
D015	Toxaphene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D016	2,4-D	10	<input checked="" type="radio"/> Below <input type="radio"/> Above
D017	2,4,5-TP (Silvex)	1	<input checked="" type="radio"/> Below <input type="radio"/> Above
D018	Benzene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D019	Carbon Tetrachloride	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D020	Chlordane	0.03	<input checked="" type="radio"/> Below <input type="radio"/> Above
D021	Chlorobenzene	100	<input checked="" type="radio"/> Below <input type="radio"/> Above
D022	Chloroform	6.0	<input checked="" type="radio"/> Below <input type="radio"/> Above
D023	o-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above

Code	Regulatory Level	TCLP (mg/l)	Concentration (If above)
D024	m-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above
D025	p-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above
D026	Cresols	200	<input checked="" type="radio"/> Below <input type="radio"/> Above
D027	1,4-Dichlorobenzene	7.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D028	1,2-Dichloroethane	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D029	1,1-Dichloroethylene	0.7	<input checked="" type="radio"/> Below <input type="radio"/> Above
D030	2,4-Dinitrotoluene	0.13	<input checked="" type="radio"/> Below <input type="radio"/> Above
D031	Heptachlor	0.008	<input checked="" type="radio"/> Below <input type="radio"/> Above
D032	Hexachlorobenzene	0.13	<input checked="" type="radio"/> Below <input type="radio"/> Above
D033	Hexachlorobutadiene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D034	Hexachloroethane	3.0	<input checked="" type="radio"/> Below <input type="radio"/> Above
D035	Methyl Ethyl Ketone	200	<input checked="" type="radio"/> Below <input type="radio"/> Above
D036	Nitrobenzene	2	<input checked="" type="radio"/> Below <input type="radio"/> Above
D037	Pentachlorophenol	100	<input checked="" type="radio"/> Below <input type="radio"/> Above
D038	Pyridine	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D039	Tetrachloroethylene	0.7	<input checked="" type="radio"/> Below <input type="radio"/> Above
D040	Trichloroethylene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D041	2,4,5-Trichlorophenol	400	<input checked="" type="radio"/> Below <input type="radio"/> Above
D042	2,4,6-Trichlorophenol	2	<input checked="" type="radio"/> Below <input type="radio"/> Above
D043	Vinyl Chloride	0.2	<input checked="" type="radio"/> Below <input type="radio"/> Above

6.6) If this is a characteristic hazardous waste, does it contain underlying hazardous constituents?

☐ Yes ☒ No

If you answered 'Yes', please list the constituents in Section 11.

Section 7 - Non-Hazardous Wastes

For a complete list of non-hazardous waste codes, please refer to Section 7 of the EQ Resource Guide.

Applicable waste code(s):

7.1) Is this a Michigan non-hazardous liquid industrial waste?

☐ Yes ☒ No

Comments:

7.2) Is this a Universal waste?

☐ Yes ☒ No

7.3) Is this a Recyclable Commodity? (e.g.: computer monitors, free mercury, etc.)

☐ Yes ☒ No

7.4) Is this waste a recoverable petroleum product?

☐ Yes ☒ No

7.5) Is this waste used oil as defined by 40 CFR Part 279?

☐ Yes ☒ No

Section 8 - TSCA Information

- 8.1) What is the concentration of PCBs in the waste? ☒ None ☐ 0-5 ppm ☐ 6-49 ppm
☐ 50-499 ppm ☐ 500+ ppm
- 8.2) Does the waste contain PCB contamination from a source with a concentration ≥ 50 ppm? ☐ Yes ☒ No
If you answered 'None' to 8.1 and 'No' to 8.2, please skip to Section 9.
- 8.3) Has this waste been processed into a non-liquid form? ☐ Yes ☐ No
If yes, what was the concentration of PCBs prior to processing? (ppm) ☐ N/A ☐ 0-499 ☐ 500+
- 8.4) Is the non-liquid PCB waste in the form of soil, rags, debris, or other contaminated media? ☐ Yes ☐ No
- 8.5) Are you a PCB capacitor manufacturer or a PCB equipment manufacturer? ☐ Yes ☐ No
- 8.6) Has the PCB Article (e.g., transformer, hydraulic machine, PCB-contaminated electrical equipment) been drained/flushed of all PCBs and decontaminated in accordance with 40 CFR 761.60(b)? ☐ N/A ☐ Yes ☐ No

Section 9 - Clean Air Act Information

- 9.1) Is this waste subject to regulation under 40 CFR, Part 63, Subpart DD or 40 CFR, Part 264, Subpart CC (RCRA)? ☐ Yes ☒ No
(Does the waste contain >500 ppm Volatile Organic Hazardous Air Pollutants - VOHAP's or Volatile Organic Compounds - VOC's?)
For a complete list of VOHAP's, please see Section 11 of the EQ Resource Guide.
- 9.2) Is this site, or waste, subject to any other MACT or NESHAP? ☐ Yes ☒ No
If yes, please specify:
- 9.3) Does this waste stream contain Benzene? ☐ Yes ☒ No
If you answered "No" to question 9.2, please skip to section 10.
- 9.4) Does the waste stream come from a facility with one of the SIC/NAICS codes listed under the Benzene NESHAP identified in 40 CFR 61, Subpart FF? ☐ Yes ☐ No
- 9.5) Is the generating source of this waste stream a facility with Total Annual Benzene (TAB) ≥ 10 Mg/year? ☐ Yes ☒ No
For assistance in calculating the TAB, please see the TAB Worksheet in Section 9 of the EQ Resource Guide.
If you answered "No" to question 9.3 and 9.4, please skip to Section 10.
- 9.6) Does the waste contain > 10% water? ☐ Yes ☐ No
- 9.7) What is the TAB quantity for your facility? _____ Mg/year
- 9.8) Does the waste contain >1.0 mg/kg total Benzene? ☐ Yes ☐ No
- 9.9) What is the total Benzene concentration in your waste? _____ (concentration) _____ (unit)

(Supporting analysis must be attached. Do not use TCLP analytical results. Acceptable laboratory methods include 8020, 8240, 8260, 602 and 624.)

*For a list of NAICS codes, please refer to section 9 of the EQ Resource Guide.

Section 10 - Fuel Blending Information

- 10.1) Is this waste intended for fuel blending? ☐ Yes* ☒ No
If you answered 'Yes' to question 10.1, please enter the following:
- Heat value (BTU/lb.) _____
- Chlorine (%) _____
- Water (%) _____
- Solids (%) _____
- 10.2) Is this waste intended for reclamation? ☐ Yes ☒ No (5-Gallon Sample required for all reclaim waste streams)

Section 11 - Constituent Information

Please identify your waste constituents from these four categories: Underlying Hazardous Constituents (UHC's), Volatile Organic Hazardous Air Pollutants (VOHAP's), Volatile Organic Compounds (VOC's) and Toxic Release Inventory Constituents (TRI)


Constituent	Concentration	UHC?
-------------	---------------	------

Please see Section 11 of the EQ Resource Guide for a list of UHC's, VOHAP's and VOC's. For a complete list of TRI constituents, please refer to 40 CFR 372.65.

Section 12 - Certification

I certify that all information (including attachments) is complete and factual and is an accurate representation of the known and suspected hazards, pertaining to the waste described herein. I authorize EQ's Resource Team to add supplemental information to the waste approval file, provided I am contacted and give verbal permission. I authorize EQ's Resource Team to obtain a sample from any waste shipment for purposes of verification. Generator or on Generator's behalf shall be subject to, and Generator shall be bound by, the attached Standard Terms and Conditions and confirmation. I agree that, if EQ approves the waste described herein, all such wastes that are transported, delivered, or tendered to EQ by

Comments:
logged in

Generator:  JERRY B. BANKS
Authorized Generator Signature Printed Generator Name

Company: MS Dept. of Environmental Quality Title: Risk Groundwater Assessment Date: 11-13-07

The generator's signature **MUST** appear on the EQ Waste Characterization Report. If the generator has authorized a third party to certify this document, a written notice (on generator letterhead) must accompany this submittal. Although the EQ Resource Team is authorized to make certain modifications to the information provided on this form, the addition or removal of waste codes and waste constituents must be documented by the generator.

STANDARD TERMS AND CONDITIONS

The Agreement between the Customer and EQ - The Environmental Quality Company and/or its member companies (hereinafter "EQ") related to or associated with Delivered Waste, as herein defined, shall be governed by the following Standard Terms and Conditions in addition to the terms and conditions contained in any Waste Characterization Report, Customer Approval Quote Confirmation, Generator Approval Notification, Notice of Waste Approval Expiration, and/or Credit Agreement associated with such Delivered Waste.

The Customer may use its standard forms (such as purchase orders, acknowledgments of orders, and invoices) to administer its dealings under this Agreement for convenience purposes, but all provisions thereof in conflict with these terms and conditions shall be deemed stricken.

Definitions.

The following definitions shall apply for purposes of this Agreement:

"Acceptable Waste" shall mean any hazardous waste, as defined under applicable State or federal law, determined by EQ as acceptable for treatment and/or disposal in accordance with this Agreement.

"Delivered Wastes" shall mean all wastes (i) which are transported, delivered, or tendered to EQ by the Customer; (ii) which the Customer has arranged for the transport, delivery or tender to EQ; or (iii) which are transported, delivered, or tendered to EQ under a Credit Agreement between the Customer and EQ.

"Non-Conforming Wastes" shall mean wastes that (a) are not in accordance in all material respects with the warranties, descriptions, specifications or limitations stated in the Waste Characterization Report and this Agreement; (b) have constituents or components of a type or concentration not specifically identified in the Waste Characterization Report (i) which increase the nature or extent of the hazard and risk undertaken by EQ in treating and/or disposing of the waste, or (ii) for whose treatment and/or disposal a Waste Management Facility is not designed or permitted, or (iii) which increase the cost of treatment and/or disposal of waste beyond that specified in EQ's price quote; or (c) are not properly packaged, labeled, described, or placarded, or otherwise not in compliance with United States Department of Transportation and United States Environmental Protection Agency regulations.

Control of Operations.

EQ shall have sole control over all aspects of the operation of any treatment and/or disposal facility of EQ receiving Delivered Wastes under this Agreement (hereinafter, "Waste Management Facility"), including, without limitation, maintaining EQ's desired volume of Acceptable Wastes being delivered to any Waste Management Facility by the Customer or any other person or entity.

Identification of Waste.

For each waste material to be transported, delivered, or tendered to EQ under this Agreement, the Customer shall provide, or cause to be provided, to EQ a representative sample of the waste material and a completed Waste Characterization Report containing a physical and chemical description or analysis of such waste material, which description shall conform with any and all guidelines for waste acceptance provided by EQ. On the basis of EQ's analysis of such representative sample of the waste material and such Waste Characterization Report, EQ will determine whether such wastes are Acceptable Wastes. EQ does not make any guarantee that it will handle any waste material or any particular quantity or type of waste material, and EQ reserves the right to the decline to transport, treat and/or dispose of waste material. The Customer shall promptly furnish to EQ any information regarding known, suspected or planned changes in the composition of the waste material. Further, the Customer shall promptly inform EQ of any change in the characteristic or condition of the waste material which becomes known to the Customer subsequent to the date of the Waste Characterization Report.

Non-Conforming Wastes.

In the event that EQ at any time discovers that any Delivered Waste is Non-Conforming Waste, EQ may reject or revoke its acceptance of the Non-Conforming Waste. The Customer shall have seven (7) days to direct an alternative lawful manner of disposition of the waste, unless it is necessary by reason of law or otherwise to move the Non-Conforming Waste prior to expiration of the seven (7) day period. If the Customer does not direct an alternative disposal, at its option, EQ may return any such Non-Conforming Wastes to the Customer, and the Customer shall pay or reimburse EQ for all costs and expenses incurred by EQ in connection with the receipt, handling, sampling, analyses, transportation and return to the Customer of such Non-Conforming Wastes. If it is impossible or impractical for EQ to return the Non-Conforming Waste to the Customer, the Customer shall reimburse EQ for all costs, of any type or nature whatsoever, incurred by EQ, solely because such Delivered Waste was Non-Conforming Waste (including, but not limited to, all costs associated with any remedial steps necessary, due to the nature of the Non-Conforming Waste, in connection with material with which the Non-Conforming Waste may have been commingled and all expenses and charges for analyzing, handling, locating, preparing for transporting, storing and disposing of any Non-Conforming Waste).

Customer Warranty - Title to Wastes.

Either the Customer or the generator (if other than the Customer) shall hold clear title, free of any all liens, claims, encumbrances, and charges to Delivered Waste until such waste is accepted by EQ.

Customer Warranty - Acceptable Wastes.

All Delivered Wastes shall be Acceptable Wastes and shall conform in all material respects to the description and specifications contained in the Waste Characterization Report. The information set forth in the Waste Characterization Report or any manifest, placard or label associated with any Delivered Wastes, or otherwise represented by the Customer or the generator (if other than the Customer) to EQ, is and shall be true, accurate and complete as of the date of receipt of the involved waste by EQ.

Customer Warranty - Compliance with Laws.

The Customer shall comply with all applicable federal, state and local environmental statutes, regulations, and other governmental requirements, as well as directives issued by EQ from time to time, governing the transportation, treatment and/or disposal of Acceptable Wastes, including, but not limited to, all packaging, manifesting, containerization, placarding and labeling requirements.

Customer Warranty - Updating Information.

If the Customer receives information that Delivered Waste or other hazardous waste described in the Waste Characterization Report, or some component of such waste, presents or may present a hazard or risk to persons, property or the environment which was not disclosed to EQ, or if the Customer or generator (if other than the Customer) has changed the process by which such waste results, the Customer shall promptly report such information to EQ in writing.

Customer Indemnity.

The Customer shall indemnify, defend and hold harmless EQ, and its affiliated or related companies, and all of their respective present or future officers, directors, shareholders, employees and agents from and against any and all losses, damages, liabilities, penalties, fines, forfeitures, demands, claims, causes of action, suits, costs and expenses (including, but not limited to, reasonable costs of defense, settlement, and reasonable attorneys' fees), which may be asserted against any or all of them by any person or any governmental agency, or which any or all of them may hereafter suffer, incur, be responsible for or pay out, as a result of or in connection with bodily injuries (including, but not limited to, death, sickness, disease and emotional or mental distress) to any person (including EQ's employees), damage (including, but not limited to, loss of use) to any property (public or private), or any requirements to conduct or incur expense for investigative, removal or remedial expenses in connection with contamination of or adverse effect on the environment, or any violation or alleged violation of any statutes, ordinances, orders, rules or regulations of any governmental entity or agency, caused or arising out of (i) a breach of this Agreement by the Customer, (ii) the failure of any warranty of the Customer to be true, accurate and complete, or (iii) any willful or negligent act or omission of the Customer, or its employees or agents in connection with the performance of this Agreement.

Force Majeure.

EQ shall not be liable for any failure to accept, receive, handle, treat, and/or dispose of Delivered Waste due to an act of God, fire, casualty, flood, war, strike, lockout, labor trouble, failure of public utilities, equipment failure, facility shutdown, injunction, accident, epidemic, riot, insurrection, destruction of operation or transportation facilities, the inability to procure materials, equipment, or sufficient personnel or energy in order to meet operational needs without the necessity of allocation, the failure or inability to obtain any governmental approvals or to meet Environmental Requirements (including, but not limited to voluntary or involuntary compliance with any act, exercise, assertion, or requirement of any governmental authority) which may temporarily or permanently prohibit operations of EQ, the Customer, or the Generator, or any other circumstances beyond the control of EQ which prevents or delays performance of any of its obligations under this Agreement.

Governing Laws.

This Agreement shall in all respects be governed by and shall be construed in accordance with the laws of the State of Michigan applied to contracts executed and performed wholly within such state.

EQ - The Environmental Quality Company

Waste Characterization Report

☒ I authorize EQ - The Environmental Quality Company to choose the appropriate method of waste management, from the technologies offered, at the EQ facilities identified below.

<input type="checkbox"/> Michigan Disposal Waste Treatment Plant (Stabilization and Treatment)	49350 North I-94 Service Drive, Belleville, Michigan 48111 Phone: 1-800-592-5489 Fax: 1-800-592-5329	EPA ID #MID000724831
<input type="checkbox"/> Wayne Disposal, Inc. (Hazardous & PCB Waste Landfill)	49350 North I-94 Service Drive, Belleville, Michigan 48111 Phone: 1-800-592-5489 Fax: 1-800-592-5329	EPA ID #MID048090633
<input type="checkbox"/> EQ Detroit, Inc. (Stabilization, Wastewater Treatment)	1923 Frederick, Detroit, MI 48211 Phone: 1-800-495-6059 Fax: 1-313-923-3375	EPA ID #MID980991566
<input type="checkbox"/> EQ Resource Recovery, Inc. (Solvent Recycling, Fuel Blending, WW Treatment)	36345 Van Born Road, Romulus, Michigan 48174 Phone: (734) 727-5500 Fax: (734) 326-4033	EPA ID #MID060975844
<input type="checkbox"/> EQIS North Carolina (Stabilization, Treatment, Labpack Decommissioning)	1005 Investment Blvd., Apex, NC 27502 Phone: (919) 363-4700 Fax: (919) 363-4714	EPA ID #NCD982170292
<input type="checkbox"/> EQ Florida, Inc. (Drum Consolidation, Labpack Decommissioning)	7202 East Eighth Ave., Tampa, FL 33619 Phone: 1-800-624-5302 Fax: 1-813-628-0842	EPA ID #FLD981932494
<input type="checkbox"/> EQ Detroit Transfer and Processing (Drum Transfer/Universal Waste Handling)	2000 Ferry Street, Detroit, MI 48211 Phone: (313) 923-0080 Fax: (313) 922-6419	EPA ID #MIK939928313
<input type="checkbox"/> EQIS Indianapolis Transfer and Processing (Drum Transfer/Non-Hazardous Waste Processing)	4000 West 10th Street, Indianapolis, Indiana 46222 Phone: (317) 247-7160 Fax: (317) 247-7170	EPA ID #IND161049309
<input type="checkbox"/> EQIS Atlanta Transfer and Processing (Drum Transfer/Non-Hazardous Waste Processing)	5600 Fulton Industrial Blvd., Atlanta, Georgia 30336 Phone: (404) 494-3520 Fax: (404) 494-3560	EPA ID #GAR000039776
<input type="checkbox"/> EQ Augusta, Inc. (Wastewater Treatment)	3920 Goshen Industrial Blvd., Augusta, GA 30906 Phone: 706-771-9100 Fax: 706-771-9124	EPA ID #GAR000011817

Waste Common Name: Dinitrophenol

Section 1 - Generator & Customer Info

SIC/NAICS*:

Generator EPA ID: MST-MP0-002-452

EQ Customer No.: 10958

Generator: Mississippi DEQ
Address: 4280 Rifle Range Rd
City: Vicksburg
State: MS Zip: 39180
County: Warren

Mailing Address

Address: P.O. Box 20326
City: Jackson
State: MS Zip: 39289

Generator Contact

Name: Trey Hess / Jerry Banks
Title:
Phone: (601) 961-5221/601-961-5654
Fax: () -

Invoicing Company

Company: USES JACKSON
Address: 1075 MENDELL DAVIS DRIVE
City: JACKSON
State: MS Zip: 39212
Country: USA

Invoicing Contact

Name: Wanda Horton
Phone: (601) 372-3232
Fax: () -

Technical Contact

Name: J.T. Newman
Phone: (601) 372-3232
Fax: () -
Mobile: () - Pager: () -
E-mail: jnewman@usesgroup.com

*For a list of NAICS codes, please refer to Section 9 of the EQ Resource Guide.

Section 2 - Shipping & Packaging Info

- 2.1) Shipping Volume & Unit: 5 gallon Frequency: One Time Only
2.2) DOT Shipping Name: Dinitrophenol solutions
2.3) Is this waste surcharge exempt? ☐ Yes ☒ No (If you answered "Yes" to question 2.3, select the Surcharge Exemption reason.)

2.4) Packaging (check all that apply)

- ☐ Bulk Solid (yd ³ < 2000 lbs./yd ³) ☐ Bulk Solid (Ton > 2000 lbs./yd ³) ☐ Bulk Liquids (Gallon)
☐ Totes, Size ☐ Cubic Yard Boxes/Bags ☒ Drums, Size 55 gallon
☐ Other (palletized, 5 gal. Pail, etc.)

Quoted bulk disposal charges for solid materials will be billed by the cubic yard, if the waste density is less than 2,000lbs./cubic yard. If waste density is greater than 2,000 lbs./cubic yard, then bulk disposal charges will be billed by the ton, regardless of the approved container.

Section 3 - Physical Characteristics

- 3.1) Color: VARIES 3.2) Odor: none
3.3) Does this waste contain any "Potentially Odorous Constituents" as defined in the EQ Resource Guide? (Section 3) ☐ Yes ☒ No
3.4) Physical State at 70 °F: ☐ Solid ☐ Dust/Powder ☒ Liquid ☐ Sludge
3.5) What is the pH of this waste? ☐ ≤ 2 ☐ 2.1-4.9 ☐ 5-10 ☐ 10.1-12.4 ☒ ≥ 12.5
3.6) What is the flash point of this waste? ☒ <90 °F ☐ 90-139 °F ☐ 140-199 °F ☐ ≥ 200 °F
3.7) Does this waste contain? (check all that apply) ☐ None ☐ Free Liquids ☐ Oily Residue ☐ Metal Fines
☐ Biodegradable Sorbents ☐ Amines ☐ Ammonia ☐ Water Reactive ☐ Biohazard ☐ Aluminum
☒ Shock Sensitive Waste ☐ Reactive Waste ☐ Radioactive Waste ☐ Explosives ☐ Pyrophoric Waste ☐ Isocyanates
☐ Asbestos - non-friable ☐ Asbestos - friable ☐ Dioxins ☐ Furans

Section 4 - Composition / Generating Process

- 4.1) Describe the physical composition of the waste (i.e., soil, water, PPE, debris, key chemical compounds, etc.)
dinitrophenol from 100. to 100. %
4.2) Provide a detailed description of the process generating this waste. (attach flow diagram if available).
Labpack of chemicals in abandoned Chemical plant Lab

Section 5 - Is This Hazardous Waste?

Please refer to Section 5 of the EQ Resource Guide for a list of waste codes.

As determined by 40 CFR, Part 261 and Michigan Act 451 Rules:

Please list applicable waste code(s):

- 5.1) Is this an EPA RCRA listed hazardous waste (F, K, P or U)? ☐ Yes ☒ No
Comments:
5.2) Is this an EPA RCRA characteristic hazardous waste (D001-D043)? ☒ Yes ☐ No
Comments: D001
5.3) Do any State Hazardous Waste Codes apply? ☐ Yes ☒ No
Comments:
5.4) Is this waste intended for wastewater treatment? ☐ Yes* ☒ No

If you answered "No" to questions 5.1, 5.2, and 5.3, please skip to Section 7.
If you answered "Yes" to question 5.4, please complete the WCR Addendum.

Section 6 - Hazardous Wastes

6.1) Does this waste exceed Land Disposal Restriction Levels?

☒ Yes ☐ No

6.1a) If this waste stream is greater than 50% soil, does it meet the alternative soil treatment standards of 40 CFR 268.49?

☐ Yes ☒ No

6.1b) Does this waste contain greater than 50% debris, by volume? (Debris is greater than 2.5 inches in size.)

☐ Yes ☒ No

6.2) Is the waste an oxidizer (D001)?

☐ Yes ☒ No

6.3) Does this waste contain reactive cyanide \geq 250 ppm (D003)?

☐ Yes ☒ No

6.4) Does this waste contain reactive sulfide \geq 500 ppm (D003)?

☐ Yes ☒ No

6.5) Please indicate which constituent concentrations are below or above the regulatory level. Please indicate the basis used in the determination. Either 'Below' or 'Above' **MUST** be checked for each constituent.

Based On: ☒ Generator Knowledge ☐ Analysis* ☐ MSDS*

*Please forward a copy. Analysis or MSDS are required for EQ Florida Non-hazardous wastes.

Code	Regulatory Level	TCLP (mg/l)		Concentration (if above)
D004	Arsenic	5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D005	Barium	100	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D006	Cadmium	1	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D007	Chromium	5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D008	Lead	5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D009	Mercury	0.2	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D010	Selenium	1	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D011	Silver	5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D012	Endrin	0.02	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D013	Lindane	0.4	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D014	Methoxychlor	10	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D015	Toxaphene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D016	2,4-D	10	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D017	2,4,5-TP (Silvex)	1	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D018	Benzene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D019	Carbon Tetrachloride	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D020	Chlordane	0.03	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D021	Chlorobenzene	100	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D022	Chloroform	6.0	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D023	o-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above	

Code	Regulatory Level	TCLP (mg/l)		Concentration (if above)
D024	m-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D025	p-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D026	Cresols	200	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D027	1,4-Dichlorobenzene	7.5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D028	1,2-Dichloroethane	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D029	1,1-Dichloroethylene	0.7	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D030	2,4-Dinitrotoluene	0.13	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D031	Heptachlor	0.008	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D032	Hexachlorobenzene	0.13	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D033	Hexachlorobutadiene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D034	Hexachloroethane	3.0	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D035	Methyl Ethyl Ketone	200	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D036	Nitrobenzene	2	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D037	Pentachlorophenol	100	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D038	Pyridine	5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D039	Tetrachloroethylene	0.7	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D040	Trichloroethylene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D041	2,4,5-Trichlorophenol	400	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D042	2,4,6-Trichlorophenol	2	<input checked="" type="radio"/> Below <input type="radio"/> Above	
D043	Vinyl Chloride	0.2	<input checked="" type="radio"/> Below <input type="radio"/> Above	

6.6) If this is a characteristic hazardous waste, does it contain underlying hazardous constituents?

☐ Yes ☒ No

If you answered 'Yes', please list the constituents in Section 11.

Section 7 - Non-Hazardous Wastes

For a complete list of non-hazardous waste codes, please refer to Section 7 of the EQ Resource Guide.

Applicable waste code(s):

7.1) Is this a Michigan non-hazardous liquid industrial waste?

☐ Yes ☒ No

Comments:

7.2) Is this a Universal waste?

☐ Yes ☒ No

7.3) Is this a Recyclable Commodity? (e.g.: computer monitors, free mercury, etc.)

☐ Yes ☒ No

7.4) Is this waste a recoverable petroleum product?

☐ Yes ☒ No

7.5) Is this waste used oil as defined by 40 CFR Part 279?

☐ Yes ☒ No

Section 8 - TSCA Information

- 8.1) What is the concentration of PCBs in the waste? ☒ None ☐ 0-5 ppm ☐ 6-49 ppm
☐ 50-499 ppm ☐ 500+ ppm
- 8.2) Does the waste contain PCB contamination from a source with a concentration ≥ 50 ppm? ☐ Yes ☒ No
If you answered 'None' to 8.1 and 'No' to 8.2, please skip to Section 9.
- 8.3) Has this waste been processed into a non-liquid form? ☐ Yes ☐ No
If yes, what was the concentration of PCBs prior to processing? (ppm) ☐ N/A ☐ 0-499 ☐ 500+
- 8.4) Is the non-liquid PCB waste in the form of soil, rags, debris, or other contaminated media? ☐ Yes ☐ No
- 8.5) Are you a PCB capacitor manufacturer or a PCB equipment manufacturer? ☐ Yes ☐ No
- 8.6) Has the PCB Article (e.g., transformer, hydraulic machine, PCB-contaminated electrical equipment) been drained/flushed of all PCBs and decontaminated in accordance with 40 CFR 761.60(b)? ☐ N/A ☐ Yes ☐ No

Section 9 - Clean Air Act Information

- 9.1) Is this waste subject to regulation under 40 CFR, Part 63, Subpart DD or 40 CFR, Part 264, Subpart CC (RCRA)? ☐ Yes ☒ No
(Does the waste contain >500 ppm Volatile Organic Hazardous Air Pollutants - VOHAP's or Volatile Organic Compounds - VOC's?)
For a complete list of VOHAP's, please see Section 11 of the EQ Resource Guide.
- 9.2) Is this site, or waste, subject to any other MACT or NESHAP? ☐ Yes ☒ No
If yes, please specify:
- 9.3) Does this waste stream contain Benzene? ☐ Yes ☒ No
If you answered "No" to question 9.2, please skip to section 10.
- 9.4) Does the waste stream come from a facility with one of the SIC/NAICS codes listed under the Benzene NESHAP identified in 40 CFR 61, Subpart FF? ☐ Yes ☐ No
- 9.5) Is the generating source of this waste stream a facility with Total Annual Benzene (TAB) ≥ 10 Mg/year? ☐ Yes ☒ No
For assistance in calculating the TAB, please see the TAB Worksheet in Section 9 of the EQ Resource Guide.
If you answered "No" to question 9.3 and 9.4, please skip to Section 10.
- 9.6) Does the waste contain > 10% water? ☐ Yes ☐ No
- 9.7) What is the TAB quantity for your facility? _____ Mg/year
- 9.8) Does the waste contain >1.0 mg/kg total Benzene? ☐ Yes ☐ No
- 9.9) What is the total Benzene concentration in your waste? _____ (concentration) _____ (unit)

(Supporting analysis must be attached. Do not use TCLP analytical results. Acceptable laboratory methods include 8020, 8240, 8260, 602 and 624.)

**For a list of NAICS codes, please refer to section 9 of the EQ Resource Guide.*

Section 10 - Fuel Blending Information

- 10.1) Is this waste intended for fuel blending? ☐ Yes* ☒ No
If you answered 'Yes' to question 10.1, please enter the following:
- Heat value (BTU/lb.) _____
- Chlorine (%) _____
- Water (%) _____
- Solids (%) _____
- 10.2) Is this waste intended for reclamation? ☐ Yes ☒ No (5-Gallon Sample required for all reclaim waste streams)

Section 11 - Constituent Information

Please identify your waste constituents from these four categories: Underlying Hazardous Constituents (UHC's), Volatile Organic Hazardous Air Pollutants (VOHAP's), Volatile Organic Compounds (VOC's) and Toxic Release Inventory Constituents (TRI)


Constituent	Concentration	UHC?
-------------	---------------	------

Please see Section 11 of the EQ Resource Guide for a list of UHC's, VOHAP's and VOC's. For a complete list of TRI constituents, please refer to 40 CFR 372.65.

Section 12 - Certification

I certify that all information (including attachments) is complete and factual and is an accurate representation of the known and suspected hazards, pertaining to the waste described herein. I authorize EQ's Resource Team to add supplemental information to the waste approval file, provided I am contacted and give verbal permission. I authorize EQ's Resource Team to obtain a sample from any waste shipment for purposes of verification. Generator or on Generator's behalf shall be subject to, and Generator shall be bound by, the attached Standard Terms and Conditions, and confirmation. I agree that, if EQ approves the waste described herein, all such wastes that are transported, delivered, or tendered to EQ by

Comments:
logged in

Generator:  JERRY B. BANKS
Authorized Generator Signature Printed Generator Name

Company: MS Dept. of Environmental Quality Title: Chief, Groundwater Assessment Date: 11-13-07

The generator's signature MUST appear on the EQ Waste Characterization Report. If the generator has authorized a third party to certify this document, a written notice (on generator letterhead) must accompany this submittal. Although the EQ Resource Team is authorized to make certain modifications to the information provided on this form, the addition or removal of waste codes and waste constituents must be documented by the generator.

STANDARD TERMS AND CONDITIONS

The Agreement between the Customer and EQ - The Environmental Quality Company and/or its member companies (hereinafter "EQ") related to or associated with Delivered Waste, as herein defined, shall be governed by the following Standard Terms and Conditions in addition to the terms and conditions contained in any Waste Characterization Report, Customer Approval Quote Confirmation, Generator Approval Notification, Notice of Waste Approval Expiration, and/or Credit Agreement associated with such Delivered Waste.

The Customer may use its standard forms (such as purchase orders, acknowledgments of orders, and invoices) to administer its dealings under this Agreement for convenience purposes, but all provisions thereof in conflict with these terms and conditions shall be deemed stricken.

Definitions.

The following definitions shall apply for purposes of this Agreement:

"Acceptable Waste" shall mean any hazardous waste, as defined under applicable State or federal law, determined by EQ as acceptable for treatment and/or disposal in accordance with this Agreement.

"Delivered Wastes" shall mean all wastes (i) which are transported, delivered, or tendered to EQ by the Customer; (ii) which the Customer has arranged for the transport, delivery or tender to EQ; or (iii) which are transported, delivered, or tendered to EQ under a Credit Agreement between the Customer and EQ.

"Non-Conforming Wastes" shall mean wastes that (a) are not in accordance in all material respects with the warranties, descriptions, specifications or limitations stated in the Waste Characterization Report and this Agreement; (b) have constituents or components of a type or concentration not specifically identified in the Waste Characterization Report (i) which increase the nature or extent of the hazard and risk undertaken by EQ in treating and/or disposing of the waste, or (ii) for whose treatment and/or disposal a Waste Management Facility is not designed or permitted; or (iii) which increase the cost of treatment and/or disposal of waste beyond that specified in EQ's price quote; or (c) are not properly packaged, labeled, described, or placarded, or otherwise not in compliance with United States Department of Transportation and United States Environmental Protection Agency regulations.

Control of Operations.

EQ shall have sole control over all aspects of the operation of any treatment and/or disposal facility of EQ receiving Delivered Wastes under this Agreement (hereinafter, "Waste Management Facility"), including, without limitation, maintaining EQ's desired volume of Acceptable Wastes being delivered to any Waste Management Facility by the Customer or any other person or entity.

Identification of Waste.

For each waste material to be transported, delivered, or tendered to EQ under this Agreement, the Customer shall provide, or cause to be provided, to EQ a representative sample of the waste material and a completed Waste Characterization Report containing a physical and chemical description or analysis of such waste material, which description shall conform with any and all guidelines for waste acceptance provided by EQ. On the basis of EQ's analysis of such representative sample of the waste material and such Waste Characterization Report, EQ will determine whether such wastes are Acceptable Wastes. EQ does not make any guarantee that it will handle any waste material or any particular quantity or type of waste material, and EQ reserves the right to the decline to transport, treat and/or dispose of waste material. The Customer shall promptly furnish to EQ any information regarding known, suspected or planned changes in the composition of the waste material. Further, the Customer shall promptly inform EQ of any change in the characteristic or condition of the waste material which becomes known to the Customer subsequent to the date of the Waste Characterization Report.

Non-Conforming Wastes.

In the event that EQ at any time discovers that any Delivered Waste is Non-Conforming Waste, EQ may reject or revoke its acceptance of the Non-Conforming Waste. The Customer shall have seven (7) days to direct an alternative lawful manner of disposition of the waste, unless it is necessary by reason of law or otherwise to move the Non-Conforming Waste prior to expiration of the seven (7) day period. If the Customer does not direct an alternative disposal, at its option, EQ may return any such Non-Conforming Wastes to the Customer, and the Customer shall pay or reimburse EQ for all costs and expenses incurred by EQ in connection with the receipt, handling, sampling, analyses, transportation and return to the Customer of such Non-Conforming Wastes. If it is impossible or impractical for EQ to return the Non-Conforming Waste to the Customer, the Customer shall reimburse EQ for all costs, of any type or nature whatsoever, incurred by EQ, solely because such Delivered Waste was Non-Conforming Waste (including, but not limited to, all costs associated with any remedial steps necessary, due to the nature of the Non-Conforming Waste, in connection with material with which the Non-Conforming Waste may have been commingled and all expenses and charges for analyzing, handling, locating, preparing for transporting, storing and disposing of any Non-Conforming Waste).

Customer Warranty - Title to Wastes.

Either the Customer or the generator (if other than the Customer) shall hold clear title, free of any all liens, claims, encumbrances, and charges to Delivered Waste until such waste is accepted by EQ.

Customer Warranty - Acceptable Wastes.

All Delivered Wastes shall be Acceptable Wastes and shall conform in all material respects to the description and specifications contained in the Waste Characterization Report. The information set forth in the Waste Characterization Report or any manifest, placard or label associated with any Delivered Wastes, or otherwise represented by the Customer or the generator (if other than the Customer) to EQ, is and shall be true, accurate and complete as of the date of receipt of the involved waste by EQ.

Customer Warranty - Compliance with Laws.

The Customer shall comply with all applicable federal, state and local environmental statutes, regulations, and other governmental requirements, as well as directives issued by EQ from time to time, governing the transportation, treatment and/or disposal of Acceptable Wastes, including, but not limited to, all packaging, manifesting, containerization, placarding and labeling requirements.

Customer Warranty - Updating Information.

If the Customer receives information that Delivered Waste or other hazardous waste described in the Waste Characterization Report, or some component of such waste, presents or may present a hazard or risk to persons, property or the environment which was not disclosed to EQ, or if the Customer or generator (if other than the Customer) has changed the process by which such waste results, the Customer shall promptly report such information to EQ in writing.

Customer Indemnity.

The Customer shall indemnify, defend and hold harmless EQ, and its affiliated or related companies, and all of their respective present or future officers, directors, shareholders, employees and agents from and against any and all losses, damages, liabilities, penalties, fines, forfeitures, demands, claims, causes of action, suits, costs and expenses (including, but not limited to, reasonable costs of defense, settlement, and reasonable attorneys' fees), which may be asserted against any or all of them by any person or any governmental agency, or which any or all of them may hereafter suffer, incur, be responsible for or pay out, as a result of or in connection with bodily injuries (including, but not limited to, death, sickness, disease and emotional or mental distress) to any person (including EQ's employees), damage (including, but not limited to, loss of use) to any property (public or private), or any requirements to conduct or incur expense for investigative, removal or remedial expenses in connection with contamination of or adverse effect on the environment, or any violation or alleged violation of any statutes, ordinances, orders, rules or regulations of any governmental entity or agency, caused or arising out of (i) a breach of this Agreement by the Customer, (ii) the failure of any warranty of the Customer to be true, accurate and complete, or (iii) any willful or negligent act or omission of the Customer, or its employees or agents in connection with the performance of this Agreement.

Force Majeure.

EQ shall not be liable for any failure to accept, receive, handle, treat, and/or dispose of Delivered Waste due to an act of God, fire, casualty, flood, war, strike, lockout, labor trouble, failure of public utilities, equipment failure, facility shutdown, injunction, accident, epidemic, riot, insurrection, destruction of operation or transportation facilities, the inability to procure materials, equipment, or sufficient personnel or energy in order to meet operational needs without the necessity of allocation, the failure or inability to obtain any governmental approvals or to meet Environmental Requirements (including, but not limited to voluntary or involuntary compliance with any act, exercise, assertion, or requirement of any governmental authority) which may temporarily or permanently prohibit operations of EQ, the Customer, or the Generator, or any other circumstances beyond the control of EQ which prevents or delays performance of any of its obligations under this Agreement.

Governing Laws.

This Agreement shall in all respects be governed by and shall be construed in accordance with the laws of the State of Michigan applied to contracts executed and performed wholly within such state.

EQ - The Environmental Quality Company Waste Characterization Report

☒ I authorize EQ - The Environmental Quality Company to choose the appropriate method of waste management, from the technologies offered, at the EQ facilities identified below.

<input type="checkbox"/> Michigan Disposal Waste Treatment Plant (Stabilization and Treatment)	49350 North I-94 Service Drive, Belleville, Michigan 48111 Phone: 1-800-592-5489 Fax: 1-800-592-5329	EPA ID #MID000724831
<input type="checkbox"/> Wayne Disposal, Inc. (Hazardous & PCB Waste Landfill)	49350 North I-94 Service Drive, Belleville, Michigan 48111 Phone: 1-800-592-5489 Fax: 1-800-592-5329	EPA ID #MID048090633
<input type="checkbox"/> EQ Detroit, Inc. (Stabilization, Wastewater Treatment)	1923 Frederick, Detroit, MI 48211 Phone: 1-800-495-6059 Fax: 1-313-923-3375	EPA ID #MID980991566
<input type="checkbox"/> EQ Resource Recovery, Inc. (Solvent Recycling, Fuel Blending, WW Treatment)	36345 Van Born Road, Romulus, Michigan 48174 Phone: (734) 727-5500 Fax: (734) 326-4033	EPA ID #MID060975844
<input type="checkbox"/> EQIS North Carolina (Stabilization, Treatment, Labpack Decommissioning)	1005 Investment Blvd., Apex, NC 27502 Phone: (919) 363-4700 Fax: (919) 363-4714	EPA ID #NCD982170292
<input type="checkbox"/> EQ Florida, Inc. (Drum Consolidation, Labpack Decommissioning)	7202 East Eighth Ave., Tampa, FL 33619 Phone: 1-800-624-5302 Fax: 1-813-628-0842	EPA ID #FLD981932494
<input type="checkbox"/> EQ Detroit Transfer and Processing (Drum Transfer/Universal Waste Handling)	2000 Ferry Street, Detroit, MI 48211 Phone: (313) 923-0080 Fax: (313) 922-8419	EPA ID #MIK939928313
<input type="checkbox"/> EQIS Indianapolis Transfer and Processing (Drum Transfer/Non-Hazardous Waste Processing)	4000 West 10th Street, Indianapolis, Indiana 46222 Phone: (317) 247-7160 Fax: (317) 247-7170	EPA ID #IND161049309
<input type="checkbox"/> EQIS Atlanta Transfer and Processing (Drum Transfer/Non-Hazardous Waste Processing)	5600 Fulton Industrial Blvd., Atlanta, Georgia 30336 Phone: (404) 494-3520 Fax: (404) 494-3560	EPA ID #GAR000039776
<input type="checkbox"/> EQ Augusta, Inc. (Wastewater Treatment)	3920 Goshen Industrial Blvd., Augusta, GA 30906 Phone: 706-771-9100 Fax: 706-771-9124	EPA ID #GAR000011817

Waste Common Name: Elemental Mercury

Section 1 - Generator & Customer Info

SIC/NAICS*:

Generator EPA ID: MST-MP0-002-452

EQ Customer No.: 10958

Generator: Mississippi DEQ
Address: 4280 Rifle Range Rd
City: Vicksburg
State: MS Zip: 39180
County: Warren

Invoicing Company

Company: USES JACKSON
Address: 1075 MENDELL DAVIS DRIVE
City: JACKSON
State: MS Zip: 39212
Country: USA

Mailing Address

Address: P.O. Box 20326
City: Jackson
State: MS Zip: 39289

Invoicing Contact

Name: Wanda Horton
Phone: (601) 372-3232
Fax: () -

Generator Contact

Name: Trey Hess / Jerry Banks
Title:
Phone: (601) 961-5221/601-5654
Fax: () -

Technical Contact

Name: J.T. Newman
Phone: (601) 372-3232
Fax: () -
Mobile: () - Pager: () -
E-mail: jnewman@usesgroup.com

*For a list of NAICS codes, please refer to Section 9 of the EQ Resource Guide.

Section 2 - Shipping & Packaging Info

2.1) Shipping Volume & Unit: 5 gallon

Frequency: One Time Only

2.2) DOT Shipping Name: Mercury

2.3) Is this waste surcharge exempt? ☐ Yes ☒ No (If you answered "Yes" to question 2.3, select the Surcharge Exemption reason.)

2.4) Packaging (check all that apply)

☐ Bulk Solid (yd ³ < 2000 lbs./yd ³)

☐ Bulk Solid (Ton > 2000 lbs./yd ³)

☐ Bulk Liquids (Gallon)

☐ Totes, Size

☐ Cubic Yard Boxes/Bags

☐ Drums, Size

☒ Other (palletized, 5 gal. Pail, etc.) 5 gallon Pail

Quoted bulk disposal charges for solid materials will be billed by the cubic yard, if the waste density is less than 2,000lbs./cubic yard. If waste density is greater than 2,000 lbs./cubic yard, then bulk disposal charges will be billed by the ton, regardless of the approved container.

Section 3 - Physical Characteristics

3.1) Color: GRAY/BLACK

3.2) Odor: none

3.3) Does this waste contain any "Potentially Odorous Constituents" as defined in the EQ Resource Guide? (Section 3)

☐ Yes ☒ No

3.4) Physical State at 70 °F:

☐ Solid

☐ Dust/Powder

☒ Liquid

☐ Sludge

3.5) What is the pH of this waste?

☐ ≤ 2

☐ 2.1-4.9

☒ 5-10

☐ 10.1-12.4

☒ ≥ 12.5

3.6) What is the flash point of this waste?

☐ <90 °F

☐ 90-139 °F

☐ 140-199 °F

☐ ≥ 200 °F

3.7) Does this waste contain? (check all that apply)

☐ None

☐ Free Liquids

☐ Oily Residue

☐ Metal Fines

☐ Biodegradable Sorbents

☐ Amines

☐ Ammonia

☐ Water Reactive

☐ Biohazard

☐ Aluminum

☐ Shock Sensitive Waste

☐ Reactive Waste

☐ Radioactive Waste

☐ Explosives

☐ Pyrophoric Waste

☐ Isocyanates

☐ Asbestos - non-friable

☐ Asbestos - friable

☐ Dioxins

☐ Furans

Section 4 - Composition / Generating Process

4.1) Describe the physical composition of the waste (i.e., soil, water, PPE, debris, key chemical compounds, etc.)

Elemental Mercury

from 100 to 100 %

4.2) Provide a detailed description of the process generating this waste.

(attach flow diagram if available).

Labpack of chemicals in abandoned Chemical plant Lab

Section 5 - Is This Hazardous Waste?

Please refer to Section 5 of the EQ Resource Guide for a list of waste codes.

As determined by 40 CFR, Part 261 and Michigan Act 451 Rules:

Please list applicable waste code(s):

5.1) Is this an EPA RCRA listed hazardous waste (F, K, P or U)?

☐ Yes

☒ No

Comments:

5.2) Is this an EPA RCRA characteristic hazardous waste (D001-D043)?

☒ Yes

☐ No

Comments:

D009

5.3) Do any State Hazardous Waste Codes apply?

☐ Yes

☒ No

Comments:

5.4) Is this waste intended for wastewater treatment?

☐ Yes*

☒ No

If you answered "No" to questions 5.1, 5.2, and 5.3, please skip to Section 7.

If you answered "Yes" to question 5.4, please complete the WCR Addendum.

Section 6 - Hazardous Wastes

6.1) Does this waste exceed Land Disposal Restriction Levels?

6.1a) If this waste stream is greater than 50% soil, does it meet the alternative soil treatment standards of 40 CFR 268.49?

6.1b) Does this waste contain greater than 50% debris, by volume? (Debris is greater than 2.5 inches in size.)

6.2) Is the waste an oxidizer (D001)?

6.3) Does this waste contain reactive cyanide \geq 250 ppm (D003)?

6.4) Does this waste contain reactive sulfide \geq 500 ppm (D003)?

6.5) Please indicate which constituent concentrations are below or above the regulatory level. Please indicate the basis used in the determination. Either 'Below' or 'Above' **MUST** be checked for each constituent.

Based On: ☒ Generator Knowledge ☐ Analysis* ☐ MSDS*

*Please forward a copy. Analysis or MSDS are required for EQ Florida Non-hazardous wastes.

Code	Regulatory Level	TCLP (mg/l)	Concentration (If above)
D004	Arsenic	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D005	Barium	100	<input checked="" type="radio"/> Below <input type="radio"/> Above
D006	Cadmium	1	<input checked="" type="radio"/> Below <input type="radio"/> Above
D007	Chromium	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D008	Lead	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D009	Mercury	0.2	<input type="radio"/> Below <input checked="" type="radio"/> Above
D010	Selenium	1	<input checked="" type="radio"/> Below <input type="radio"/> Above
D011	Silver	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D012	Endrin	0.02	<input checked="" type="radio"/> Below <input type="radio"/> Above
D013	Lindane	0.4	<input checked="" type="radio"/> Below <input type="radio"/> Above
D014	Methoxychlor	10	<input checked="" type="radio"/> Below <input type="radio"/> Above
D015	Toxaphene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D016	2,4-D	10	<input checked="" type="radio"/> Below <input type="radio"/> Above
D017	2,4,5-TP (Silvex)	1	<input checked="" type="radio"/> Below <input type="radio"/> Above
D018	Benzene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D019	Carbon Tetrachloride	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D020	Chlordane	0.03	<input checked="" type="radio"/> Below <input type="radio"/> Above
D021	Chlorobenzene	100	<input checked="" type="radio"/> Below <input type="radio"/> Above
D022	Chloroform	6.0	<input checked="" type="radio"/> Below <input type="radio"/> Above
D023	o-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above

Code	Regulatory Level	TCLP (mg/l)	Concentration (If above)
D024	m-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above
D025	p-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above
D026	Cresols	200	<input checked="" type="radio"/> Below <input type="radio"/> Above
D027	1,4-Dichlorobenzene	7.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D028	1,2-Dichloroethane	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D029	1,1-Dichloroethylene	0.7	<input checked="" type="radio"/> Below <input type="radio"/> Above
D030	2,4-Dinitrotoluene	0.13	<input checked="" type="radio"/> Below <input type="radio"/> Above
D031	Heptachlor	0.008	<input checked="" type="radio"/> Below <input type="radio"/> Above
D032	Hexachlorobenzene	0.13	<input checked="" type="radio"/> Below <input type="radio"/> Above
D033	Hexachlorobutadiene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D034	Hexachloroethane	3.0	<input checked="" type="radio"/> Below <input type="radio"/> Above
D035	Methyl Ethyl Ketone	200	<input checked="" type="radio"/> Below <input type="radio"/> Above
D036	Nitrobenzene	2	<input checked="" type="radio"/> Below <input type="radio"/> Above
D037	Pentachlorophenol	100	<input checked="" type="radio"/> Below <input type="radio"/> Above
D038	Pyridine	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D039	Tetrachloroethylene	0.7	<input checked="" type="radio"/> Below <input type="radio"/> Above
D040	Trichloroethylene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D041	2,4,5-Trichlorophenol	400	<input checked="" type="radio"/> Below <input type="radio"/> Above
D042	2,4,6-Trichlorophenol	2	<input checked="" type="radio"/> Below <input type="radio"/> Above
D043	Vinyl Chloride	0.2	<input checked="" type="radio"/> Below <input type="radio"/> Above

6.6) If this is a characteristic hazardous waste, does it contain underlying hazardous constituents?

☐ Yes ☒ No

If you answered "Yes", please list the constituents in Section 11.

Section 7 - Non-Hazardous Wastes

For a complete list of non-hazardous waste codes, please refer to Section 7 of the EQ Resource Guide.

Applicable waste code(s):

7.1) Is this a Michigan non-hazardous liquid industrial waste?

☐ Yes ☒ No

Comments:

7.2) Is this a Universal waste?

☐ Yes ☒ No

7.3) Is this a Recyclable Commodity? (e.g.: computer monitors, free mercury, etc.)

☐ Yes ☒ No

7.4) Is this waste a recoverable petroleum product?

☐ Yes ☒ No

7.5) Is this waste used oil as defined by 40 CFR Part 279?

☐ Yes ☒ No

Section 8 - TSCA Information

- 8.1) What is the concentration of PCBs in the waste? ☒ None ☐ 0-5 ppm ☐ 6-49 ppm
☐ 50-499 ppm ☐ 500+ ppm
- 8.2) Does the waste contain PCB contamination from a source with a concentration ≥ 50 ppm? ☐ Yes ☒ No
If you answered 'None' to 8.1 and 'No' to 8.2, please skip to Section 9.
- 8.3) Has this waste been processed into a non-liquid form? ☐ Yes ☐ No
If yes, what was the concentration of PCBs prior to processing? (ppm) ☐ N/A ☐ 0-499 ☐ 500+
- 8.4) Is the non-liquid PCB waste in the form of soil, rags, debris, or other contaminated media? ☐ Yes ☐ No
- 8.5) Are you a PCB capacitor manufacturer or a PCB equipment manufacturer? ☐ Yes ☐ No
- 8.6) Has the PCB Article (e.g., transformer, hydraulic machine, PCB-contaminated electrical equipment) been drained/flushed of all PCBs and decontaminated in accordance with 40 CFR 761.60(b)? ☐ N/A ☐ Yes ☐ No

Section 9 - Clean Air Act Information

- 9.1) Is this waste subject to regulation under 40 CFR, Part 63, Subpart DD or 40 CFR, Part 264, Subpart CC (RCRA)? ☐ Yes ☒ No
(Does the waste contain >500 ppm Volatile Organic Hazardous Air Pollutants - VOHAP's or Volatile Organic Compounds - VOC's?)
For a complete list of VOHAPs, please see Section 11 of the EQ Resource Guide.
- 9.2) Is this site, or waste, subject to any other MACT or NESHAP? ☐ Yes ☒ No
If yes, please specify:
- 9.3) Does this waste stream contain Benzene? ☐ Yes ☒ No
If you answered "No" to question 9.2, please skip to section 10.
- 9.4) Does the waste stream come from a facility with one of the SIC/NAICS codes listed under the Benzene NESHAP identified in 40 CFR 61, Subpart FF? ☐ Yes ☐ No
- 9.5) Is the generating source of this waste stream a facility with Total Annual Benzene (TAB) ≥ 10 Mg/year? ☐ Yes ☒ No
For assistance in calculating the TAB, please see the TAB Worksheet in Section 9 of the EQ Resource Guide.
If you answered "No" to question 9.3 and 9.4, please skip to Section 10.
- 9.6) Does the waste contain $> 10\%$ water? ☐ Yes ☐ No
- 9.7) What is the TAB quantity for your facility? _____ Mg/year
- 9.8) Does the waste contain >1.0 mg/kg total Benzene? ☐ Yes ☐ No
- 9.9) What is the total Benzene concentration in your waste? _____ (concentration) _____ (unit)

(Supporting analysis must be attached. Do not use TCLP analytical results. Acceptable laboratory methods include 8020, 8240, 8260, 602 and 624.)

**For a list of NAICS codes, please refer to section 9 of the EQ Resource Guide.*

Section 10 - Fuel Blending Information

- 10.1) Is this waste intended for fuel blending? ☐ Yes* ☒ No
If you answered 'Yes' to question 10.1, please enter the following:
- Heat value (BTU/lb.) _____
- Chlorine (%) _____
- Water (%) _____
- Solids (%) _____
- 10.2) Is this waste intended for reclamation? ☐ Yes ☒ No (5-Gallon Sample required for all reclaim waste streams)

Section 11 - Constituent Information

Please identify your waste constituents from these four categories: Underlying Hazardous Constituents (UHC's), Volatile Organic Hazardous Air Pollutants (VOHAP's), Volatile Organic Compounds (VOC's) and Toxic Release Inventory Constituents (TRI)

Constituent	Concentration	UHC?
-------------	---------------	------

Please see Section 11 of the EQ Resource Guide for a list of UHC's, VOHAP's and VOC's. For a complete list of TRI constituents, please refer to 40 CFR 372.65.

Section 12 - Certification

I certify that all information (including attachments) is complete and factual and is an accurate representation of the known and suspected hazards, pertaining to the waste described herein. I authorize EQ's Resource Team to add supplemental information to the waste approval file, provided I am contacted and give verbal permission. I authorize EQ's Resource Team to obtain a sample from any waste shipment for purposes of verification. Generator or on Generator's behalf shall be subject to, and Generator shall be bound by, the attached Standard Terms and Conditions. and confirmation. I agree that, if EQ approves the waste described herein, all such wastes that are transported, delivered, or tendered to EQ by

Comments:
logged in

Generator:  JERRY B. BANKS
Authorized Generator Signature Printed Generator Name

Company: MS Dept. of Environmental Quality Title: Chief Groundwater Assessment Date: 11-13-07

The generator's signature MUST appear on the EQ Waste Characterization Report. If the generator has authorized a third party to certify this document, a written notice (on generator letterhead) must accompany this submittal. Although the EQ Resource Team is authorized to make certain modifications to the information provided on this form, the addition or removal of waste codes and waste constituents must be documented by the generator.

STANDARD TERMS AND CONDITIONS

The Agreement between the Customer and EQ - The Environmental Quality Company and/or its member companies (hereinafter "EQ") related to or associated with Delivered Waste, as herein defined, shall be governed by the following Standard Terms and Conditions in addition to the terms and conditions contained in any Waste Characterization Report, Customer Approval Quote Confirmation, Generator Approval Notification, Notice of Waste Approval Expiration, and/or Credit Agreement associated with such Delivered Waste.

The Customer may use its standard forms (such as purchase orders, acknowledgments of orders, and invoices) to administer its dealings under this Agreement for convenience purposes, but all provisions thereof in conflict with these terms and conditions shall be deemed stricken.

Definitions.

The following definitions shall apply for purposes of this Agreement:

"Acceptable Waste" shall mean any hazardous waste, as defined under applicable State or federal law, determined by EQ as acceptable for treatment and/or disposal in accordance with this Agreement.

"Delivered Wastes" shall mean all wastes (i) which are transported, delivered, or tendered to EQ by the Customer; (ii) which the Customer has arranged for the transport, delivery or tender to EQ; or (iii) which are transported, delivered, or tendered to EQ under a Credit Agreement between the Customer and EQ.

"Non-Conforming Wastes" shall mean wastes that (a) are not in accordance in all material respects with the warranties, descriptions, specifications or limitations stated in the Waste Characterization Report and this Agreement; (b) have constituents or components of a type or concentration not specifically identified in the Waste Characterization Report (i) which increase the nature or extent of the hazard and risk undertaken by EQ in treating and/or disposing of the waste, or (ii) for whose treatment and/or disposal a Waste Management Facility is not designed or permitted, or (iii) which increase the cost of treatment and/or disposal of waste beyond that specified in EQ's price quote; or (c) are not properly packaged, labeled, described, or placarded, or otherwise not in compliance with United States Department of Transportation and United States Environmental Protection Agency regulations.

Control of Operations.

EQ shall have sole control over all aspects of the operation of any treatment and/or disposal facility of EQ receiving Delivered Wastes under this Agreement (hereinafter, "Waste Management Facility"), including, without limitation, maintaining EQ's desired volume of Acceptable Wastes being delivered to any Waste Management Facility by the Customer or any other person or entity.

Identification of Waste.

For each waste material to be transported, delivered, or tendered to EQ under this Agreement, the Customer shall provide, or cause to be provided, to EQ a representative sample of the waste material and a completed Waste Characterization Report containing a physical and chemical description or analysis of such waste material, which description shall conform with any and all guidelines for waste acceptance provided by EQ. On the basis of EQ's analysis of such representative sample of the waste material and such Waste Characterization Report, EQ will determine whether such wastes are Acceptable Wastes. EQ does not make any guarantee that it will handle any waste material or any particular quantity or type of waste material, and EQ reserves the right to the decline to transport, treat and/or dispose of waste material. The Customer shall promptly furnish to EQ any information regarding known, suspected or planned changes in the composition of the waste material. Further, the Customer shall promptly inform EQ of any change in the characteristic or condition of the waste material which becomes known to the Customer subsequent to the date of the Waste Characterization Report.

Non-Conforming Wastes.

In the event that EQ at any time discovers that any Delivered Waste is Non-Conforming Waste, EQ may reject or revoke its acceptance of the Non-Conforming Waste. The Customer shall have seven (7) days to direct an alternative lawful manner of disposition of the waste, unless it is necessary by reason of law or otherwise to move the Non-Conforming Waste prior to expiration of the seven (7) day period. If the Customer does not direct an alternative disposal, at its option, EQ may return any such Non-Conforming Wastes to the Customer, and the Customer shall pay or reimburse EQ for all costs and expenses incurred by EQ in connection with the receipt, handling, sampling, analyses, transportation and return to the Customer of such Non-Conforming Wastes. If it is impossible or impractical for EQ to return the Non-Conforming Waste to the Customer, the Customer shall reimburse EQ for all costs, of any type or nature whatsoever, incurred by EQ, solely because such Delivered Waste was Non-Conforming Waste (including, but not limited to, all costs associated with any remedial steps necessary, due to the nature of the Non-Conforming Waste, in connection with material with which the Non-Conforming Waste may have been commingled and all expenses and charges for analyzing, handling, locating, preparing for transporting, storing and disposing of any Non-Conforming Waste).

Customer Warranty - Title to Wastes.

Either the Customer or the generator (if other than the Customer) shall hold clear title, free of any all liens, claims, encumbrances, and charges to Delivered Waste until such waste is accepted by EQ.

Customer Warranty - Acceptable Wastes.

All Delivered Wastes shall be Acceptable Wastes and shall conform in all material respects to the description and specifications contained in the Waste Characterization Report. The information set forth in the Waste Characterization Report or any manifest, placard or label associated with any Delivered Wastes; or otherwise represented by the Customer or the generator (if other than the Customer) to EQ, is and shall be true, accurate and complete as of the date of receipt of the involved waste by EQ.

Customer Warranty - Compliance with Laws.

The Customer shall comply with all applicable federal, state and local environmental statutes, regulations, and other governmental requirements, as well as directives issued by EQ from time to time, governing the transportation, treatment and/or disposal of Acceptable Wastes, including, but not limited to, all packaging, manifesting, containerization, placarding and labeling requirements.

Customer Warranty - Updating Information.

If the Customer receives information that Delivered Waste or other hazardous waste described in the Waste Characterization Report, or some component of such waste, presents or may present a hazard or risk to persons, property or the environment which was not disclosed to EQ, or if the Customer or generator (if other than the Customer) has changed the process by which such waste results, the Customer shall promptly report such information to EQ in writing.

Customer Indemnity.

The Customer shall indemnify, defend and hold harmless EQ, and its affiliated or related companies, and all of their respective present or future officers, directors, shareholders, employees and agents from and against any and all losses, damages, liabilities, penalties, fines, forfeitures, demands, claims, causes of action, suits, costs and expenses (including, but not limited to, reasonable costs of defense, settlement, and reasonable attorneys' fees), which may be asserted against any or all of them by any person or any governmental agency, or which any or all of them may hereafter suffer, incur, be responsible for or pay out, as a result of or in connection with bodily injuries (including, but not limited to, death, sickness, disease and emotional or mental distress) to any person (including EQ's employees), damage (including, but not limited to, loss of use) to any property (public or private), or any requirements to conduct or incur expense for investigative, removal or remedial expenses in connection with contamination of or adverse effect on the environment, or any violation or alleged violation of any statutes, ordinances, orders, rules or regulations of any governmental entity or agency, caused or arising out of (i) a breach of this Agreement by the Customer, (ii) the failure of any warranty of the Customer to be true, accurate and complete, or (iii) any willful or negligent act or omission of the Customer, or its employees or agents in connection with the performance of this Agreement.

Force Majeure.

EQ shall not be liable for any failure to accept, receive, handle, treat, and/or dispose of Delivered Waste due to an act of God, fire, casualty, flood, war, strike, lockout, labor trouble, failure of public utilities, equipment failure, facility shutdown, injunction, accident, epidemic, riot, insurrection, destruction of operation or transportation facilities, the inability to procure materials, equipment, or sufficient personnel or energy in order to meet operational needs without the necessity of allocation, the failure or inability to obtain any governmental approvals or to meet Environmental Requirements (including, but not limited to voluntary or involuntary compliance with any act, exercise, assertion, or requirement of any governmental authority) which may temporarily or permanently prohibit operations of EQ, the Customer, or the Generator, or any other circumstances beyond the control of EQ which prevents or delays performance of any of its obligations under this Agreement.

Governing Laws.

This Agreement shall in all respects be governed by and shall be construed in accordance with the laws of the State of Michigan applied to contracts executed and performed wholly within such state.

EQ - The Environmental Quality Company

Waste Characterization Report

☒ I authorize EQ - The Environmental Quality Company to choose the appropriate method of waste management, from the technologies offered, at the EQ facilities identified below.

<input type="checkbox"/> Michigan Disposal Waste Treatment Plant (Stabilization and Treatment)	49350 North I-94 Service Drive, Belleville, Michigan 48111 Phone: 1-800-592-5489 Fax: 1-800-592-5329	EPA ID #MID000724831
<input type="checkbox"/> Wayne Disposal, Inc. (Hazardous & PCB Waste Landfill)	49350 North I-94 Service Drive, Belleville, Michigan 48111 Phone: 1-800-592-5489 Fax: 1-800-592-5329	EPA ID #MID048090633
<input type="checkbox"/> EQ Detroit, Inc. (Stabilization, Wastewater Treatment)	1923 Frederick, Detroit, MI 48211 Phone: 1-800-495-6059 Fax: 1-313-923-3375	EPA ID #MID980991566
<input type="checkbox"/> EQ Resource Recovery, Inc. (Solvent Recycling, Fuel Blending, WW Treatment)	36345 Van Born Road, Romulus, Michigan 48174 Phone: (734) 727-5500 Fax: (734) 326-4033	EPA ID #MID060975844
<input type="checkbox"/> EQIS North Carolina (Stabilization, Treatment, Labpack Decommissioning)	1005 Investment Blvd., Apex, NC 27502 Phone: (919) 363-4700 Fax: (919) 363-4714	EPA ID #NCD982170292
<input type="checkbox"/> EQ Florida, Inc. (Drum Consolidation, Labpack Decommissioning)	7202 East Eighth Ave., Tampa, FL 33619 Phone: 1-800-624-5302 Fax: 1-813-628-0842	EPA ID #FLD981932494
<input type="checkbox"/> EQ Detroit Transfer and Processing (Drum Transfer/Universal Waste Handling)	2000 Ferry Street, Detroit, MI 48211 Phone: (313) 923-0080 Fax: (313) 922-8419	EPA ID #MIK939928313
<input type="checkbox"/> EQIS Indianapolis Transfer and Processing (Drum Transfer/Non-Hazardous Waste Processing)	4000 West 10th Street, Indianapolis, Indiana 46222 Phone: (317) 247-7160 Fax: (317) 247-7170	EPA ID #IND161049309
<input type="checkbox"/> EQIS Atlanta Transfer and Processing (Drum Transfer/Non-Hazardous Waste Processing)	5600 Fulton Industrial Blvd., Atlanta, Georgia 30336 Phone: (404) 494-3520 Fax: (404) 494-3560	EPA ID #GAR000039776
<input type="checkbox"/> EQ Augusta, Inc. (Wastewater Treatment)	3920 Goshen Industrial Blvd., Augusta, GA 30906 Phone: 706-771-9100 Fax: 706-771-9124	EPA ID #GAR000011817

Waste Common Name: Flammable Liquids Lab Pack

Section 1 - Generator & Customer Info

SIC/NAICS:

EQ Customer No.: 10958

Generator EPA ID: MST-MP0-002-452

Invoicing Company

Company: USES JACKSON
Address: 1075 MENDELL DAVIS DRIVE
City: JACKSON
State: MS Zip: 39212
Country: USA

Invoicing Contact

Name: Wanda Horton
Phone: (601) 372-3232
Fax: () -

Technical Contact

Name: J.T. Newman
Phone: (601) 372-3232
Fax: () -
Mobile: () - Pager: () -
E-mail: jnewman@usesgroup.com

Generator: Mississippi DEQ
Address: 4280 Rifle Range Rd
City: Vicksburg
State: MS Zip: 39180
County: Warren

Mailing Address

Address: P.O. Box 20326
City: Jackson
State: MS Zip: 39289

Generator Contact

Name: Trey Hess / Jerry Banks
Title:
Phone: (601) 961-5221/601-5654
Fax: () -

*For a list of NAICS codes, please refer to Section 9 of the EQ Resource Guide.

Section 2 - Shipping & Packaging Info

- 2.1) Shipping Volume & Unit: 55 gallon Frequency: One Time Only
2.2) DOT Shipping Name: Flammable liquids, n.o.s.
2.3) Is this waste surcharge exempt? ☐ Yes ☒ No (If you answered "Yes" to question 2.3, select the Surcharge Exemption reason.)

2.4) Packaging (check all that apply)

- ☐ Bulk Solid (yd ³ < 2000 lbs./yd ³) ☐ Bulk Solid (Ton > 2000 lbs./yd ³) ☐ Bulk Liquids (Gallon)
☐ Totes, Size ☐ Cubic Yard Boxes/Bags ☒ Drums, Size: 55 gallon
☐ Other (palletized, 5 gal. Pail, etc.)

Quoted bulk disposal charges for solid materials will be billed by the cubic yard, if the waste density is less than 2,000lbs./cubic yard. If waste density is greater than 2,000 lbs./cubic yard, then bulk disposal charges will be billed by the ton, regardless of the approved container.

Section 3 - Physical Characteristics

- 3.1) Color: VARIES 3.2) Odor: Mild Solvent
3.3) Does this waste contain any "Potentially Odorous Constituents" as defined in the EQ Resource Guide? (Section 3) ☐ Yes ☒ No
3.4) Physical State at 70 °F: ☐ Solid ☐ Dust/Powder ☒ Liquid ☐ Sludge
3.5) What is the pH of this waste? ☐ ≤ 2 ☐ 2.1-4.9 ☒ 5-10 ☐ 10.1-12.4 ☐ ≥ 12.5
3.6) What is the flash point of this waste? ☒ <90 °F ☐ 90-139 °F ☐ 140-199 °F ☐ ≥ 200 °F
3.7) Does this waste contain? (check all that apply) ☒ None ☐ Free Liquids ☐ Oily Residue ☐ Metal Fines
☐ Biodegradable Sorbents ☐ Amines ☐ Ammonia ☐ Water Reactive ☐ Biohazard ☐ Aluminum
☐ Shock Sensitive Waste ☐ Reactive Waste ☐ Radioactive Waste ☐ Explosives ☐ Pyrophoric Waste ☐ Isocyanates
☐ Asbestos - non-friable ☐ Asbestos - friable ☐ Dioxins ☐ Furans

Section 4 - Composition / Generating Process

- 4.1) Describe the physical composition of the waste (i.e., soil, water, PPE, debris, key chemical compounds, etc.)
4.2) Provide a detailed description of the process generating this waste. (attach flow diagram if available).
Labpack of chemicals in abandoned Chemical plant Lab

Section 5 - Is This Hazardous Waste?

Please refer to Section 5 of the EQ Resource Guide for a list of waste codes.

As determined by 40 CFR, Part 261 and Michigan Act 451 Rules:

Please list applicable waste code(s):

- 5.1) Is this an EPA RCRA listed hazardous waste (F, K, P or U)? ☒ Yes ☐ No
Comments:
5.2) Is this an EPA RCRA characteristic hazardous waste (D001-D043)? ☒ Yes ☐ No
Comments:
5.3) Do any State Hazardous Waste Codes apply? ☐ Yes ☒ No
Comments:
5.4) Is this waste intended for wastewater treatment? ☐ Yes* ☒ No

U002 U122 U154

D001

If you answered "No" to questions 5.1, 5.2, and 5.3, please skip to Section 7.
If you answered "Yes" to question 5.4, please complete the WCR Addendum.

Section 6 - Hazardous Wastes

6.1) Does this waste exceed Land Disposal Restriction Levels?

6.1a) If this waste stream is greater than 50% soil, does it meet the alternative soil treatment standards of 40 CFR 268.49?

6.1b) Does this waste contain greater than 50% debris, by volume? (Debris is greater than 2.5 inches in size.)

6.2) Is the waste an oxidizer (D001)?

6.3) Does this waste contain reactive cyanide ≥ 250 ppm (D003)?

6.4) Does this waste contain reactive sulfide ≥ 500 ppm (D003)?

6.5) Please indicate which constituent concentrations are below or above the regulatory level. Please indicate the basis used in the determination. Either 'Below' or 'Above' **MUST** be checked for each constituent.

Based On: ☒ Generator Knowledge

☐ Analysis*

☐ MSDS*

*Please forward a copy. Analysis or MSDS are required for EQ Florida Non-hazardous wastes.

Code	Regulatory Level	TCLP (mg/l)	Concentration (if above)
D004	Arsenic	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D005	Barium	100	<input checked="" type="radio"/> Below <input type="radio"/> Above
D006	Cadmium	1	<input checked="" type="radio"/> Below <input type="radio"/> Above
D007	Chromium	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D008	Lead	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D009	Mercury	0.2	<input checked="" type="radio"/> Below <input type="radio"/> Above
D010	Selenium	1	<input checked="" type="radio"/> Below <input type="radio"/> Above
D011	Silver	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D012	Endrin	0.02	<input checked="" type="radio"/> Below <input type="radio"/> Above
D013	Lindane	0.4	<input checked="" type="radio"/> Below <input type="radio"/> Above
D014	Methoxychlor	10	<input checked="" type="radio"/> Below <input type="radio"/> Above
D015	Toxaphene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D016	2,4-D	10	<input checked="" type="radio"/> Below <input type="radio"/> Above
D017	2,4,5-TP (Silvex)	1	<input checked="" type="radio"/> Below <input type="radio"/> Above
D018	Benzene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D019	Carbon Tetrachloride	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D020	Chlordane	0.03	<input checked="" type="radio"/> Below <input type="radio"/> Above
D021	Chlorobenzene	100	<input checked="" type="radio"/> Below <input type="radio"/> Above
D022	Chloroform	6.0	<input checked="" type="radio"/> Below <input type="radio"/> Above
D023	o-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above

Code	Regulatory Level	TCLP (mg/l)	Concentration (if above)
D024	m-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above
D025	p-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above
D026	Cresols	200	<input checked="" type="radio"/> Below <input type="radio"/> Above
D027	1,4-Dichlorobenzene	7.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D028	1,2-Dichloroethane	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D029	1,1-Dichloroethylene	0.7	<input checked="" type="radio"/> Below <input type="radio"/> Above
D030	2,4-Dinitrotoluene	0.13	<input checked="" type="radio"/> Below <input type="radio"/> Above
D031	Heptachlor	0.008	<input checked="" type="radio"/> Below <input type="radio"/> Above
D032	Hexachlorobenzene	0.13	<input checked="" type="radio"/> Below <input type="radio"/> Above
D033	Hexachlorobutadiene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D034	Hexachloroethane	3.0	<input checked="" type="radio"/> Below <input type="radio"/> Above
D035	Methyl Ethyl Ketone	200	<input checked="" type="radio"/> Below <input type="radio"/> Above
D036	Nitrobenzene	2	<input checked="" type="radio"/> Below <input type="radio"/> Above
D037	Pentachlorophenol	100	<input checked="" type="radio"/> Below <input type="radio"/> Above
D038	Pyridine	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D039	Tetrachloroethylene	0.7	<input checked="" type="radio"/> Below <input type="radio"/> Above
D040	Trichloroethylene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D041	2,4,5-Trichlorophenol	400	<input checked="" type="radio"/> Below <input type="radio"/> Above
D042	2,4,6-Trichlorophenol	2	<input checked="" type="radio"/> Below <input type="radio"/> Above
D043	Vinyl Chloride	0.2	<input checked="" type="radio"/> Below <input type="radio"/> Above

6.6) If this is a characteristic hazardous waste, does it contain underlying hazardous constituents?

☐ Yes ☒ No

If you answered 'Yes', please list the constituents in Section 11.

Section 7 - Non-Hazardous Wastes

For a complete list of non-hazardous waste codes, please refer to Section 7 of the EQ Resource Guide.

Applicable waste code(s):

7.1) Is this a Michigan non-hazardous liquid industrial waste?

☐ Yes ☒ No

Comments:

7.2) Is this a Universal waste?

☐ Yes ☒ No

7.3) Is this a Recyclable Commodity? (e.g.: computer monitors, free mercury, etc.)

☐ Yes ☒ No

7.4) Is this waste a recoverable petroleum product?

☐ Yes ☒ No

7.5) Is this waste used oil as defined by 40 CFR Part 279?

☐ Yes ☒ No

Section 8 - TSCA Information

- 8.1) What is the concentration of PCBs in the waste? ☒ None ☐ 0-5 ppm ☐ 6-49 ppm
☐ 50-499 ppm ☐ 500+ ppm
- 8.2) Does the waste contain PCB contamination from a source with a concentration ≥ 50 ppm? ☐ Yes ☐ No
If you answered 'None' to 8.1 and 'No' to 8.2, please skip to Section 9.
- 8.3) Has this waste been processed into a non-liquid form? ☐ Yes ☐ No
If yes, what was the concentration of PCBs prior to processing? (ppm) ☐ N/A ☐ 0-499 ☐ 500+
- 8.4) Is the non-liquid PCB waste in the form of soil, rags, debris, or other contaminated media? ☐ Yes ☐ No
- 8.5) Are you a PCB capacitor manufacturer or a PCB equipment manufacturer? ☐ Yes ☐ No
- 8.6) Has the PCB Article (e.g., transformer, hydraulic machine, PCB-contaminated electrical equipment) been drained/flushed of all PCBs and decontaminated in accordance with 40 CFR 761.60(b)? ☐ N/A ☐ Yes ☐ No

Section 9 - Clean Air Act Information

- 9.1) Is this waste subject to regulation under 40 CFR, Part 63, Subpart DD or 40 CFR, Part 264, Subpart CC (RCRA)? ☒ Yes ☐ No
(Does the waste contain >500 ppm Volatile Organic Hazardous Air Pollutants - VOHAP's or Volatile Organic Compounds - VOC's?)
For a complete list of VOHAPs, please see Section 11 of the EQ Resource Guide.
- 9.2) Is this site, or waste, subject to any other MACT or NESHAP? ☐ Yes ☒ No
If yes, please specify:
- 9.3) Does this waste stream contain Benzene? ☐ Yes ☒ No
If you answered "No" to question 9.2, please skip to section 10.
- 9.4) Does the waste stream come from a facility with one of the SIC/NAICS codes listed under the Benzene NESHAP identified in 40 CFR 61, Subpart FF? ☐ Yes ☐ No
- 9.5) Is the generating source of this waste stream a facility with Total Annual Benzene (TAB) ≥ 10 Mg/year? ☐ Yes ☒ No
For assistance in calculating the TAB, please see the TAB Worksheet in Section 9 of the EQ Resource Guide.
If you answered "No" to question 9.3 and 9.4, please skip to Section 10.
- 9.6) Does the waste contain > 10% water? ☐ Yes ☐ No
- 9.7) What is the TAB quantity for your facility? _____ Mg/year
- 9.8) Does the waste contain >1.0 mg/kg total Benzene? ☐ Yes ☐ No
- 9.9) What is the total Benzene concentration in your waste? _____ (concentration) _____ (unit)

(Supporting analysis must be attached. Do not use TCLP analytical results. Acceptable laboratory methods include 8020, 8240, 8260, 602 and 624.)

**For a list of NAICS codes, please refer to section 9 of the EQ Resource Guide.*

Section 10 - Fuel Blending Information

- 10.1) Is this waste intended for fuel blending? ☐ Yes* ☒ No
If you answered 'Yes' to question 10.1, please enter the following:
- Heat value (BTU/lb.) _____
- Chlorine (%) _____
- Water (%) _____
- Solids (%) _____
- 10.2) Is this waste intended for reclamation? ☐ Yes ☒ No (5-Gallon Sample required for all reclaim waste streams)

Section 11 - Constituent Information

Please identify your waste constituents from these four categories: Underlying Hazardous Constituents (UHC's), Volatile Organic Hazardous Air Pollutants (VOHAP's), Volatile Organic Compounds (VOC's) and Toxic Release Inventory Constituents (TRI)


Constituent	Concentration	UHC?
-------------	---------------	------

Please see Section 11 of the EQ Resource Guide for a list of UHC's, VOHAP's and VOC's. For a complete list of TRI constituents, please refer to 40 CFR 372.65.

Section 12 - Certification

I certify that all information (including attachments) is complete and factual and is an accurate representation of the known and suspected hazards, pertaining to the waste described herein. I authorize EQ's Resource Team to add supplemental information to the waste approval file, provided I am contacted and give verbal permission. I authorize EQ's Resource Team to obtain a sample from any waste shipment for purposes of verification. Generator or on Generator's behalf shall be subject to, and Generator shall be bound by, the attached Standard Terms and Conditions. and confirmation. I agree that, if EQ approves the waste described herein, all such wastes that are transported, delivered, or tendered to EQ by

Comments:
logged in

Generator:  JERRY B. BANKS
Authorized Generator Signature Printed Generator Name

Company: MS Dept. of Environmental Quality Title: Chief, Groundwater Assessment Date: 11-13-07

The generator's signature MUST appear on the EQ Waste Characterization Report. If the generator has authorized a third party to certify this document, a written notice (on generator letterhead) must accompany this submittal. Although the EQ Resource Team is authorized to make certain modifications to the information provided on this form, the addition or removal of waste codes and waste constituents must be documented by the generator.

STANDARD TERMS AND CONDITIONS

The Agreement between the Customer and EQ - The Environmental Quality Company and/or its member companies (hereinafter "EQ") related to or associated with Delivered Waste, as herein defined, shall be governed by the following Standard Terms and Conditions in addition to the terms and conditions contained in any Waste Characterization Report, Customer Approval Quote Confirmation, Generator Approval Notification, Notice of Waste Approval Expiration, and/or Credit Agreement associated with such Delivered Waste.

The Customer may use its standard forms (such as purchase orders, acknowledgments of orders, and invoices) to administer its dealings under this Agreement for convenience purposes, but all provisions thereof in conflict with these terms and conditions shall be deemed stricken.

Definitions.

The following definitions shall apply for purposes of this Agreement:

"Acceptable Waste" shall mean any hazardous waste, as defined under applicable State or federal law, determined by EQ as acceptable for treatment and/or disposal in accordance with this Agreement.

"Delivered Wastes" shall mean all wastes (i) which are transported, delivered, or tendered to EQ by the Customer; (ii) which the Customer has arranged for the transport, delivery or tender to EQ; or (iii) which are transported, delivered, or tendered to EQ under a Credit Agreement between the Customer and EQ.

"Non-Conforming Wastes" shall mean wastes that (a) are not in accordance in all material respects with the warranties, descriptions, specifications or limitations stated in the Waste Characterization Report and this Agreement; (b) have constituents or components of a type or concentration not specifically identified in the Waste Characterization Report (i) which increase the nature or extent of the hazard and risk undertaken by EQ in treating and/or disposing of the waste, or (ii) for whose treatment and/or disposal a Waste Management Facility is not designed or permitted, or (iii) which increase the cost of treatment and/or disposal of waste beyond that specified in EQ's price quote; or (c) are not properly packaged, labeled, described, or placarded, or otherwise not in compliance with United States Department of Transportation and United States Environmental Protection Agency regulations.

Control of Operations.

EQ shall have sole control over all aspects of the operation of any treatment and/or disposal facility of EQ receiving Delivered Wastes under this Agreement (hereinafter, "Waste Management Facility"), including, without limitation, maintaining EQ's desired volume of Acceptable Wastes being delivered to any Waste Management Facility by the Customer or any other person or entity.

Identification of Waste.

For each waste material to be transported, delivered, or tendered to EQ under this Agreement, the Customer shall provide, or cause to be provided, to EQ a representative sample of the waste material and a completed Waste Characterization Report containing a physical and chemical description or analysis of such waste material, which description shall conform with any and all guidelines for waste acceptance provided by EQ. On the basis of EQ's analysis of such representative sample of the waste material and such Waste Characterization Report, EQ will determine whether such wastes are Acceptable Wastes. EQ does not make any guarantee that it will handle any waste material or any particular quantity or type of waste material, and EQ reserves the right to the decline to transport, treat and/or dispose of waste material. The Customer shall promptly furnish to EQ any information regarding known, suspected or planned changes in the composition of the waste material. Further, the Customer shall promptly inform EQ of any change in the characteristic or condition of the waste material which becomes known to the Customer subsequent to the date of the Waste Characterization Report.

Non-Conforming Wastes.

In the event that EQ at any time discovers that any Delivered Waste is Non-Conforming Waste, EQ may reject or revoke its acceptance of the Non-Conforming Waste. The Customer shall have seven (7) days to direct an alternative lawful manner of disposition of the waste, unless it is necessary by reason of law or otherwise to move the Non-Conforming Waste prior to expiration of the seven (7) day period. If the Customer does not direct an alternative disposal, at its option, EQ may return any such Non-Conforming Wastes to the Customer, and the Customer shall pay or reimburse EQ for all costs and expenses incurred by EQ in connection with the receipt, handling, sampling, analyses, transportation and return to the Customer of such Non-Conforming Wastes. If it is impossible or impractical for EQ to return the Non-Conforming Waste to the Customer, the Customer shall reimburse EQ for all costs, of any type or nature whatsoever, incurred by EQ, solely because such Delivered Waste was Non-Conforming Waste (including, but not limited to, all costs associated with any remedial steps necessary, due to the nature of the Non-Conforming Waste, in connection with material with which the Non-Conforming Waste may have been commingled and all expenses and charges for analyzing, handling, locating, preparing for transporting, storing and disposing of any Non-Conforming Waste).

Customer Warranty - Title to Wastes.

Either the Customer or the generator (if other than the Customer) shall hold clear title, free of any all liens, claims, encumbrances, and charges to Delivered Waste until such waste is accepted by EQ.

Customer Warranty - Acceptable Wastes.

All Delivered Wastes shall be Acceptable Wastes and shall conform in all material respects to the description and specifications contained in the Waste Characterization Report. The information set forth in the Waste Characterization Report or any manifest, placard or label associated with any Delivered Wastes, or otherwise represented by the Customer or the generator (if other than the Customer) to EQ, is and shall be true, accurate and complete as of the date of receipt of the involved waste by EQ.

Customer Warranty - Compliance with Laws.

The Customer shall comply with all applicable federal, state and local environmental statutes, regulations, and other governmental requirements, as well as directives issued by EQ from time to time, governing the transportation, treatment and/or disposal of Acceptable Wastes, including, but not limited to, all packaging, manifesting, containerization, placarding and labeling requirements.

Customer Warranty - Updating Information.

If the Customer receives information that Delivered Waste or other hazardous waste described in the Waste Characterization Report, or some component of such waste, presents or may present a hazard or risk to persons, property or the environment which was not disclosed to EQ, or if the Customer or generator (if other than the Customer) has changed the process by which such waste results, the Customer shall promptly report such information to EQ in writing.

Customer Indemnity.

The Customer shall indemnify, defend and hold harmless EQ, and its affiliated or related companies, and all of their respective present or future officers, directors, shareholders, employees and agents from and against any and all losses, damages, liabilities, penalties, fines, forfeitures, demands, claims, causes of action, suits, costs and expenses (including, but not limited to, reasonable costs of defense, settlement, and reasonable attorneys' fees), which may be asserted against any or all of them by any person or any governmental agency, or which any or all of them may hereafter suffer, incur, be responsible for or pay out, as a result of or in connection with bodily injuries (including, but not limited to, death, sickness, disease and emotional or mental distress) to any person (including EQ's employees), damage (including, but not limited to, loss of use) to any property (public or private), or any requirements to conduct or incur expense for investigative, removal or remedial expenses in connection with contamination of or adverse effect on the environment, or any violation or alleged violation of any statutes, ordinances, orders, rules or regulations of any governmental entity or agency, caused or arising out of (i) a breach of this Agreement by the Customer, (ii) the failure of any warranty of the Customer to be true, accurate and complete, or (iii) any willful or negligent act or omission of the Customer, or its employees or agents in connection with the performance of this Agreement.

Force Majeure.

EQ shall not be liable for any failure to accept, receive, handle, treat, and/or dispose of Delivered Waste due to an act of God, fire, casualty, flood, war, strike, lockout, labor trouble, failure of public utilities, equipment failure, facility shutdown, injunction, accident, epidemic, riot, insurrection, destruction of operation or transportation facilities, the inability to procure materials, equipment, or sufficient personnel or energy in order to meet operational needs without the necessity of allocation, the failure or inability to obtain any governmental approvals or to meet Environmental Requirements (including, but not limited to voluntary or involuntary compliance with any act, exercise, assertion, or requirement of any governmental authority) which may temporarily or permanently prohibit operations of EQ, the Customer, or the Generator, or any other circumstances beyond the control of EQ which prevents or delays performance of any of its obligations under this Agreement.

Governing Laws.

This Agreement shall in all respects be governed by and shall be construed in accordance with the laws of the State of Michigan applied to contracts executed and performed wholly within such state.

EQ - The Environmental Quality Company

Waste Characterization Report

☒ I authorize EQ - The Environmental Quality Company to choose the appropriate method of waste management, from the technologies offered, at the EQ facilities identified below.

<input type="checkbox"/> Michigan Disposal Waste Treatment Plant (Stabilization and Treatment)	49350 North I-94 Service Drive, Belleville, Michigan 48111 Phone: 1-800-592-5489 Fax: 1-800-592-5329	EPA ID #MID000724831
<input type="checkbox"/> Wayne Disposal, Inc. (Hazardous & PCB Waste Landfill)	49350 North I-94 Service Drive, Belleville, Michigan 48111 Phone: 1-800-592-5489 Fax: 1-800-592-5329	EPA ID #MID048090633
<input type="checkbox"/> EQ Detroit, Inc. (Stabilization, Wastewater Treatment)	1923 Frederick, Detroit, MI 48211 Phone: 1-800-495-6059 Fax: 1-313-923-3375	EPA ID #MID980991566
<input type="checkbox"/> EQ Resource Recovery, Inc. (Solvent Recycling, Fuel Blending, WW Treatment)	36345 Van Born Road, Romulus, Michigan 48174 Phone: (734) 727-5500 Fax: (734) 326-4033	EPA ID #MID060975844
<input type="checkbox"/> EQIS North Carolina (Stabilization, Treatment, Labpack Decommissioning)	1005 Investment Blvd., Apex, NC 27502 Phone: (919) 363-4700 Fax: (919) 363-4714	EPA ID #NCD982170292
<input type="checkbox"/> EQ Florida, Inc. (Drum Consolidation, Labpack Decommissioning)	7202 East Eighth Ave., Tampa, FL 33619 Phone: 1-800-624-5302 Fax: 1-813-628-0842	EPA ID #FLD981932494
<input type="checkbox"/> EQ Detroit Transfer and Processing (Drum Transfer/Universal Waste Handling)	2000 Ferry Street, Detroit, MI 48211 Phone: (313) 923-0080 Fax: (313) 922-8419	EPA ID #MIK939928313
<input type="checkbox"/> EQIS Indianapolis Transfer and Processing (Drum Transfer/Non-Hazardous Waste Processing)	4000 West 10th Street, Indianapolis, Indiana 46222 Phone: (317) 247-7160 Fax: (317) 247-7170	EPA ID #IND161049309
<input type="checkbox"/> EQIS Atlanta Transfer and Processing (Drum Transfer/Non-Hazardous Waste Processing)	5600 Fulton Industrial Blvd., Atlanta, Georgia 30336 Phone: (404) 494-3520 Fax: (404) 494-3560	EPA ID #GAR000039776
<input type="checkbox"/> EQ Augusta, Inc. (Wastewater Treatment)	3920 Goshen Industrial Blvd., Augusta, GA 30906 Phone: 706-771-9100 Fax: 706-771-9124	EPA ID #GAR000011817

Waste Common Name: Flammable Solids Labpack

Section 1 - Generator & Customer Info

SIC/NAICS:

EQ Customer No.: 10958

Generator EPA ID: MST-MP0-002-452

Invoicing Company

Company: USES JACKSON
Address: 1075 MENDELL DAVIS DRIVE
City: JACKSON
State: MS Zip: 39212
Country: USA

Invoicing Contact

Name: Wanda Horton
Phone: (601) 372-3232
Fax: () -

Technical Contact

Name: J.T. Newman
Phone: (601) 372-3232
Fax: () -
Mobile: () - Pager: () -
E-mail: jnewman@usesgroup.com

Generator: Mississippi DEQ
Address: 4280 Rifle Range Rd
City: Vicksburg
State: MS Zip: 39180
County: Warren

Mailing Address

Address: P.O. Box 20326
City: Jackson
State: MS Zip: 39289

Generator Contact

Name: Trey Hess / Jerry Banks
Title:
Phone: (601) 961-5221/6019615654
Fax: () -

*For a list of NAICS codes, please refer to Section 9 of the EQ Resource Guide.

Section 2 - Shipping & Packaging Info

- 2.1) Shipping Volume & Unit: 55 gallon Frequency: One Time Only
2.2) DOT Shipping Name: Flammable solids, organic, n.o.s.
2.3) Is this waste surcharge exempt? ☐ Yes ☒ No (If you answered "Yes" to question 2.3, select the Surcharge Exemption reason.)

2.4) Packaging (check all that apply)

- ☐ Bulk Solid (yd ³ < 2000 lbs./yd ³) ☐ Bulk Solid (Ton > 2000 lbs./yd ³) ☐ Bulk Liquids (Gallon)
☐ Totes, Size ☐ Cubic Yard Boxes/Bags ☒ Drums, Size 55 gallon
☐ Other (palletized, 5 gal. Pail, etc.)

Quoted bulk disposal charges for solid materials will be billed by the cubic yard, if the waste density is less than 2,000lbs./cubic yard. If waste density is greater than 2,000 lbs./cubic yard, then bulk disposal charges will be billed by the ton, regardless of the approved container.

Section 3 - Physical Characteristics

- 3.1) Color: VARIES 3.2) Odor: none
3.3) Does this waste contain any "Potentially Odorous Constituents" as defined in the EQ Resource Guide? (Section 3) ☐ Yes ☒ No
3.4) Physical State at 70 °F: ☒ Solid ☐ Dust/Powder ☐ Liquid ☐ Sludge
3.5) What is the pH of this waste? ☐ ≤ 2 ☐ 2.1-4.9 ☒ 5-10 ☐ 10.1-12.4 ☐ ≥ 12.5
3.6) What is the flash point of this waste? ☐ <90 °F ☐ 90-139 °F ☐ 140-199 °F ☒ ≥ 200 °F
3.7) Does this waste contain? (check all that apply) ☐ None ☐ Free Liquids ☐ Oily Residue ☒ Metal Fines
☐ Biodegradable Sorbants ☐ Amines ☐ Ammonia ☐ Water Reactive ☐ Biohazard ☐ Aluminum
☐ Shock Sensitive Waste ☐ Reactive Waste ☐ Radioactive Waste ☐ Explosives ☐ Pyrophoric Waste ☐ Isocyanates
☐ Asbestos - non-friable ☐ Asbestos - friable ☐ Dioxins ☐ Furans

Section 4 - Composition / Generating Process

- 4.1) Describe the physical composition of the waste (i.e., soil, water, PPE, debris, key chemical compounds, etc.)
4.2) Provide a detailed description of the process generating this waste. (attach flow diagram if available).
Labpack of chemicals in abandoned Chemical plant Lab

Section 5 - Is This Hazardous Waste?

Please refer to Section 5 of the EQ Resource Guide for a list of waste codes.

As determined by 40 CFR, Part 261 and Michigan Act 451 Rules:

Please list applicable waste code(s):

- 5.1) Is this an EPA RCRA listed hazardous waste (F, K, P or U)? ☐ Yes ☒ No
Comments:
5.2) Is this an EPA RCRA characteristic hazardous waste (D001-D043)? ☒ Yes ☐ No
Comments: D001
5.3) Do any State Hazardous Waste Codes apply? ☐ Yes ☒ No
Comments:
5.4) Is this waste intended for wastewater treatment? ☐ Yes ☒ No

If you answered "No" to questions 5.1, 5.2, and 5.3, please skip to Section 7.
If you answered "Yes" to question 5.4, please complete the WCR Addendum.

Section 6 - Hazardous Wastes

6.1) Does this waste exceed Land Disposal Restriction Levels?

☒ Yes ☐ No

6.1a) If this waste stream is greater than 50% soil, does it meet the alternative soil treatment standards of 40 CFR 268.49?

☐ Yes ☒ No

6.1b) Does this waste contain greater than 50% debris, by volume? (Debris is greater than 2.5 inches in size.)

☐ Yes ☒ No

6.2) Is the waste an oxidizer (D001)?

☒ Yes ☐ No

6.3) Does this waste contain reactive cyanide \geq 250 ppm (D003)?

☐ Yes ☒ No

6.4) Does this waste contain reactive sulfide \geq 500 ppm (D003)?

☐ Yes ☒ No

6.5) Please indicate which constituent concentrations are below or above the regulatory level. Please indicate the basis used in the determination. Either 'Below' or 'Above' **MUST** be checked for each constituent.

Based On: ☒ Generator Knowledge ☐ Analysis* ☐ MSDS*

*Please forward a copy. Analysis or MSDS are required for EQ Florida Non-hazardous wastes.

Code	Regulatory Level	TCLP (mg/l)	Concentration (if above)
D004	Arsenic	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D005	Barium	100	<input checked="" type="radio"/> Below <input type="radio"/> Above
D006	Cadmium	1	<input checked="" type="radio"/> Below <input type="radio"/> Above
D007	Chromium	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D008	Lead	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D009	Mercury	0.2	<input checked="" type="radio"/> Below <input type="radio"/> Above
D010	Selenium	1	<input checked="" type="radio"/> Below <input type="radio"/> Above
D011	Silver	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D012	Endrin	0.02	<input checked="" type="radio"/> Below <input type="radio"/> Above
D013	Lindane	0.4	<input checked="" type="radio"/> Below <input type="radio"/> Above
D014	Methoxychlor	10	<input checked="" type="radio"/> Below <input type="radio"/> Above
D015	Toxaphene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D016	2,4-D	10	<input checked="" type="radio"/> Below <input type="radio"/> Above
D017	2,4,5-TP (Silvex)	1	<input checked="" type="radio"/> Below <input type="radio"/> Above
D018	Benzene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D019	Carbon Tetrachloride	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D020	Chlordane	0.03	<input checked="" type="radio"/> Below <input type="radio"/> Above
D021	Chlorobenzene	100	<input checked="" type="radio"/> Below <input type="radio"/> Above
D022	Chloroform	6.0	<input checked="" type="radio"/> Below <input type="radio"/> Above
D023	o-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above

Code	Regulatory Level	TCLP (mg/l)	Concentration (if above)
D024	m-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above
D025	p-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above
D026	Cresols	200	<input checked="" type="radio"/> Below <input type="radio"/> Above
D027	1,4-Dichlorobenzene	7.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D028	1,2-Dichloroethane	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D029	1,1-Dichloroethylene	0.7	<input checked="" type="radio"/> Below <input type="radio"/> Above
D030	2,4-Dinitrotoluene	0.13	<input checked="" type="radio"/> Below <input type="radio"/> Above
D031	Heptachlor	0.008	<input checked="" type="radio"/> Below <input type="radio"/> Above
D032	Hexachlorobenzene	0.13	<input checked="" type="radio"/> Below <input type="radio"/> Above
D033	Hexachlorobutadiene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D034	Hexachloroethane	3.0	<input checked="" type="radio"/> Below <input type="radio"/> Above
D035	Methyl Ethyl Ketone	200	<input checked="" type="radio"/> Below <input type="radio"/> Above
D036	Nitrobenzene	2	<input checked="" type="radio"/> Below <input type="radio"/> Above
D037	Pentachlorophenol	100	<input checked="" type="radio"/> Below <input type="radio"/> Above
D038	Pyridine	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D039	Tetrachloroethylene	0.7	<input checked="" type="radio"/> Below <input type="radio"/> Above
D040	Trichloroethylene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D041	2,4,5-Trichlorophenol	400	<input checked="" type="radio"/> Below <input type="radio"/> Above
D042	2,4,6-Trichlorophenol	2	<input checked="" type="radio"/> Below <input type="radio"/> Above
D043	Vinyl Chloride	0.2	<input checked="" type="radio"/> Below <input type="radio"/> Above

6.6) If this is a characteristic hazardous waste, does it contain underlying hazardous constituents?

☐ Yes ☒ No

If you answered 'Yes', please list the constituents in Section 11.

Section 7 - Non-Hazardous Wastes

For a complete list of non-hazardous waste codes, please refer to Section 7 of the EQ Resource Guide.

Applicable waste code(s):

7.1) Is this a Michigan non-hazardous liquid industrial waste?

☐ Yes ☒ No

Comments:

7.2) Is this a Universal waste?

☐ Yes ☒ No

7.3) Is this a Recyclable Commodity? (e.g.: computer monitors, free mercury, etc.)

☐ Yes ☒ No

7.4) Is this waste a recoverable petroleum product?

☐ Yes ☒ No

7.5) Is this waste used oil as defined by 40 CFR Part 279?

☐ Yes ☒ No

Section 8 - TSCA Information

- 8.1) What is the concentration of PCBs in the waste? ☒ None ☐ 0-5 ppm ☐ 6-49 ppm
☐ 50-499 ppm ☐ 500+ ppm
- 8.2) Does the waste contain PCB contamination from a source with a concentration ≥ 50 ppm? ☐ Yes ☒ No
If you answered 'None' to 8.1 and 'No' to 8.2, please skip to Section 9.
- 8.3) Has this waste been processed into a non-liquid form? ☐ Yes ☐ No
If yes, what was the concentration of PCBs prior to processing? (ppm) ☐ N/A ☐ 0-499 ☐ 500+
- 8.4) Is the non-liquid PCB waste in the form of soil, rags, debris, or other contaminated media? ☐ Yes ☐ No
- 8.5) Are you a PCB capacitor manufacturer or a PCB equipment manufacturer? ☐ Yes ☐ No
- 8.6) Has the PCB Article (e.g., transformer, hydraulic machine, PCB-contaminated electrical equipment) been drained/flushed of all PCBs and decontaminated in accordance with 40 CFR 761.60(b)? ☐ N/A ☐ Yes ☐ No

Section 9 - Clean Air Act Information

- 9.1) Is this waste subject to regulation under 40 CFR, Part 63, Subpart DD or 40 CFR, Part 264, Subpart CC (RCRA)? ☐ Yes ☒ No
(Does the waste contain >500 ppm Volatile Organic Hazardous Air Pollutants - VOHAP's or Volatile Organic Compounds - VOC's?)
For a complete list of VOHAPs, please see Section 11 of the EQ Resource Guide.
- 9.2) Is this site, or waste, subject to any other MACT or NESHAP? ☐ Yes ☒ No
If yes, please specify:
- 9.3) Does this waste stream contain Benzene? ☐ Yes ☒ No
If you answered "No" to question 9.2, please skip to section 10.
- 9.4) Does the waste stream come from a facility with one of the SIC/NAICS codes listed under the Benzene NESHAP identified in 40 CFR 61, Subpart FF? ☐ Yes ☐ No
- 9.5) Is the generating source of this waste stream a facility with Total Annual Benzene (TAB) ≥ 10 Mg/year? ☐ Yes ☒ No
For assistance in calculating the TAB, please see the TAB Worksheet in Section 9 of the EQ Resource Guide.
If you answered "No" to question 9.3 and 9.4, please skip to Section 10.
- 9.6) Does the waste contain > 10% water? ☐ Yes ☐ No
- 9.7) What is the TAB quantity for your facility? _____ Mg/year
- 9.8) Does the waste contain >1.0 mg/kg total Benzene? ☐ Yes ☐ No
- 9.9) What is the total Benzene concentration in your waste? _____ (concentration) _____ (unit)

(Supporting analysis must be attached. Do not use TCLP analytical results. Acceptable laboratory methods include 8020, 8240, 8260, 602 and 624.)

**For a list of NAICS codes, please refer to section 9 of the EQ Resource Guide.*

Section 10 - Fuel Blending Information

- 10.1) Is this waste intended for fuel blending? ☐ Yes* ☒ No
If you answered 'Yes' to question 10.1, please enter the following:
- Heat value (BTU/lb.) _____
- Chlorine (%) _____
- Water (%) _____
- Solids (%) _____
- 10.2) Is this waste intended for reclamation? ☐ Yes ☒ No (5-Gallon Sample required for all reclaim waste streams)

Section 11 - Constituent Information

Please identify your waste constituents from these four categories: Underlying Hazardous Constituents (UHC's), Volatile Organic Hazardous Air Pollutants (VOHAP's), Volatile Organic Compounds (VOC's) and Toxic Release Inventory Constituents (TRI)

Constituent	Concentration	UHC?
-------------	---------------	------

Please see Section 11 of the EQ Resource Guide for a list of UHC's, VOHAP's and VOC's. For a complete list of TRI constituents, please refer to 40 CFR 372.65.

Section 12 - Certification

I certify that all information (including attachments) is complete and factual and is an accurate representation of the known and suspected hazards, pertaining to the waste described herein. I authorize EQ's Resource Team to add supplemental information to the waste approval file, provided I am contacted and give verbal permission. I authorize EQ's Resource Team to obtain a sample from any waste shipment for purposes of verification. Generator or on Generator's behalf shall be subject to, and Generator shall be bound by, the attached Standard Terms and Conditions, and confirmation. I agree that, if EQ approves the waste described herein, all such wastes that are transported, delivered, or tendered to EQ by

Comments:
logged in

Generator:

Jerry B. Banks
Authorized Generator Signature

JERRY B. BANKS

Printed Generator Name

Company:

MS Dept. of Environmental Quality

Title:

Chief, Groundwater Assessment

Date: 11-13-07

The generator's signature MUST appear on the EQ Waste Characterization Report. If the generator has authorized a third party to certify this document, a written notice (on generator letterhead) must accompany this submittal. Although the EQ Resource Team is authorized to make certain modifications to the information provided on this form, the addition or removal of waste codes and waste constituents must be documented by the generator.

STANDARD TERMS AND CONDITIONS

The Agreement between the Customer and EQ - The Environmental Quality Company and/or its member companies (hereinafter "EQ") related to or associated with Delivered Waste, as herein defined, shall be governed by the following Standard Terms and Conditions in addition to the terms and conditions contained in any Waste Characterization Report, Customer Approval Quote Confirmation, Generator Approval Notification, Notice of Waste Approval Expiration, and/or Credit Agreement associated with such Delivered Waste.

The Customer may use its standard forms (such as purchase orders, acknowledgments of orders, and invoices) to administer its dealings under this Agreement for convenience purposes, but all provisions thereof in conflict with these terms and conditions shall be deemed stricken.

Definitions.

The following definitions shall apply for purposes of this Agreement:

"Acceptable Waste" shall mean any hazardous waste, as defined under applicable State or federal law, determined by EQ as acceptable for treatment and/or disposal in accordance with this Agreement.

"Delivered Wastes" shall mean all wastes (i) which are transported, delivered, or tendered to EQ by the Customer; (ii) which the Customer has arranged for the transport, delivery or tender to EQ; or (iii) which are transported, delivered, or tendered to EQ under a Credit Agreement between the Customer and EQ.

"Non-Conforming Wastes" shall mean wastes that (a) are not in accordance in all material respects with the warranties, descriptions, specifications or limitations stated in the Waste Characterization Report and this Agreement; (b) have constituents or components of a type or concentration not specifically identified in the Waste Characterization Report (i) which increase the nature or extent of the hazard and risk undertaken by EQ in treating and/or disposing of the waste, or (ii) for whose treatment and/or disposal a Waste Management Facility is not designed or permitted, or (iii) which increase the cost of treatment and/or disposal of waste beyond that specified in EQ's price quote; or (c) are not properly packaged, labeled, described, or placarded, or otherwise not in compliance with United States Department of Transportation and United States Environmental Protection Agency regulations.

Control of Operations.

EQ shall have sole control over all aspects of the operation of any treatment and/or disposal facility of EQ receiving Delivered Wastes under this Agreement (hereinafter, "Waste Management Facility"), including, without limitation, maintaining EQ's desired volume of Acceptable Wastes being delivered to any Waste Management Facility by the Customer or any other person or entity.

Identification of Waste.

For each waste material to be transported, delivered, or tendered to EQ under this Agreement, the Customer shall provide, or cause to be provided, to EQ a representative sample of the waste material and a completed Waste Characterization Report containing a physical and chemical description or analysis of such waste material, which description shall conform with any and all guidelines for waste acceptance provided by EQ. On the basis of EQ's analysis of such representative sample of the waste material and such Waste Characterization Report, EQ will determine whether such wastes are Acceptable Wastes. EQ does not make any guarantee that it will handle any waste material or any particular quantity or type of waste material, and EQ reserves the right to the decline to transport, treat and/or dispose of waste material. The Customer shall promptly furnish to EQ any information regarding known, suspected or planned changes in the composition of the waste material. Further, the Customer shall promptly inform EQ of any change in the characteristic or condition of the waste material which becomes known to the Customer subsequent to the date of the Waste Characterization Report.

Non-Conforming Wastes.

In the event that EQ at any time discovers that any Delivered Waste is Non-Conforming Waste, EQ may reject or revoke its acceptance of the Non-Conforming Waste. The Customer shall have seven (7) days to direct an alternative lawful manner of disposition of the waste, unless it is necessary by reason of law or otherwise to move the Non-Conforming Waste prior to expiration of the seven (7) day period. If the Customer does not direct an alternative disposal, at its option, EQ may return any such Non-Conforming Wastes to the Customer, and the Customer shall pay or reimburse EQ for all costs and expenses incurred by EQ in connection with the receipt, handling, sampling, analyses, transportation and return to the Customer of such Non-Conforming Wastes. If it is impossible or impractical for EQ to return the Non-Conforming Waste to the Customer, the Customer shall reimburse EQ for all costs, of any type or nature whatsoever, incurred by EQ, solely because such Delivered Waste was Non-Conforming Waste (including, but not limited to, all costs associated with any remedial steps necessary, due to the nature of the Non-Conforming Waste, in connection with material with which the Non-Conforming Waste may have been commingled and all expenses and charges for analyzing, handling, locating, preparing for transporting, storing and disposing of any Non-Conforming Waste).

Customer Warranty - Title to Wastes.

Either the Customer or the generator (if other than the Customer) shall hold clear title, free of any all liens, claims, encumbrances, and charges to Delivered Waste until such waste is accepted by EQ.

Customer Warranty - Acceptable Wastes.

All Delivered Wastes shall be Acceptable Wastes and shall conform in all material respects to the description and specifications contained in the Waste Characterization Report. The information set forth in the Waste Characterization Report or any manifest, placard or label associated with any Delivered Wastes, or otherwise represented by the Customer or the generator (if other than the Customer) to EQ, is and shall be true, accurate and complete as of the date of receipt of the involved waste by EQ.

Customer Warranty - Compliance with Laws.

The Customer shall comply with all applicable federal, state and local environmental statutes, regulations, and other governmental requirements, as well as directives issued by EQ from time to time, governing the transportation, treatment and/or disposal of Acceptable Wastes, including, but not limited to, all packaging, manifesting, containerization, placarding and labeling requirements.

Customer Warranty - Updating Information.

If the Customer receives information that Delivered Waste or other hazardous waste described in the Waste Characterization Report, or some component of such waste, presents or may present a hazard or risk to persons, property or the environment which was not disclosed to EQ, or if the Customer or generator (if other than the Customer) has changed the process by which such waste results, the Customer shall promptly report such information to EQ in writing.

Customer Indemnity.

The Customer shall indemnify, defend and hold harmless EQ, and its affiliated or related companies, and all of their respective present or future officers, directors, shareholders, employees and agents from and against any and all losses, damages, liabilities, penalties, fines, forfeitures, demands, claims, causes of action, suits, costs and expenses (including, but not limited to, reasonable costs of defense, settlement, and reasonable attorneys' fees), which may be asserted against any or all of them by any person or any governmental agency, or which any or all of them may hereafter suffer, incur, be responsible for or pay out, as a result of or in connection with bodily injuries (including, but not limited to, death, sickness, disease and emotional or mental distress) to any person (including EQ's employees), damage (including, but not limited to, loss of use) to any property (public or private), or any requirements to conduct or incur expense for investigative, removal or remedial expenses in connection with contamination of or adverse effect on the environment, or any violation or alleged violation of any statutes, ordinances, orders, rules or regulations of any governmental entity or agency, caused or arising out of (i) a breach of this Agreement by the Customer, (ii) the failure of any warranty of the Customer to be true, accurate and complete, or (iii) any willful or negligent act or omission of the Customer, or its employees or agents in connection with the performance of this Agreement.

Force Majeure.

EQ shall not be liable for any failure to accept, receive, handle, treat, and/or dispose of Delivered Waste due to an act of God, fire, casualty, flood, war, strike, lockout, labor trouble, failure of public utilities, equipment failure, facility shutdown, injunction, accident, epidemic, riot, insurrection, destruction of operation or transportation facilities, the inability to procure materials, equipment, or sufficient personnel or energy in order to meet operational needs without the necessity of allocation, the failure or inability to obtain any governmental approvals or to meet Environmental Requirements (including, but not limited to voluntary or involuntary compliance with any act, exercise, assertion, or requirement of any governmental authority) which may temporarily or permanently prohibit operations of EQ, the Customer, or the Generator, or any other circumstances beyond the control of EQ which prevents or delays performance of any of its obligations under this Agreement.

Governing Laws.

This Agreement shall in all respects be governed by and shall be construed in accordance with the laws of the State of Michigan applied to contracts executed and performed wholly within such state.

EQ - The Environmental Quality Company

Waste Characterization Report

☒ I authorize EQ - The Environmental Quality Company to choose the appropriate method of waste management, from the technologies offered, at the EQ facilities identified below.

<input type="checkbox"/> Michigan Disposal Waste Treatment Plant (Stabilization and Treatment)	49350 North I-94 Service Drive, Belleville, Michigan 48111 Phone: 1-800-592-5489 Fax: 1-800-592-5329	EPA ID #MID000724831
<input type="checkbox"/> Wayne Disposal, Inc. (Hazardous & PCB Waste Landfill)	49350 North I-94 Service Drive, Belleville, Michigan 48111 Phone: 1-800-592-5489 Fax: 1-800-592-5329	EPA ID #MID048090633
<input type="checkbox"/> EQ Detroit, Inc. (Stabilization, Wastewater Treatment)	1923 Frederick, Detroit, MI 48211 Phone: 1-800-495-6059 Fax: 1-313-923-3375	EPA ID #MID980991566
<input type="checkbox"/> EQ Resource Recovery, Inc. (Solvent Recycling, Fuel Blending, WW Treatment)	36345 Van Born Road, Romulus, Michigan 48174 Phone: (734) 727-5500 Fax: (734) 326-4033	EPA ID #MID060975844
<input type="checkbox"/> EQIS North Carolina (Stabilization, Treatment, Labpack Decommissioning)	1005 Investment Blvd., Apex, NC 27502 Phone: (919) 363-4700 Fax: (919) 363-4714	EPA ID #NCD982170292
<input type="checkbox"/> EQ Florida, Inc. (Drum Consolidation, Labpack Decommissioning)	7202 East Eighth Ave., Tampa, FL 33619 Phone: 1-800-624-5302 Fax: 1-813-628-0842	EPA ID #FLD981932494
<input type="checkbox"/> EQ Detroit Transfer and Processing (Drum Transfer/Universal Waste Handling)	2000 Ferry Street, Detroit, MI 48211 Phone: (313) 923-0080 Fax: (313) 922-8419	EPA ID #MIK939928313
<input type="checkbox"/> EQIS Indianapolis Transfer and Processing (Drum Transfer/Non-Hazardous Waste Processing)	4000 West 10th Street, Indianapolis, Indiana 46222 Phone: (317) 247-7160 Fax: (317) 247-7170	EPA ID #IND161049309
<input type="checkbox"/> EQIS Atlanta Transfer and Processing (Drum Transfer/Non-Hazardous Waste Processing)	5600 Fulton Industrial Blvd., Atlanta, Georgia 30336 Phone: (404) 494-3520 Fax: (404) 494-3560	EPA ID #GAR000039776
<input type="checkbox"/> EQ Augusta, Inc. (Wastewater Treatment)	3920 Goshen Industrial Blvd., Augusta, GA 30906 Phone: 706-771-9100 Fax: 706-771-9124	EPA ID #GAR000011817

Waste Common Name: Flammable Paint Lab Pack

Section 1 - Generator & Customer Info

SIC/NAICS*:

Generator EPA ID: MST-MP0-002-452

EQ Customer No.: 10958

Invoicing Company

Company: USES JACKSON
Address: 1075 MENDELL DAVIS DRIVE
City: JACKSON
State: MS Zip: 39212
Country: USA

Invoicing Contact

Name: Wanda Horton
Phone: (601) 372-3232
Fax: () -

Technical Contact

Name: J.T. Newman
Phone: (601) 372-3232
Fax: () -
Mobile: () - Pager: () -
E-mail: jnewman@usesgroup.com

Generator: Mississippi DEQ
Address: 4280 Rifle Range Rd
City: Vicksburg
State: MS Zip: 39180
County: Warren
Mailing Address
Address: P.O Box 20326
City: Jackson
State: MS Zip: 39289
Generator Contact
Name: Trey Hess / Jerry Banks
Title:
Phone: (601) 961-5221/6019615654
Fax: () -

*For a list of NAICS codes, please refer to Section 9 of the EQ Resource Guide.

Section 2 - Shipping & Packaging Info

- 2.1) Shipping Volume & Unit: Cubic Yard Box Frequency: One Time Only
2.2) DOT Shipping Name: Paint including paint, lacquer, enamel, stain, shellac solutions, varnish, polish, liquid filler, and liquid lacquer base
2.3) Is this waste surcharge exempt? ☐ Yes ☒ No (If you answered "Yes" to question 2.3, select the Surcharge Exemption reason.)

2.4) Packaging (check all that apply)

- ☐ Bulk Solid (yd ³ < 2000 lbs./yd ³) ☐ Bulk Solid (Ton > 2000 lbs./yd ³) ☐ Bulk Liquids (Gallon)
☐ Totes, Size ☒ Cubic Yard Boxes/Bags ☐ Drums, Size
☐ Other (palletized, 5 gal. Pail, etc.)

Quoted bulk disposal charges for solid materials will be billed by the cubic yard, if the waste density is less than 2,000lbs./cubic yard. If waste density is greater than 2,000 lbs./cubic yard, then bulk disposal charges will be billed by the ton, regardless of the approved container.

Section 3 - Physical Characteristics

- 3.1) Color: VARIES 3.2) Odor: Paint
3.3) Does this waste contain any "Potentially Odorous Constituents" as defined in the EQ Resource Guide? (Section 3) ☐ Yes ☒ No
3.4) Physical State at 70 °F: ☐ Solid ☐ Dust/Powder ☒ Liquid ☐ Sludge
3.5) What is the pH of this waste? ☐ ≤ 2 ☐ 2.1-4.9 ☒ 5-10 ☐ 10.1-12.4 ☐ ≥ 12.5
3.6) What is the flash point of this waste? ☒ <90 °F ☐ 90-139 °F ☐ 140-199 °F ☐ ≥ 200 °F
3.7) Does this waste contain? (check all that apply) ☒ None
☐ Biodegradable Sorbants ☐ Amines ☐ Ammonia ☐ Free Liquids ☐ Oily Residue ☐ Metal Fines
☐ Shock Sensitive Waste ☐ Reactive Waste ☐ Radioactive Waste ☐ Water Reactive ☐ Biohazard ☐ Aluminum
☐ Asbestos - non-friable ☐ Asbestos - friable ☐ Dioxins ☐ Explosives ☐ Pyrophoric Waste ☐ Isocyanates
☐ Furans

Section 4 - Composition / Generating Process

- 4.1) Describe the physical composition of the waste (i.e., soil, water, PPE, debris, key chemical compounds, etc.)
Flammable Paint in Cans from 100 to 100 %
4.2) Provide a detailed description of the process generating this waste. (attach flow diagram if available).
Labpack of chemicals in abandoned Chemical plant Lab

Section 5 - Is This Hazardous Waste?

Please refer to Section 5 of the EQ Resource Guide for a list of waste codes.

As determined by 40 CFR, Part 261 and Michigan Act 451 Rules:

Please list applicable waste code(s):

- 5.1) Is this an EPA RCRA listed hazardous waste (F, K, P or U)? ☐ Yes ☒ No
Comments:
5.2) Is this an EPA RCRA characteristic hazardous waste (D001-D043)? ☒ Yes ☐ No
Comments:
5.3) Do any State Hazardous Waste Codes apply? ☐ Yes ☒ No
Comments:
5.4) Is this waste intended for wastewater treatment? ☐ Yes* ☒ No

D001

If you answered "No" to questions 5.1, 5.2, and 5.3, please skip to Section 7.
If you answered "Yes" to question 5.4, please complete the WCR Addendum.

Section 6 - Hazardous Wastes

6.1) Does this waste exceed Land Disposal Restriction Levels?

6.1a) If this waste stream is greater than 50% soil, does it meet the alternative soil treatment standards of 40 CFR 268.49?

6.1b) Does this waste contain greater than 50% debris, by volume? (Debris is greater than 2.5 inches in size.)

6.2) Is the waste an oxidizer (D001)?

6.3) Does this waste contain reactive cyanide \geq 250 ppm (D003)?

6.4) Does this waste contain reactive sulfide \geq 500 ppm (D003)?

6.5) Please indicate which constituent concentrations are below or above the regulatory level. Please indicate the basis used in the determination. Either 'Below' or 'Above' **MUST** be checked for each constituent.

Based On: ☒ Generator Knowledge ☐ Analysis* ☐ MSDS*

*Please forward a copy. Analysis or MSDS are required for EQ Florida Non-hazardous wastes.

Code	Regulatory Level	TCLP (mg/l)	Concentration (If above)
D004	Arsenic	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D005	Barium	100	<input checked="" type="radio"/> Below <input type="radio"/> Above
D006	Cadmium	1	<input checked="" type="radio"/> Below <input type="radio"/> Above
D007	Chromium	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D008	Lead	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D009	Mercury	0.2	<input checked="" type="radio"/> Below <input type="radio"/> Above
D010	Selenium	1	<input checked="" type="radio"/> Below <input type="radio"/> Above
D011	Silver	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D012	Endrin	0.02	<input checked="" type="radio"/> Below <input type="radio"/> Above
D013	Lindane	0.4	<input checked="" type="radio"/> Below <input type="radio"/> Above
D014	Methoxychlor	10	<input checked="" type="radio"/> Below <input type="radio"/> Above
D015	Toxaphene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D016	2,4-D	10	<input checked="" type="radio"/> Below <input type="radio"/> Above
D017	2,4,5-TP (Silvex)	1	<input checked="" type="radio"/> Below <input type="radio"/> Above
D018	Benzene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D019	Carbon Tetrachloride	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D020	Chlordane	0.03	<input checked="" type="radio"/> Below <input type="radio"/> Above
D021	Chlorobenzene	100	<input checked="" type="radio"/> Below <input type="radio"/> Above
D022	Chloroform	6.0	<input checked="" type="radio"/> Below <input type="radio"/> Above
D023	o-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above

Code	Regulatory Level	TCLP (mg/l)	Concentration (If above)
D024	m-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above
D025	p-Cresol	200	<input checked="" type="radio"/> Below <input type="radio"/> Above
D026	Cresols	200	<input checked="" type="radio"/> Below <input type="radio"/> Above
D027	1,4-Dichlorobenzene	7.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D028	1,2-Dichloroethane	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D029	1,1-Dichloroethylene	0.7	<input checked="" type="radio"/> Below <input type="radio"/> Above
D030	2,4-Dinitrotoluene	0.13	<input checked="" type="radio"/> Below <input type="radio"/> Above
D031	Heptachlor	0.008	<input checked="" type="radio"/> Below <input type="radio"/> Above
D032	Hexachlorobenzene	0.13	<input checked="" type="radio"/> Below <input type="radio"/> Above
D033	Hexachlorobutadiene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D034	Hexachloroethane	3.0	<input checked="" type="radio"/> Below <input type="radio"/> Above
D035	Methyl Ethyl Ketone	200	<input checked="" type="radio"/> Below <input type="radio"/> Above
D036	Nitrobenzene	2	<input checked="" type="radio"/> Below <input type="radio"/> Above
D037	Pentachlorophenol	100	<input checked="" type="radio"/> Below <input type="radio"/> Above
D038	Pyridine	5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D039	Tetrachloroethylene	0.7	<input checked="" type="radio"/> Below <input type="radio"/> Above
D040	Trichloroethylene	0.5	<input checked="" type="radio"/> Below <input type="radio"/> Above
D041	2,4,5-Trichlorophenol	400	<input checked="" type="radio"/> Below <input type="radio"/> Above
D042	2,4,6-Trichlorophenol	2	<input checked="" type="radio"/> Below <input type="radio"/> Above
D043	Vinyl Chloride	0.2	<input checked="" type="radio"/> Below <input type="radio"/> Above

6.6) If this is a characteristic hazardous waste, does it contain underlying hazardous constituents?

If you answered 'Yes', please list the constituents in Section 11.

☐ Yes ☒ No

Section 7 - Non-Hazardous Wastes

For a complete list of non-hazardous waste codes, please refer to Section 7 of the EQ Resource Guide.

Applicable waste code(s):

7.1) Is this a Michigan non-hazardous liquid industrial waste?

Comments:

☐ Yes ☒ No

7.2) Is this a Universal waste?

☐ Yes ☒ No

7.3) Is this a Recyclable Commodity? (e.g.: computer monitors, free mercury, etc.)

☐ Yes ☒ No

7.4) Is this waste a recoverable petroleum product?

☐ Yes ☒ No

7.5) Is this waste used oil as defined by 40 CFR Part 279?

☐ Yes ☒ No

Section 8 - TSCA Information

8.1) What is the concentration of PCBs in the waste?

- ☒ None ☐ 0-5 ppm ☐ 6-49 ppm
☐ 50-499 ppm ☐ 500+ ppm

8.2) Does the waste contain PCB contamination from a source with a concentration ≥ 50 ppm?

- ☐ Yes ☒ No

If you answered 'None' to 8.1 and 'No' to 8.2, please skip to Section 9.

8.3) Has this waste been processed into a non-liquid form?

- ☐ Yes ☐ No

If yes, what was the concentration of PCBs prior to processing? (ppm)

- ☐ N/A ☐ 0-499 ☐ 500+

8.4) Is the non-liquid PCB waste in the form of soil, rags, debris, or other contaminated media?

- ☐ Yes ☐ No

8.5) Are you a PCB capacitor manufacturer or a PCB equipment manufacturer?

- ☐ Yes ☐ No

8.6) Has the PCB Article (e.g., transformer, hydraulic machine, PCB-contaminated electrical equipment) been drained/flushed of all PCBs and decontaminated in accordance with 40 CFR 761.60(b)?

- ☐ N/A ☐ Yes ☐ No

Section 9 - Clean Air Act Information

9.1) Is this waste subject to regulation under 40 CFR, Part 63, Subpart DD or 40 CFR, Part 264, Subpart CC (RCRA)?

- ☒ Yes ☐ No

(Does the waste contain >500 ppm Volatile Organic Hazardous Air Pollutants - VOHAP's or Volatile Organic Compounds - VOC's?)

For a complete list of VOHAPs, please see Section 11 of the EQ Resource Guide.

9.2) Is this site, or waste, subject to any other MACT or NESHAP?

- ☐ Yes ☒ No

If yes, please specify:

9.3) Does this waste stream contain Benzene?

- ☐ Yes ☒ No

If you answered "No" to question 9.2, please skip to section 10.

9.4) Does the waste stream come from a facility with one of the SIC/NAICS codes listed under the Benzene NESHAP identified in 40 CFR 61, Subpart FF?

- ☐ Yes ☐ No

9.5) Is the generating source of this waste stream a facility with Total Annual Benzene (TAB) ≥ 10 Mg/year?

- ☐ Yes ☒ No

For assistance in calculating the TAB, please see the TAB Worksheet in Section 9 of the EQ Resource Guide.

If you answered "No" to question 9.3 and 9.4, please skip to Section 10.

9.6) Does the waste contain > 10% water?

- ☐ Yes ☐ No

9.7) What is the TAB quantity for your facility? Mg/year

9.8) Does the waste contain >1.0 mg/kg total Benzene?

- ☐ Yes ☐ No

9.9) What is the total Benzene concentration in your waste? (concentration) (unit)

(Supporting analysis must be attached. Do not use TCLP analytical results. Acceptable laboratory methods include 8020, 8240, 8260, 602 and 624.)

**For a list of NAICS codes, please refer to section 9 of the EQ Resource Guide.*

Section 10 - Fuel Blending Information

10.1) Is this waste intended for fuel blending?

- ☐ Yes* ☒ No

If you answered 'Yes' to question 10.1, please enter the following:

Heat value (BTU/lb.) _____

Chlorine (%) _____

Water (%) _____

Solids (%) _____

10.2) Is this waste intended for reclamation?

- ☐ Yes ☒ No

(5-Gallon Sample required for all reclaim waste streams)

Section 11 - Constituent Information

Please identify your waste constituents from these four categories: Underlying Hazardous Constituents (UHC's), Volatile Organic Hazardous Air Pollutants (VOHAP's), Volatile Organic Compounds (VOC's) and Toxic Release Inventory Constituents (TRI)


Constituent	Concentration	UHC?
-------------	---------------	------

Please see Section 11 of the EQ Resource Guide for a list of UHC's, VOHAP's and VOC's. For a complete list of TRI constituents, please refer to 40 CFR 372.65.

Section 12 - Certification

I certify that all information (including attachments) is complete and factual and is an accurate representation of the known and suspected hazards, pertaining to the waste described herein. I authorize EQ's Resource Team to add supplemental information to the waste approval file, provided I am contacted and give verbal permission. I authorize EQ's Resource Team to obtain a sample from any waste shipment for purposes of verification Generator or on Generator's behalf shall be subject to, and Generator shall be bound by, the attached Standard Terms and Conditions. and confirmation. I agree that, if EQ approves the waste described herein, all such wastes that are transported, delivered, or tendered to EQ by

Comments:
logged in

Generator:  JERRY B. BANKS
Authorized Generator Signature Printed Generator Name

Company: MS Dept. of Environmental Quality Title: Chief Groundwater Assessment Date: 11-13-07

The generator's signature MUST appear on the EQ Waste Characterization Report. If the generator has authorized a third party to certify this document, a written notice (on generator letterhead) must accompany this submittal. Although the EQ Resource Team is authorized to make certain modifications to the information provided on this form, the addition or removal of waste codes and waste constituents must be documented by the generator.

STANDARD TERMS AND CONDITIONS

The Agreement between the Customer and EQ - The Environmental Quality Company and/or its member companies (hereinafter "EQ") related to or associated with Delivered Waste, as herein defined, shall be governed by the following Standard Terms and Conditions in addition to the terms and conditions contained in any Waste Characterization Report, Customer Approval Quote Confirmation, Generator Approval Notification, Notice of Waste Approval Expiration, and/or Credit Agreement associated with such Delivered Waste.

The Customer may use its standard forms (such as purchase orders, acknowledgments of orders, and invoices) to administer its dealings under this Agreement for convenience purposes, but all provisions thereof in conflict with these terms and conditions shall be deemed stricken.

Definitions.

The following definitions shall apply for purposes of this Agreement:

"Acceptable Waste" shall mean any hazardous waste, as defined under applicable State or federal law, determined by EQ as acceptable for treatment and/or disposal in accordance with this Agreement.

"Delivered Wastes" shall mean all wastes (i) which are transported, delivered, or tendered to EQ by the Customer; (ii) which the Customer has arranged for the transport, delivery or tender to EQ; or (iii) which are transported, delivered, or tendered to EQ under a Credit Agreement between the Customer and EQ.

"Non-Conforming Wastes" shall mean wastes that (a) are not in accordance in all material respects with the warranties, descriptions, specifications or limitations stated in the Waste Characterization Report and this Agreement; (b) have constituents or components of a type or concentration not specifically identified in the Waste Characterization Report (i) which increase the nature or extent of the hazard and risk undertaken by EQ in treating and/or disposing of the waste, or (ii) for whose treatment and/or disposal a Waste Management Facility is not designed or permitted, or (iii) which increase the cost of treatment and/or disposal of waste beyond that specified in EQ's price quote; or (c) are not properly packaged, labeled, described, or placarded, or otherwise not in compliance with United States Department of Transportation and United States Environmental Protection Agency regulations.

Control of Operations.

EQ shall have sole control over all aspects of the operation of any treatment and/or disposal facility of EQ receiving Delivered Wastes under this Agreement (hereinafter, "Waste Management Facility"), including, without limitation, maintaining EQ's desired volume of Acceptable Wastes being delivered to any Waste Management Facility by the Customer or any other person or entity.

Identification of Wastes.

For each waste material to be transported, delivered, or tendered to EQ under this Agreement, the Customer shall provide, or cause to be provided, to EQ a representative sample of the waste material and a completed Waste Characterization Report containing a physical and chemical description or analysis of such waste material, which description shall conform with any and all guidelines for waste acceptance provided by EQ. On the basis of EQ's analysis of such representative sample of the waste material and such Waste Characterization Report, EQ will determine whether such wastes are Acceptable Wastes. EQ does not make any guarantee that it will handle any waste material or any particular quantity or type of waste material, and EQ reserves the right to the decline to transport, treat and/or dispose of waste material. The Customer shall promptly furnish to EQ any information regarding known, suspected or planned changes in the composition of the waste material. Further, the Customer shall promptly inform EQ of any change in the characteristic or condition of the waste material which becomes known to the Customer subsequent to the date of the Waste Characterization Report.

Non-Conforming Wastes.

In the event that EQ at any time discovers that any Delivered Waste is Non-Conforming Waste, EQ may reject or revoke its acceptance of the Non-Conforming Waste. The Customer shall have seven (7) days to direct an alternative lawful manner of disposition of the waste, unless it is necessary by reason of law or otherwise to move the Non-Conforming Waste prior to expiration of the seven (7) day period. If the Customer does not direct an alternative disposal, at its option, EQ may return any such Non-Conforming Wastes to the Customer, and the Customer shall pay or reimburse EQ for all costs and expenses incurred by EQ in connection with the receipt, handling, sampling, analyses, transportation and return to the Customer of such Non-Conforming Wastes. If it is impossible or impractical for EQ to return the Non-Conforming Waste to the Customer, the Customer shall reimburse EQ for all costs, of any type or nature whatsoever, incurred by EQ, solely because such Delivered Waste was Non-Conforming Waste (including, but not limited to, all costs associated with any remedial steps necessary, due to the nature of the Non-Conforming Waste, in connection with material with which the Non-Conforming Waste may have been commingled and all expenses and charges for analyzing, handling, locating, preparing for transporting, storing and disposing of any Non-Conforming Wastes).

Customer Warranty - Title to Wastes.

Either the Customer or the generator (if other than the Customer) shall hold clear title, free of any all liens, claims, encumbrances, and charges to Delivered Waste until such waste is accepted by EQ.

Customer Warranty - Acceptable Wastes.

All Delivered Wastes shall be Acceptable Wastes and shall conform in all material respects to the description and specifications contained in the Waste Characterization Report. The information set forth in the Waste Characterization Report or any manifest, placard or label associated with any Delivered Wastes, or otherwise represented by the Customer or the generator (if other than the Customer) to EQ, is and shall be true, accurate and complete as of the date of receipt of the involved waste by EQ.

Customer Warranty - Compliance with Laws.

The Customer shall comply with all applicable federal, state and local environmental statutes, regulations, and other governmental requirements, as well as directives issued by EQ from time to time, governing the transportation, treatment and/or disposal of Acceptable Wastes, including, but not limited to, all packaging, manifesting, containerization, placarding and labeling requirements.

Customer Warranty - Updating Information.

If the Customer receives information that Delivered Waste or other hazardous waste described in the Waste Characterization Report, or some component of such waste, presents or may present a hazard or risk to persons, property or the environment which was not disclosed to EQ, or if the Customer or generator (if other than the Customer) has changed the process by which such waste results, the Customer shall promptly report such information to EQ in writing.

Customer Indemnity.

The Customer shall indemnify, defend and hold harmless EQ, and its affiliated or related companies, and all of their respective present or future officers, directors, shareholders, employees and agents from and against any and all losses, damages, liabilities, penalties, fines, forfeitures, demands, claims, causes of action, suits, costs and expenses (including, but not limited to, reasonable costs of defense, settlement, and reasonable attorneys' fees), which may be asserted against any or all of them by any person or any governmental agency, or which any or all of them may hereafter suffer, incur, be responsible for or pay out, as a result of or in connection with bodily injuries (including, but not limited to, death, sickness, disease and emotional or mental distress) to any person (including EQ's employees), damage (including, but not limited to, loss of use) to any property (public or private), or any requirements to conduct or incur expense for investigative, removal or remedial expenses in connection with contamination of or adverse effect on the environment, or any violation or alleged violation of any statutes, ordinances, orders, rules or regulations of any governmental entity or agency, caused or arising out of (i) a breach of this Agreement by the Customer, (ii) the failure of any warranty of the Customer to be true, accurate and complete, or (iii) any willful or negligent act or omission of the Customer, or its employees or agents in connection with the performance of this Agreement.

Force Majeure.

EQ shall not be liable for any failure to accept, receive, handle, treat, and/or dispose of Delivered Waste due to an act of God, fire, casualty, flood, war, strike, lockout, labor trouble, failure of public utilities, equipment failure, facility shutdown, injunction, accident, epidemic, riot, insurrection, destruction of operation or transportation facilities, the inability to procure materials, equipment, or sufficient personnel or energy in order to meet operational needs without the necessity of allocation, the failure or inability to obtain any governmental approvals or to meet Environmental Requirements (including, but not limited to voluntary or involuntary compliance with any act, exercise, assertion, or requirement of any governmental authority) which may temporarily or permanently prohibit operations of EQ, the Customer, or the Generator, or any other circumstances beyond the control of EQ which prevents or delays performance of any of its obligations under this Agreement.

Governing Laws.

This Agreement shall in all respects be governed by and shall be construed in accordance with the laws of the State of Michigan applied to contracts executed and performed wholly within such state.